Michael Bauer

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3672579/michael-bauer-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 19,698 376 130 h-index g-index citations papers 6.41 24,257 430 5.5 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
376	Novel Antidepressants in the Pipeline (Phase II and III): A Systematic Review of the US Clinical Trials Registry <i>Pharmacopsychiatry</i> , 2022 ,	2	3
375	Covid-19: Contributions from Psychopharmacology <i>Pharmacopsychiatry</i> , 2022 , 55, 5-6	2	
374	The big five model in bipolar disorder: a latent profile analysis and its impact on longterm illness severity <i>International Journal of Bipolar Disorders</i> , 2022 , 10, 1	5.4	O
373	Commercial Use of Emotion Artificial Intelligence (AI): Implications for Psychiatry <i>Current Psychiatry Reports</i> , 2022 , 24, 203	9.1	0
372	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach <i>British Journal of Psychiatry</i> , 2022 , 1-10	5.4	1
371	A call for improving lithium literacy among clinicians and patients <i>International Journal of Bipolar Disorders</i> , 2022 , 10, 5	5.4	1
370	Psychological and behavioral response on the COVID-19 pandemic in individuals with bipolar disorder: A multicenter study <i>Psychiatry Research</i> , 2022 , 310, 114451	9.9	O
369	Lithium: What can we do to overcome the discrepancies between evidence, guideline recommendations and clinical practice?. <i>European Neuropsychopharmacology</i> , 2022 , 60, 1-3	1.2	0
368	Psychopharmacotherapy of Trauma Sequelae 2022 , 347-359		
367	A clinical approach to treatment resistance in depressed patients: What to do when the usual treatments don work well enough?. World Journal of Biological Psychiatry, 2021, 22, 483-494	3.8	11
366	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 2457-2470	15.1	17
365	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials <i>Molecular Psychiatry</i> , 2021 ,	15.1	10
364	Physical Health Profile and Associated Behavior During the COVID-19 Pandemic in Patients With Bipolar Disorder <i>Frontiers in Psychiatry</i> , 2021 , 12, 759694	5	O
363	Chronic vs non-chronic depression in psychiatric inpatient care - Data from a large naturalistic multicenter trial. <i>Journal of Affective Disorders</i> , 2021 , 299, 73-84	6.6	1
362	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021 , 11, 606	8.6	1
361	The German research consortium for the study of bipolar disorder (BipoLife): a magnetic resonance imaging study protocol. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 37	5.4	1
3 60	Associations between pituitary-thyroid hormones and depressive symptoms in individuals with anorexia nervosa before and after weight-recovery <i>Psychoneuroendocrinology</i> , 2021 , 137, 105630	5	O

(2021-2021)

3.	59	Association between Adherence with an Atypical Antipsychotic and with Other Psychiatric Drugs in Patients with Bipolar Disorder. <i>Pharmacopsychiatry</i> , 2021 , 54, 75-80	2	1	
3.	58	Increasing Cybercrime Since the Pandemic: Concerns for Psychiatry. <i>Current Psychiatry Reports</i> , 2021 , 23, 18	9.1	9	
3.	57	Internet of things issues related to psychiatry. International Journal of Bipolar Disorders, 2021, 9, 11	5.4	1	
3.	56	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83	
3.	55	Do outcomes of psychiatric hospital treatment differ for migrants and non-migrants?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1957-1965	4.5		
3.	54	Divergent Dimethylarginine Dimethylaminohydrolase Isoenzyme Expression in the Central Nervous System. <i>Cellular and Molecular Neurobiology</i> , 2021 , 1	4.6	1	
3.	53	Deficits in explicit emotion regulation in bipolar disorder: a systematic review. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 15	5.4	5	
3.	52	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis - A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , 2021 , 47, 54-61	1.2	8	
3.	51	Chronic post-COVID-19 syndrome and chronic fatigue syndrome: Is there a role for extracorporeal apheresis?. <i>Molecular Psychiatry</i> , 2021 ,	15.1	15	
3.	50	Role of thyroid hormone therapy in depressive disorders. <i>Journal of Endocrinological Investigation</i> , 2021 , 44, 2341-2347	5.2	6	
34	49	Early detection of bipolar disorders and treatment recommendations for help-seeking adolescents and young adults: Findings of the Early Detection and Intervention Center Dresden. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 23	5.4	О	
3.	48	Comparing discrimination among people with schizophrenia, affective and anxiety disorders. A multilevel study in five European countries. <i>Journal of Affective Disorders</i> , 2021 , 279, 191-202	6.6	1	
34	47	Lithium: The best current treatment for the well-informed bipolar patient. <i>Bipolar Disorders</i> , 2021 , 23, 92	3.8		
3.	46	Prediction of lithium response using genomic data. <i>Scientific Reports</i> , 2021 , 11, 1155	4.9	1	
34	45	Cardiovascular Effects of Combining Subcutaneous or Intravenous Esketamine and the MAO Inhibitor Tranylcypromine for the Treatment of Depression: A Retrospective Cohort Study. <i>CNS Drugs</i> , 2021 , 35, 881-892	6.7	1	
3.	44	Lithium: A therapeutic option in Alzheimerß disease and its prodromal stages?. <i>Neuroscience Letters</i> , 2021 , 760, 136044	3.3	6	
34	43	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2021 , 54, 90-90	1.2	1	
3.	42	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	О	

341	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021 , 11, 17823	4.9	1
340	Individuals at increased risk for development of bipolar disorder display structural alterations similar to people with manifest disease. <i>Translational Psychiatry</i> , 2021 , 11, 485	8.6	2
339	Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021 , 294, 957-970	6.6	8
338	Implications of the COVID-19 pandemic for people with bipolar disorders: A scoping review. <i>Journal of Affective Disorders</i> , 2021 , 295, 740-751	6.6	3
337	Bipolar Disorder and Outcomes of Monotherapy with Lithium, Valproate, Quetiapine, Olanzapine, Venlafaxine, and Citalopram. <i>Pharmacopsychiatry</i> , 2021 , 54, 126-130	2	О
336	Melatonin suppression by melanopsin-weighted light in patients with bipolar I disorder compared to healthy controls. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 79-87	4.5	3
335	Prevalence of Prediabetes and Diabetes Mellitus Type II in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 314	5	4
334	Potential Drug interactions with Drugs used for Bipolar Disorder: A Comparison of 6 Drug Interaction Database Programs. <i>Pharmacopsychiatry</i> , 2020 , 53, 220-227	2	6
333	Use of psychiatric hospitals and social integration of patients with psychiatric disorders: a prospective cohort study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1425-1438	4.5	3
332	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020 , 36, 121-136	1.2	11
331	Case of Severe Acute-on-Chronic Lithium Intoxication with 8.6 mmol/l and Prompt Hemodialysis. <i>Pharmacopsychiatry</i> , 2020 , 53, 235-236	2	1
330	Effectiveness of the First German-Language Group Psychotherapy Manual to Accompany Short-Term Treatment in Methamphetamine Dependence. <i>Frontiers in Psychiatry</i> , 2020 , 11, 130	5	5
329	Efficacy of cognitive-behavioral group therapy in patients at risk for serious mental illness presenting with subthreshold bipolar symptoms: Results from a prespecified interim analysis of a multicenter, randomized, controlled study. <i>Bipolar Disorders</i> , 2020 , 22, 517-529	3.8	9
328	Acid ceramidase of macrophages traps herpes simplex virus in multivesicular bodies and protects from severe disease. <i>Nature Communications</i> , 2020 , 11, 1338	17.4	17
327	Whole-exome sequencing of 81 individuals from 27 multiply affected bipolar disorder families. <i>Translational Psychiatry</i> , 2020 , 10, 57	8.6	7
326	Smartphones in mental health: a critical review of background issues, current status and future concerns. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 2	5.4	53
325	Drug treatment for patients with bipolar disorders in psychiatric practices in Germany in 2009 and 2018. <i>Psychiatry Research</i> , 2020 , 289, 112965	9.9	6
324	Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 22	5.4	7

(2019-2020)

323	LithiumB antiviral effects: a potential drug for CoViD-19 disease?. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 21	5.4	36
322	Survey of psychiatrist use of digital technology in clinical practice. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 29	5.4	4
321	Digital phenotyping: towards replicable findings with comprehensive assessments and integrative models in bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 35	5.4	10
320	Bipolare StEungen 2020 , 1005-1026		
319	On a Very Basic Behavior in Science: Importance and Issues with Quotations. <i>Pharmacopsychiatry</i> , 2020 , 53, 245-246	2	
318	Diagnostik und Therapie bipolarer Stflungen. <i>InFo Neurologie & Psychiatrie</i> , 2020 , 22, 32-39	O	
317	Suicide risk after psychiatric discharge: study protocol of a naturalistic, long-term, prospective observational study. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 145	1.9	1
316	Neuropilin-1 is a host factor for SARS-CoV-2 infection. <i>Science</i> , 2020 , 370, 861-865	33.3	568
315	Risk Stratification for Bipolar Disorder Using Polygenic Risk Scores Among Young High-Risk Adults. <i>Frontiers in Psychiatry</i> , 2020 , 11, 552532	5	1
314	Association of pro-inflammatory cytokines with clinical features in euthymic patients with Bipolar-I-Disorder. <i>Journal of Affective Disorders</i> , 2020 , 277, 450-455	6.6	2
313	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	21
312	Factors associated with satisfaction of inpatient psychiatric care: a cross country comparison. <i>Psychological Medicine</i> , 2020 , 50, 284-292	6.9	8
311	Ketamine in the Treatment of Depressive Episodes. <i>Pharmacopsychiatry</i> , 2020 , 53, 45-50	2	8
310	Reporting guidelines on remotely collected electronic mood data in mood disorder (eMOOD)-recommendations. <i>Translational Psychiatry</i> , 2019 , 9, 162	8.6	13
309	Remission in schizophrenia - What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophrenia Research</i> , 2019 , 209, 185-192	3.6	2
308	Are national suicide prevention programs effective? A comparison of 4 verum and 4 control countries over 30 years. <i>BMC Psychiatry</i> , 2019 , 19, 158	4.2	14
307	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
306	Automation to optimise physician treatment of individual patients: examples in psychiatry. <i>Lancet Psychiatry,the</i> , 2019 , 6, 338-349	23.3	10

305	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15
304	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019 , 21, 68-75	3.8	15
303	A Novel Study Design to Systematically Explore the Impact of Trial Methodology on Psychopharmacological Treatment Outcome in Patients with Depression. <i>Pharmacopsychiatry</i> , 2019 , 52, 170-174	2	О
302	Algorithms For Treatment of Major Depressive Disorder: Efficacy and Cost-Effectiveness. <i>Pharmacopsychiatry</i> , 2019 , 52, 117-125	2	14
301	Clinical use of lithium salts: guide for users and prescribers. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 16	5.4	75
300	Predictors and outcomes of suicidal ideation during peripartum period. <i>Journal of Affective Disorders</i> , 2019 , 257, 518-526	6.6	13
299	European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019 , 29, 1301-13	317	22
298	Treatment of bipolar depression with supraphysiologic doses of levothyroxine: a randomized, placebo-controlled study of comorbid anxiety symptoms. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 21	5.4	8
297	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 20	5.4	28
296	Short group psychoeducation followed by daily electronic self-monitoring in the long-term treatment of bipolar disorders: a multicenter, rater-blind, randomized controlled trial. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 23	5.4	3
295	Psychopharmakotherapie von Traumafolgestflungen 2019 , 365-378		
294	The E3 Ubiquitin Ligase Mind Bomb 1 Controls Adenovirus Genome Release at the Nuclear Pore Complex. <i>Cell Reports</i> , 2019 , 29, 3785-3795.e8	10.6	23
293	Trajectories of adherence to mood stabilizers in patients with bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 19	5.4	9
292	A randomised, placebo-controlled 24-week study evaluating adjunctive brexpiprazole in patients with major depressive disorder. <i>Acta Neuropsychiatrica</i> , 2019 , 31, 27-35	3.9	13
291	Predictors of personal continuity of care of patients with severe mental illness: A comparison across five European countries. <i>European Psychiatry</i> , 2019 , 56, 69-74	6	2
290	Risk factors for dementia are not associated with cognitive dysfunction in young people with major depressive disorder. <i>Journal of Affective Disorders</i> , 2019 , 245, 140-144	6.6	3
289	Creativity in persons at-risk for bipolar disorder-A pilot study. <i>Microbial Biotechnology</i> , 2019 , 13, 1165-1	13/.3	4
288	The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment - ADDENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e23	5.1	

(2018-2018)

287	Effectiveness of maintenance therapy of lithium vs other mood stabilizers in monotherapy and in combinations: a systematic review of evidence from observational studies. <i>Bipolar Disorders</i> , 2018 , 20, 419	3.8	54
286	The potential influence of LED lighting on mental illness. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 59-73	3.8	26
285	Predictors of length of stay in psychiatric inpatient units: Does their effect vary across countries?. <i>European Psychiatry</i> , 2018 , 48, 6-12	6	26
284	Regularity of self-reported daily dosage of mood stabilizers and antipsychotics in patients with bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 10	5.4	7
283	Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 932-942	15.1	340
282	Subtypes of depression and their overlap in a naturalistic inpatient sample of major depressive disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27,	4.3	22
281	Monitoring for antidepressant-associated adverse events in the treatment of patients with major depressive disorder: An international consensus statement. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 330-348	3.8	20
280	Role of the IL-6-Receptor expression in CD14+ monocytes in modulating sleep in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 239, 152-160	6.6	1
279	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 207	5	15
278	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018 , 360,	33.3	666
277	Impulsivity predicts illness severity in long-term course of bipolar disorder: A prospective approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 876-886	2.6	5
276	Sleep spindles in bipolar disorder - a comparison to healthy control subjects. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 163-172	6.5	6
275	Smartphone-based objective monitoring in bipolar disorder: status and considerations. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 6	5.4	54
274	Areas of uncertainties and unmet needs in bipolar disorders: clinical and research perspectives. <i>Lancet Psychiatry,the</i> , 2018 , 5, 930-939	23.3	53
273	Adjunctive thyroid hormone treatment in rapid cycling bipolar disorder: A double-blind placebo-controlled trial of levothyroxine (L-T) and triiodothyronine (T). <i>Bipolar Disorders</i> , 2018 , 20, 594	1- 6 63	25
272	Lithium Clinics in Berlin and Dresden: a 50-Year Experience. <i>Pharmacopsychiatry</i> , 2018 , 51, 166-171	2	8
271	Long-term treatment with supraphysiologic doses of levothyroxine in treatment-refractory mood disorders - A prospective study of cardiovascular tolerability. <i>Journal of Affective Disorders</i> , 2018 , 238, 213-217	6.6	5
270	Efficacy and Effectiveness of Lithium in the Long-Term Treatment of Bipolar Disorders: An Update 2018. <i>Pharmacopsychiatry</i> , 2018 , 51, 173-176	2	20

269	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2018 , 75, 65-74	14.5	75
268	The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 29, e10	5.1	10
267	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018 , 28, 185	5-194	4
266	A standardized stepwise drug treatment algorithm for depression reduces direct treatment costs in depressed inpatients - Results from the German Algorithm Project (GAP3). <i>Journal of Affective Disorders</i> , 2018 , 228, 173-177	6.6	7
265	Gene set enrichment analysis and expression pattern exploration implicate an involvement of neurodevelopmental processes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 228, 20-25	6.6	9
264	Glioblastoma multiforme presenting as postpartum depression: a case report. <i>Journal of Medical Case Reports</i> , 2018 , 12, 374	1.2	3
263	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 20	5.4	8
262	Effectiveness of smartphone-based ambulatory assessment (SBAA-BD) including a predicting system for upcoming episodes in the long-term treatment of patients with bipolar disorders: study protocol for a randomized controlled single-blind trial. <i>BMC Psychiatry</i> , 2018 , 18, 349	4.2	10
261	Evidence for the Efficacy of Bright Light Therapy for Bipolar Depression. <i>American Journal of Psychiatry</i> , 2018 , 175, 905-906	11.9	9
260	Cognitive impairment and medial temporal lobe structure in young adults with a depressive episode. <i>Journal of Affective Disorders</i> , 2018 , 237, 112-117	6.6	9
259	Ethical perspectives on recommending digital technology for patients with mental illness. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 6	5.4	65
258	Naming for Psychotropic Drugs: Dilemma and Challenge. <i>Pharmacopsychiatry</i> , 2017 , 50, 1-2	2	4
257	Longitudinal changes in the antecedent and early manifest course of bipolar disorder-A narrative review of prospective studies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 509-523	2.6	16
256	Decreased medial prefrontal cortex activation during self-referential processing in bipolar mania. Journal of Affective Disorders, 2017, 219, 157-163	6.6	11
255	Pharmacological treatment of unipolar depressive disorders: summary of WFSBP guidelines. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017 , 21, 166-176	2.4	75
254	Identification of shared risk loci and pathways for bipolar disorder and schizophrenia. <i>PLoS ONE</i> , 2017 , 12, e0171595	3.7	53
253	Long-term lithium treatment in bipolar disorder: effects on glomerular filtration rate and other metabolic parameters. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 27	5.4	50
252	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 571-582	6.5	14

251	Ghrelin Serum Concentrations Are Associated with Treatment Response During Lithium Augmentation of Antidepressants. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 692-69	97 ^{5.8}	9
250	Lithium in der Langzeittherapie der bipolaren Stflung Iwas gibt es Neues?. <i>Der Neurologe Und Psychiater</i> , 2017 , 18, 27-31	O	
249	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 473-476	2.3	2
248	How Effective Is Algorithm-Guided Treatment for Depressed Inpatients? Results from the Randomized Controlled Multicenter German Algorithm Project 3 Trial. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 721-730	5.8	32
247	Impulsivity and Saliva Cortisol in Patients with Suicide Attempt and Controls. <i>Neuropsychobiology</i> , 2017 , 75, 162-168	4	8
246	Bipolare affektive Stflungen 2017 , 1819-1854		O
245	Type 2 diabetes and pre-diabetic abnormalities in patients with bipolar disorders. <i>Journal of Affective Disorders</i> , 2016 , 189, 240-5	6.6	13
244	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 17	5.4	16
243	Shall we really say goodbye to first rank symptoms?. European Psychiatry, 2016, 37, 8-13	6	23
242	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016 , 242, 388-394	9.9	26
241	Stability of remission rates in a 3-year follow-up of naturalistic treated depressed inpatients. <i>BMC Psychiatry</i> , 2016 , 16, 153	4.2	6
240	Aims and structure of the German Research Consortium BipoLife for the study of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 26	5.4	14
239	Suicide Prevention with Lithium 2016 , 81-89		1
238	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016 , 25, 3383-3394	5.6	125
237	Availability of prescription drugs for bipolar disorder at online pharmacies. <i>Journal of Affective Disorders</i> , 2016 , 193, 59-65	6.6	17
236	Levothyroxine effects on depressive symptoms and limbic glucose metabolism in bipolar disorder: a randomized, placebo-controlled positron emission tomography study. <i>Molecular Psychiatry</i> , 2016 , 21, 229-36	15.1	33
235	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016 , 387, 1085-1093	40	216
234	The FKBP5 polymorphism rs1360780 influences the effect of an algorithm-based antidepressant treatment and is associated with remission in patients with major depression. <i>Journal of Psychopharmacology</i> , 2016 , 30, 40-7	4.6	27

233	Subcortical volumetric abnormalities in bipolar disorder. <i>Molecular Psychiatry</i> , 2016 , 21, 1710-1716	15.1	283
232	Maintenance Treatment with Lithium 2016 , 45-60		O
231	Natural Course of Bipolar Disorder and Implications for Treatment 2016 , 11-23		
230	Lithium and Its History 2016 , 25-31		O
229	Diagnosis and Classification of Mood Disorders 2016 , 1-9		
228	Personality differences in early versus late suicide attempters. <i>BMC Psychiatry</i> , 2016 , 16, 282	4.2	4
227	Symptom characteristics of depressive episodes prior to the onset of mania or hypomania. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 196-204	6.5	17
226	Practical Management of Lithium 2016 , 113-128		2
225	Treatment of Depression with Lithium 2016 , 71-80		
224	The Essential Guide to Lithium Treatment 2016 ,		23
223	Big data for bipolar disorder. International Journal of Bipolar Disorders, 2016, 4, 10	5.4	37
222	Single-dose infusion ketamine and non-ketamine N-methyl-d-aspartate receptor antagonists for unipolar and bipolar depression: a meta-analysis of efficacy, safety and time trajectories. <i>Psychological Medicine</i> , 2016 , 46, 1459-72	6.9	210
221	Temperament and prodromal symptoms prior to first manic/hypomanic episodes: results from a pilot study. <i>Journal of Affective Disorders</i> , 2015 , 173, 39-44	6.6	15
220	Disturbed sleep as risk factor for the subsequent onset of bipolar disorderData from a 10-year prospective-longitudinal study among adolescents and young adults. <i>Journal of Psychiatric Research</i> , 2015 , 68, 76-82	5.2	49
219	Non-fatal Lithium Intoxication with 5.5 mmol/L Serum Level. <i>Pharmacopsychiatry</i> , 2015 , 48, 121-2	2	5
218	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015 , 64, 1-8	5.2	34
217	Genome-wide analysis implicates microRNAs and their target genes in the development of bipolar disorder. <i>Translational Psychiatry</i> , 2015 , 5, e678	8.6	52
216	Perception of social stimuli in mania: an fMRI study. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 231, 71-6	2.9	5

215	Early Symptom Improvement as a Predictor of Response to Extended Release Quetiapine in Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 706-10	1.7	9
214	Depression, anxiety disorders, and metabolic syndrome in a population at risk for type 2 diabetes mellitus. <i>Brain and Behavior</i> , 2015 , 5, e00306	3.4	52
213	Specialised teams or personal continuity across inpatient and outpatient mental healthcare? Study protocol for a natural experiment. <i>BMJ Open</i> , 2015 , 5, e008996	3	18
212	Common use of dietary supplements for bipolar disorder: a naturalistic, self-reported study. <i>International Journal of Bipolar Disorders</i> , 2015 , 3, 29	5.4	12
211	The suicide prevention effect of lithium: more than 20 years of evidence-a narrative review. <i>International Journal of Bipolar Disorders</i> , 2015 , 3, 32	5.4	106
210	Big data are coming to psychiatry: a general introduction. <i>International Journal of Bipolar Disorders</i> , 2015 , 3, 21	5.4	52
209	Atypical Antipsychotic Augmentation for Treatment-Resistant Depression: A Systematic Review and Network Meta-Analysis. <i>International Journal of Neuropsychopharmacology</i> , 2015 , 18, pyv060	5.8	107
208	Analysis of potentially predictive factors of efficacy of adjunct extended-release quetiapine fumarate in patients with major depressive disorder. <i>Journal of Psychopharmacology</i> , 2015 , 29, 565-74	4.6	3
207	Does lithium reduce acute suicidal ideation and behavior? A protocol for a randomized, placebo-controlled multicenter trial of lithium plus Treatment As Usual (TAU) in patients with suicidal major depressive episode. <i>BMC Psychiatry</i> , 2015 , 15, 117	4.2	13
206	Treatment of lithium intoxication: facing the need for evidence. <i>International Journal of Bipolar Disorders</i> , 2015 , 3, 23	5.4	29
205	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015 , 30, 99-105	6	24
204	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of unipolar depressive disorders. part 2: maintenance treatment of major depressive disorder-update 2015. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 76-95	3.8	116
203	Characteristics and differences in treatment outcome of inpatients with chronic vs. episodic major depressive disorders. <i>Journal of Affective Disorders</i> , 2015 , 173, 126-33	6.6	17
202	Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. <i>American Journal of Human Genetics</i> , 2015 , 96, 283-94	11	161
201	Comparative efficacy, acceptability, and tolerability of augmentation agents in treatment-resistant depression: systematic review and network meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e487-	.9 8 6	111
200	Bipolare affektive Stflungen 2015 , 1-36		
199	Three-Year long-term outcome of 458 naturalistically treated inpatients with major depressive episode: severe relapse rates and risk factors. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 567-75	5.1	31
198	Genome-wide association study reveals two new risk loci for bipolar disorder. <i>Nature Communications</i> , 2014 , 5, 3339	17.4	248

197	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014 , 8, 153-82	4.1	539
196	Role of lithium augmentation in the management of major depressive disorder. <i>CNS Drugs</i> , 2014 , 28, 331-42	6.7	74
195	Early specific cognitive-behavioural psychotherapy in subjects at high risk for bipolar disorders: study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 161	2.8	20
194	Antibodies in autoimmune thyroiditis affect glucose metabolism of anterior cingulate. <i>Brain, Behavior, and Immunity</i> , 2014 , 37, 73-7	16.6	8
193	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , 2014 , 167, 104-11	6.6	37
192	Chronic and treatment resistant depression: diagnosis and stepwise therapy. <i>Deutsches A&#x0308;rzteblatt International</i> , 2014 , 111, 766-75; quiz 775	2.5	36
191	Extended release quetiapine fumarate as adjunct to antidepressant therapy in patients with major depressive disorder: pooled analyses of data in patients with anxious depression versus low levels of anxiety at baseline. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 155-66	3.8	16
190	Reply to the letter to the editor by George et Al. World Journal of Biological Psychiatry, 2014, 15, 169-7	0 3.8	
189	Gender differences in thyroid system function: relevance to bipolar disorder and its treatment. <i>Bipolar Disorders</i> , 2014 , 16, 58-71	3.8	56
188	Psychotherapeutic interventions in individuals at risk of developing bipolar disorder: a systematic review. <i>Microbial Biotechnology</i> , 2014 , 8, 3-11	3.3	19
187	Lithium for prevention of mood episodes in bipolar disorders: systematic review and meta-analysis. <i>International Journal of Bipolar Disorders</i> , 2014 , 2, 15	5.4	123
186	Pooled analysis of adjunct extended-release quetiapine fumarate in patients with major depressive disorder according to ongoing SSRI or SNRI treatment. <i>International Clinical Psychopharmacology</i> , 2014 , 29, 16-25	2.2	3
185	Prediction of antidepressant response to venlafaxine by a combination of early response assessment and therapeutic drug monitoring. <i>Pharmacopsychiatry</i> , 2014 , 47, 174-9	2	12
184	The impact of treatment decisions on the diagnosis of bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2014 , 2, 3	5.4	1
183	Prophylactic lithium treatment and cognitive performance in patients with a long history of bipolar illness: no simple answers in complex disease-treatment interplay. <i>International Journal of Bipolar Disorders</i> , 2014 , 2, 1	5.4	25
182	Neuroprotective effect of lithium on hippocampal volumes in bipolar disorder independent of long-term treatment response. <i>Psychological Medicine</i> , 2014 , 44, 507-17	6.9	88
181	Characteristics, symptomatology and naturalistic treatment in individuals at-risk for bipolar disorders: baseline results in the first 180 help-seeking individuals assessed at the Dresden high-risk project. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 427-33	6.6	14
180	Identifying early changes in myocardial microstructure in hypertensive heart disease. <i>PLoS ONE</i> , 2014 , 9, e97424	3.7	12

179	Supraphysiologic doses of levothyroxine as adjunctive therapy in bipolar depression: a randomized, double-blind, placebo-controlled study. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 162-8	4.6	35
178	Drug treatment patterns in bipolar disorder: analysis of long-term self-reported data. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 5	5.4	30
177	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 2	5.4	16
176	The "DGPPN-Cohort": A national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 695-701	5.1	10
175	Extended-release quetiapine fumarate (quetiapine XR) monotherapy and quetiapine XR or lithium as add-on to antidepressants in patients with treatment-resistant major depressive disorder. Journal of Affective Disorders, 2013, 151, 209-19	6.6	51
174	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451
173	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013 , 45, 984-94	36.3	1628
172	Searching the internet for health information about bipolar disorder: some cautionary issues. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 22	5.4	16
171	Diagnosing bipolar disorders in DSM-5. International Journal of Bipolar Disorders, 2013, 1, 14	5.4	19
170	Stability of lithium treatment in bipolar disorder - long-term follow-up of 346 patients. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 11	5.4	16
169	Antidepressant dosage taken by patients with bipolar disorder: factors associated with irregularity. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 26	5.4	13
168	Extended-release quetiapine fumarate in the treatment of patients with major depressive disorder: adjunct therapy. <i>Expert Review of Neurotherapeutics</i> , 2013 , 13, 1183-200	4.3	6
167	Bipolar mixed states: an international society for bipolar disorders task force report of symptom structure, course of illness, and diagnosis. <i>American Journal of Psychiatry</i> , 2013 , 170, 31-42	11.9	135
166	The bipolar disorder prodrome revisited: Is there a symptomatic pattern?. <i>Journal of Affective Disorders</i> , 2013 , 151, 551-560	6.6	26
165	Depression with psychotic features is influenced by the polymorphism of the serotonin transporter gene. <i>Journal of Affective Disorders</i> , 2013 , 151, 605-610	6.6	5
164	Lithium, Thyroid Hormones and Further Augmentation Strategies in Treatment-resistant Depression 2013 , 129-157		2
163	Pooled analysis of sustained response rates for extended release quetiapine fumarate as monotherapy or adjunct to antidepressant therapy in patients with major depressive disorder. Journal of Affective Disorders, 2013, 150, 639-43	6.6	6
162	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 149-62	6.5	373

161	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of unipolar depressive disorders, part 1: update 2013 on the acute and continuation treatment of unipolar depressive disorders. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 334-85	3.8	346
160	Quetiapine XR monotherapy in major depressive disorder: a pooled analysis to assess the influence of baseline severity on efficacy. <i>International Clinical Psychopharmacology</i> , 2013 , 28, 113-20	2.2	6
159	Regularity in daily mood stabilizer dosage taken by patients with bipolar disorder. <i>Pharmacopsychiatry</i> , 2013 , 46, 163-8	2	11
158	Cyber-support: an analysis of online self-help forums (online self-help forums in bipolar disorder). <i>Nordic Journal of Psychiatry</i> , 2013 , 67, 185-90	2.3	27
157	Evaluation of adjunct extended-release quetiapine fumarate on sleep disturbance and quality in patients with major depressive disorder and an inadequate response to on-going antidepressant therapy. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 1755-65	5.8	4
156	The diagnosis and treatment of bipolar disorder: recommendations from the current s3 guideline. <i>Deutsches A&#x0308;rzteblatt International</i> , 2013 , 110, 92-100	2.5	21
155	Regional cardiac dysfunction and dyssynchrony in a murine model of afterload stress. <i>PLoS ONE</i> , 2013 , 8, e59915	3.7	21
154	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013 , 8, e65636	3.7	113
153	Aktuelle ethische Fragen in der Depressionsforschung 2013 , 185-192		
152	Long-term treatment with supraphysiological doses of thyroid hormone in affective disorders - effects on bone mineral density. <i>Journal of Affective Disorders</i> , 2012 , 136, e89-e94	6.6	15
151	Risk constellations prior to the development of bipolar disorders: rationale of a new risk assessment tool. <i>Journal of Affective Disorders</i> , 2012 , 136, 1000-10	6.6	66
150	Balanced efficacy, safety, and tolerability recommendations for the clinical management of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14 Suppl 2, 1-21	3.8	33
149	Treatment options for acute depression in bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14 Suppl 2, 37-50	3.8	35
148	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 654-63	3.8	31
147	Executive summary of the report by the WPA section on pharmacopsychiatry on general and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 13-22	5.1	17
146	The characteristics of sleep in patients with manifest bipolar disorder, subjects at high risk of developing the disease and healthy controls. <i>Journal of Neural Transmission</i> , 2012 , 119, 1173-84	4.3	64
145	The validity of self-rated psychotic symptoms in depressed inpatients. <i>European Psychiatry</i> , 2012 , 27, 547-52	6	11
144	PsychiatristsPperceptions of potential reasons for non- and partial adherence to medication: results of a survey in bipolar disorder from eight European countries. <i>Journal of Affective Disorders</i> , 2012 , 143, 125-30	6.6	28

143	Efficacy of a systematic depression management program in high utilizers of primary care: a randomized trial. <i>BMC Health Services Research</i> , 2012 , 12, 298	2.9	13
142	Commentary on a recent review of lithium toxicity: what are its implications for clinical practice?. <i>BMC Medicine</i> , 2012 , 10, 132	11.4	13
141	Spot identification and quality control in cell-based microarrays. <i>ACS Combinatorial Science</i> , 2012 , 14, 471-7	3.9	10
140	Large positive effect of lithium on prefrontal cortex N-acetylaspartate in patients with bipolar disorder: 2-centre study. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 185-92	4.5	40
139	No correlation between lithium serum levels and psychopathological features during the euthymic interval of patients with recurrent affective disorder. <i>Pharmacopsychiatry</i> , 2012 , 45, 1-6	2	5
138	Brief depressive symptoms in patients with bipolar disorder: analysis of long-term self-reported data. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 1068-78	2.6	12
137	Adult cardiac progenitor cell aggregates exhibit survival benefit both in vitro and in vivo. <i>PLoS ONE</i> , 2012 , 7, e50491	3.7	27
136	Medikamente zur Behandlung bipolarer affektiver Stflungen 2012 , 629-657		1
135	FC15-05 - Determinants of guideline-concordant care in routine treatment of mood, anxiety and somatoform disorders. <i>European Psychiatry</i> , 2011 , 26, 1902-1902	6	
134	Effects of lithium on the HPA axis in patients with unipolar major depression. <i>European Psychiatry</i> , 2011 , 26, 612-612	6	
134		6	
	2011 , 26, 612-612	6 7-3	8
133	2011, 26, 612-612 Bipolare affektive Stilungen 2011, 1665-1700 Association between median family income and self-reported mood symptoms in bipolar disorder.		8 49
133	2011, 26, 612-612 Bipolare affektive Stilungen 2011, 1665-1700 Association between median family income and self-reported mood symptoms in bipolar disorder. Comprehensive Psychiatry, 2011, 52, 17-25 The role of disturbed sleep in the early recognition of bipolar disorder: a systematic review. Bipolar	7-3	
133 132 131	Bipolare affektive Stillungen 2011, 1665-1700 Association between median family income and self-reported mood symptoms in bipolar disorder. Comprehensive Psychiatry, 2011, 52, 17-25 The role of disturbed sleep in the early recognition of bipolar disorder: a systematic review. Bipolar Disorders, 2011, 13, 227-37 Clinical predictors of response and remission in inpatients with depressive syndromes. Journal of	7·3 3.8	49
133 132 131	Bipolare affektive Stflungen 2011, 1665-1700 Association between median family income and self-reported mood symptoms in bipolar disorder. Comprehensive Psychiatry, 2011, 52, 17-25 The role of disturbed sleep in the early recognition of bipolar disorder: a systematic review. Bipolar Disorders, 2011, 13, 227-37 Clinical predictors of response and remission in inpatients with depressive syndromes. Journal of Affective Disorders, 2011, 133, 137-49 Algorithm-guided treatment of depression reduces treatment costsresults from the randomized	7·3 3.8 6.6	49 60
133 132 131 130	Bipolare affektive Stītungen 2011, 1665-1700 Association between median family income and self-reported mood symptoms in bipolar disorder. Comprehensive Psychiatry, 2011, 52, 17-25 The role of disturbed sleep in the early recognition of bipolar disorder: a systematic review. Bipolar Disorders, 2011, 13, 227-37 Clinical predictors of response and remission in inpatients with depressive syndromes. Journal of Affective Disorders, 2011, 133, 137-49 Algorithm-guided treatment of depression reduces treatment costs—results from the randomized controlled German Algorithm Project (GAPII). Journal of Affective Disorders, 2011, 134, 249-56 Genome-wide association study identifies genetic variation in neurocan as a susceptibility factor for	7·3 3.8 6.6	49 60 21

125	Hypothyroidism and mood disorders: integrating novel insights from brain imaging techniques. <i>Thyroid Research</i> , 2011 , 4 Suppl 1, S3	2.4	30
124	Effects of supraphysiological doses of levothyroxine on sleep in healthy subjects: a prospective polysomnography study. <i>Journal of Thyroid Research</i> , 2011 , 2011, 420580	2.6	12
123	Echocardiographic speckle-tracking based strain imaging for rapid cardiovascular phenotyping in mice. <i>Circulation Research</i> , 2011 , 108, 908-16	15.7	172
122	Comparison of pre-episode and pre-remission states using mood ratings from patients with bipolar disorder. <i>Pharmacopsychiatry</i> , 2011 , 44 Suppl 1, S49-53	2	9
121	Quality of reporting of randomized controlled trials of pharmacologic treatment of bipolar disorders: a systematic review. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1214-21	4.6	14
120	Versorgungserfahrungen bipolarer Patienten in Deutschland. <i>Nervenheilkunde</i> , 2011 , 30, 333-340	0.3	7
119	Bipolare StEungen. <i>Springer-Lehrbuch</i> , 2011 , 857-877	0.4	1
118	Influence of atypical features on the quality of prophylactic effectiveness of long-term lithium treatment in bipolar disorders. <i>Bipolar Disorders</i> , 2010 , 12, 390-6	3.8	31
117	The International Consortium on Lithium Genetics (ConLiGen): an initiative by the NIMH and IGSLI to study the genetic basis of response to lithium treatment. <i>Neuropsychobiology</i> , 2010 , 62, 72-8	4	109
116	Lithium B emerging role in the treatment of refractory major depressive episodes: augmentation of antidepressants. <i>Neuropsychobiology</i> , 2010 , 62, 36-42	4	78
115	Subsyndromal mood symptoms: a useful concept for maintenance studies of bipolar disorder?. <i>Psychopathology</i> , 2010 , 43, 1-7	3.4	27
114	¿Predice la mejorच precoz inducida por los antidepresivos la respuesta/remisiā? Anlīsis de los datos de un estudio naturalista en una muestra a gran escala de pacientes hospitalizados con depresiā mayor,. <i>Psiquiatria Biologica</i> , 2010 , 17, 45-53	0.2	
113	Increased depressive behaviour in mice harboring the mutant thyroid hormone receptor alpha 1. <i>Behavioural Brain Research</i> , 2010 , 214, 187-92	3.4	37
112	Outcomes of 1014 naturalistically treated inpatients with major depressive episode. <i>European Neuropsychopharmacology</i> , 2010 , 20, 346-55	1.2	61
111	Neuroendocrinology of Bipolar Illness 2010 , 255-262		1
110	Response and remission criteria in major depressiona validation of current practice. <i>Journal of Psychiatric Research</i> , 2010 , 44, 1063-8	5.2	174
109	Association between age of onset and mood in bipolar disorder: comparison of subgroups identified by cluster analysis and clinical observation. <i>Journal of Psychiatric Research</i> , 2010 , 44, 1170-5	5.2	22
108	Regional cerebral glucose metabolism and anxiety symptoms in bipolar depression: effects of levothyroxine. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 181, 71-6	2.9	7

107	Presence and predictors of pain in depression: results from the FINDER study. <i>Journal of Affective Disorders</i> , 2010 , 125, 53-60	6.6	36
106	Comparison of paroxetine and amitriptyline as adjunct to lithium maintenance therapy in bipolar depression: a reanalysis of a randomized, double-blind study. <i>Journal of Affective Disorders</i> , 2010 , 126, 453-7	6.6	19
105	A pooled analysis of two randomised, placebo-controlled studies of extended release quetiapine fumarate adjunctive to antidepressant therapy in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2010 , 127, 19-30	6.6	65
104	The association between concurrent psychotropic medications and self-reported adherence with taking a mood stabilizer in bipolar disorder. <i>Human Psychopharmacology</i> , 2010 , 25, 47-54	2.3	17
103	A double-blind, placebo-controlled study of quetiapine and lithium monotherapy in adults in the acute phase of bipolar depression (EMBOLDEN I). <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 150-62	4.6	239
102	Prevalence and treatment outcome in anxious versus nonanxious depression: results from the German Algorithm Project. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1047-54	4.6	68
101	Early mood swings as symptoms of the bipolar prodrome: preliminary results of a retrospective analysis. <i>Psychopathology</i> , 2009 , 42, 337-42	3.4	40
100	Efficacy of an algorithm-guided treatment compared with treatment as usual: a randomized, controlled study of inpatients with depression. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 327-33	3 ^{1.7}	61
99	The controversial link between antidepressants and suicidality risks in adults: data from a naturalistic study on a large sample of in-patients with a major depressive episode. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 181-9	5.8	35
98	Relationship between adjunctive medications for anxiety and time spent ill in patients with bipolar disorder. <i>International Journal of Psychiatry in Clinical Practice</i> , 2009 , 13, 70-7	2.4	4
97	Brain glucose metabolism in hypothyroidism: a positron emission tomography study before and after thyroid hormone replacement therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2922-9	5.6	96
96	Quality of life outcomes among patients with depression after 6 months of starting treatment: results from FINDER. <i>Journal of Affective Disorders</i> , 2009 , 113, 296-302	6.6	44
95	Does early improvement triggered by antidepressants predict response/remission? Analysis of data from a naturalistic study on a large sample of inpatients with major depression. <i>Journal of Affective Disorders</i> , 2009 , 115, 439-49	6.6	125
94	Relationship among latitude, climate, season and self-reported mood in bipolar disorder. <i>Journal of Affective Disorders</i> , 2009 , 116, 152-7	6.6	36
93	Comparison of sleep/wake parameters for self-monitoring bipolar disorder. <i>Journal of Affective Disorders</i> , 2009 , 116, 170-5	6.6	18
92	The effect of venlafaxine compared with other antidepressants and placebo in the treatment of major depression: a meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 172-85	5.1	75
91	Differential effects of venlafaxine in the treatment of major depressive disorder according to baseline severity. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 329-39	5.1	21
90	Frequency of subsyndromal symptoms and employment status in patients with bipolar disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 515-22	4.5	23

89	Mood episodes and mood disorders: patterns of incidence and conversion in the first three decades of life. <i>Bipolar Disorders</i> , 2009 , 11, 637-49	3.8	104
88	Extended-release quetiapine as adjunct to an antidepressant in patients with major depressive disorder: results of a randomized, placebo-controlled, double-blind study. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 540-9	4.6	152
87	"Caseness" for depression and anxiety in a depressed outpatient population: symptomatic outcome as a function of baseline diagnostic categories. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2009 , 11, 307-15		19
86	Chronische und therapieresistente Depressionen (ICD-10 F3) 2009 , 171-197		
85	Collaboration between medical examiner and toxicologist-analyst. Soudni Lekarstvi, 2009, 54, 49-51	Ο	
84	Diagnostic guidelines for bipolar disorder: a summary of the International Society for Bipolar Disorders Diagnostic Guidelines Task Force Report. <i>Bipolar Disorders</i> , 2008 , 10, 117-28	3.8	66
83	Rapid cycling bipolar disorderdiagnostic concepts. <i>Bipolar Disorders</i> , 2008 , 10, 153-62	3.8	63
82	The thyroid-brain interaction in thyroid disorders and mood disorders. <i>Journal of Neuroendocrinology</i> , 2008 , 20, 1101-14	3.8	239
81	Self-reporting software for bipolar disorder: validation of ChronoRecord by patients with mania. <i>Psychiatry Research</i> , 2008 , 159, 359-66	9.9	52
80	Factors influencing depression endpoints research (FINDER): study design and population characteristics. <i>European Psychiatry</i> , 2008 , 23, 57-65	6	20
79	Awareness of metabolic concerns in patients with bipolar disorder: a survey of European psychiatrists. <i>European Psychiatry</i> , 2008 , 23, 169-77	6	20
78	Prescribing patterns of antidepressants in Europe: results from the Factors Influencing Depression Endpoints Research (FINDER) study. <i>European Psychiatry</i> , 2008 , 23, 66-73	6	128
77	Legionella bacteria in shower aerosols increase the risk of Pontiac fever among older people in retirement homes. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 913-20	5.1	33
76	Safety of high-intensity treatment with the irreversible monoamine oxidase inhibitor tranylcypromine in patients with treatment-resistant depression. <i>Pharmacopsychiatry</i> , 2008 , 41, 252-7	2	32
75	Changes in self-reported sleep duration predict mood changes in bipolar disorder. <i>Psychological Medicine</i> , 2008 , 38, 1069-71	6.9	21
74	Serotonin transporter gene and response to lithium augmentation in depression. <i>Psychiatric Genetics</i> , 2008 , 18, 92-7	2.9	26
73	Efficacy of quetiapine monotherapy in rapid-cycling bipolar disorder in comparison with sodium valproate. <i>Journal of Clinical Psychopharmacology</i> , 2008 , 28, 555-60	1.7	19
72	Diagnosis and treatment in the early illness phase of bipolar disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258 Suppl 5, 50-4	5.1	27

(2006-2008)

Modelos de prescripcia de antidepresivos en Europa: Resultados del estudio de los Factores que Influyen en la Investigacia de los Criterios de Valoracia de la Depresia (FINDER). European 71 Psychiatry (Ed Espalola), 2008, 15, 167-175 Conocimiento de los problemas metablicos de los pacientes con trastorno bipolar: encuesta a 70 psiquiatras europeos. European Psychiatry (Ed Espabla), 2008, 15, 273-282 World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders in Primary Care. World Journal of Biological Psychiatry, **2007**, 8, 67-104 ^{3.8} 69 249 Response to lithium augmentation in depression is associated with the glycogen synthase kinase 68 81 7.9 3-beta -50T/C single nucleotide polymorphism. Biological Psychiatry, 2007, 62, 1295-302 Self-reported data from patients with bipolar disorder: frequency of brief depression. Journal of 6.6 67 30 Affective Disorders, 2007, 101, 227-33 Using ultrasonography to determine thyroid size and prevalence of goiter in lithium-treated 66 6.6 29 patients with affective disorders. Journal of Affective Disorders, 2007, 104, 45-51 A randomised, controlled study on the effects of a short-term endurance training programme in 65 10.3 135 patients with major depression. British Journal of Sports Medicine, 2007, 41, 29-33 Verbal memory retrieval deficits associated with untreated hypothyroidism. Journal of 64 2.7 24 Neuropsychiatry and Clinical Neurosciences, 2007, 19, 132-6 Early recognition of bipolar disorder. European Psychiatry, 2007, 22, 92-8 6 63 42 Acceleration and augmentation of antidepressants with lithium for depressive disorders: two 62 4.6 163 meta-analyses of randomized, placebo-controlled trials. Journal of Clinical Psychiatry, 2007, 68, 935-40 Self-reported data from patients with bipolar disorder: impact on minimum episode length for 61 6.6 14 hypomania. Journal of Affective Disorders, 2006, 96, 101-5 Efficacy and mechanisms of action of lithium augmentation in refractory major depression. Current 60 58 3.3 Pharmaceutical Design, **2006**, 12, 2985-92 Memory improvement with treatment of hypothyroidism. *International Journal of Neuroscience*, 2 59 54 2006, 116, 895-906 Duloxetine: a new selective and dual-acting antidepressant. Expert Opinion on Pharmacotherapy, 58 18 4 2006, 7, 421-7 Do antidepressants influence mood patterns? A naturalistic study in bipolar disorder. European 6 18 57 Psychiatry, 2006, 21, 262-9 Algorithms and collaborative-care systems for depression: are they effective and why? A systematic 56 7.9 102 review. Biological Psychiatry, 2006, 59, 1029-38 Temporal relation between sleep and mood in patients with bipolar disorder. Bipolar Disorders, 3.8 55 145 **2006**, 8, 160-7 Approximate entropy of self-reported mood prior to episodes in bipolar disorder. Bipolar Disorders, 3.8 54 37 2006, 8, 424-9

53	Mood changes related to antidepressants: a longitudinal study of patients with bipolar disorder in a naturalistic setting. <i>Psychiatry Research</i> , 2005 , 133, 73-80	9.9	27
52	Epidemiology of bipolar disorders. <i>Epilepsia</i> , 2005 , 46 Suppl 4, 8-13	6.4	96
51	Supraphysiological doses of levothyroxine alter regional cerebral metabolism and improve mood in bipolar depression. <i>Molecular Psychiatry</i> , 2005 , 10, 456-69	15.1	119
50	Is dose escalation of antidepressants a rational strategy after a medium-dose treatment has failed? A systematic review. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 387-400	5.1	120
49	Does the use of an automated tool for self-reporting mood by patients with bipolar disorder bias the collected data?. <i>MedGenMed: Medscape General Medicine</i> , 2005 , 7, 21		7
48	Long-term combination therapy versus monotherapy with lithium and carbamazepine in 46 bipolar I patients. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 174-82	4.6	33
47	Pharmacogenetics of antidepressants and antipsychotics: the contribution of allelic variations to the phenotype of drug response. <i>Molecular Psychiatry</i> , 2004 , 9, 442-73	15.1	575
46	Bone mineral density during maintenance treatment with supraphysiological doses of levothyroxine in affective disorders: a longitudinal study. <i>Journal of Affective Disorders</i> , 2004 , 83, 183-9	0 ^{6.6}	25
45	Time experience and time judgment in major depression, mania and healthy subjects. A controlled study of 93 subjects. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 222-9	6.5	123
44	Using technology to improve longitudinal studies: self-reporting with ChronoRecord in bipolar disorder. <i>Bipolar Disorders</i> , 2004 , 6, 67-74	3.8	93
43	Is successful lithium augmentation limited to serotonergic antidepressants?. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 240-1; author reply 241-2	1.7	7
42	The electronic assessment of the longitudinal course of bipolar disorder: the ChronoRecord software. <i>Pharmacopsychiatry</i> , 2003 , 36 Suppl 3, S244-9	2	21
41	Implications of the neuroprotective effects of lithium for the treatment of bipolar and neurodegenerative disorders. <i>Pharmacopsychiatry</i> , 2003 , 36 Suppl 3, S250-4	2	52
40	Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. <i>Pharmacopsychiatry</i> , 2003 , 36 Suppl 3, S230-4	2	21
39	Thyroid, brain and mood modulation in affective disorder: insights from molecular research and functional brain imaging. <i>Pharmacopsychiatry</i> , 2003 , 36 Suppl 3, S215-21	2	36
38	Lithium augmentation therapy in refractory depression: clinical evidence and neurobiological mechanisms. <i>Canadian Journal of Psychiatry</i> , 2003 , 48, 440-8	4.8	52
37	Thyroid hormone and mood modulation: new insights from functional brain imaging techniques. <i>Current Psychiatry Reports</i> , 2003 , 5, 163-5	9.1	7
36	Association between response to lithium augmentation and the combined DEX/CRH test in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2003 , 37, 135-43	5.2	18

(2001-2003)

35	Does prophylaxis-delay in bipolar disorder influence outcome? Results from a long-term study of 147 patients. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 260-7	6.5	41
34	Thyroid hypofunction in patients with rapid-cycling bipolar disorder after lithium challenge. <i>Biological Psychiatry</i> , 2003 , 53, 899-905	7.9	49
33	Response to letter to the editor from Andrade et al. (2003) ECT in the management of major depression: Implications of recent research, World J Biol Psychiatry 4: 139-140. World Journal of Biological Psychiatry, 2003, 4, 140-141	3.8	
32	Review: electroconvulsive therapy may be an effective short term treatment for people with depression. <i>Evidence-Based Mental Health</i> , 2003 , 6, 83	11.1	1
31	Effects of supraphysiological thyroxine administration in healthy controls and patients with depressive disorders. <i>Journal of Affective Disorders</i> , 2002 , 68, 285-94	6.6	37
30	Supraphysiological doses of L-thyroxine in the maintenance treatment of prophylaxis-resistant affective disorders. <i>Neuropsychopharmacology</i> , 2002 , 27, 620-8	8.7	46
29	Lithium augmentation increases the ACTH and cortisol response in the combined DEX/CRH test in unipolar major depression. <i>Neuropsychopharmacology</i> , 2002 , 27, 470-8	8.7	56
28	Thyroid hormone augmentation with levothyroxine in bipolar depression. <i>Bipolar Disorders</i> , 2002 , 4 Suppl 1, 109-10	3.8	11
27	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders, Part 2: Maintenance treatment of major depressive disorder and treatment of chronic depressive disorders and subthreshold depressions. World Journal of	3.8	101
26	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders, Part 1: Acute and continuation treatment of major depressive disorder. World Journal of Biological Psychiatry, 2002, 3, 5-43	3.8	252
25	Thyroid hormones, serotonin and mood: of synergy and significance in the adult brain. <i>Molecular Psychiatry</i> , 2002 , 7, 140-56	15.1	232
24	How long should the lithium augmentation strategy be maintained? A 1-year follow-up of a placebo-controlled study in unipolar refractory major depression. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 427-30	1.7	31
23	Bipolar disorder. <i>Lancet, The</i> , 2002 , 359, 241-7	40	305
22	Effectiveness and feasibility of a standardized stepwise drug treatment regimen algorithm for inpatients with depressive disorders: results of a 2-year observational algorithm study. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 782-90	4.6	57
21	Predictors of response to lithium augmentation in tricyclic antidepressant-resistant depression. Journal of Affective Disorders, 2001 , 64, 261-5	6.6	54
20	Subjective response to and tolerability of long-term supraphysiological doses of levothyroxine in refractory mood disorders. <i>Journal of Affective Disorders</i> , 2001 , 64, 35-42	6.6	40
19	Bone mineral density in pre-and post-menopausal women with affective disorder treated with long-term L-thyroxine augmentation. <i>Journal of Affective Disorders</i> , 2001 , 66, 185-91	6.6	34
18	Does thyroid supplementation accelerate tricyclic antidepressant response? A review and meta-analysis of the literature. <i>American Journal of Psychiatry</i> , 2001 , 158, 1617-22	11.9	190

17	Thyroid hormone, neural tissue and mood modulation. <i>World Journal of Biological Psychiatry</i> , 2001 , 2, 59-69	3.8	91
16	Benefits from aerobic exercise in patients with major depression: a pilot study. <i>British Journal of Sports Medicine</i> , 2001 , 35, 114-7	10.3	171
15	Double-blind, placebo-controlled trial of the use of lithium to augment antidepressant medication in continuation treatment of unipolar major depression. <i>American Journal of Psychiatry</i> , 2000 , 157, 1429	9- 3 59	135
14	Paroxetine and amitriptyline augmentation of lithium in the treatment of major depression: a double-blind study. <i>Journal of Clinical Psychopharmacology</i> , 1999 , 19, 164-71	1.7	23
13	Lithium augmentation in treatment-resistant depression: meta-analysis of placebo-controlled studies. <i>Journal of Clinical Psychopharmacology</i> , 1999 , 19, 427-34	1.7	192
12	Treatment of refractory depression with high-dose thyroxine. <i>Neuropsychopharmacology</i> , 1998 , 18, 444	-85 ₇	101
11	Concurrent agranulocytosis and acute hepatitis resulting from combination of classic neuroleptics and subsequent successful clozapine treatment. <i>Pharmacopsychiatry</i> , 1995 , 28, 29-31	2	6
10	Absolutely therapy-resistant depression and mixed movement disorder in an unusual case of polycythemia vera. <i>Pharmacopsychiatry</i> , 1995 , 28, 66-8	2	4
9	Treatment of intractable non-rapid cycling bipolar affective disorder with high-dose thyroxine: an open clinical trial. <i>Neuropsychopharmacology</i> , 1994 , 10, 183-9	8.7	79
8	Psychological and endocrine abnormalities in refugees from East Germany: Part I. Prolonged stress, psychopathology, and hypothalamic-pituitary-thyroid axis activity. <i>Psychiatry Research</i> , 1994 , 51, 61-73	9.9	47
7	Psychological and endocrine abnormalities in refugees from East Germany: Part II. Serum levels of cortisol, prolactin, luteinizing hormone, follicle stimulating hormone, and testosterone. <i>Psychiatry Research</i> , 1994 , 51, 75-85	9.9	38
6	Osteochondritis dissecans of the elbow. A long-term follow-up study. <i>Clinical Orthopaedics and Related Research</i> , 1992 , 156-60	2.2	31
5	Congenital radioulnar synostosis. Radiological characteristics and hand function: case reports. <i>Scandinavian Journal of Plastic and Reconstructive Surgery</i> , 1988 , 22, 251-5		13
4	Neuroendocrine responses to cold stress in normal subjects and depressives. Psychoneuroendocrinology, 1987, 12, 483-90	5	7
3	Neuropilin-1 is a host factor for SARS-CoV-2 infection		45
2	The E3 ubiquitin ligase Mind bomb 1 enhances nuclear import of viral DNA by inactivating a virion linchpin protein that suppresses exposure of virion pathogen-associated molecular patterns		1
1	Polygenic scores for major depressive disorder and depressive symptoms predict response to lithium in patients with bipolar disorder		1