

Justin V Mccarthy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3672986/publications.pdf>

Version: 2024-02-01

27
papers

1,411
citations

471509

17
h-index

552781

26
g-index

27
all docs

27
docs citations

27
times ranked

1921
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>In Silico</i> Identification of Potential Phosphorylation in the Cytoplasmic Domain of Epithelial Cell Adhesion Molecule. <i>ACS Omega</i> , 2020, 5, 30808-30816.	3.5	2
2	Regulated intramembrane proteolysis: emergent role in cell signalling pathways. <i>Biochemical Society Transactions</i> , 2017, 45, 1185-1202.	3.4	28
3	The γ -Secretase Protease Complexes in Neurodegeneration, Cancer and Immunity. , 2017, , 47-87.		2
4	γ -Secretase Activity Is Required for Regulated Intramembrane Proteolysis of Tumor Necrosis Factor (TNF) Receptor 1 and TNF-mediated Pro-apoptotic Signaling. <i>Journal of Biological Chemistry</i> , 2016, 291, 5971-5985.	3.4	31
5	Beyond γ -secretase activity: The multifunctional nature of presenilins in cell signalling pathways. <i>Cellular Signalling</i> , 2016, 28, 1-11.	3.6	112
6	Loss of Presenilin 2 Function Is Associated with Defective LPS-Mediated Innate Immune Responsiveness. <i>Molecular Neurobiology</i> , 2016, 53, 3428-3438.	4.0	27
7	Regulated intramembrane proteolysis, innate immunity and therapeutic targets in Alzheimer's disease. <i>AIMS Molecular Science</i> , 2016, 3, 138-157.	0.5	2
8	Gamma-secretase-independent role for cadherin-11 in neurotrophin receptor p75 (p75NTR) mediated glioblastoma cell migration. <i>Molecular and Cellular Neurosciences</i> , 2015, 69, 41-53.	2.2	19
9	A ubiquitin-binding CUE domain in presenilin-1 enables interaction with K63-linked polyubiquitin chains. <i>FEBS Letters</i> , 2015, 589, 1001-1008.	2.8	9
10	Semagacestat, a γ -secretase inhibitor, activates the growth hormone secretagogue (GHS-R1a) receptor. <i>Journal of Pharmacy and Pharmacology</i> , 2013, 65, 528-538.	2.4	13
11	Presenilins are novel substrates for TRAF6-mediated ubiquitination. <i>Cellular Signalling</i> , 2013, 25, 1769-1779.	3.6	13
12	Presenilin and γ -Secretase Activity: A Viable Therapeutic Target for Alzheimers Disease?. <i>Current Signal Transduction Therapy</i> , 2010, 5, 128-140.	0.5	5
13	Interleukin-1 Receptor Type 1 Is a Substrate for γ -Secretase-dependent Regulated Intramembrane Proteolysis. <i>Journal of Biological Chemistry</i> , 2009, 284, 1394-1409.	3.4	44
14	Presenilin-dependent regulated intramembrane proteolysis and γ -secretase activity. <i>Cellular and Molecular Life Sciences</i> , 2009, 66, 1534-1555.	5.4	102
15	Association between Presenilin-1 and TRAF6 modulates regulated intramembrane proteolysis of the p75 ^{NTR} neurotrophin receptor. <i>Journal of Neurochemistry</i> , 2009, 108, 216-230.	3.9	31
16	TRAF6 promotes ubiquitination and regulated intramembrane proteolysis of IL-1R1. <i>Biochemical and Biophysical Research Communications</i> , 2009, 381, 418-423.	2.1	20
17	The insulin-like growth factor 1 (IGF-1) receptor is a substrate for γ -secretase-mediated intramembrane proteolysis. <i>Biochemical and Biophysical Research Communications</i> , 2007, 358, 1136-1141.	2.1	52
18	Presenilin-1 is an unprimed glycogen synthase kinase-3 β substrate. <i>FEBS Letters</i> , 2006, 580, 4015-4020.	2.8	70

#	ARTICLE	IF	CITATIONS
19	Involvement of presenilins in cell-survival signalling pathways. <i>Biochemical Society Transactions</i> , 2005, 33, 568-572.	3.4	29
20	Apoptosis and development. <i>Essays in Biochemistry</i> , 2003, 39, 11-24.	4.7	10
21	Structural and functional characterization of the upstream regulatory region of the human gene encoding prostate apoptosis response factor-4. <i>Gene</i> , 2002, 295, 109-116.	2.2	2
22	Substitution of a Glycogen Synthase Kinase-3 ^{Δ2} Phosphorylation Site in Presenilin 1 Separates Presenilin Function from β -Catenin Signaling. <i>Journal of Biological Chemistry</i> , 2001, 276, 7366-7375.	3.4	68
23	Glycogen Synthase Kinase-3 ^{Δ2} Regulates Presenilin 1 C-terminal Fragment Levels. <i>Journal of Biological Chemistry</i> , 2001, 276, 30701-30707.	3.4	92
24	RIP2 Is a Novel NF- κ B-activating and Cell Death-inducing Kinase. <i>Journal of Biological Chemistry</i> , 1998, 273, 16968-16975.	3.4	390
25	Apoptosis Induced by Drosophila Reaper and Grim in a Human System. <i>Journal of Biological Chemistry</i> , 1998, 273, 24009-24015.	3.4	89
26	Cell shrinkage and apoptosis: a role for potassium and sodium ion efflux. <i>Cell Death and Differentiation</i> , 1997, 4, 756-770.	11.2	116
27	Cell Death in the Myeloid Lineage. <i>Immunological Reviews</i> , 1994, 142, 93-112.	6.0	33