Christian Anholm

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3673633/publications.pdf

Version: 2024-02-01

1040056 1281871 11 324 9 11 citations h-index g-index papers 11 11 11 709 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Liraglutide in combination with metformin may improve the atherogenic lipid profile and decrease C-reactive protein level in statin treated obese patients with coronary artery disease and newly diagnosed type 2 diabetes: A randomized trial. Atherosclerosis, 2019, 288, 60-66.	0.8	43
2	Effects of 1Âyear of exercise training versus combined exercise training and weight loss on body composition, low-grade inflammation and lipids in overweight patients with coronary artery disease: a randomized trial. Cardiovascular Diabetology, 2019, 18, 127.	6.8	59
3	Liraglutide improves the beta-cell function without increasing insulin secretion during a mixed meal in patients, who exhibit well-controlled type 2 diabetes and coronary artery disease. Diabetology and Metabolic Syndrome, 2019, 11, 42.	2.7	10
4	Effect of liraglutide on estimates of lipolysis and lipid oxidation in obese patients with stable coronary artery disease and newly diagnosed type 2 diabetes: A randomized trial. Diabetes, Obesity and Metabolism, 2019, 21, 2012-2016.	4.4	14
5	The acute effects of dietary carbohydrate reduction on postprandial responses of non-esterified fatty acids and triglycerides: a randomized trial. Lipids in Health and Disease, 2018, 17, 295.	3.0	9
6	Liraglutide effects on betaâ€cell, insulin sensitivity and glucose effectiveness in patients with stable coronary artery disease and newly diagnosed type 2 diabetes. Diabetes, Obesity and Metabolism, 2017, 19, 850-857.	4.4	19
7	Effects of Liraglutide on Heart Rate and Heart Rate Variability: A Randomized, Double-Blind, Placebo-Controlled Crossover Study. Diabetes Care, 2017, 40, 117-124.	8.6	72
8	Effects of the glucagon-like peptide-1 receptor agonist liraglutide on systolic function in patients with coronary artery disease and type 2 diabetes: a randomized double-blind placebo-controlled crossover study. Cardiovascular Diabetology, 2016, 15, 105.	6.8	48
9	Weight loss is superior to exercise in improving the atherogenic lipid profile in a sedentary, overweight population with stable coronary artery disease: A randomized trial. Atherosclerosis, 2016, 246, 221-228.	0.8	28
10	A randomized trial comparing the effect of weight loss and exercise training on insulin sensitivity and glucose metabolism in coronary artery disease. Metabolism: Clinical and Experimental, 2015, 64, 1298-1307.	3.4	11
11	Adding liraglutide to the backbone therapy of biguanide in patients with coronary artery disease and newly diagnosed type-2 diabetes (the AddHope2 study): a randomised controlled study protocol. BMJ Open, 2014, 4, e005942-e005942.	1.9	11