

# Yogendra Gupta

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3673700/yogendra-gupta-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154  
papers

3,193  
citations

34  
h-index

44  
g-index

174  
ext. papers

3,540  
ext. citations

3.1  
avg. IF

5.5  
L-index

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 154 | Elastic moduli of hexagonal diamond and cubic diamond formed under shock compression. <i>Physical Review B</i> , <b>2021</b> , 103,   | 3.3 | 1         |
| 153 | Peak states of molybdenum single crystals shock compressed to high stresses. <i>Journal of Applied Physics</i> , <b>2021</b> , 129, 245906  | 2.5 |           |
| 152 | The Fast multi-frame X-ray diffraction detector at the Dynamic Compression Sector. <i>Journal of Synchrotron Radiation</i> , <b>2021</b> , 28, 1216-1228  | 2.4 | 2         |
| 151 | Near-optimal combination of high performance and insensitivity in a shock compressed high explosive single crystal. <i>Journal of Applied Physics</i> , <b>2021</b> , 130, 015902   | 2.5 | 1         |
| 150 | Shock compression of silver to 300 GPa: Wave profile measurements and melting transition. <i>Physical Review B</i> , <b>2021</b> , 104,   | 3.3 | 2         |
| 149 | Sound speed measurements in lithium fluoride single crystals shock compressed to 168 GPa along [100]. <i>Journal of Applied Physics</i> , <b>2021</b> , 130, 035901   | 2.5 | 0         |
| 148 | Inherent issues regarding the use of in situ x-ray diffraction measurements to determine temperature in shock-compressed metals. <i>Physical Review B</i> , <b>2021</b> , 104,  | 3.3 | 2         |
| 147 | Shock compression response of an insensitive high explosive single crystal: 1,1-diamino-2,2-dinitroethene (FOX-7). <i>Journal of Applied Physics</i> , <b>2020</b> , 127, 155901  | 2.5 | 5         |
| 146 | Hugoniot states and optical response of soda lime glass shock compressed to 120 GPa. <i>Journal of Applied Physics</i> , <b>2020</b> , 127, 205901  | 2.5 | 5         |
| 145 | Shock compression response of diamond single crystals at multimegabar stresses. <i>Physical Review B</i> , <b>2020</b> , 101,   | 3.3 | 4         |
| 144 | Shock compression of molybdenum single crystals to 110 GPa: Elastic-plastic deformation and crystal anisotropy. <i>Journal of Applied Physics</i> , <b>2020</b> , 127, 205902   | 2.5 | 4         |
| 143 | What Determines the fcc-bcc Structural Transformation in Shock Compressed Noble Metals?. <i>Physical Review Letters</i> , <b>2020</b> , 124, 235701   | 7.4 | 16        |
| 142 | Role of graphite crystal structure on the shock-induced formation of cubic and hexagonal diamond. <i>Physical Review B</i> , <b>2020</b> , 101,   | 3.3 | 5         |
| 141 | Optical Response of Soda-Lime Glass Shocked to 14 GPa. <i>Journal of Dynamic Behavior of Materials</i> , <b>2020</b> , 6, 207-212   | 1.8 | 3         |
| 140 | Real-Time Observation of Stacking Faults in Gold Shock Compressed to 150 GPa. <i>Physical Review X</i> , <b>2020</b> , 10,  | 9.1 | 9         |
| 139 | Crystal Structure and Melting of Fe Shock Compressed to 273 GPa: In Situ X-Ray Diffraction. <i>Physical Review Letters</i> , <b>2020</b> , 125, 215702  | 7.4 | 22        |
| 138 | Structural Transformation and Chemical Stability of a Shock-Compressed Insensitive High Explosive Single Crystal: Time-Resolved Raman Spectroscopy. <i>Journal of Physical Chemistry A</i> , <b>2020</b> , 124, 6521-6527 | 2.8 | 5         |

|     |  |      |    |
|-----|--|------|----|
| 137 | Transformation of shock-compressed copper to the body-centered-cubic structure at 180 GPa. <i>Physical Review B</i> , <b>2020</b> , 102,   | 3.3  | 14 |
| 136 | Shock compression/release of magnesium single crystals along a low-symmetry orientation: Role of basal slip. <i>Journal of Applied Physics</i> , <b>2019</b> , 126, 115902                   | 2.5  | 12 |
| 135 | The laser shock station in the dynamic compression sector. I. <i>Review of Scientific Instruments</i> , <b>2019</b> , 90, 053901   | 1.7  | 24 |
| 134 | Graphite to diamond transformation under shock compression: Role of orientational order. <i>Journal of Applied Physics</i> , <b>2019</b> , 125, 245902                                       | 2.5  | 11 |
| 133 | Structural transformations including melting and recrystallization during shock compression and release of germanium up to 45 GPa. <i>Physical Review B</i> , <b>2019</b> , 99,              | 3.3  | 14 |
| 132 | Elastic-plastic deformation of molybdenum single crystals shocked to 12.5 GPa: Crystal anisotropy effects. <i>Journal of Applied Physics</i> , <b>2019</b> , 125, 055903                     | 2.5  | 6  |
| 131 | Structural Transformation and Melting in Gold Shock Compressed to 355 GPa. <i>Physical Review Letters</i> , <b>2019</b> , 123, 045702  | 7.4  | 30 |
| 130 | Sound Velocities in Shock-Synthesized Stishovite to 72 GPa. <i>Geophysical Research Letters</i> , <b>2019</b> , 46, 13695-13703  | 7.4  | 30 |
| 129 | Strength and deformation of shocked diamond single crystals: Orientation dependence. <i>Physical Review B</i> , <b>2018</b> , 97,  | 3.3  | 11 |
| 128 | Twinning and Dislocation Evolution during Shock Compression and Release of Single Crystals: Real-Time X-Ray Diffraction. <i>Physical Review Letters</i> , <b>2018</b> , 120, 265503          | 7.4  | 46 |
| 127 | Direct-to-indirect electronic state transition in dynamically compressed GaAs quantum wells. <i>Applied Physics Letters</i> , <b>2018</b> , 113, 072101                                      | 3.4  | 3  |
| 126 | Nanosecond Melting and Recrystallization in Shock-Compressed Silicon. <i>Physical Review Letters</i> , <b>2018</b> , 121, 135701   | 7.4  | 22 |
| 125 | Shock compression and release of a-axis magnesium single crystals: Anisotropy and time dependent inelastic response. <i>Journal of Applied Physics</i> , <b>2017</b> , 121, 035901           | 2.5  | 24 |
| 124 | Elastic-plastic deformation of molybdenum single crystals shocked along [100]. <i>Journal of Applied Physics</i> , <b>2017</b> , 121, 045903   | 2.5  | 10 |
| 123 | Transformation of shock-compressed graphite to hexagonal diamond in nanoseconds. <i>Science Advances</i> , <b>2017</b> , 3, eaao3561   | 14.3 | 41 |
| 122 | Real-Time Examination of Atomistic Mechanisms during Shock-Induced Structural Transformation in Silicon. <i>Physical Review Letters</i> , <b>2016</b> , 117, 045502                          | 7.4  | 32 |
| 121 | High-Pressure Structural Response of an Insensitive Energetic Crystal: 1,1-Diamino-2,2-dinitroethene (FOX-7). <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 27600-27607        | 3.8  | 14 |
| 120 | Phase Diagram and Decomposition of 1,1-Diamino-2,2-dinitroethene Single Crystals at High Pressures and Temperatures. <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 11092-11098 | 3.8  | 18 |

|     |   |     |    |
|-----|---|-----|----|
| 119 | High-Pressure Crystal Structures of an Insensitive Energetic Crystal: 1,1-Diamino-2,2-dinitroethene. <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 1218-1224                                      | 3.8 | 31 |
| 118 | Complete equation of state for shocked liquid nitrogen: Analytical developments. <i>Journal of Chemical Physics</i> , <b>2016</b> , 145, 054504   | 3.9 | 2  |
| 117 | Shock wave compression and release of hexagonal-close-packed metal single crystals: Inelastic deformation of c-axis magnesium. <i>Journal of Applied Physics</i> , <b>2015</b> , 117, 105903                    | 2.5 | 32 |
| 116 | Sound velocities in highly oriented pyrolytic graphite shocked to 18 GPa: Orientational order dependence and elastic instability. <i>Journal of Applied Physics</i> , <b>2015</b> , 118, 245903                 | 2.5 | 3  |
| 115 | High-Pressure Stability of Energetic Crystal of Dihydroxylammonium 5,5'-Bistetrazole-1,1'-diolate: Raman Spectroscopy and DFT Calculations. <i>Journal of Physical Chemistry B</i> , <b>2015</b> , 119, 6836-47 | 3.4 | 44 |
| 114 | Molecular response of liquid nitrogen multiply shocked to 40 GPa. <i>Journal of Chemical Physics</i> , <b>2014</b> , 141, 084503  | 3.9 | 7  |
| 113 | Shock wave compression of hexagonal-close-packed metal single crystals: Time-dependent, anisotropic elastic-plastic response of beryllium. <i>Journal of Applied Physics</i> , <b>2014</b> , 116, 033505        | 2.5 | 11 |
| 112 | High-pressure vibrational and polymorphic response of 1,1-diamino-2,2-dinitroethene single crystals: Raman spectroscopy. <i>Journal of Physical Chemistry A</i> , <b>2014</b> , 118, 5002-12                    | 2.8 | 29 |
| 111 | Shockless and shock wave compression of ballistic gel to 1.3 GPa. <i>Journal of Applied Physics</i> , <b>2014</b> , 116, 153512   | 2.5 | 6  |
| 110 | Shock-compressed graphite to diamond transformation on nanosecond time scales. <i>Physical Review B</i> , <b>2013</b> , 87,   | 3.3 | 14 |
| 109 | Shock compression of pyrolytic graphite to 18 GPa: Role of orientational order. <i>Journal of Applied Physics</i> , <b>2013</b> , 114, 093515   | 2.5 | 7  |
| 108 | Shock compression of aluminum single crystals to 70 GPa: Role of crystalline anisotropy. <i>Journal of Applied Physics</i> , <b>2013</b> , 114, 153504  | 2.5 | 15 |
| 107 | Use of dynamic compression to probe semiconductor response at large strains. <i>Physica Status Solidi (B): Basic Research</i> , <b>2013</b> , 250, 683-687  | 1.3 | 2  |
| 106 | Unloading and reloading response of shocked aluminum single crystals: Time-dependent anisotropic material description. <i>Journal of Applied Physics</i> , <b>2012</b> , 112, 093509                            | 2.5 | 22 |
| 105 | Real-time, high-resolution x-ray diffraction measurements on shocked crystals at a synchrotron facility. <i>Review of Scientific Instruments</i> , <b>2012</b> , 83, 123905                                     | 1.7 | 30 |
| 104 | Shock compression and unloading response of 1050 aluminum to 70 GPa <b>2012</b> ,   |     | 9  |
| 103 | Effect of compositional variation on the shock wave response of bulk amorphous alloys. <i>Journal of Applied Physics</i> , <b>2012</b> , 112, 063529  | 2.5 | 6  |
| 102 | Effect of high pressure on acoustic properties of several polymers: Use of impulsive stimulated light scattering method. <i>Journal of Applied Physics</i> , <b>2011</b> , 109, 083507                          | 2.5 | 11 |

|     |   |     |    |
|-----|---|-----|----|
| 101 | Experimental determination of third-order elastic constants of diamond. <i>Physical Review Letters</i> , <b>2011</b> , 106, 125502  | 7.4 | 38 |
| 100 | Real-time microstructure of shock-compressed single crystals from X-ray diffraction line profiles. <i>Journal of Applied Crystallography</i> , <b>2011</b> , 44, 574-584  | 3.8 | 9  |
| 99  | Order-of-magnitude reduction of carrier lifetimes in [100] n-type GaAs shock-compressed to 4 GPa. <i>Applied Physics Letters</i> , <b>2011</b> , 98, 092107   | 3.4 | 5  |
| 98  | Elastic anisotropy of shocked aluminum single crystals: Use of molecular dynamics simulations. <i>Physical Review B</i> , <b>2011</b> , 83,   | 3.3 | 13 |
| 97  | Material strength determination in the shock compressed state using x-ray diffraction measurements. <i>Journal of Applied Physics</i> , <b>2011</b> , 109, 123510   | 2.5 | 15 |
| 96  | Anisotropic material model and wave propagation simulations for shocked pentaerythritol tetranitrate single crystals. <i>Journal of Applied Physics</i> , <b>2010</b> , 107, 103505                             | 2.5 | 39 |
| 95  | Strength and elastic deformation of natural and synthetic diamond crystals shock compressed along [100]. <i>Journal of Applied Physics</i> , <b>2010</b> , 107, 113538  | 2.5 | 21 |
| 94  | Real-time microstructure of shocked LiF crystals: Use of synchrotron x-rays. <i>Journal of Applied Physics</i> , <b>2009</b> , 105, 053520  | 2.5 | 34 |
| 93  | Bound exciton luminescence in shock compressed GaP:S and GaP:N. <i>Journal of Applied Physics</i> , <b>2009</b> , 106, 023710   | 2.5 | 1  |
| 92  | Real-time band structure changes of GaAs during continuous dynamic compression to 5 GPa. <i>Applied Physics Letters</i> , <b>2009</b> , 95, 152108  | 3.4 | 3  |
| 91  | Determination of second-order elastic constants of cyclotetramethylene tetranitramine (HMX) using impulsive stimulated thermal scattering. <i>Journal of Applied Physics</i> , <b>2009</b> , 106, 053505        | 2.5 | 45 |
| 90  | Transformation of GaAs into an indirect L-band-gap semiconductor under uniaxial strain. <i>Physical Review B</i> , <b>2009</b> , 80,  | 3.3 | 16 |
| 89  | Shock induced phase change in KCl single crystals: Orientation relations between the B1 and B2 lattices. <i>Journal of Applied Physics</i> , <b>2009</b> , 105, 013544  | 2.5 | 11 |
| 88  | Real time synchrotron x-ray diffraction measurements to determine material strength of shocked single crystals following compression and release. <i>Journal of Applied Physics</i> , <b>2009</b> , 106, 033513 | 2.5 | 25 |
| 87  | Elastic wave amplitudes in shock-compressed thin polycrystalline aluminum samples. <i>Journal of Applied Physics</i> , <b>2009</b> , 106, 073508  | 2.5 | 25 |
| 86  | Shock wave induced decomposition of RDX: time-resolved spectroscopy. <i>Journal of Physical Chemistry A</i> , <b>2008</b> , 112, 7374-82  | 2.8 | 58 |
| 85  | Photoacoustic measurements to determine acoustic velocities in shocked condensed materials: Application to liquid benzene. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 101926                            | 3.4 | 3  |
| 84  | Time-Resolved Electronic Spectroscopy To Examine Shock-Wave-Induced Changes in Anthracene Single Crystals. <i>Journal of Physical Chemistry C</i> , <b>2008</b> , 112, 7761-7766                                | 3.8 | 6  |

|    |  |     |    |
|----|--|-----|----|
| 83 | Time-resolved x-ray diffraction experiments to examine the elastic-plastic transition in shocked magnesium-doped LiF. <i>Journal of Applied Physics</i> , <b>2008</b> , 104, 013510                              | 2.5 | 20 |
| 82 | Second-order elastic constants of pentaerythritol tetranitrate and cyclotrimethylene trinitramine using impulsive stimulated thermal scattering. <i>Journal of Applied Physics</i> , <b>2008</b> , 104, 073517   | 2.5 | 41 |
| 81 | Band-gap luminescence of GaP:S shock compressed to 5GPa. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 142104   | 3.4 | 6  |
| 80 | Velocity correction and refractive index changes for [100] lithium fluoride optical windows under shock compression, recompression, and unloading. <i>Journal of Applied Physics</i> , <b>2008</b> , 103, 093505 | 2.5 | 39 |
| 79 | Shock-wave induced tension and spall in a zirconium-based bulk amorphous alloy. <i>Journal of Applied Physics</i> , <b>2007</b> , 101, 043514  | 2.5 | 15 |
| 78 | Inelastic deformation and phase transformation of shock compressed silicon single crystals. <i>Applied Physics Letters</i> , <b>2007</b> , 91, 201913  | 3.4 | 29 |
| 77 | X-ray diffraction and continuum measurements in silicon crystals shocked below the elastic limit. <i>Applied Physics Letters</i> , <b>2007</b> , 90, 051905  | 3.4 | 14 |
| 76 | Two-dimensional mesoscale simulations of quasielastic reloading and unloading in shock compressed aluminum. <i>Journal of Applied Physics</i> , <b>2006</b> , 100, 083509  | 2.5 | 17 |
| 75 | Response of a Zr-based bulk amorphous alloy to shock wave compression. <i>Journal of Applied Physics</i> , <b>2006</b> , 100, 063522   | 2.5 | 27 |
| 74 | Raman spectra of shock compressed pentaerythritol tetranitrate single crystals: anisotropic response. <i>Journal of Physical Chemistry B</i> , <b>2006</b> , 110, 20948-53                                       | 3.4 | 25 |
| 73 | Nonlinear anisotropic description for the thermomechanical response of shocked single crystals: Inelastic deformation. <i>Journal of Applied Physics</i> , <b>2006</b> , 99, 023510                              | 2.5 | 55 |
| 72 | COMPUTATIONAL STUDY OF INTERFACE EFFECT ON IMPACT LOAD SPREADING IN SiC MULTI-LAYERED TARGETS. <i>International Journal of Computational Methods</i> , <b>2005</b> , 02, 341-373                                 | 1.1 | 3  |
| 71 | Nonlinear anisotropic description for shocked single crystals: Thermoelastic response and pure mode wave propagation. <i>Journal of Applied Physics</i> , <b>2004</b> , 96, 1993-1999                            | 2.5 | 39 |
| 70 | Compressive shock wave response of a Zr-based bulk amorphous alloy. <i>Applied Physics Letters</i> , <b>2004</b> , 84, 1692-1694   | 3.4 | 34 |
| 69 | High-Pressure Effects on Fluorescence of Anthracene Crystals. <i>Journal of Physical Chemistry B</i> , <b>2003</b> , 107, 9268-9274  | 3.4 | 52 |
| 68 | Ordinary refractive index of sapphire in uniaxial tension and compression along the c axis. <i>Journal of Applied Physics</i> , <b>2003</b> , 93, 1023-1031  | 2.5 | 40 |
| 67 | Time-resolved x-ray diffraction measurements and analysis to investigate shocked lithium fluoride crystals. <i>Journal of Applied Physics</i> , <b>2003</b> , 93, 3291-3298                                      | 2.5 | 18 |
| 66 | Thermomechanical model and temperature measurements for shocked ammonium perchlorate single crystals. <i>Journal of Applied Physics</i> , <b>2002</b> , 91, 5650-5656  | 2.5 | 14 |

|    |   |     |    |
|----|---|-----|----|
| 65 | Second-order elastic constants for pentaerythritol tetranitrate single crystals. <i>Journal of Applied Physics</i> , <b>2001</b> , 90, 1669-1671  | 2.5 | 31 |
| 64 | Compression and shear wave measurements to characterize the shocked state in silicon carbide. <i>Journal of Applied Physics</i> , <b>2001</b> , 89, 5372-5380   | 2.5 | 26 |
| 63 | Refractive indices of sapphire under elastic, uniaxial strain compression along the a axis. <i>Journal of Applied Physics</i> , <b>2001</b> , 90, 4990-4996   | 2.5 | 29 |
| 62 | Band Gap Shift of GaN under Uniaxial Strain Compression. <i>Materials Research Society Symposia Proceedings</i> , <b>2001</b> , 693, 242  |     | 1  |
| 61 | Shock wave experiments at different length scales: Recent achievements and future challenges. <i>AIP Conference Proceedings</i> , <b>2000</b> ,   | 0   | 4  |
| 60 | Time-resolved absorption spectroscopy in shocked PETN single crystals. <i>AIP Conference Proceedings</i> , <b>2000</b> ,  | 0   | 3  |
| 59 | Equation of state and temperature measurements for shocked nitromethane. <i>Journal of Chemical Physics</i> , <b>2000</b> , 113, 7492-7501  | 3.9 | 44 |
| 58 | Shock wave response of ammonium perchlorate single crystals to 6 GPa. <i>Journal of Applied Physics</i> , <b>2000</b> , 88, 2371-2377   | 2.5 | 12 |
| 57 | Refractive index and elastic properties of z-cut quartz shocked to 60 kbar. <i>Journal of Applied Physics</i> , <b>2000</b> , 88, 5671-5679   | 2.5 | 49 |
| 56 | Real-time X-Ray diffraction measurements of the phase transition in KCl shocked along. <i>Physical Review Letters</i> , <b>2000</b> , 85, 330-3   | 7.4 | 51 |
| 55 | Feasibility of stimulated emission to measure R-line shifts in shock compressed ruby. <i>Journal of Applied Physics</i> , <b>1999</b> , 85, 6425-6429   | 2.5 | 4  |
| 54 | Experimental developments to obtain real-time x-ray diffraction measurements in plate impact experiments. <i>Review of Scientific Instruments</i> , <b>1999</b> , 70, 4008-4014   | 1.7 | 43 |
| 53 | Picosecond time-resolved electronic spectroscopy in plate impact shock experiments: Experimental development. <i>Review of Scientific Instruments</i> , <b>1999</b> , 70, 1743-1750   | 1.7 | 12 |
| 52 | Response to Comment on Dynamic analysis of the response of lateral piezoresistance gauges in shocked ceramics and on Determination of lateral stresses in shocked solids: Simplified analysis of piezoresistance gauge data [J. Appl. Phys. 86, 3484 (1999)]. <i>Journal of Applied Physics</i> , <b>1999</b> , 86, 3487-3489 | 2.5 | 3  |
| 51 | Real-time x-ray diffraction to examine elastic-plastic deformation in shocked lithium fluoride crystals. <i>Applied Physics Letters</i> , <b>1998</b> , 73, 1655-1657   | 3.4 | 54 |
| 50 | Material strength and inelastic deformation of silicon carbide under shock wave compression. <i>Journal of Applied Physics</i> , <b>1998</b> , 83, 79-86  | 2.5 | 65 |
| 49 | Determination of lateral stresses in shocked solids: Simplified analysis of piezoresistance gauge data. <i>Journal of Applied Physics</i> , <b>1998</b> , 83, 747-753   | 2.5 | 6  |
| 48 | Wurtzite-to-rocksalt structural transformation in cadmium sulphide shocked along the a axis. <i>Physical Review B</i> , <b>1998</b> , 58, 5964-5971   | 3.3 | 32 |

|    |   |     |    |
|----|---|-----|----|
| 47 | Ruby R-line shifts for shock compression along (11 02). <i>Journal of Applied Physics</i> , <b>1998</b> , 84, 1947-1952   | 2.5 | 17 |
| 46 | Real-Time Observation of a Metastable State during the Phase Transition in Shocked Cadmium Sulfide. <i>Physical Review Letters</i> , <b>1998</b> , 81, 2938-2941  | 7.4 | 41 |
| 45 | Dynamic strength and inelastic deformation of ceramics under shock wave loading <b>1998</b> ,   |     | 3  |
| 44 | Shock Wave Response of Materials at Different Length Scales. <i>Materials Research Society Symposia Proceedings</i> , <b>1998</b> , 538, 139  |     | 5  |
| 43 | Temperature determination in shocked condensed materials using Raman scattering. <i>Applied Physics Letters</i> , <b>1997</b> , 70, 967-969   | 3.4 | 22 |
| 42 | Use of time-resolved Raman scattering to determine temperatures in shocked carbon tetrachloride. <i>Journal of Applied Physics</i> , <b>1997</b> , 81, 6662-6669  | 2.5 | 52 |
| 41 | Phase transition in cadmium sulfide single crystals shocked along the c axis. <i>Journal of Applied Physics</i> , <b>1997</b> , 81, 7203-7212   | 2.5 | 26 |
| 40 | Dynamic analysis of the response of lateral piezoresistance gauges in shocked ceramics. <i>Journal of Applied Physics</i> , <b>1997</b> , 82, 2845-2854   | 2.5 | 25 |
| 39 | Shock-Induced Chemical Changes in Neat Nitromethane: Use of Time-Resolved Raman Spectroscopy. <i>Journal of Physical Chemistry B</i> , <b>1997</b> , 101, 10733-10743   | 3.4 | 66 |
| 38 | Shock response of polycrystalline silicon carbide undergoing inelastic deformation. <i>Journal of Applied Physics</i> , <b>1996</b> , 79, 1378-1387   | 2.5 | 42 |
| 37 | Study of tensile deformation in shocked Z-cut, $\alpha$ -quartz using time resolved Raman spectroscopy. <i>Journal of Applied Physics</i> , <b>1995</b> , 78, 1557-1564   | 2.5 | 10 |
| 36 | Investigation of Shock-Induced Chemical Decomposition of Sensitized Nitromethane Through Time-Resolved Raman Spectroscopy. <i>Materials Research Society Symposia Proceedings</i> , <b>1995</b> , 418, 349                            |     |    |
| 35 | Time Resolved Optical Spectroscopy to Examine Chemical Decomposition of Energetic Materials Under Static High Pressure and Pulsed Heating Conditions. <i>Materials Research Society Symposia Proceedings</i> , <b>1995</b> , 418, 385 |     | 2  |
| 34 | Effect of tension on R lines in ruby crystals shocked along crystal c axis. <i>Journal of Applied Physics</i> , <b>1994</b> , 76, 1784-1788   | 2.5 | 23 |
| 33 | Time resolved Raman measurements in $\alpha$ -quartz shocked to 60 kbar. <i>Journal of Applied Physics</i> , <b>1994</b> , 75, 2837-2844  | 2.5 | 22 |
| 32 | IUTAM Invited Symposium Paper Abstracts. <i>Applied Mechanics Reviews</i> , <b>1993</b> , 46, 547-562   | 8.6 |    |
| 31 | High strain rate response of an elastomer. <i>High Pressure Research</i> , <b>1992</b> , 10, 785-789  | 1.6 | 5  |
| 30 | Time-resolved optical spectroscopy under shock loading: Electronic and chemical changes in liquid carbon disulfide. <i>High Pressure Research</i> , <b>1992</b> , 10, 717-732   | 1.6 | 10 |



|    |  |     |    |
|----|--|-----|----|
| 29 | Time-resolved spectroscopic reflection measurements in shock-compressed materials. <i>Journal of Applied Physics</i> , <b>1991</b> , 69, 918-928   | 2.5 | 11 |
| 28 | Potential use of the ruby R2 line shift for static high-pressure calibration. <i>Applied Physics Letters</i> , <b>1991</b> , 58, 583-585   | 3.4 | 50 |
| 27 | Shock-induced fluorescence shift of rhodamine-6G dye in ethanol solution. <i>Journal of Applied Physics</i> , <b>1991</b> , 70, 7549-7553  | 2.5 | 21 |
| 26 | Electronic and chemical changes in shocked liquid carbon disulfide inferred from time resolved reflection experiments and analysis. <i>Journal of Chemical Physics</i> , <b>1991</b> , 95, 451-466           | 3.9 | 12 |
| 25 | Analysis of Lagrangian gauge measurements of simple and nonsimple plane waves. <i>Journal of Applied Physics</i> , <b>1991</b> , 69, 6998-7014   | 2.5 | 76 |
| 24 | Effect of initial phase on ultraviolet/visible absorption in shocked carbon disulfide/hexane mixtures. <i>Journal of Chemical Physics</i> , <b>1990</b> , 93, 2082-2086                                      | 3.9 | 4  |
| 23 | Oscillator strength of ruby R1 line under high pressure. <i>Applied Physics Letters</i> , <b>1989</b> , 54, 84-85  | 3.4 | 11 |
| 22 | Time-resolved Raman spectrum of shock-compressed diamond. <i>Applied Physics Letters</i> , <b>1989</b> , 55, 33-35   | 3.4 | 15 |
| 21 | Shear wave measurements for improved characterization of shock-Induced phase transformations in Carrara marble. <i>Geophysical Research Letters</i> , <b>1989</b> , 16, 191-194                              | 4.9 | 4  |
| 20 | Simultaneous measurement of in-material longitudinal and transverse particle velocity histories in a compression-shear experiment. <i>Journal of Applied Physics</i> , <b>1989</b> , 65, 1898-1901           | 2.5 | 5  |
| 19 | Dynamic consolidation of type 304 stainless-steel powders in gas gun experiments. <i>Journal of Applied Physics</i> , <b>1988</b> , 64, 1446-1456  | 2.5 | 29 |
| 18 | Impact response of the shorted quartz gauge to 40 kbar. <i>Review of Scientific Instruments</i> , <b>1988</b> , 59, 1189-1194  | 4.7 | 7  |
| 17 | Shock-induced phase transformation in cadmium sulfide dispersed in an elastomer. <i>Journal of Applied Physics</i> , <b>1988</b> , 64, 1827-1837   | 2.5 | 18 |
| 16 | Experimental measurements and analysis of the loading and unloading response of longitudinal and lateral manganin gauges shocked to 90 kbar. <i>Journal of Applied Physics</i> , <b>1987</b> , 62, 2603-2609 | 2.5 | 17 |
| 15 | Incorporation of strain hardening in piezoresistance analysis: Application to ytterbium foils in a PMMA matrix. <i>Journal of Applied Physics</i> , <b>1987</b> , 61, 489-498                                | 2.5 | 13 |
| 14 | Piezoresistance response of ytterbium foil gauges shocked to 45 kbar in fused silica matrix. <i>Journal of Applied Physics</i> , <b>1987</b> , 61, 1304-1310   | 2.5 | 8  |
| 13 | Wavelength shift of the ruby luminescence R lines under shock compression. <i>Applied Physics Letters</i> , <b>1986</b> , 49, 856-858  | 3.4 | 20 |
| 12 | Effect of surface preparation on elastic precursor decay in shocked pure lithium fluoride. <i>Applied Physics Letters</i> , <b>1986</b> , 48, 1351-1353  | 3.4 | 13 |

|    |   |     |     |
|----|---|-----|-----|
| 11 | Pressure-time profile of multiply shocked carbon disulfide. <i>Journal of Applied Physics</i> , <b>1986</b> , 59, 1141-1146   | 2.5 | 9   |
| 10 | Piezoresistance response of longitudinally and laterally oriented ytterbium foils subjected to impact and quasi-static loading. <i>Journal of Applied Physics</i> , <b>1985</b> , 57, 2464-2473 | 2.5 | 44  |
| 9  | Quasistatic experiments to determine material constants for the piezoresistance foils used in shock wave experiments. <i>Journal of Applied Physics</i> , <b>1984</b> , 55, 3984-3993           | 2.5 | 35  |
| 8  | High strain-rate shear deformation of a polyurethane elastomer subjected to impact loading. <i>Polymer Engineering and Science</i> , <b>1984</b> , 24, 851-861                                  | 2.3 | 24  |
| 7  | Effect of crystal orientation on dynamic strength of LiF. <i>Journal of Applied Physics</i> , <b>1977</b> , 48, 5067-5073   | 2.5 | 38  |
| 6  | Precursor decay in 1060 aluminum. <i>Journal of Applied Physics</i> , <b>1975</b> , 46, 4474-4478   | 2.5 | 53  |
| 5  | Dislocation mechanisms for stress relaxation in shocked LiF. <i>Journal of Applied Physics</i> , <b>1975</b> , 46, 532-546  | 2.5 | 113 |
| 4  | Elastic compression to 30 kbar along <111> in shocked LiF. <i>Applied Physics Letters</i> , <b>1975</b> , 26, 38-41   | 3.4 | 12  |
| 3  | Stress dependence of elastic-wave attenuation in LiF. <i>Journal of Applied Physics</i> , <b>1975</b> , 46, 3395-3401   | 2.5 | 34  |
| 2  | Impact response of a shorted guard-ring quartz gauge between 20 and 26 kilobar. <i>Review of Scientific Instruments</i> , <b>1974</b> , 45, 1554-1556   | 1.7 | 16  |
| 1  | Effect of Impurity Clustering on Elastic Precursor Decay in LiF. <i>Journal of Applied Physics</i> , <b>1972</b> , 43, 2220-2223  | 2.3 | 34  |