

# Tao Deng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3676071/publications.pdf>

Version: 2024-02-01

41  
papers

7,753  
citations

136950

32  
h-index

265206

42  
g-index

42  
all docs

42  
docs citations

42  
times ranked

5224  
citing authors

#	ARTICLE	IF	CITATIONS
1	Critical Review on Low-Temperature Li-Ion/Metal Batteries. <i>Advanced Materials</i> , 2022, 34, e2107899.	21.0	204
2	Formation of Li-Rich Cathode-Electrolyte Interphase by Electrolyte Reduction. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	90
3	Interfacial-engineering-enabled practical low-temperature sodium metal battery. <i>Nature Nanotechnology</i> , 2022, 17, 269-277.	31.5	69
4	Tuning Interface Lithiophobicity for Lithium Metal Solid-State Batteries. <i>ACS Energy Letters</i> , 2022, 7, 131-139.	17.4	56
5	Formation of Li-Rich Cathode-Electrolyte Interphase by Electrolyte Reduction. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	16
6	All-Fluorinated Electrolyte Enables Safe Li <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> O <sub>2</sub>   Graphite Pouch Cells with Stable High-Voltage Operation. <i>Energy &amp; Fuels</i> , 2022, 36, 6511-6519.	5.1	3
7	Identifying soft breakdown in all-solid-state lithium battery. <i>Joule</i> , 2022, 6, 1770-1781.	24.0	71
8	An Inorganic-Rich Solid Electrolyte Interphase for Advanced Lithium-Metal Batteries in Carbonate Electrolytes. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 3661-3671.	13.8	317
9	An Inorganic-Rich Solid Electrolyte Interphase for Advanced Lithium-Metal Batteries in Carbonate Electrolytes. <i>Angewandte Chemie</i> , 2021, 133, 3705-3715.	2.0	29
10	Bifunctional Interphase-Enabled Li <sub>10</sub> GeP <sub>2</sub> S <sub>12</sub> Electrolytes for Lithium-Sulfur Battery. <i>ACS Energy Letters</i> , 2021, 6, 862-868.	17.4	115
11	High-Energy Aqueous Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 11943-11948.	13.8	100
12	High-Energy Aqueous Sodium-Ion Batteries. <i>Angewandte Chemie</i> , 2021, 133, 12050-12055.	2.0	13
13	Design of a Solid Electrolyte Interphase for Aqueous Zn Batteries. <i>Angewandte Chemie</i> , 2021, 133, 13145-13151.	2.0	16
14	Design of a Solid Electrolyte Interphase for Aqueous Zn Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 13035-13041.	13.8	239
15	Fluorinated interphase enables reversible aqueous zinc battery chemistries. <i>Nature Nanotechnology</i> , 2021, 16, 902-910.	31.5	560
16	Highly Reversible Aqueous Zinc Batteries enabled by Zincophilic-Zincophobic Interfacial Layers and Interrupted Hydrogen-Bond Electrolytes. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 18845-18851.	13.8	150
17	Highly Reversible Aqueous Zinc Batteries enabled by Zincophilic-Zincophobic Interfacial Layers and Interrupted Hydrogen-Bond Electrolytes. <i>Angewandte Chemie</i> , 2021, 133, 18993-18999.	2.0	11
18	In situ formation of polymer-inorganic solid-electrolyte interphase for stable polymeric solid-state lithium-metal batteries. <i>CheM</i> , 2021, 7, 3052-3068.	11.7	76

#	ARTICLE	IF	CITATIONS
19	Thermal Runaway Suppression of High-Energy Lithium-Ion Batteries by Designing the Stable Interphase. <i>Journal of the Electrochemical Society</i> , 2021, 168, 090563.	2.9	16
20	Solvation Structure Design for Aqueous Zn Metal Batteries. <i>Journal of the American Chemical Society</i> , 2020, 142, 21404-21409.	13.7	680
21	Tuning the Anode-Electrolyte Interface Chemistry for Garnet-Based Solid-State Li Metal Batteries. <i>Advanced Materials</i> , 2020, 32, e2000030.	21.0	156
22	Realizing Complete Solid-Solution Reaction in High Sodium Content P2-Type Cathode for High-Performance Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 14511-14516.	13.8	142
23	Realizing Complete Solid-Solution Reaction in High Sodium Content P2-Type Cathode for High-Performance Sodium-Ion Batteries. <i>Angewandte Chemie</i> , 2020, 132, 14619-14624.	2.0	65
24	Hydrophobic Organic-Electrolyte-Protected Zinc Anodes for Aqueous Zinc Batteries. <i>Angewandte Chemie</i> , 2020, 132, 19454-19458.	2.0	30
25	Hydrophobic Organic-Electrolyte-Protected Zinc Anodes for Aqueous Zinc Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19292-19296.	13.8	287
26	A Pyrazine-Based Polymer for Fast-Charge Batteries. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17820-17826.	13.8	173
27	Designing In-Situ-Formed Interphases Enables Highly Reversible Cobalt-Free LiNiO <sub>2</sub> Cathode for Li-ion and Li-metal Batteries. <i>Joule</i> , 2019, 3, 2550-2564.	24.0	167
28	A Pyrazine-Based Polymer for Fast-Charge Batteries. <i>Angewandte Chemie</i> , 2019, 131, 17984-17990.	2.0	19
29	Reversible Alloying of Phosphorene with Potassium and Its Stabilization Using Reduced Graphene Oxide Buffer Layers. <i>ACS Nano</i> , 2019, 13, 14094-14106.	14.6	36
30	Achieving High Energy Density through Increasing the Output Voltage: A Highly Reversible 5.3 V Battery. <i>CheM</i> , 2019, 5, 896-912.	11.7	145
31	All-temperature batteries enabled by fluorinated electrolytes with non-polar solvents. <i>Nature Energy</i> , 2019, 4, 882-890.	39.5	557
32	Azo Compounds Derived from Electrochemical Reduction of Nitro Compounds for High Performance Li-Ion Batteries. <i>Advanced Materials</i> , 2018, 30, e1706498.	21.0	134
33	Azo compounds as a family of organic electrode materials for alkali-ion batteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 2004-2009.	7.1	168
34	Highly Fluorinated Interphases Enable High-Voltage Li-Metal Batteries. <i>CheM</i> , 2018, 4, 174-185.	11.7	682
35	Self-Templated Formation of P2-type K <sub>0.6</sub> CoO <sub>2</sub> Microspheres for High Reversible Potassium-Ion Batteries. <i>Nano Letters</i> , 2018, 18, 1522-1529.	9.1	167
36	A Universal Organic Cathode for Ultrafast Lithium and Multivalent Metal Batteries. <i>Angewandte Chemie</i> , 2018, 130, 7264-7268.	2.0	51

#	ARTICLE	IF	CITATIONS
37	A Universal Organic Cathode for Ultrafast Lithium and Multivalent Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 7146-7150.	13.8	177
38	High-Performance All-Solid-State Na <sup>+</sup> /S Battery Enabled by Casting <sup>+</sup> Annealing Technology. <i>ACS Nano</i> , 2018, 12, 3360-3368.	14.6	102
39	Fluorinated solid electrolyte interphase enables highly reversible solid-state Li metal battery. <i>Science Advances</i> , 2018, 4, eaau9245.	10.3	521
40	Layered P2 <sup>+</sup> -Type K <sub>0.65</sub> Fe <sub>0.5</sub> Mn <sub>0.5</sub> O <sub>2</sub> Microspheres as Superior Cathode for High <sup>+</sup> Energy Potassium <sup>+</sup> Ion Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1800219.	14.9	157
41	Non-flammable electrolyte enables Li-metal batteries with aggressive cathode chemistries. <i>Nature Nanotechnology</i> , 2018, 13, 715-722.	31.5	964