

Bernard Mark Heron

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3676475/publications.pdf>

Version: 2024-02-01

88
papers

1,357
citations

331538

21
h-index

414303

32
g-index

101
all docs

101
docs citations

101
times ranked

1143
citing authors

#	ARTICLE	IF	CITATIONS
1	2,2,4,6-Tetraaryl-2H-benzo[h]chromenes: The influence of electronic communication between aryl substituents on their photochromism. <i>Dyes and Pigments</i> , 2022, 199, 110036.	2.0	2
2	Quenching of the phosphorescence of thermally reversible photochromic naphthopyran Re(λ) complexes initiated by either visible or ultraviolet radiation. <i>Dalton Transactions</i> , 2021, 50, 830-834.	1.6	3
3	Synthesis, C-H bond functionalisation and cycloadditions of 6-styryl-1,2-oxathiine 2,2-dioxides. <i>Organic and Biomolecular Chemistry</i> , 2021, 19, 6431-6446.	1.5	2
4	Ketohydrazone dyes derived from 4-morpholino-2-naphthol and ortho-substituted anilines: Further examination of the hyperchromism induced by the 4-morpholino-2-naphthol moiety. <i>Dyes and Pigments</i> , 2021, 195, 109678.	2.0	0
5	Inhibition of the photochromic behaviour of a 3,3-diphenyl-3H-pyrano[3,2-f]quinoline ligand by coordination to Ag(I) ions. <i>Dyes and Pigments</i> , 2020, 175, 108167.	2.0	3
6	Base-Mediated Ring-Contraction of Pyran Systems Promoted by Palladium and Phase-Transfer Catalysis. <i>Journal of Organic Chemistry</i> , 2020, 85, 952-966.	1.7	6
7	Synthesis and Photochromism of Novel Pyridyl-Substituted Naphthopyrans. <i>Journal of Organic Chemistry</i> , 2020, 85, 10772-10796.	1.7	16
8	A contribution to neuromorphic engineering: neuromodulation implemented through photochromic compounds maintained out of equilibrium by UV-visible radiation. <i>Rendiconti Lincei</i> , 2020, 31, 39-52.	1.0	10
9	Synthesis and photochromism of some mono and bis (thienyl) substituted oxathiine 2,2-dioxides. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 9578-9584.	1.5	6
10	Expedient synthesis of highly substituted 3,4-dihydro-1,2-oxathiine 2,2-dioxides and 1,2-oxathiine 2,2-dioxides: revisiting sulfene additions to enamino-ketones. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 9585-9604.	1.5	9
11	Photochromic and luminescent compounds as artificial neuron models. <i>Dyes and Pigments</i> , 2018, 156, 149-159.	2.0	37
12	Negatively photochromic organic compounds: Exploring the dark side. <i>Dyes and Pigments</i> , 2018, 149, 92-121.	2.0	111
13	Influence of a local electric field on the light harvesting efficiency of a cyclopentadithiophene-bridged D-A- π -A indoline dye on pure and N-doped TiO ₂ surfaces. <i>Dyes and Pigments</i> , 2017, 141, 501-511.	2.0	7
14	Processing Binary and Fuzzy Logic by Chaotic Time Series Generated by a Hydrodynamic Photochemical Oscillator. <i>ChemPhysChem</i> , 2017, 18, 1831-1841.	1.0	25
15	Optical Communication among Oscillatory Reactions and Photo-Excitable Systems: UV and Visible Radiation Can Synchronize Artificial Neuron Models. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 7535-7540.	7.2	43
16	Optical Communication among Oscillatory Reactions and Photo-Excitable Systems: UV and Visible Radiation Can Synchronize Artificial Neuron Models. <i>Angewandte Chemie</i> , 2017, 129, 7643-7648.	1.6	3
17	Discriminating between the UV-A, UV-B and UV-C regions by novel Biologically Inspired Photochromic Fuzzy Logic (BIPFUL) systems: A detailed comparative study. <i>Dyes and Pigments</i> , 2016, 135, 169-176.	2.0	14
18	Extending human perception of electromagnetic radiation to the UV region through biologically inspired photochromic fuzzy logic (BIPFUL) systems. <i>Chemical Communications</i> , 2016, 52, 1474-1477.	2.2	36

#	ARTICLE	IF	CITATIONS
19	An intramolecular, Pd-mediated $\hat{\iota}$ -arylation route to 4-aryl-2-naphthols. <i>Tetrahedron Letters</i> , 2015, 56, 4840-4842.	0.7	8
20	Spectroscopic studies (FT-IR, FT-Raman, UV-Visible), normal co-ordinate analysis, first-order hyperpolarizability and HOMO, LUMO studies of 3,4-dichlorobenzophenone by using Density Functional Methods. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 151, 644-654.	2.0	11
21	Can elongation of the $\hat{\iota}$ -system in triarylamine derived sensitizers with either benzothiadiazole and/or ortho-fluorophenyl moieties enrich their light harvesting efficiency? a theoretical study. <i>RSC Advances</i> , 2015, 5, 3978-3998.	1.7	32
22	Photochromic bi-naphthopyrans. <i>Dyes and Pigments</i> , 2015, 113, 239-250.	2.0	9
23	5-Hydroxy substituted naphthofurans and naphthothiazoles as precursors of photochromic benzochromenes. <i>Tetrahedron</i> , 2014, 70, 9352-9358.	1.0	15
24	The first structural and spectroscopic characterisation of a ring-opened form of a 2H-naphtho[1,2-b]pyran: a novel photomerocyanine. <i>Chemical Communications</i> , 2014, 50, 7900.	2.2	21
25	Theoretical study on the light harvesting efficiency of zinc porphyrin sensitizers for DSSCs. <i>RSC Advances</i> , 2014, 4, 26621-26634.	1.7	119
26	Vibrational spectra and static vibrational contribution to first hyperpolarizability of naphthopyrans a combined experimental and DFT study. <i>Vibrational Spectroscopy</i> , 2013, 69, 65-83.	1.2	22
27	The Remarkable Hyperchromicity of Keto-hydrazone Dyes and Pigment Lakes Derived from 4-morpholino-naphthol. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 8097-8107.	1.2	10
28	Reductive alkylation of aminofluorans: A simple route to intrinsically thermochromic fluorans. <i>Dyes and Pigments</i> , 2013, 99, 432-439.	2.0	25
29	Cationic merocyanine dyes by photomodulation of [4-(naphthopyran-3-yl)phenyl]methines. <i>Dyes and Pigments</i> , 2013, 97, 118-123.	2.0	6
30	Intrinsically thermochromic fluorans. <i>Chemical Communications</i> , 2012, 48, 750-752.	2.2	35
31	Palladium-catalysed amination of bromofluorans and an investigation of their thermochromic behaviour. <i>Dyes and Pigments</i> , 2012, 92, 524-530.	2.0	12
32	The synthesis and photochromism of a 2,2-diaryl-6-styryl-2H-[1]benzopyran: Unexpected palladium-mediated ring-contraction of a 6-bromo-2,2-diaryl-2H-[1]benzopyran. <i>Dyes and Pigments</i> , 2012, 92, 825-830.	2.0	5
33	The intramolecular capture of thermally generated merocyanine dyes derived from naphthopyrans: Photochromism of 5-(diarylhydroxymethyl)-2H-naphtho[1,2-b]pyrans. <i>Dyes and Pigments</i> , 2012, 92, 995-1004.	2.0	7
34	The synthesis and properties of naphthopyran boradiazaindacene conjugates. <i>Dyes and Pigments</i> , 2012, 94, 175-182.	2.0	12
35	Synthesis and photochromic properties of spiro[naphthopyran-7H-benzocyclohepta-5,8-dienes]. <i>Dyes and Pigments</i> , 2012, 95, 62-68.	2.0	8
36	The synthesis and properties of vinyl substituted naphthopyrans and their styrene copolymers. <i>Dyes and Pigments</i> , 2012, 95, 408-420.	2.0	9

#	ARTICLE	IF	CITATIONS
37	Synthesis and Characterization of Co-polymers Based on Methyl Methacrylate and 2-Hexyl Acrylate Containing Naphthopyrans for a Light-Sensitive Contact Lens. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2011, 22, 139-152.	1.9	10
38	Six-Membered Ring Systems. <i>Progress in Heterocyclic Chemistry</i> , 2011, 22, 449-490.	0.5	4
39	Six-Membered Ring Systems. <i>Progress in Heterocyclic Chemistry</i> , 2011, , 427-463.	0.5	4
40	Vibrational assignment of the spectral data and thermodynamic properties of 2-chloro-4-fluorobenzophenone using DFT quantum chemical calculations. <i>Vibrational Spectroscopy</i> , 2011, 57, 35-35.	1.2	6
41	Direct formation of $\hat{1}\pm, \hat{1}^2$ -unsaturated dithioacetals from diarylpropynols. <i>Tetrahedron Letters</i> , 2011, 52, 708-710.	0.7	2
42	Hexatriene Formation from the Regiospecific Alkene Cross-Metathesis of Trans-1-(Buta-1,3-Dien-1-yl)-2-Acryloyloxynaphthalene. <i>Journal of Chemical Research</i> , 2011, 35, 531-535.	0.6	2
43	Benzopentalenonaphthalenones from the intramolecular capture of a merocyanine derived from a naphthopyran. <i>Chemical Communications</i> , 2010, 46, 8481.	2.2	15
44	The influence of a 1,1-diarylvinyli moiety on the photochromism of naphthopyrans. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 4874.	1.5	19
45	Chapter 6.4 (2007): Six-membered ring systems: with O and/or S atoms. <i>Progress in Heterocyclic Chemistry</i> , 2009, , 399-431.	0.5	4
46	Chapter 6.4 (2006): Six-membered ring systems: with O and/or S atoms. <i>Progress in Heterocyclic Chemistry</i> , 2009, , 365-398.	0.5	5
47	Chapter 6.4: Six-Membered Ring Systems: With O and/or S Atoms. <i>Progress in Heterocyclic Chemistry</i> , 2009, , 455-490.	0.5	2
48	Two Stage Colour Modulation of Triarylmethine Dyes Derived from a Photochromic Naphthopyran. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 2031-2034.	1.2	15
49	Synthesis and photochromic properties of symmetrical aryl ether linked bi- and tri-naphthopyrans. <i>Dyes and Pigments</i> , 2008, 76, 24-34.	2.0	12
50	Ring contraction during the $6\hat{1}\epsilon$ -electrocyclisation of naphthopyran valence tautomers. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 3096.	1.5	31
51	Six-Membered Ring Systems: With O and/or S Atoms. <i>Progress in Heterocyclic Chemistry</i> , 2007, , 376-401.	0.5	4
52	Tuning the color switching of naphthopyrans via the control of polymeric architectures. <i>Journal of Materials Chemistry</i> , 2007, 17, 1885-1893.	6.7	69
53	The synthesis and electronic absorption spectra of 3-phenyl-3(4-pyrrolidino-2-substituted) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2006, 62, 737-745.	1.0	35
54	Oxidation and ring cleavage reactions of 3-benzhydrylchromones. Generation of triarylmethine cations from methylidenechroman-4-ones and benzopyrano[4,3-c]pyrazoles. <i>Tetrahedron</i> , 2006, 62, 10945-10953.	1.0	9

#	ARTICLE	IF	CITATIONS
55	Photochromic naphthopyrans. , 2006, , 85-135.		48
56	Synthesis of 3-alkenyl-2-arylchromones and 2,3-dialkenylchromones via acid-catalysed retro-Michael ring opening of 3-acylchroman-4-ones. Tetrahedron Letters, 2005, 46, 5515-5519.	0.7	23
57	Synthesis and photochromic properties of substituted 3H-naphtho[2,1-b]pyrans. Tetrahedron, 2005, 61, 463-471.	1.0	39
58	Synthesis and Photochromic Properties of Substituted 3H-Naphtho[2,1-b]pyrans.. ChemInform, 2005, 36, no.	0.1	0
59	Synthesis of 3-Alkenyl-2-arylchromones and 2,3-Dialkenylchromones via Acid-Catalyzed Retro-Michael Ring Opening of 3-Acylchroman-4-ones.. ChemInform, 2005, 36, no.	0.1	0
60	Chapter 6.4 Six-membered ring systems: With O and/or S atoms. Progress in Heterocyclic Chemistry, 2005, , 405-430.	0.5	4
61	Photochromic Naphthopyrans Containing a Latent Carbene Unit. Molecular Crystals and Liquid Crystals, 2005, 431, 357-362.	0.4	1
62	Synthesis and photochromic properties of naphthopyrans. Progress in Heterocyclic Chemistry, 2005, 17, 33-62.	0.5	24
63	Six-membered ring systems: with O and/or S atoms. Progress in Heterocyclic Chemistry, 2005, , 362-388.	0.5	6
64	Synthesis and Photochromic Properties of 2H,9H-Indeno[1,2-f]- and 3H,7H-Indeno[2,1-i]-naphtho[2,1-b]pyrans. Molecular Crystals and Liquid Crystals, 2005, 430, 167-172.	0.4	2
65	Six-Membered Ring Systems with O and/or S Atoms. ChemInform, 2004, 35, no.	0.1	0
66	Synthesis and Photochromic Properties of Methoxy Substituted 2,2-Diaryl-2H-naphtho[1,2-b]pyrans. Heterocycles, 2004, 63, 567.	0.4	25
67	Six-Membered Ring Systems with O and/or S Atoms. ChemInform, 2003, 34, no.	0.1	0
68	Six-Membered Ring Systems with O and/or S Atoms. ChemInform, 2003, 34, no.	0.1	0
69	Control of the Fading Properties of Photochromic 3,3-Diaryl-3H-naphtho[2,1-b]pyrans. Heterocycles, 2003, 60, 843.	0.4	29
70	Chapter 6.4 Six-membered ring systems: With O and/or S atoms. Progress in Heterocyclic Chemistry, 2003, , 360-384.	0.5	5
71	Chapter 6.4 Six-membered ring systems: With O and/or S atoms. Progress in Heterocyclic Chemistry, 2002, , 332-355.	0.5	5
72	A facile route to pyrroles, isoindoles and hetero fused analogues. Journal of the Chemical Society, Perkin Transactions 1, 2002, , 2799-2808.	1.3	16

#	ARTICLE	IF	CITATIONS
73	Six-Membered Ring Systems: With O and/or S Atoms. Progress in Heterocyclic Chemistry, 2001, 13, 317-339.	0.5	5
74	Synthesis and spectroscopic properties of some merocyanine dyes. Dyes and Pigments, 2001, 49, 65-74.	2.0	28
75	Synthesis of some thiochromeno[4,3-c]- and [3,4-c]-pyrazoles. Journal of the Chemical Society, Perkin Transactions 1, 2000, , 2930-2938.	1.3	10
76	CONJUGATE ADDITION OF A PHOSPHORUS YLIDE TO 3-CYANOCHROMONE. Phosphorus, Sulfur and Silicon and the Related Elements, 2000, 166, 99-109.	0.8	6
77	Chapter 6.4 Six-Membered Ring Systems: With O and/or S Atoms. Progress in Heterocyclic Chemistry, 1999, , 299-318.	0.5	4
78	The oxidative ring expansion of spiro-annulated chroman-4-ones: Syntheses of the rotenoid core and related benzoxanthenes. Tetrahedron Letters, 1998, 39, 881-884.	0.7	20
79	Chapter 6.4 Six-membered ring systems. Progress in Heterocyclic Chemistry, 1998, , 292-319.	0.5	1
80	Chapter 6.4 Six-membered ring systems: With O and/or S atoms. Progress in Heterocyclic Chemistry, 1997, , 289-317.	0.5	1
81	Chapter 6.4 Six-membered ring systems: With O and/or S atoms. Progress in Heterocyclic Chemistry, 1996, , 277-297.	0.5	3
82	Reactions of some 2H-Chromenes and 2H-Thiochromenes with triazolinediones. Tetrahedron, 1995, 51, 13277-13290.	1.0	9
83	Chapter 6.4 Six-membered ring systems: With O and/or S atoms. Progress in Heterocyclic Chemistry, 1995, 7, 268-293.	0.5	5
84	A new reaction of $\hat{1}\pm$ -chloro- $\hat{1}\pm$ -chlorosulfonyl ketones: facile syntheses of 3,3-dichloro- and 3-chloro-chroman-4-ones and thiochroman-4-ones. Tetrahedron, 1994, 50, 5245-5254.	1.0	20
85	Expedient syntheses of the rotenoid and thiorotenoid systems. Journal of the Chemical Society Perkin Transactions 1, 1994, , 653.	0.9	22
86	Directed lithiation of some chroman-4-ols. Journal of the Chemical Society Perkin Transactions 1, 1994, , 1925.	0.9	12
87	Allenes from 3-bromo-2H-1-benzopyrans. Journal of the Chemical Society Perkin Transactions 1, 1994, , 1733.	0.9	15
88	Synthesis of the 5-thiorotenoid system from thiochroman-3-one. Journal of the Chemical Society Perkin Transactions 1, 1992, , 3015.	0.9	16