

Mio Matsumura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3676636/publications.pdf>

Version: 2024-02-01

50
papers

509
citations

623188

14
h-index

794141

19
g-index

59
all docs

59
docs citations

59
times ranked

676
citing authors

#	ARTICLE	IF	CITATIONS
1	Silver-catalyzed three-component reaction of uracils, arylboronic acids, and selenium: synthesis of 5-arylselanyluracils. <i>RSC Advances</i> , 2022, 12, 14502-14508.	1.7	1
2	Synthesis and Optical Properties of Azuleno[1,2-b]benzothiophene and Selenophene. <i>Heterocycles</i> , 2022, 105, 337.	0.4	1
3	Synthesis, Structural Characterization, and Optical Properties of Benzene-Fused Tetracyclic and Pentacyclic Stiboles. <i>Molecules</i> , 2021, 26, 222.	1.7	9
4	Synthesis, structural characterization, and optical properties of benzo[<i>f</i>]naphtho[2,3- <i>b</i>]phosphoindoles. <i>Beilstein Journal of Organic Chemistry</i> , 2021, 17, 671-677.	1.3	0
5	Construction of dibenzo[<i>d,f</i>][1,3]oxazepine skeleton from 2-amino-2-hydroxybiphenyl and isothiocyanates via iodine-mediated cyclodesulfurization. <i>Tetrahedron Letters</i> , 2021, 73, 153142.	0.7	1
6	Palladium-Catalyzed C-H Arylation of Benzofurans with Triarylantimony Difluorides for the Synthesis of 2-Arylbenzofurans. <i>Molecules</i> , 2021, 26, 97.	1.7	6
7	Pd-catalyzed oxidative Heck-type arylation of vinyl ketones, alkenes, and acrylates with Sb-aryl-tetrahydrodibenz[<i>c,f</i>][1,5]azastibocines. <i>Journal of Organometallic Chemistry</i> , 2020, 928, 121545.	0.8	4
8	Synthesis and anticancer activity of bis(2-arylimidazo[1,2- <i>a</i>]pyridin-3-yl) selenides and diselenides: the copper-catalyzed tandem C-H selenation of 2-arylimidazo[1,2- <i>a</i>]pyridine with selenium. <i>Beilstein Journal of Organic Chemistry</i> , 2020, 16, 1075-1083.	1.3	10
9	Liebeskind-Srogl-type cross-coupling reaction of azole-2-thiones with triarylbismuthines: Synthesis of 2-arylazoles. <i>Tetrahedron Letters</i> , 2020, 61, 152152.	0.7	1
10	Synthesis of Nitriles & via the Iodine-Mediated Dehydrosulfurization of Thioamides. <i>Chemical and Pharmaceutical Bulletin</i> , 2020, 68, 679-681.	0.6	4
11	Cascade Synthesis of 4-Arylcoumarins: Pd-Catalyzed Arylations and Cyclizations with Ethyl 3-(2-Hydroxyaryl)acrylates and Triarylantimony Difluorides. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 1652-1657.	1.2	3
12	Pd-Catalyzed Selective C-H Arylation of Thiophenes with Triarylantimony Difluorides. <i>Asian Journal of Organic Chemistry</i> , 2019, 8, 138-143.	1.3	9
13	Synthesis of benzo[<i>d</i>]imidazo[2,1- <i>b</i>]benzoselenoazoles: Cs ₂ CO ₃ -mediated cyclization of 1-(2-bromoaryl)benzimidazoles with selenium. <i>Beilstein Journal of Organic Chemistry</i> , 2019, 15, 2029-2035.	1.3	2
14	Synthesis of 2-(arylsulfonyl)azoles by copper-catalyzed S-arylation of azole-2-thiones with triarylbismuthines. <i>Catalysis Communications</i> , 2019, 132, 105808.	1.6	6
15	Copper-catalyzed three-component reaction of ethynylstibanes, organic azides, and selenium: A simple and efficient synthesis of novel selenides and diselenides having 1,2,3-triazole rings. <i>Tetrahedron</i> , 2019, 75, 1406-1414.	1.0	13
16	Efficient Synthesis, Structural Characterization, and Optical Properties of 6-H-dibenz[<i>b</i> , <i>h</i>]carbazole and Its Derivatives. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 3788-3793.	1.2	6
17	13-(2-Methylbenzyl) Berberine Is a More Potent Inhibitor of MexXY-Dependent Aminoglycoside Resistance than Berberine. <i>Antibiotics</i> , 2019, 8, 212.	1.5	11
18	Synthesis of 2-Aryl-3-(arylselanyl)imidazo[1,2- <i>a</i>]pyridines: Copper-Catalyzed One-Pot, Two-Step Se-Arylation of Selenium with Imidazopyridines and Triarylbismuthanes. <i>Synthesis</i> , 2018, 50, 2200-2210.	1.2	15

#	ARTICLE	IF	CITATIONS
19	One-pot reaction for the synthesis of N-substituted 2-aminobenzoxazoles using triphenylbismuth dichloride as cyclodesulfurization reagent. <i>Journal of Organometallic Chemistry</i> , 2018, 859, 18-23.	0.8	18
20	Synthesis, antitumor activity, and cytotoxicity of 4-substituted 1-benzyl-5-diphenylstibano-1H-1,2,3-triazoles. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 152-154.	1.0	22
21	Synthesis of Fully Functionalized 5-alkynyl-1,2,3-triazoles: Copper-Catalysed Three-Component Reaction of Ethynylstibanes, Organic Azides, and Diaryl Diselenides. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 170-177.	1.2	18
22	Copper-catalyzed cross-coupling reactions of 5-stibano-1,2,3-triazoles with bromoalkynes under aerobic conditions: Synthesis of 5-alkynyl-1,2,3-triazoles. <i>Journal of Organometallic Chemistry</i> , 2018, 871, 79-85.	0.8	2
23	Antimony-lithium exchange reaction: Synthesis of 1,4,5-trisubstituted-1,2,3-triazoles by triazolylithium with electrophiles. <i>Journal of Organometallic Chemistry</i> , 2017, 834, 83-87.	0.8	11
24	A versatile synthesis of triarylantimony difluorides by fluorination of triarylstibanes with nitrosyl tetrafluoroborate and their antitumor activity. <i>Journal of Fluorine Chemistry</i> , 2017, 199, 1-6.	0.9	12
25	Synthesis of 5-organostibano-1 H-1,2,3-triazoles by Cu-catalyzed azide-alkyne cycloaddition and their application in the acyl-induced deantimonation for the preparation of fully substituted 5-acyl-1,2,3-triazoles. <i>Tetrahedron</i> , 2017, 73, 2614-2622.	1.0	14
26	Microwave-Assisted Debromination of α -Bromoketones with Triarylstibanes in Water. <i>Chemical and Pharmaceutical Bulletin</i> , 2017, 65, 1081-1084.	0.6	0
27	Synthesis and photophysical properties of novel benzophospholo[3,2-b]indole derivatives. <i>Beilstein Journal of Organic Chemistry</i> , 2017, 13, 2304-2309.	1.3	11
28	Copper-catalyzed [3 + 2] cycloaddition of (phenylethynyl)di-p-tolylstibane with organic azides. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 1309-1313.	1.3	15
29	Copper-catalyzed tandem cyclization of 2-(2-iodophenyl)imidazo[1,2-a]pyridine derivatives with selenium: Synthesis of benzo[b]selenophene-fused imidazo[1,2-a]pyridines. <i>Tetrahedron Letters</i> , 2016, 57, 5484-5488.	0.7	22
30	General synthesis, structure, and optical properties of benzothiophene-fused benzoheteroles containing Group 15 and 16 elements. <i>Tetrahedron</i> , 2016, 72, 8085-8090.	1.0	38
31	Synthesis, structural characterization and antitumor activity of 2-(di-p-tolylstibano)- and 2-(di-p-tolylbismuthano)-N-p-tolylbenzamide. <i>Journal of Organometallic Chemistry</i> , 2016, 807, 17-21.	0.8	12
32	Synthesis of Unsymmetrical Diaryl Selenides: Copper-Catalyzed Se-Arylation of Diaryl Diselenides with Triarylbi-muthanes. <i>Synthesis</i> , 2016, 48, 730-736.	1.2	14
33	Simple and efficient copper-catalyzed synthesis of symmetrical diaryl selenides from triarylbi-muthanes and selenium under aerobic conditions. <i>Journal of Organometallic Chemistry</i> , 2016, 807, 11-16.	0.8	21
34	Synthesis of 2-Arylquinoxalines: Triarylstibane-Catalyzed Oxidative Cyclization of α -Hydroxy Ketones with 1,2-Diamines under Aerobic Conditions. <i>Heterocycles</i> , 2016, 93, 75.	0.4	6
35	Pd-Catalyzed P-Arylation of Triarylantimony Dicarboxylates with Dialkyl H-Phosphites without a Base: Synthesis of Arylphosphonates. <i>Chemical and Pharmaceutical Bulletin</i> , 2015, 63, 130-133.	0.6	8
36	Comparative cytotoxicity of triphenylstibane and fluorine-substituted triarylphosphonates in cultured vascular endothelial cells. <i>Fundamental Toxicological Sciences</i> , 2015, 2, 61-66.	0.2	16

#	ARTICLE	IF	CITATIONS
37	Palladium-catalyzed cross-coupling reactions of triarylbismuthanes with terminal alkynes under aerobic conditions. <i>Journal of Organometallic Chemistry</i> , 2015, 794, 70-75.	0.8	4
38	Synthesis of arylboronates by boron-induced ipso-deantimonation of triarylstibanes with boron trihalides and its application in one-pot two-step transmetalation/cross-coupling reactions. <i>Journal of Organometallic Chemistry</i> , 2015, 788, 9-16.	0.8	7
39	Design and synthesis of 4-benzyl-1-(2H)-phthalazinone derivatives as novel androgen receptor antagonists. <i>European Journal of Medicinal Chemistry</i> , 2015, 102, 310-319.	2.6	22
40	Synthesis and Structural Characterization of a Novel Organotellurium Compound: Dinaphtho[2,3-b;2'3'-d]tellurophene. <i>Heterocycles</i> , 2015, 90, 121.	0.4	1
41	Lipase-catalyzed asymmetric acylation of boron cluster-containing secondary alcohols. <i>Tetrahedron: Asymmetry</i> , 2014, 25, 1505-1512.	1.8	11
42	Simple base-free Miyaura-type borylation of triarylantimony diacetates with tetra(alkoxo)diborons under aerobic conditions. <i>Journal of Organometallic Chemistry</i> , 2014, 765, 80-85.	0.8	7
43	Synthesis of porphyrinylamide and observation of N-methylation-induced trans \leftrightarrow cis amide conformational alteration. <i>Tetrahedron</i> , 2013, 69, 10927-10932.	1.0	3
44	Unusual conformational preference of an aromatic secondary urea: solvent-dependent open-closed conformational switching of N,N ϵ^2 -bis(porphyrinyl)urea. <i>Chemical Communications</i> , 2013, 49, 2290-2292.	2.2	31
45	Molecular chirality and chiral capsule-type dimer formation of cyclic triamides via hydrogen-bonding interactions. <i>Chemical Communications</i> , 2012, 48, 4809-4811.	2.2	19
46	Redox-responsive conformational alteration of aromatic amides bearing N-quinonyl system. <i>Tetrahedron</i> , 2012, 68, 5346-5355.	1.0	11
47	Calix[3]amide-based anion receptors: high affinity for fluoride ions and a twisted binding model. <i>Supramolecular Chemistry</i> , 2011, 23, 125-130.	1.5	4
48	Cyclic-tri(N-methyl-meta-benzamide)s: substituent effects on the bowl-shaped conformation in the crystal and solution states. <i>Tetrahedron</i> , 2010, 66, 8254-8260.	1.0	19
49	Copper-catalyzed C ϵ H selenations of 2 ϵ -substituted benzo[b]furans with diaryl diselenides: Synthesis of 2 ϵ -substituted 3 ϵ -selenanylbenzo[b]furan derivatives. <i>Asian Journal of Organic Chemistry</i> , 0, , .	1.3	6
50	Synthesis of novel alkynyl imidazopyridinyl selenides: copper-catalyzed tandem selenation of selenium with 2-arylimidazo[1,2- <i>a</i>]pyridines and terminal alkynes. <i>Beilstein Journal of Organic Chemistry</i> , 0, 18, 863-871.	1.3	0