

Johan Lundin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3679503/johan-lundin-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145
papers

6,256
citations

42
h-index

74
g-index

162
ext. papers

7,077
ext. citations

5.8
avg, IF

5.3
L-index

#	Paper	IF	Citations
145	Outcome and Biomarker Supervised Deep Learning for Survival Prediction in Two Multicenter Breast Cancer Series.. <i>Journal of Pathology Informatics</i> , 2022 , 13, 9	4.4	0
144	Point-of-Care Digital Cytology With Artificial Intelligence for Cervical Cancer Screening in a Resource-Limited Setting. <i>JAMA Network Open</i> , 2021 , 4, e211740	10.4	17
143	HLA-G expression correlates with histological grade but not with prognosis in colorectal carcinoma. <i>Hla</i> , 2021 , 98, 213-217	1.9	2
142	Antibody Supervised Training of a Deep Learning Based Algorithm for Leukocyte Segmentation in Papillary Thyroid Carcinoma. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2021 , 25, 422-428	7.2	7
141	Metastatic uveal melanoma managed with best supportive care. <i>Acta Oncologica</i> , 2021 , 60, 135-139	3.2	4
140	Deep learning identifies morphological features in breast cancer predictive of cancer ERBB2 status and trastuzumab treatment efficacy. <i>Scientific Reports</i> , 2021 , 11, 4037	4.9	11
139	Artificial intelligence in cancer research, diagnosis and therapy. <i>Nature Reviews Cancer</i> , 2021 , 21, 747-753	31.3	11
138	Machine-learning-driven biomarker discovery for the discrimination between allergic and irritant contact dermatitis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 33474-33485	11.5	18
137	Broader phenotypic traits and widespread brain hypometabolism in spinocerebellar ataxia 27. <i>Journal of Internal Medicine</i> , 2020 , 288, 103-115	10.8	7
136	A novel deep learning-based point-of-care diagnostic method for detecting Plasmodium falciparum with fluorescence digital microscopy. <i>PLoS ONE</i> , 2020 , 15, e0242355	3.7	2
135	Artificial intelligence, diagnostic imaging and neglected tropical diseases: ethical implications. <i>Bulletin of the World Health Organization</i> , 2020 , 98, 288-289	8.2	2
134	Osteoid Metaplasia in Femoral Artery Plaques Is Associated With the Clinical Severity of Lower Extremity Artery Disease in Men. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , 7, 594192	5.4	0
133	Deep Learning Algorithms for Corneal Amyloid Deposition Quantitation in Familial Amyloidosis. <i>Ocular Oncology and Pathology</i> , 2020 , 6, 58-65	1.6	1
132	Fetal HLA-G mediated immune tolerance and interferon response in preeclampsia. <i>EBioMedicine</i> , 2020 , 59, 102872	8.8	14
131	Breast cancer outcome prediction with tumour tissue images and machine learning. <i>Breast Cancer Research and Treatment</i> , 2019 , 177, 41-52	4.4	41
130	Detection of breast cancer lymph node metastases in frozen sections with a point-of-care low-cost microscope scanner. <i>PLoS ONE</i> , 2019 , 14, e0208366	3.7	2
129	Quantification of a safety target for an underground CNG bus terminal in Stockholm. <i>Fire Safety Journal</i> , 2019 , 104, 57-66	3.3	3

128	Clonal heterogeneity influences drug responsiveness in renal cancer assessed by ex vivo drug testing of multiple patient-derived cancer cells. <i>International Journal of Cancer</i> , 2019 , 144, 1356-1366	7.5	15
127	Spa-RQ: an Image Analysis Tool to Visualise and Quantify Spatial Phenotypes Applied to Non-Small Cell Lung Cancer. <i>Scientific Reports</i> , 2019 , 9, 17613	4.9	3
126	Deep learning for detecting tumour-infiltrating lymphocytes in testicular germ cell tumours. <i>Journal of Clinical Pathology</i> , 2019 , 72, 157-164	3.9	29
125	Spatial aspects of oncogenic signalling determine the response to combination therapy in slice explants from Kras-driven lung tumours. <i>Journal of Pathology</i> , 2018 , 245, 101-113	9.4	8
124	Deep learning based tissue analysis predicts outcome in colorectal cancer. <i>Scientific Reports</i> , 2018 , 8, 3395	4.9	285
123	The prognostic significance of tall cells in papillary thyroid carcinoma: A case-control study. <i>Tumor Biology</i> , 2018 , 40, 1010428318787720	2.9	2
122	Increased HSF1 expression predicts shorter disease-specific survival of prostate cancer patients following radical prostatectomy. <i>Oncotarget</i> , 2018 , 9, 31200-31213	3.3	12
121	A roadmap for the implementation of mHealth innovations for image-based diagnostic support in clinical and public-health settings: a focus on front-line health workers and health-system organizations. <i>Global Health Action</i> , 2017 , 10, 1340254	3	13
120	Point-of-care mobile digital microscopy and deep learning for the detection of soil-transmitted helminths and <i>Schistosoma haematobium</i> . <i>Global Health Action</i> , 2017 , 10, 1337325	3	45
119	Medical mobile technologies - what is needed for a sustainable and scalable implementation on a global scale?. <i>Global Health Action</i> , 2017 , 10, 1344046	3	9
118	Mobile phone and handheld microscopes for public health applications. <i>Lancet Public Health</i> , 2017 , 2, e355	22.4	4
117	Systems pathology by multiplexed immunohistochemistry and whole-slide digital image analysis. <i>Scientific Reports</i> , 2017 , 7, 15580	4.9	91
116	Loss of PTEN expression in ERG-negative prostate cancer predicts secondary therapies and leads to shorter disease-specific survival time after radical prostatectomy. <i>Modern Pathology</i> , 2016 , 29, 1565-1574	9.8	32
115	Phase I study with ONCOS-102 for the treatment of solid tumors - an evaluation of clinical response and exploratory analyses of immune markers 2016 , 4, 17		116
114	Identification of immune cell infiltration in hematoxylin-eosin stained breast cancer samples: texture-based classification of tissue morphologies 2016 ,		3
113	Chronic Activation of Innate Immunity Correlates With Poor Prognosis in Cancer Patients Treated With Oncolytic Adenovirus. <i>Molecular Therapy</i> , 2016 , 24, 175-83	11.7	22
112	A Smartphone App and Cloud-Based Consultation System for Burn Injury Emergency Care. <i>PLoS ONE</i> , 2016 , 11, e0147253	3.7	42
111	Antibody-supervised deep learning for quantification of tumor-infiltrating immune cells in hematoxylin and eosin stained breast cancer samples. <i>Journal of Pathology Informatics</i> , 2016 , 7, 38	4.4	53

110	Immune Cell Profiling in CML Bone Marrow By Multiplex Immunohistochemistry. <i>Blood</i> , 2016 , 128, 1897-1897		
109	Deep learning for tissue microarray image-based outcome prediction in patients with colorectal cancer 2016 ,		6
108	Elevated levels of StAR-related lipid transfer protein 3 alter cholesterol balance and adhesiveness of breast cancer cells: potential mechanisms contributing to progression of HER2-positive breast cancers. <i>American Journal of Pathology</i> , 2015 , 185, 987-1000	5.8	43
107	Repeated intratumoral administration of ONCOS-102 leads to systemic antitumor CD8 T-cell response and robust cellular and transcriptional immune activation at tumor site in a patient with ovarian cancer. <i>Onc Immunology</i> , 2015 , 4, e1017702	7.2	40
106	Benefit of adjuvant interferon alfa-2b (IFN- β) therapy in melanoma patients with high serum MMP-8 levels. <i>Cancer Immunology, Immunotherapy</i> , 2015 , 64, 173-80	7.4	8
105	Androgen receptor-interacting protein HSPBAP1 facilitates growth of prostate cancer cells in androgen-deficient conditions. <i>International Journal of Cancer</i> , 2015 , 136, 2535-45	7.5	7
104	Local immunotherapy with ONCOS-102 shapes harmful tumor associated CD68+ macrophages to become beneficial cells that correlate with increased overall survival 2015 , 3, O16		78
103	Quantification of Estrogen Receptor-Alpha Expression in Human Breast Carcinomas With a Miniaturized, Low-Cost Digital Microscope: A Comparison with a High-End Whole Slide-Scanner. <i>PLoS ONE</i> , 2015 , 10, e0144688	3.7	8
102	Assessment of tumour viability in human lung cancer xenografts with texture-based image analysis. <i>Journal of Clinical Pathology</i> , 2015 , 68, 614-21	3.9	8
101	T-cell subsets in peripheral blood and tumors of patients treated with oncolytic adenoviruses. <i>Molecular Therapy</i> , 2015 , 23, 964-973	11.7	10
100	Immunological data from cancer patients treated with Ad5/3-E2F- Δ 4-GMCSF suggests utility for tumor immunotherapy. <i>Oncotarget</i> , 2015 , 6, 4467-81	3.3	56
99	Exploring viewing behavior data from whole slide images to predict correctness of students' answers during practical exams in oral pathology. <i>Journal of Pathology Informatics</i> , 2015 , 6, 28	4.4	5
98	An evaluation of local and systemic immune markers following intratumoral administration of a chimeric adenovirus Ad5/3-D24-GMCSF in refractory cancer patients with solid tumors.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3085-3085	2.2	
97	A malaria diagnostic tool based on computer vision screening and visualization of Plasmodium falciparum candidate areas in digitized blood smears. <i>PLoS ONE</i> , 2014 , 9, e104855	3.7	63
96	Exploring Viewing Behavior Data from Whole Slide Images to Predict Correctness of Students' Answers during Practical Exams in Oral Pathology. <i>Analytical Cellular Pathology</i> , 2014 , 2014, 1-2	3.4	78
95	Students' performance during practical examination on whole slide images using view path tracking. <i>Diagnostic Pathology</i> , 2014 , 9, 208	3	8
94	Exploring the spatial dimension of estrogen and progesterone signaling: detection of nuclear labeling in lobular epithelial cells in normal mammary glands adjacent to breast cancer. <i>Diagnostic Pathology</i> , 2014 , 9 Suppl 1, S11	3	4
93	Local treatment of a pleural mesothelioma tumor with ONCOS-102 induces a systemic antitumor CD8 T-cell response, prominent infiltration of CD8 lymphocytes and Th1 type polarization. <i>Onc Immunology</i> , 2014 , 3, e958937	7.2	28

92	Automated classification of breast cancer morphology in histopathological images. <i>Diagnostic Pathology</i> , 2013 , 8,	3	20
91	Teachers' Impact on dental students' Exam scores in teaching pathology of the oral cavity using WSI. <i>Diagnostic Pathology</i> , 2013 , 8,	3	2
90	An open-source, MATLAB based annotation tool for virtual slides. <i>Diagnostic Pathology</i> , 2013 , 8,	3	2
89	Automated segmentation of blood cells in Giemsa stained digitized thin blood films. <i>Diagnostic Pathology</i> , 2013 , 8,	3	13
88	On-chip imaging of <i>Schistosoma haematobium</i> eggs in urine for diagnosis by computer vision. <i>PLoS Neglected Tropical Diseases</i> , 2013 , 7, e2547	4.8	31
87	Decreased xanthine oxidoreductase (XOR) is associated with a worse prognosis in patients with serous ovarian carcinoma. <i>Gynecologic Oncology</i> , 2012 , 124, 311-8	4.9	21
86	Identification of tumor epithelium and stroma in tissue microarrays using texture analysis. <i>Diagnostic Pathology</i> , 2012 , 7, 22	3	88
85	Effect of image compression and scaling on automated scoring of immunohistochemical stainings and segmentation of tumor epithelium. <i>Diagnostic Pathology</i> , 2012 , 7, 29	3	15
84	A web-based prognostic tool for extremity and trunk wall soft tissue sarcomas and its external validation. <i>British Journal of Cancer</i> , 2012 , 106, 1076-82	8.7	12
83	Expression and prognostic value of transcription factor PROX1 in colorectal cancer. <i>British Journal of Cancer</i> , 2011 , 105, 1346-51	8.7	37
82	Breast cancer biological subtypes and protein expression predict for the preferential distant metastasis sites: a nationwide cohort study. <i>Breast Cancer Research</i> , 2011 , 13, R87	8.3	149
81	Long-term prognosis of breast cancer detected by mammography screening or other methods. <i>Breast Cancer Research</i> , 2011 , 13, R134	8.3	35
80	An extensive tumor array analysis supports tumor suppressive role for nucleophosmin in breast cancer. <i>American Journal of Pathology</i> , 2011 , 179, 1004-14	5.8	26
79	High CIP2A immunoreactivity is an independent prognostic indicator in early-stage tongue cancer. <i>British Journal of Cancer</i> , 2011 , 104, 1890-5	8.7	46
78	Development and evaluation of a virtual microscopy application for automated assessment of Ki-67 expression in breast cancer. <i>BMC Clinical Pathology</i> , 2011 , 11, 3	3	66
77	Pharmacokinetics of alkylresorcinol metabolites in human urine. <i>British Journal of Nutrition</i> , 2011 , 106, 1040-4	3.6	24
76	Dual role of FoxA1 in androgen receptor binding to chromatin, androgen signalling and prostate cancer. <i>EMBO Journal</i> , 2011 , 30, 3962-76	13	259
75	Phospholipase PLA2G7, associated with aggressive prostate cancer, promotes prostate cancer cell migration and invasion and is inhibited by statins. <i>Oncotarget</i> , 2011 , 2, 1176-90	3.3	63

74	Mammary-derived growth inhibitor (MDGI) interacts with integrin β subunits and suppresses integrin activity and invasion. <i>Oncogene</i> , 2010 , 29, 6452-63	9.2	37
73	Bmi-1 expression predicts prognosis in squamous cell carcinoma of the tongue. <i>British Journal of Cancer</i> , 2010 , 102, 892-7	8.7	91
72	The proportion of free PSA and upgrading of biopsy Gleason score after radical prostatectomy. <i>Urologia Internationalis</i> , 2010 , 84, 378-81	1.9	12
71	A phase II trial of bevacizumab with dacarbazine and daily low-dose interferon-alpha2a as first line treatment in metastatic melanoma. <i>Melanoma Research</i> , 2010 , 20, 318-25	3.3	47
70	Plasma pharmacokinetics of alkylresorcinol metabolites: new candidate biomarkers for whole-grain rye and wheat intake. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1167-71	7	39
69	A European network for virtual microscopy--design, implementation and evaluation of performance. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009 , 454, 421-9	5.1	30
68	Xanthine oxidoreductase - clinical significance in colorectal cancer and in vitro expression of the protein in human colon cancer cells. <i>European Journal of Cancer</i> , 2009 , 45, 648-55	7.5	33
67	Molecular subtypes of breast cancers detected in mammography screening and outside of screening. <i>Clinical Cancer Research</i> , 2008 , 14, 4103-10	12.9	84
66	Web-based virtual microscopy for parasitology: a novel tool for education and quality assurance. <i>PLoS Neglected Tropical Diseases</i> , 2008 , 2, e315	4.8	24
65	A public-domain image processing tool for automated quantification of fluorescence in situ hybridisation signals. <i>Journal of Clinical Pathology</i> , 2008 , 61, 278-82	3.9	18
64	Comparison of the prognostic value of a panel of tissue tumor markers and established clinicopathological factors in patients with gastric cancer. <i>Anticancer Research</i> , 2008 , 28, 2279-87	2.3	23
63	Association of Wwox with ErbB4 in breast cancer. <i>Cancer Research</i> , 2007 , 67, 9330-6	10.1	91
62	Tenascin-C expression and its prognostic significance in colorectal cancer. <i>Oncology</i> , 2007 , 72, 403-9	3.6	8
61	Ki-67, p53, ER receptors, ploidy and S phase as long-term prognostic factors in T1 node-negative breast cancer. <i>Tumor Biology</i> , 2007 , 28, 45-51	2.9	20
60	The Nottingham Prognostic Index - from relative to absolute risk prediction. <i>European Journal of Cancer</i> , 2007 , 43, 1498-500	7.5	5
59	Epithelial MMP-2 expression correlates with worse prognosis in pancreatic cancer. <i>Oncology</i> , 2006 , 71, 61-8	3.6	34
58	Decreased xanthine oxidoreductase is a predictor of poor prognosis in early-stage gastric cancer. <i>Journal of Clinical Pathology</i> , 2006 , 59, 965-71	3.9	36
57	Virtual microscopy in prostate histopathology: simultaneous viewing of biopsies stained sequentially with hematoxylin and eosin, and alpha-methylacyl-coenzyme A racemase/p63 immunohistochemistry. <i>Journal of Urology</i> , 2006 , 175, 495-9	2.5	28

56	Generalisability of survival estimates for patients with breast cancer--a comparison across two population-based series. <i>European Journal of Cancer</i> , 2006 , 42, 3228-35	7.5	20
55	Syndecan-1 expression--a novel prognostic marker in pancreatic cancer. <i>Oncology</i> , 2005 , 68, 97-106	3.6	47
54	Epithelial syndecan-1 expression is associated with stage and grade in colorectal cancer. <i>Oncology</i> , 2005 , 68, 306-13	3.6	40
53	Web-based virtual microscopy in teaching and standardizing Gleason grading. <i>Human Pathology</i> , 2005 , 36, 381-6	3.7	74
52	High tissue expression of tumour-associated trypsin inhibitor (TATI) associates with a more favourable prognosis in gastric cancer. <i>Histopathology</i> , 2005 , 46, 380-8	7.3	31
51	Association of cyclooxygenase-2 and matrix metalloproteinase-2 expression in human breast cancer. <i>Breast Cancer Research and Treatment</i> , 2005 , 89, 215-20	4.4	70
50	Development of a Framework for Quality Assurance of Performance-based Fire Safety Designs. <i>Journal of Fire Protection Engineering</i> , 2005 , 15, 19-42		5
49	On Quantification of Error and Uncertainty in Two-zone Models used in Fire Safety Design. <i>Journal of Fire Sciences</i> , 2005 , 23, 329-354	1.5	14
48	Cyclooxygenase-2 is an independent prognostic factor in gastric cancer and its expression is regulated by the messenger RNA stability factor HuR. <i>Clinical Cancer Research</i> , 2005 , 11, 7362-8	12.9	126
47	Cleavable ErbB4 isoform in estrogen receptor-regulated growth of breast cancer cells. <i>Cancer Research</i> , 2005 , 65, 1384-93	10.1	153
46	Cytoplasmic HuR expression is a prognostic factor in invasive ductal breast carcinoma. <i>Cancer Research</i> , 2005 , 65, 2157-61	10.1	180
45	Quantifying Error and Uncertainty in CFAST 2.0 Temperature Predictions. <i>Journal of Fire Sciences</i> , 2005 , 23, 365-388	1.5	3
44	Down-regulated xanthine oxidoreductase is a feature of aggressive breast cancer. <i>Clinical Cancer Research</i> , 2005 , 11, 4372-81	12.9	50
43	Tenascin C expression is upregulated in pancreatic cancer and correlates with differentiation. <i>Journal of Clinical Pathology</i> , 2004 , 57, 1151-5	3.9	29
42	Prognostic value of syndecan-1 expression in breast cancer. <i>Oncology</i> , 2004 , 67, 11-8	3.6	90
41	High LYVE-1-positive lymphatic vessel numbers are associated with poor outcome in breast cancer. <i>Clinical Cancer Research</i> , 2004 , 10, 7144-9	12.9	139
40	Spontaneous Regression of Cancerous Tumors Detected by Mammography Screening Reply. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 2579	27.4	1
39	A digital atlas of breast histopathology: an application of web based virtual microscopy. <i>Journal of Clinical Pathology</i> , 2004 , 57, 1288-91	3.9	57

38	Virtual microscopy. <i>Journal of Clinical Pathology</i> , 2004 , 57, 1250-1	3.9	26
37	Risk for distant recurrence of breast cancer detected by mammography screening or other methods. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 1064-73	27.4	127
36	Spontaneous regression of cancerous tumors detected by mammography screening. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 2579-80; author reply 2580	27.4	19
35	Validation of a Web-based prognostic system for breast cancer. <i>Studies in Health Technology and Informatics</i> , 2004 , 107, 237-40	0.5	1
34	A web-based system for individualised survival estimation in breast cancer. <i>BMJ, The</i> , 2003 , 326, 29	5.9	24
33	Tenascin-C expression correlates with prognosis in gastric cancer. <i>Oncology</i> , 2003 , 64, 245-50	3.6	27
32	Loss of p27 expression is associated with poor prognosis in stage I-II pancreatic cancer. <i>Oncology</i> , 2003 , 65, 371-7	3.6	26
31	Distinct subtypes of serous ovarian carcinoma identified by p53 determination. <i>Gynecologic Oncology</i> , 2003 , 91, 504-12	4.9	60
30	Predicting fatal outcome in the early phase of severe acute pancreatitis by using novel prognostic models. <i>Pancreatology</i> , 2003 , 3, 309-15	3.8	44
29	Amplification of erbB2 and erbB2 expression are superior to estrogen receptor status as risk factors for distant recurrence in pT1N0M0 breast cancer: a nationwide population-based study. <i>Clinical Cancer Research</i> , 2003 , 9, 923-30	12.9	146
28	Evaluation of a web-based system for survival estimation in breast cancer. <i>Studies in Health Technology and Informatics</i> , 2003 , 95, 788-93	0.5	2
27	The prognostic value of p27 in gastric cancer. <i>Oncology</i> , 2002 , 63, 180-4	3.6	31
26	Prognostic significance of elevated cyclooxygenase-2 expression in breast cancer. <i>Cancer Research</i> , 2002 , 62, 632-5	10.1	509
25	Epithelial and stromal syndecan-1 expression as predictor of outcome in patients with gastric cancer. <i>International Journal of Cancer</i> , 2001 , 95, 1-6	7.5	85
24	Tissue expression of human chorionic gonadotropin beta predicts outcome in colorectal cancer: a comparison with serum expression. <i>International Journal of Cancer</i> , 2001 , 95, 18-22	7.5	34
23	STn and prognosis in breast cancer. <i>Oncology</i> , 2001 , 61, 299-305	3.6	56
22	p27 expression correlates with short-term, but not with long-term prognosis in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2001 , 67, 15-22	4.4	34
21	Amplification of c-myc oncogene by chromogenic and fluorescence in situ hybridization in archival breast cancer tissue array samples. <i>Laboratory Investigation</i> , 2001 , 81, 1545-51	5.9	42

20	Redo bypass surgery to the infrapopliteal arteries for critical leg ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2001 , 21, 137-42	2.3	24
19	Amplification of c-myc by fluorescence in situ hybridization in a population-based breast cancer tissue array. <i>Modern Pathology</i> , 2001 , 14, 1030-5	9.8	36
18	Serum tumour markers CA 15-3, TPA, TPS, hCGbeta and TATI in the monitoring of chemotherapy response in metastatic breast cancer. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2001 , 61, 431-41	2	28
17	Omission of histologic grading from clinical decision making may result in overuse of adjuvant therapies in breast cancer: results from a nationwide study. <i>Journal of Clinical Oncology</i> , 2001 , 19, 28-36	2.2	64
16	Severe acute pancreatitis: prognostic factors in 270 consecutive patients. <i>Pancreas</i> , 2000 , 21, 266-71	2.6	104
15	Artificial neural networks applied to survival prediction in breast cancer. <i>Oncology</i> , 1999 , 57, 281-6	3.6	89
14	Leucocyte nadir as a marker for chemotherapy efficacy in node-positive breast cancer treated with adjuvant CMF. <i>British Journal of Cancer</i> , 1999 , 80, 1763-6	8.7	99
13	Concentration of free hCGbeta subunit in serum as a prognostic marker for squamous-cell carcinoma of the oral cavity and oropharynx. <i>International Journal of Cancer</i> , 1999 , 84, 525-8	7.5	31
12	Sialyl Tn is a frequently expressed antigen in colorectal cancer: No correlation with patient prognosis. <i>Oncology</i> , 1999 , 57, 70-6	3.6	13
11	Comparative genomic hybridization in childhood acute lymphoblastic leukemia. <i>Leukemia</i> , 1998 , 12, 1638-44	2.7	23
10	Practical Design and Performance Based Regulations.. <i>Fire Science and Technology</i> , 1998 , 18, 33-42	0.8	
9	Ki-67, p53, Er-receptors, ploidy and S-phase as prognostic factors in T1 node negative breast cancer. <i>Acta Oncologica</i> , 1997 , 36, 369-74	3.2	38
8	Expression of p53 protein as a prognostic factor in patients with gastric cancer. <i>European Journal of Cancer</i> , 1996 , 32A, 215-20	7.5	38
7	Pre-operative serum levels of CA 242 and CEA predict outcome in colorectal cancer. <i>European Journal of Cancer</i> , 1996 , 32A, 1156-61	7.5	38
6	Prognostic value of immunohistochemical expression of p53 in patients with pancreatic cancer. <i>Oncology</i> , 1996 , 53, 104-11	3.6	40
5	A risk score for predicting outcome in patients with gastric cancer, based on stage, sialyl-Tn immunoreactivity and ploidy--a multivariate analysis. <i>International Journal of Cancer</i> , 1996 , 67, 190-3	7.5	11
4	Independent prognostic value of preoperative serum markers CA 242, specific tissue polypeptide antigen and human chorionic gonadotrophin beta, but not of carcinoembryonic antigen or tissue polypeptide antigen in colorectal cancer. <i>British Journal of Cancer</i> , 1996 , 74, 925-9	8.7	40
3	A prognostic value of CA 19-9 but not of CEA in patients with gastric cancer. <i>European Journal of Surgical Oncology</i> , 1995 , 21, 379-84	3.6	38

2	The prognostic value of preoperative serum levels of CA 19-9 and CEA in patients with pancreatic cancer. <i>British Journal of Cancer</i> , 1994 , 69, 515-9	8.7	92
1	CA 242, a new tumour marker for pancreatic cancer: a comparison with CA 19-9, CA 50 and CEA. <i>British Journal of Cancer</i> , 1994 , 70, 487-92	8.7	40