

Dengshun Miao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3679971/dengshun-miao-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

160
papers

5,838
citations

39
h-index

71
g-index

171
ext. papers

6,499
ext. citations

5.5
avg, IF

5.51
L-index

#	Paper	IF	Citations
160	Single-cell RNA landscape of the osteoimmunology microenvironment in periodontitis.. <i>Theranostics</i> , 2022 , 12, 1074-1096	12.1	2
159	Sirt1 Mediates Vitamin D Deficiency-Driven Gluconeogenesis in the Liver via mTorc2/Akt Signaling.. <i>Journal of Diabetes Research</i> , 2022 , 2022, 1755563	3.9	2
158	A Sonic Hedgehog-Gli-Bmi1 signaling pathway plays a critical role in p27 deficiency induced bone anabolism.. <i>International Journal of Biological Sciences</i> , 2022 , 18, 956-969	11.2	1
157	Specific overexpression of SIRT1 in mesenchymal stem cells rescues hematopoiesis niche in BMI1 knockout mice through promoting CXCL12 expression.. <i>International Journal of Biological Sciences</i> , 2022 , 18, 2091-2103	11.2	0
156	Exogenous Parathyroid Hormone Alleviates Intervertebral Disc Degeneration through the Sonic Hedgehog Signalling Pathway Mediated by CREB.. <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 9955677	6.7	1
155	PQQ Dietary Supplementation Prevents Alkylating Agent-Induced Ovarian Dysfunction in Mice.. <i>Frontiers in Endocrinology</i> , 2022 , 13, 781404	5.7	0
154	Bmi-1-RING1B prevents GATA4-dependent senescence-associated pathological cardiac hypertrophy by promoting autophagic degradation of GATA4.. <i>Clinical and Translational Medicine</i> , 2022 , 12, e574	5.7	0
153	Exogenous PTH 1-34 Attenuates Impaired Fracture Healing in Endogenous PTH Deficiency Mice via Activating Indian Hedgehog Signaling Pathway and Accelerating Endochondral Ossification.. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 750878	5.7	0
152	Inhibition of Nrf2 degradation alleviates age-related osteoporosis induced by 1,25-Dihydroxyvitamin D deficiency. <i>Free Radical Biology and Medicine</i> , 2021 ,	7.8	3
151	P16 Deletion Ameliorates Damage of Intestinal Epithelial Barrier and Microbial Dysbiosis in a Stress-Induced Premature Senescence Model of Deficiency. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 671564	5.7	2
150	Elevated HB-EGF expression in neural stem cells causes middle age obesity by suppressing Hypocretin/Orexin expression. <i>FASEB Journal</i> , 2021 , 35, e21345	0.9	0
149	Bmi1 regulate tooth and mandible development by inhibiting p16 signal pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 4195-4203	5.6	2
148	Role of PTHrP nuclear localization and carboxyl terminus sequences in postnatal spinal cord development. <i>Developmental Neurobiology</i> , 2021 , 81, 47-62	3.2	
147	Probing the Scope and Mechanisms of Calcitriol Actions Using Genetically Modified Mouse Models. <i>JBMR Plus</i> , 2021 , 5, e10434	3.9	2
146	1,25-Dihydroxyvitamin D deficiency induces sarcopenia by inducing skeletal muscle cell senescence.. <i>American Journal of Translational Research (discontinued)</i> , 2021 , 13, 12638-12649	3	
145	Bmi deficiency causes oxidative stress and intervertebral disc degeneration which can be alleviated by antioxidant treatment. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 8950-8961	5.6	6
144	RelA promotes proliferation but inhibits osteogenic and chondrogenic differentiation of mesenchymal stem cells. <i>FEBS Letters</i> , 2020 , 594, 1368-1378	3.8	9

143	TGF- β /IL-11/MEK/ERK signaling mediates senescence-associated pulmonary fibrosis in a stress-induced premature senescence model of Bmi-1 deficiency. <i>Experimental and Molecular Medicine</i> , 2020 , 52, 130-151	12.8	28
142	Role of p53 deficiency in socket healing after tooth extractions. <i>Journal of Molecular Histology</i> , 2020 , 51, 55-65	3.3	1
141	Age-Related Increases in Marrow Fat Volumes have Regional Impacts on Bone Cell Numbers and Structure. <i>Calcified Tissue International</i> , 2020 , 107, 126-134	3.9	3
140	CDKN2a/p16 Antagonizes Hepatic Stellate Cell Activation and Liver Fibrosis by Modulating ROS Levels. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 176	5.7	25
139	Deletion of p16 prevents estrogen deficiency-induced osteoporosis by inhibiting oxidative stress and osteocyte senescence. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 672-683	3	4
138	1,25-Dihydroxyvitamin D insufficiency accelerates age-related bone loss by increasing oxidative stress and cell senescence. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 507-518	3	7
137	P27 deletion enhances hematopoiesis by paracrine action of IL22 secreted from bone marrow mesenchymal stem cells. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 787-799	3	
136	p16 deficiency attenuates intervertebral disc degeneration by adjusting oxidative stress and nucleus pulposus cell cycle. <i>ELife</i> , 2020 , 9,	8.9	48
135	The Polycomb Protein Bmi1 Plays a Crucial Role in the Prevention of 1,25(OH) D Deficiency-Induced Bone Loss. <i>Journal of Bone and Mineral Research</i> , 2020 , 35, 583-595	6.3	10
134	1,25-Dihydroxyvitamin D protects against age-related osteoporosis by a novel VDR-Ezh2-p16 signal axis. <i>Aging Cell</i> , 2020 , 19, e13095	9.9	27
133	Rho Kinase Inhibition by Fasudil Attenuates Adriamycin-Induced Chronic Heart Injury. <i>Cardiovascular Toxicology</i> , 2020 , 20, 351-360	3.4	7
132	Bmi-1 determines the stemness of renal stem or progenitor cells. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 529, 1165-1172	3.4	3
131	SIRT1/FOXO3a axis plays an important role in the prevention of mandibular bone loss induced by 1,25(OH)D deficiency. <i>International Journal of Biological Sciences</i> , 2020 , 16, 2712-2726	11.2	5
130	Sirt1 Promotes Osteogenic Differentiation and Increases Alveolar Bone Mass via Bmi1 Activation in Mice. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1169-1181	6.3	37
129	The effects of parathyroid hormone-related peptide on cardiac angiogenesis, apoptosis, and function in mice with myocardial infarction. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 14745-14755	4.7	2
128	Inhibitor of ghrelin receptor reverses gefitinib resistance in lung cancer. <i>Human Cell</i> , 2019 , 32, 360-366	4.5	4
127	Bmi1 Overexpression in Mesenchymal Stem Cells Exerts Antiaging and Antiosteoporosis Effects by Inactivating p16/p19 Signaling and Inhibiting Oxidative Stress. <i>Stem Cells</i> , 2019 , 37, 1200-1211	5.8	15
126	1,25-Dihydroxyvitamin D exerts an antiaging role by activation of Nrf2-antioxidant signaling and inactivation of p16/p53-senescence signaling. <i>Aging Cell</i> , 2019 , 18, e12951	9.9	71

125	BMI1 Deficiency Results in Female Infertility by Activating p16/p19 Signaling and Increasing Oxidative Stress. <i>International Journal of Biological Sciences</i> , 2019 , 15, 870-881	11.2	6
124	Loss of p27 suppresses the myocardial senescence caused by estrogen deficiency. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 13994-14003	4.7	5
123	lncRNA UCA1 Predicts a Poor Prognosis and Regulates Cell Proliferation and Migration by Repressing p21 and SPRY1 Expression in GC. <i>Molecular Therapy - Nucleic Acids</i> , 2019 , 18, 605-616	10.7	23
122	Pyroloquinoline Quinone Prevents Estrogen Deficiency-Induced Osteoporosis by Inhibiting Oxidative Stress and Osteocyte Senescence. <i>International Journal of Biological Sciences</i> , 2019 , 15, 58-68	11.2	36
121	1,25-Dihydroxy vitamin D prevents tumorigenesis by inhibiting oxidative stress and inducing tumor cellular senescence in mice. <i>International Journal of Cancer</i> , 2018 , 143, 368-382	7.5	34
120	1,25-dihydroxyvitamin D deficiency accelerates alveolar bone loss independent of aging and extracellular calcium and phosphorus. <i>Journal of Periodontology</i> , 2018 , 89, 983-994	4.6	11
119	Rho Kinase Inhibitor, Fasudil, Attenuates Contrast-induced Acute Kidney Injury. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 122, 278-287	3.1	12
118	DNA damage checkpoint pathway modulates the regulation of skeletal growth and osteoblastic bone formation by parathyroid hormone-related peptide. <i>International Journal of Biological Sciences</i> , 2018 , 14, 508-517	11.2	12
117	Deficient Mice Exhibit Male Infertility. <i>International Journal of Biological Sciences</i> , 2018 , 14, 358-368	11.2	17
116	Overexpression of Sirt1 in mesenchymal stem cells protects against bone loss in mice by FOXO3a deacetylation and oxidative stress inhibition. <i>Metabolism: Clinical and Experimental</i> , 2018 , 88, 61-71	12.7	54
115	Pyroloquinoline quinone plays an important role in rescuing Bmi-1 mice induced developmental disorders of teeth and mandible--anti-oxidant effect of pyroloquinoline quinone. <i>American Journal of Translational Research (discontinued)</i> , 2018 , 10, 40-53	3	6
114	Human mitochondrial DNA haplogroup M8a influences the penetrance of m.8684C>T in Han Chinese men with non-obstructive azoospermia. <i>Reproductive BioMedicine Online</i> , 2018 , 37, 480-488	4	1
113	Bmi1 Regulates the Proliferation of Cochlear Supporting Cells Via the Canonical Wnt Signaling Pathway. <i>Molecular Neurobiology</i> , 2017 , 54, 1326-1339	6.2	58
112	Pharmacologic Calcitriol Inhibits Osteoclast Lineage Commitment via the BMP-Smad1 and I κ B-NF- κ B Pathways. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 1406-1420	6.3	22
111	p16 deficiency promotes nonalcoholic steatohepatitis via regulation of hepatic oxidative stress. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 486, 264-269	3.4	5
110	BMI-1 Mediates Estrogen-Deficiency-Induced Bone Loss by Inhibiting Reactive Oxygen Species Accumulation and T Cell Activation. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 962-973	6.3	30
109	1,25(OH)D deficiency increases TM40D tumor growth in bone and accelerates tumor-induced bone destruction in a breast cancer bone metastasis model. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 95, 1033-1039	7.5	7
108	P16 Deletion Ameliorated Renal Tubulointerstitial Injury in a Stress-induced Premature Senescence Model of Bmi-1 Deficiency. <i>Scientific Reports</i> , 2017 , 7, 7502	4.9	24

107	Research on the function and related mechanism of gene in the intervertebral disc degeneration of mice. <i>Experimental and Therapeutic Medicine</i> , 2017 , 14, 1141-1145	2.1	1
106	Bmi-1 plays a critical role in the protection from acute tubular necrosis by mobilizing renal stem/progenitor cells. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 482, 742-749	3.4	3
105	Pyrrroloquinoline quinone prevents testosterone deficiency-induced osteoporosis by stimulating osteoblastic bone formation and inhibiting osteoclastic bone resorption. <i>American Journal of Translational Research (discontinued)</i> , 2017 , 9, 1230-1242	3	17
104	Effect and mechanism of pyrroloquinoline quinone on anti-osteoporosis in Bmi-1 knockout mice-Anti-oxidant effect of pyrroloquinoline quinone. <i>American Journal of Translational Research (discontinued)</i> , 2017 , 9, 4361-4374	3	8
103	Overexpression of Bmi1 in Lymphocytes Stimulates Skeletogenesis by Improving the Osteogenic Microenvironment. <i>Scientific Reports</i> , 2016 , 6, 29171	4.9	13
102	1, 25-dihydroxy-vitamin D3 with tumor necrosis factor-alpha protects against rheumatoid arthritis by promoting p53 acetylation-mediated apoptosis via Sirt1 in synoviocytes. <i>Cell Death and Disease</i> , 2016 , 7, e2423	9.8	29
101	Cranial base characteristics in anteroposterior malocclusions: A meta-analysis. <i>Angle Orthodontist</i> , 2016 , 86, 668-80	2.6	18
100	CYP24 inhibition as a therapeutic target in FGF23-mediated renal phosphate wasting disorders. <i>Journal of Clinical Investigation</i> , 2016 , 126, 667-80	15.9	42
99	1,25(OH)2D3 Deficiency Induces Colon Inflammation via Secretion of Senescence-Associated Inflammatory Cytokines. <i>PLoS ONE</i> , 2016 , 11, e0146426	3.7	16
98	Copy number gain of VCX, X-linked multi-copy gene, leads to cell proliferation and apoptosis during spermatogenesis. <i>Oncotarget</i> , 2016 , 7, 78532-78540	3.3	8
97	Transplantation of bone marrow-derived mesenchymal stem cells rescues partially rachitic phenotypes induced by 1,25-Dihydroxyvitamin D deficiency in mice. <i>American Journal of Translational Research (discontinued)</i> , 2016 , 8, 4382-4393	3	2
96	Bmi1 plays an important role in dentin and mandible homeostasis by maintaining redox balance. <i>American Journal of Translational Research (discontinued)</i> , 2016 , 8, 4716-4725	3	12
95	PTHrP Nuclear Localization and Carboxyl Terminus Sequences Modulate Dental and Mandibular Development in Part via the Action of p27. <i>Endocrinology</i> , 2016 , 157, 1372-84	4.8	13
94	Radioprotective effects of pyrroloquinoline quinone on parotid glands in C57BL/6J mice. <i>Experimental and Therapeutic Medicine</i> , 2016 , 12, 3685-3693	2.1	7
93	The Chromatin Regulator BRPF3 Preferentially Activates the HBO1 Acetyltransferase but Is Dispensable for Mouse Development and Survival. <i>Journal of Biological Chemistry</i> , 2016 , 291, 2647-63	5.4	19
92	A genome-wide association study of mitochondrial DNA in Chinese men identifies two risk single nucleotide substitutions for idiopathic oligoasthenospermia. <i>Mitochondrion</i> , 2015 , 24, 87-92	4.9	6
91	Bone marrow ablation demonstrates that estrogen plays an important role in osteogenesis and bone turnover via an antioxidative mechanism. <i>Bone</i> , 2015 , 79, 94-104	4.7	20
90	The p27 Pathway Modulates the Regulation of Skeletal Growth and Osteoblastic Bone Formation by Parathyroid Hormone-Related Peptide. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 1969-79	6.3	14

89	Synergistic effects of high dietary calcium and exogenous parathyroid hormone in promoting osteoblastic bone formation in mice. <i>British Journal of Nutrition</i> , 2015 , 113, 909-22	3.6	5
88	Active vitamin D deficiency mediated by extracellular calcium and phosphorus results in male infertility in young mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015 , 308, E51-62	6	41
87	Mitochondria-related miR-151a-5p reduces cellular ATP production by targeting CYTB in asthenozoospermia. <i>Scientific Reports</i> , 2015 , 5, 17743	4.9	35
86	Biological effects of pyrroloquinoline quinone on liver damage in Bmi-1 knockout mice. <i>Experimental and Therapeutic Medicine</i> , 2015 , 10, 451-458	2.1	10
85	Mitochondria-related miR-141-3p contributes to mitochondrial dysfunction in HFD-induced obesity by inhibiting PTEN. <i>Scientific Reports</i> , 2015 , 5, 16262	4.9	39
84	Anti-aging Effect of Transplanted Amniotic Membrane Mesenchymal Stem Cells in a Premature Aging Model of Bmi-1 Deficiency. <i>Scientific Reports</i> , 2015 , 5, 13975	4.9	28
83	Deficiency of the parathyroid hormone-related peptide nuclear localization and carboxyl terminal sequences leads to premature skin ageing partially mediated by the upregulation of p27. <i>Experimental Dermatology</i> , 2015 , 24, 847-52	4	4
82	Hepatocyte-specific ablation of PP2A catalytic subunit attenuates liver fibrosis progression via TGF- β /Smad signaling. <i>BioMed Research International</i> , 2015 , 2015, 794862	3	13
81	Administration of exogenous 1,25(OH) $_2$ D $_3$ normalizes overactivation of the central renin-angiotensin system in 1(OH)ase knockout mice. <i>Neuroscience Letters</i> , 2015 , 588, 184-9	3.3	22
80	Hippocampal ischemia causes deficits in local field potential and synaptic plasticity. <i>Journal of Biomedical Research</i> , 2015 , 29, 370-9	1.5	3
79	Heterozygous knockout of the Bmi-1 gene causes an early onset of phenotypes associated with brain aging. <i>Age</i> , 2014 , 36, 129-39		11
78	Pathogenic variants screening in five non-obstructive azoospermia-associated genes. <i>Molecular Human Reproduction</i> , 2014 , 20, 178-83	4.4	13
77	Recombinant human parathyroid hormone related protein 1-34 and 1-84 and their roles in osteoporosis treatment. <i>PLoS ONE</i> , 2014 , 9, e88237	3.7	14
76	Expression atlas of the multivalent epigenetic regulator Brpf1 and its requirement for survival of mouse embryos. <i>Epigenetics</i> , 2014 , 9, 860-72	5.7	15
75	Bmi-1 plays a critical role in protection from renal tubulointerstitial injury by maintaining redox balance. <i>Aging Cell</i> , 2014 , 13, 797-809	9.9	39
74	Neuronal necrosis is regulated by a conserved chromatin-modifying cascade. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 13960-5	11.5	22
73	p27(kip1) deficiency accelerates dentin and alveolar bone formation. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014 , 41, 807-16	3	8
72	Parathyroid hormone administration improves bone marrow microenvironment and partially rescues haematopoietic defects in Bmi1-null mice. <i>PLoS ONE</i> , 2014 , 9, e93864	3.7	13

71	Calcium sensing receptor absence delays postnatal brain development via direct and indirect mechanisms. <i>Molecular Neurobiology</i> , 2013 , 48, 590-600	6.2	18
70	Endogenous parathyroid hormone-related protein compensates for the absence of parathyroid hormone in promoting bone accrual in vivo in a model of bone marrow ablation. <i>Journal of Bone and Mineral Research</i> , 2013 , 28, 1898-911	6.3	11
69	1,25(OH) ₂ D deficiency induces temporomandibular joint osteoarthritis via secretion of senescence-associated inflammatory cytokines. <i>Bone</i> , 2013 , 55, 400-9	4.7	34
68	Inactivation of p27kip1 promotes chemical hepatocarcinogenesis through enhancing inflammatory cytokine secretion and STAT3 signaling activation. <i>Journal of Cellular Physiology</i> , 2013 , 228, 1967-76	7	12
67	1, 25(OH) ₂ D inhibits hepatocellular carcinoma development through reducing secretion of inflammatory cytokines from immunocytes. <i>Current Medicinal Chemistry</i> , 2013 , 20, 4131-41	4.3	27
66	Abnormal neurogenesis in the dentate gyrus of adult mice lacking 1,25-dihydroxy vitamin D3 (1,25-(OH) ₂ D3). <i>Hippocampus</i> , 2012 , 22, 421-33	3.5	32
65	Bone marrow ablation demonstrates that excess endogenous parathyroid hormone plays distinct roles in trabecular and cortical bone. <i>American Journal of Pathology</i> , 2012 , 181, 234-44	5.8	11
64	X-ray irradiation selectively kills thymocytes of different stages and impairs the maturation of donor-derived CD4(+)CD8(+) thymocytes in recipient thymus. <i>Journal of Biomedical Research</i> , 2012 , 26, 355-64	1.5	6
63	Absence of PTHrP nuclear localization and carboxyl terminus sequences leads to abnormal brain development and function. <i>PLoS ONE</i> , 2012 , 7, e41542	3.7	16
62	The calcium-sensing receptor complements parathyroid hormone-induced bone turnover in discrete skeletal compartments in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 302, E841-51	6	27
61	Bmi-1 absence causes premature brain degeneration. <i>PLoS ONE</i> , 2012 , 7, e32015	3.7	14
60	Zinc supplementation results in improved therapeutic potential of bone marrow-derived mesenchymal stromal cells in a mouse ischemic limb model. <i>Cytotherapy</i> , 2011 , 13, 156-64	4.8	16
59	Endogenous PTH deficiency impairs fracture healing and impedes the fracture-healing efficacy of exogenous PTH(1-34). <i>PLoS ONE</i> , 2011 , 6, e23060	3.7	27
58	Fibroblast growth factor 23 overexpression impacts negatively on dentin mineralization and dentinogenesis in mice. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2011 , 38, 395-402	3	7
57	Impairment of spatial learning and memory in transgenic mice overexpressing human fibroblast growth factor-23. <i>Brain Research</i> , 2011 , 1412, 9-17	3.7	27
56	Sodium/myo-inositol cotransporter 1 and myo-inositol are essential for osteogenesis and bone formation. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 582-90	6.3	39
55	The calcium-sensing receptor mediates bone turnover induced by dietary calcium and parathyroid hormone in neonates. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 1057-71	6.3	34
54	1,25-Dihydroxyvitamin D ₃ contributes to regulating mammary calcium transport and modulates neonatal skeletal growth and turnover cooperatively with calcium. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 301, E889-900	6	12

53	The abnormal phenotypes of cartilage and bone in calcium-sensing receptor deficient mice are dependent on the actions of calcium, phosphorus, and PTH. <i>PLoS Genetics</i> , 2011 , 7, e1002294	6	24
52	Transplanted human amniotic membrane-derived mesenchymal stem cells ameliorate carbon tetrachloride-induced liver cirrhosis in mouse. <i>PLoS ONE</i> , 2011 , 6, e16789	3.7	107
51	An improved transplantation strategy for mouse mesenchymal stem cells in an acute myocardial infarction model. <i>PLoS ONE</i> , 2011 , 6, e21005	3.7	23
50	Alterations in phosphorus, calcium and PTHrP contribute to defects in dental and dental alveolar bone formation in calcium-sensing receptor-deficient mice. <i>Development (Cambridge)</i> , 2010 , 137, 985-92 ^{6.6}	6.6	33
49	Defective female reproductive function in 1,25(OH)2D-deficient mice results from indirect effect mediated by extracellular calcium and/or phosphorus. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 299, E928-35	6	52
48	Defects in mesenchymal stem cell self-renewal and cell fate determination lead to an osteopenic phenotype in Bmi-1 null mice. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 640-52	6.3	76
47	The calcium-sensing receptor and 25-hydroxyvitamin D-1alpha-hydroxylase interact to modulate skeletal growth and bone turnover. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 1627-36	6.3	28
46	Distinctive anabolic roles of 1,25-dihydroxyvitamin D(3) and parathyroid hormone in teeth and mandible versus long bones. <i>Journal of Endocrinology</i> , 2009 , 203, 203-13	4.7	38
45	Parathyroid hormone contributes to regulating milk calcium content and modulates neonatal bone formation cooperatively with calcium. <i>Endocrinology</i> , 2009 , 150, 561-9	4.8	17
44	Hypophosphatemia-mediated hypotension in transgenic mice overexpressing human FGF-23. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 297, H1514-20	5.2	12
43	Klotho ablation converts the biochemical and skeletal alterations in FGF23 (R176Q) transgenic mice to a Klotho-deficient phenotype. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 296, E79-88	6	32
42	Severe growth retardation and early lethality in mice lacking the nuclear localization sequence and C-terminus of PTH-related protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 20309-14	11.5	101
41	Calcium-independent and 1,25(OH)2D3-dependent regulation of the renin-angiotensin system in 1alpha-hydroxylase knockout mice. <i>Kidney International</i> , 2008 , 74, 170-9	9.9	301
40	Exogenous PTH and endogenous 1,25-dihydroxyvitamin D are complementary in inducing an anabolic effect on bone. <i>Journal of Bone and Mineral Research</i> , 2008 , 23, 1257-66	6.3	19
39	Cellular and molecular mechanisms of abnormal calcification following ischemia-reperfusion injury in human liver transplantation. <i>Modern Pathology</i> , 2007 , 20, 357-66	9.8	21
38	Recruitment of stem cells by hepatocyte growth factor via intracoronary gene transfection in the postinfarction heart failure. <i>Science in China Series C: Life Sciences</i> , 2007 , 50, 748-52		9
37	Altered ovarian function affects skeletal homeostasis independent of the action of follicle-stimulating hormone. <i>Endocrinology</i> , 2007 , 148, 2613-21	4.8	65
36	Early lethality in Hyp mice with targeted deletion of Pth gene. <i>Endocrinology</i> , 2007 , 148, 4974-83	4.8	37

35	Exogenous 1,25-dihydroxyvitamin D3 exerts a skeletal anabolic effect and improves mineral ion homeostasis in mice that are homozygous for both the 1alpha-hydroxylase and parathyroid hormone null alleles. <i>Endocrinology</i> , 2006 , 147, 4801-10	4.8	64
34	Exogenous PTH-related protein and PTH improve mineral and skeletal status in 25-hydroxyvitamin D-1alpha-hydroxylase and PTH double knockout mice. <i>Journal of Bone and Mineral Research</i> , 2005 , 20, 1766-77	6.3	33
33	NK cell activation and tumor infiltration are involved in the antitumor mechanism of Virulizin. <i>Cancer Immunology, Immunotherapy</i> , 2005 , 54, 229-42	7.4	10
32	Genetic models show that parathyroid hormone and 1,25-dihydroxyvitamin D3 play distinct and synergistic roles in postnatal mineral ion homeostasis and skeletal development. <i>Human Molecular Genetics</i> , 2005 , 14, 1515-28	5.6	81
31	Osteoblast-derived PTHrP is a potent endogenous bone anabolic agent that modifies the therapeutic efficacy of administered PTH 1-34. <i>Journal of Clinical Investigation</i> , 2005 , 115, 2402-11	15.9	220
30	Skeletal and Reproductive Abnormalities in Pth-Null Mice 2005 , 179-196		
29	Alkaline Phosphatase 2004 , 164-169		21
28	Gp130-mediated signaling is necessary for normal osteoblastic function in vivo and in vitro. <i>Endocrinology</i> , 2004 , 145, 1376-85	4.8	55
27	Transgenic mice overexpressing human fibroblast growth factor 23 (R176Q) delineate a putative role for parathyroid hormone in renal phosphate wasting disorders. <i>Endocrinology</i> , 2004 , 145, 5269-79	4.8	279
26	Growth retardation and premature aging phenotypes in mice with disruption of the SNF2-like gene, PASG. <i>Genes and Development</i> , 2004 , 18, 1035-46	12.6	143
25	Rosiglitazone impacts negatively on bone by promoting osteoblast/osteocyte apoptosis. <i>Journal of Endocrinology</i> , 2004 , 183, 203-16	4.7	161
24	Inactivation of the 25-hydroxyvitamin D 1alpha-hydroxylase and vitamin D receptor demonstrates independent and interdependent effects of calcium and vitamin D on skeletal and mineral homeostasis. <i>Journal of Biological Chemistry</i> , 2004 , 279, 16754-66	5.4	314
23	Megakaryocyte-bone marrow stromal cell aggregates demonstrate increased colony formation and alkaline phosphatase expression in vitro. <i>Tissue Engineering</i> , 2004 , 10, 807-17		35
22	Parathyroid hormone-related peptide is required for increased trabecular bone volume in parathyroid hormone-null mice. <i>Endocrinology</i> , 2004 , 145, 3554-62	4.8	102
21	Skeletal abnormalities in Pth-null mice are influenced by dietary calcium. <i>Endocrinology</i> , 2004 , 145, 2046-58	4.8	82
20	Cartilage abnormalities are associated with abnormal Phex expression and with altered matrix protein and MMP-9 localization in Hyp mice. <i>Bone</i> , 2004 , 34, 638-47	4.7	37
19	Impaired endochondral bone development and osteopenia in Gli2-deficient mice. <i>Experimental Cell Research</i> , 2004 , 294, 210-22	4.2	68
18	Effects of calcium and of the Vitamin D system on skeletal and calcium homeostasis: lessons from genetic models. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004 , 89-90, 485-9	5.1	60

17	Osteocrin, a novel bone-specific secreted protein that modulates the osteoblast phenotype. <i>Journal of Biological Chemistry</i> , 2003 , 278, 50563-71	5.4	77
16	The autosomal dominant hypophosphatemic rickets R176Q mutation in fibroblast growth factor 23 resists proteolytic cleavage and enhances in vivo biological potency. <i>Journal of Biological Chemistry</i> , 2003 , 278, 9843-9	5.4	224
15	Androgen regulation of parathyroid hormone-related peptide production in human prostate cancer cells. <i>Endocrinology</i> , 2003 , 144, 858-67	4.8	23
14	Parathyroid hormone-related peptide interacts with bone morphogenetic protein 2 to increase osteoblastogenesis and decrease adipogenesis in pluripotent C3H10T 1/2 mesenchymal cells. <i>Endocrinology</i> , 2003 , 144, 5511-20	4.8	66
13	Liver-specific IGF-I gene deficient mice exhibit accelerated diabetes in response to streptozotocin, associated with early onset of insulin resistance. <i>Molecular and Cellular Endocrinology</i> , 2003 , 204, 31-42	4.4	27
12	Recruitment, augmentation and apoptosis of rat osteoclasts in 1,25-(OH) ₂ D ₃ response to short-term treatment with 1,25-dihydroxyvitamin D ₃ in vivo. <i>BMC Musculoskeletal Disorders</i> , 2002 , 3, 16	2.8	47
11	Partial rescue of the Hyp phenotype by osteoblast-targeted PHEX (phosphate-regulating gene with homologies to endopeptidases on the X chromosome) expression. <i>Molecular Endocrinology</i> , 2002 , 16, 2913-25		88
10	Histochemical localization of alkaline phosphatase activity in decalcified bone and cartilage. <i>Journal of Histochemistry and Cytochemistry</i> , 2002 , 50, 333-40	3.4	164
9	Parathyroid hormone is essential for normal fetal bone formation. <i>Journal of Clinical Investigation</i> , 2002 , 109, 1173-1182	15.9	199
8	Parathyroid hormone is essential for normal fetal bone formation. <i>Journal of Clinical Investigation</i> , 2002 , 109, 1173-82	15.9	85
7	The transcription factor SOX9 regulates cell cycle and differentiation genes in chondrocytic CFK2 cells. <i>Journal of Biological Chemistry</i> , 2001 , 276, 41229-36	5.4	74
6	Parathyroid hormone-related peptide stimulates osteogenic cell proliferation through protein kinase C activation of the Ras/mitogen-activated protein kinase signaling pathway. <i>Journal of Biological Chemistry</i> , 2001 , 276, 32204-13	5.4	87
5	Osteomalacia in hyp mice is associated with abnormal phex expression and with altered bone matrix protein expression and deposition. <i>Endocrinology</i> , 2001 , 142, 926-39	4.8	143
4	Tissue-specific targeting of the pthrp gene: the generation of mice with floxed alleles. <i>Endocrinology</i> , 2001 , 142, 2070-7	4.8	30
3	Short-term treatment of rats with high dose 1,25-dihydroxyvitamin D ₃ stimulates bone formation and increases the number of osteoblast precursor cells in bone marrow. <i>Endocrinology</i> , 1997 , 138, 4629-35	4.8	74
2	The effects of human seminal plasma and PGE ₂ on mitogen induced proliferation and cytokine production of human splenic lymphocytes and peripheral blood mononuclear cells. <i>Journal of Reproductive Immunology</i> , 1996 , 30, 97-114	4.2	14
1	Tissue-Specific Targeting of the Pthrp Gene: The Generation of Mice with Floxed Alleles		9