

# Dengshun Miao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3679971/publications.pdf>

Version: 2024-02-01

163  
papers

7,329  
citations

53660

45  
h-index

64668

79  
g-index

171  
all docs

171  
docs citations

171  
times ranked

7440  
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of Skeletal Phenotype and Associated Mechanisms With Chronic Intestinal Inflammation in the Winnie Mouse Model of Spontaneous Chronic Colitis. <i>Inflammatory Bowel Diseases</i> , 2022, 28, 259-272.	0.9	2
2	Inhibition of Nrf2 degradation alleviates age-related osteoporosis induced by 1,25-Dihydroxyvitamin D deficiency. <i>Free Radical Biology and Medicine</i> , 2022, 178, 246-261.	1.3	27
3	A Sonic Hedgehog-Gli-Bmi1 signaling pathway plays a critical role in p27 deficiency induced bone anabolism. <i>International Journal of Biological Sciences</i> , 2022, 18, 956-969.	2.6	4
4	Single-cell RNA landscape of the osteoimmunology microenvironment in periodontitis. <i>Theranostics</i> , 2022, 12, 1074-1096.	4.6	45
5	Sirt1 Mediates Vitamin D Deficiency-Driven Gluconeogenesis in the Liver via mTorc2/Akt Signaling. <i>Journal of Diabetes Research</i> , 2022, 2022, 1-16.	1.0	9
6	Specific overexpression of SIRT1 in mesenchymal stem cells rescues hematopoiesis niche in Bmi1 knockout mice through promoting CXCL12 expression. <i>International Journal of Biological Sciences</i> , 2022, 18, 2091-2103.	2.6	4
7	Exogenous Parathyroid Hormone Alleviates Intervertebral Disc Degeneration through the Sonic Hedgehog Signalling Pathway Mediated by CREB. <i>Oxidative Medicine and Cellular Longevity</i> , 2022, 2022, 1-17.	1.9	5
8	Amniotic membrane mesenchymal stem cells-based therapy improves Bmi1-deficient mandible osteoporosis through stimulating osteoblastic bone formation and inhibiting osteoclastic bone resorption. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2022, 16, 538-549.	1.3	2
9	PQQ Dietary Supplementation Prevents Alkylating Agent-Induced Ovarian Dysfunction in Mice. <i>Frontiers in Endocrinology</i> , 2022, 13, 781404.	1.5	11
10	Bmi1-RING1B prevents GATA4-dependent senescence-associated pathological cardiac hypertrophy by promoting autophagic degradation of GATA4. <i>Clinical and Translational Medicine</i> , 2022, 12, e574.	1.7	11
11	Chronic Alcohol Reduces Bone Mass Through Inhibiting Proliferation and Promoting Aging of Endothelial Cells in Type-H Vessels. <i>Stem Cells and Development</i> , 2022, 31, 541-554.	1.1	3
12	Role of PTHrP nuclear localization and carboxyl terminus sequences in postnatal spinal cord development. <i>Developmental Neurobiology</i> , 2021, 81, 47-62.	1.5	2
13	Probing the Scope and Mechanisms of Calcitriol Actions Using Genetically Modified Mouse Models. <i>JBMR Plus</i> , 2021, 5, e10434.	1.3	5
14	Elevated HB-EGF expression in neural stem cells causes middle age obesity by suppressing Hypocretin/Orexin expression. <i>FASEB Journal</i> , 2021, 35, e21345.	0.2	2
15	Bmi1 regulate tooth and mandible development by inhibiting p16 signal pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 4195-4203.	1.6	7
16	P16INK4a Deletion Ameliorates Damage of Intestinal Epithelial Barrier and Microbial Dysbiosis in a Stress-Induced Premature Senescence Model of Bmi-1 Deficiency. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 671564.	1.8	6
17	Exogenous PTH 1-34 Attenuates Impaired Fracture Healing in Endogenous PTH Deficiency Mice via Activating Indian Hedgehog Signaling Pathway and Accelerating Endochondral Ossification. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 750878.	1.8	3
18	1,25-Dihydroxyvitamin D deficiency induces sarcopenia by inducing skeletal muscle cell senescence.. <i>American Journal of Translational Research (discontinued)</i> , 2021, 13, 12638-12649.	0.0	0

#	ARTICLE	IF	CITATIONS
19	The Polycomb Protein Bmi1 Plays a Crucial Role in the Prevention of 1,25(OH) <sub>2</sub> D Deficiency-Induced Bone Loss. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 583-595.	3.1	20
20	1,25-Dihydroxyvitamin D protects against age-related osteoporosis by a novel VDR-Ezh2-p16 signal axis. <i>Aging Cell</i> , 2020, 19, e13095.	3.0	67
21	Rho Kinase Inhibition by Fasudil Attenuates Adriamycin-Induced Chronic Heart Injury. <i>Cardiovascular Toxicology</i> , 2020, 20, 351-360.	1.1	10
22	Bmi-1 determines the stemness of renal stem or progenitor cells. <i>Biochemical and Biophysical Research Communications</i> , 2020, 529, 1165-1172.	1.0	5
23	SIRT1/FOXO3a axis plays an important role in the prevention of mandibular bone loss induced by 1,25(OH) <sub>2</sub> D deficiency. <i>International Journal of Biological Sciences</i> , 2020, 16, 2712-2726.	2.6	19
24	Bmi deficiency causes oxidative stress and intervertebral disc degeneration which can be alleviated by antioxidant treatment. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 8950-8961.	1.6	14
25	RelA promotes proliferation but inhibits osteogenic and chondrogenic differentiation of mesenchymal stem cells. <i>FEBS Letters</i> , 2020, 594, 1368-1378.	1.3	15
26	TGF- $\beta$ 1/IL-11/MEK/ERK signaling mediates senescence-associated pulmonary fibrosis in a stress-induced premature senescence model of Bmi-1 deficiency. <i>Experimental and Molecular Medicine</i> , 2020, 52, 130-151.	3.2	78
27	Role of p53 deficiency in socket healing after tooth extractions. <i>Journal of Molecular Histology</i> , 2020, 51, 55-65.	1.0	3
28	Age-Related Increases in Marrow Fat Volumes have Regional Impacts on Bone Cell Numbers and Structure. <i>Calcified Tissue International</i> , 2020, 107, 126-134.	1.5	8
29	CDKN2a/p16 Antagonizes Hepatic Stellate Cell Activation and Liver Fibrosis by Modulating ROS Levels. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 176.	1.8	47
30	p16 deficiency attenuates intervertebral disc degeneration by adjusting oxidative stress and nucleus pulposus cell cycle. <i>ELife</i> , 2020, 9, .	2.8	106
31	Deletion of p16 prevents estrogen deficiency-induced osteoporosis by inhibiting oxidative stress and osteocyte senescence. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 672-683.	0.0	5
32	1,25-Dihydroxyvitamin D insufficiency accelerates age-related bone loss by increasing oxidative stress and cell senescence. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 507-518.	0.0	8
33	P27 deletion enhances hematopoiesis by paracrine action of IL22 secreted from bone marrow mesenchymal stem cells. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 787-799.	0.0	0
34	lncRNA UCA1 Predicts a Poor Prognosis and Regulates Cell Proliferation and Migration by Repressing p21 and SPRY1 Expression in GC. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 18, 605-616.	2.3	29
35	Sirt1 Promotes Osteogenic Differentiation and Increases Alveolar Bone Mass via Bmi1 Activation in Mice. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 1169-1181.	3.1	60
36	The effects of parathyroid hormone-related peptide on cardiac angiogenesis, apoptosis, and function in mice with myocardial infarction. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 14745-14755.	1.2	3

#	ARTICLE	IF	CITATIONS
37	Inhibitor of ghrelin receptor reverses gefitinib resistance in lung cancer. <i>Human Cell</i> , 2019, 32, 360-366.	1.2	6
38	Bmi1 Overexpression in Mesenchymal Stem Cells Exerts Antiaging and Antiosteoporosis Effects by Inactivating p16/p19 Signaling and Inhibiting Oxidative Stress. <i>Stem Cells</i> , 2019, 37, 1200-1211.	1.4	25
39	1,25-Dihydroxyvitamin D exerts an antiaging role by activation of Nrf2 antioxidant signaling and inactivation of p16/p53 senescence signaling. <i>Aging Cell</i> , 2019, 18, e12951.	3.0	135
40	BMI1 Deficiency Results in Female Infertility by Activating p16/p19 Signaling and Increasing Oxidative Stress. <i>International Journal of Biological Sciences</i> , 2019, 15, 870-881.	2.6	16
41	Loss of p27 kip1 suppresses the myocardial senescence caused by estrogen deficiency. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 13994-14003.	1.2	7
42	Pyroloquinoline Quinone Prevents Estrogen Deficiency-Induced Osteoporosis by Inhibiting Oxidative Stress and Osteocyte Senescence. <i>International Journal of Biological Sciences</i> , 2019, 15, 58-68.	2.6	83
43	1,25-Dihydroxy vitamin D prevents tumorigenesis by inhibiting oxidative stress and inducing tumor cellular senescence in mice. <i>International Journal of Cancer</i> , 2018, 143, 368-382.	2.3	49
44	1,25-Dihydroxyvitamin D deficiency accelerates alveolar bone loss independent of aging and extracellular calcium and phosphorus. <i>Journal of Periodontology</i> , 2018, 89, 983-994.	1.7	18
45	Rho Kinase Inhibitor, Fasudil, Attenuates Contrast-Induced Acute Kidney Injury. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 122, 278-287.	1.2	20
46	Human mitochondrial DNA haplogroup M8a influences the penetrance of m.8684C>T in Han Chinese men with non-obstructive azoospermia. <i>Reproductive BioMedicine Online</i> , 2018, 37, 480-488.	1.1	2
47	DNA damage checkpoint pathway modulates the regulation of skeletal growth and osteoblastic bone formation by parathyroid hormone-related peptide. <i>International Journal of Biological Sciences</i> , 2018, 14, 508-517.	2.6	15
48	Bmi1 Deficient Mice Exhibit Male Infertility. <i>International Journal of Biological Sciences</i> , 2018, 14, 358-368.	2.6	28
49	Overexpression of Sirt1 in mesenchymal stem cells protects against bone loss in mice by FOXO3a deacetylation and oxidative stress inhibition. <i>Metabolism: Clinical and Experimental</i> , 2018, 88, 61-71.	1.5	85
50	Pyroloquinoline quinone plays an important role in rescuing Bmi-1 mice induced developmental disorders of teeth and mandible-anti-oxidant effect of pyroloquinoline quinone. <i>American Journal of Translational Research (discontinued)</i> , 2018, 10, 40-53.	0.0	6
51	Bmi1 Regulates the Proliferation of Cochlear Supporting Cells Via the Canonical Wnt Signaling Pathway. <i>Molecular Neurobiology</i> , 2017, 54, 1326-1339.	1.9	69
52	Pharmacologic Calcitriol Inhibits Osteoclast Lineage Commitment via the BMP-Smad1 and $\beta$ -NF- $\kappa$ B Pathways. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 1406-1420.	3.1	26
53	p16 deficiency promotes nonalcoholic steatohepatitis via regulation of hepatic oxidative stress. <i>Biochemical and Biophysical Research Communications</i> , 2017, 486, 264-269.	1.0	12
54	BMI-1 Mediates Estrogen-Deficiency-Induced Bone Loss by Inhibiting Reactive Oxygen Species Accumulation and T Cell Activation. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 962-973.	3.1	40

#	ARTICLE	IF	CITATIONS
55	1,25(OH)2D3 deficiency increases TM40D tumor growth in bone and accelerates tumor-induced bone destruction in a breast cancer bone metastasis model. <i>Biomedicine and Pharmacotherapy</i> , 2017, 95, 1033-1039.	2.5	9
56	P16 INK4a Deletion Ameliorated Renal Tubulointerstitial Injury in a Stress-induced Premature Senescence Model of Bmi-1 Deficiency. <i>Scientific Reports</i> , 2017, 7, 7502.	1.6	36
57	Research on the function and related mechanism of P27 gene in the intervertebral disc degeneration of mice. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 1141-1145.	0.8	8
58	Bmi-1 plays a critical role in the protection from acute tubular necrosis by mobilizing renal stem/progenitor cells. <i>Biochemical and Biophysical Research Communications</i> , 2017, 482, 742-749.	1.0	5
59	Pyrrroloquinoline quinone prevents testosterone deficiency-induced osteoporosis by stimulating osteoblastic bone formation and inhibiting osteoclastic bone resorption. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 1230-1242.	0.0	18
60	Effect and mechanism of pyrroloquinoline quinone on anti-osteoporosis in Bmi-1 knockout mice-Anti-oxidant effect of pyrroloquinoline quinone. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 4361-4374.	0.0	9
61	PTHrP Nuclear Localization and Carboxyl Terminus Sequences Modulate Dental and Mandibular Development in Part via the Action of p27. <i>Endocrinology</i> , 2016, 2016, 72-84.	1.4	14
62	Radioprotective effects of pyrroloquinoline quinone on parotid glands in C57BL/6J mice. <i>Experimental and Therapeutic Medicine</i> , 2016, 12, 3685-3693.	0.8	7
63	The Chromatin Regulator BRPF3 Preferentially Activates the HBO1 Acetyltransferase but Is Dispensable for Mouse Development and Survival. <i>Journal of Biological Chemistry</i> , 2016, 291, 2647-2663.	1.6	27
64	Overexpression of Bmi1 in Lymphocytes Stimulates Skeletogenesis by Improving the Osteogenic Microenvironment. <i>Scientific Reports</i> , 2016, 6, 29171.	1.6	13
65	Mitochondria-related miR-151a-5p reduces cellular ATP production by targeting CYTB in asthenozoospermia. <i>Scientific Reports</i> , 2016, 5, 17743.	1.6	52
66	1, 25-dihydroxy-vitamin D3 with tumor necrosis factor-alpha protects against rheumatoid arthritis by promoting p53 acetylation-mediated apoptosis via Sirt1 in synoviocytes. <i>Cell Death and Disease</i> , 2016, 7, e2423-e2423.	2.7	41
67	Cranial base characteristics in anteroposterior malocclusions: A meta-analysis. <i>Angle Orthodontist</i> , 2016, 86, 668-680.	1.1	29
68	CYP24 inhibition as a therapeutic target in FGF23-mediated renal phosphate wasting disorders. <i>Journal of Clinical Investigation</i> , 2016, 126, 667-680.	3.9	49
69	1,25(OH)2D3 Deficiency Induces Colon Inflammation via Secretion of Senescence-Associated Inflammatory Cytokines. <i>PLoS ONE</i> , 2016, 11, e0146426.	1.1	21
70	Copy number gain of VCX, X-linked multi-copy gene, leads to cell proliferation and apoptosis during spermatogenesis. <i>Oncotarget</i> , 2016, 7, 78532-78540.	0.8	11
71	Transplantation of bone marrow-derived mesenchymal stem cells rescues partially rachitic phenotypes induced by 1,25-Dihydroxyvitamin D deficiency in mice. <i>American Journal of Translational Research (discontinued)</i> , 2016, 8, 4382-4393.	0.0	3
72	Bmi1 plays an important role in dentin and mandible homeostasis by maintaining redox balance. <i>American Journal of Translational Research (discontinued)</i> , 2016, 8, 4716-4725.	0.0	12

#	ARTICLE	IF	CITATIONS
73	Biological effects of pyrroloquinoline quinone on liver damage in Bmi-1 knockout mice. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 451-458.	0.8	14
74	Mitochondria-related miR-141-3p contributes to mitochondrial dysfunction in HFD-induced obesity by inhibiting PTEN. <i>Scientific Reports</i> , 2015, 5, 16262.	1.6	48
75	Anti-aging Effect of Transplanted Amniotic Membrane Mesenchymal Stem Cells in a Premature Aging Model of Bmi-1 Deficiency. <i>Scientific Reports</i> , 2015, 5, 13975.	1.6	41
76	Deficiency of the parathyroid hormone-related peptide nuclear localization and carboxyl terminal sequences leads to premature skin ageing partially mediated by the upregulation of p27. <i>Experimental Dermatology</i> , 2015, 24, 847-852.	1.4	5
77	Hepatocyte-Specific Ablation of PP2A Catalytic Subunit <i>p19<sup>INK4</sup></i> Attenuates Liver Fibrosis Progression via TGF- $\beta$ 1/Smad Signaling. <i>BioMed Research International</i> , 2015, 2015, 1-10.	0.9	16
78	Administration of exogenous 1,25(OH) <sub>2</sub> D <sub>3</sub> normalizes overactivation of the central renin-angiotensin system in <i>11<math>\beta</math></i> (OH)ase knockout mice. <i>Neuroscience Letters</i> , 2015, 588, 184-189.	1.0	26
79	A genome-wide association study of mitochondrial DNA in Chinese men identifies two risk single nucleotide substitutions for idiopathic oligoasthenospermia. <i>Mitochondrion</i> , 2015, 24, 87-92.	1.6	9
80	Bone marrow ablation demonstrates that estrogen plays an important role in osteogenesis and bone turnover via an antioxidative mechanism. <i>Bone</i> , 2015, 79, 94-104.	1.4	24
81	The p27 Pathway Modulates the Regulation of Skeletal Growth and Osteoblastic Bone Formation by Parathyroid Hormone-Related Peptide. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 1969-1979.	3.1	18
82	Synergistic effects of high dietary calcium and exogenous parathyroid hormone in promoting osteoblastic bone formation in mice. <i>British Journal of Nutrition</i> , 2015, 113, 909-922.	1.2	8
83	Active vitamin D deficiency mediated by extracellular calcium and phosphorus results in male infertility in young mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 308, E51-E62.	1.8	52
84	Hippocampal ischemia causes deficits in local field potential and synaptic plasticity. <i>Journal of Biomedical Research</i> , 2015, 29, 370.	0.7	6
85	Recombinant Human Parathyroid Hormone Related Protein 1-34 and 1-84 and Their Roles in Osteoporosis Treatment. <i>PLoS ONE</i> , 2014, 9, e88237.	1.1	17
86	Expression atlas of the multivalent epigenetic regulator Brpf1 and its requirement for survival of mouse embryos. <i>Epigenetics</i> , 2014, 9, 860-872.	1.3	26
87	Bmi-1 plays a critical role in protection from renal tubulointerstitial injury by maintaining redox balance. <i>Aging Cell</i> , 2014, 13, 797-809.	3.0	47
88	Neuronal necrosis is regulated by a conserved chromatin-modifying cascade. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 13960-13965.	3.3	32
89	<i>p27<sup>kip1</sup></i> deficiency accelerates dentin and alveolar bone formation. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014, 41, 807-816.	0.9	15
90	Heterozygous knockout of the Bmi-1 gene causes an early onset of phenotypes associated with brain aging. <i>Age</i> , 2014, 36, 129-139.	3.0	12

#	ARTICLE	IF	CITATIONS
91	Pathogenic variants screening in five non-obstructive azoospermia-associated genes. <i>Molecular Human Reproduction</i> , 2014, 20, 178-183.	1.3	14
92	Parathyroid Hormone Administration Improves Bone Marrow Microenvironment and Partially Rescues Haematopoietic Defects in Bmi1-Null Mice. <i>PLoS ONE</i> , 2014, 9, e93864.	1.1	15
93	Calcium Sensing Receptor Absence Delays Postnatal Brain Development via Direct and Indirect Mechanisms. <i>Molecular Neurobiology</i> , 2013, 48, 590-600.	1.9	20
94	Endogenous parathyroid hormone-related protein compensates for the absence of parathyroid hormone in promoting bone accrual in vivo in a model of bone marrow ablation. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 1898-1911.	3.1	12
95	1,25(OH) <sub>2</sub> D deficiency induces temporomandibular joint osteoarthritis via secretion of senescence-associated inflammatory cytokines. <i>Bone</i> , 2013, 55, 400-409.	1.4	41
96	Inactivation of p27 kip1 promotes chemical hepatocarcinogenesis through enhancing inflammatory cytokine secretion and STAT 3 signaling activation. <i>Journal of Cellular Physiology</i> , 2013, 228, 1967-1976.	2.0	15
97	1, 25(OH) <sub>2</sub> D <sub>3</sub> ; Inhibits Hepatocellular Carcinoma Development Through Reducing Secretion of Inflammatory Cytokines from Immunocytes. <i>Current Medicinal Chemistry</i> , 2013, 20, 4131-4141.	1.2	40
98	The calcium-sensing receptor complements parathyroid hormone-induced bone turnover in discrete skeletal compartments in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 302, E841-E851.	1.8	34
99	Bone Marrow Ablation Demonstrates That Excess Endogenous Parathyroid Hormone Plays Distinct Roles in Trabecular and Cortical Bone. <i>American Journal of Pathology</i> , 2012, 181, 234-244.	1.9	12
100	X-ray irradiation selectively kills thymocytes of different stages and impairs the maturation of donor-derived CD4+CD8+ thymocytes in recipient thymus. <i>Journal of Biomedical Research</i> , 2012, 26, 355-364.	0.7	7
101	Absence of PTHrP Nuclear Localization and Carboxyl Terminus Sequences Leads to Abnormal Brain Development and Function. <i>PLoS ONE</i> , 2012, 7, e41542.	1.1	18
102	Abnormal neurogenesis in the dentate gyrus of adult mice lacking 1,25-dihydroxy vitamin D <sub>3</sub> (1,25-(OH) <sub>2</sub> D <sub>3</sub> ). <i>Hippocampus</i> , 2012, 22, 421-433.	0.9	44
103	Bmi-1 Absence Causes Premature Brain Degeneration. <i>PLoS ONE</i> , 2012, 7, e32015.	1.1	15
104	Zinc supplementation results in improved therapeutic potential of bone marrow-derived mesenchymal stromal cells in a mouse ischemic limb model. <i>Cytotherapy</i> , 2011, 13, 156-164.	0.3	19
105	Endogenous PTH Deficiency Impairs Fracture Healing and Impedes the Fracture-Healing Efficacy of Exogenous PTH(1-34). <i>PLoS ONE</i> , 2011, 6, e23060.	1.1	29
106	Fibroblast growth factor 23 overexpression impacts negatively on dentin mineralization and dentinogenesis in mice. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2011, 38, 395-402.	0.9	10
107	Impairment of spatial learning and memory in transgenic mice overexpressing human fibroblast growth factor-23. <i>Brain Research</i> , 2011, 1412, 9-17.	1.1	35
108	Sodium/myo-inositol cotransporter 1 and myo-inositol are essential for osteogenesis and bone formation. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 582-590.	3.1	49



#	ARTICLE	IF	CITATIONS
109	The calcium-sensing receptor mediates bone turnover induced by dietary calcium and parathyroid hormone in neonates. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 1057-1071.	3.1	35
110	1,25-Dihydroxyvitamin D <sub>3</sub> contributes to regulating mammary calcium transport and modulates neonatal skeletal growth and turnover cooperatively with calcium. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 301, E889-E900.	1.8	15
111	The Abnormal Phenotypes of Cartilage and Bone in Calcium-Sensing Receptor Deficient Mice Are Dependent on the Actions of Calcium, Phosphorus, and PTH. <i>PLoS Genetics</i> , 2011, 7, e1002294.	1.5	25
112	Transplanted Human Amniotic Membrane-Derived Mesenchymal Stem Cells Ameliorate Carbon Tetrachloride-Induced Liver Cirrhosis in Mouse. <i>PLoS ONE</i> , 2011, 6, e16789.	1.1	118
113	An Improved Transplantation Strategy for Mouse Mesenchymal Stem Cells in an Acute Myocardial Infarction Model. <i>PLoS ONE</i> , 2011, 6, e21005.	1.1	32
114	Defects in mesenchymal stem cell self-renewal and cell fate determination lead to an osteopenic phenotype in <i>Bmi-1</i> null mice. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 640-652.	3.1	87
115	The calcium-sensing receptor and 25-hydroxyvitamin D <sup>1</sup> -hydroxylase interact to modulate skeletal growth and bone turnover. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 1627-1636.	3.1	31
116	Alterations in phosphorus, calcium and PTHrP contribute to defects in dental and dental alveolar bone formation in calcium-sensing receptor-deficient mice. <i>Development (Cambridge)</i> , 2010, 137, 985-992.	1.2	37
117	Defective female reproductive function in 1,25(OH) <sub>2</sub> D-deficient mice results from indirect effect mediated by extracellular calcium and/or phosphorus. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 299, E928-E935.	1.8	66
118	Distinctive anabolic roles of 1,25-dihydroxyvitamin D <sub>3</sub> and parathyroid hormone in teeth and mandible versus long bones. <i>Journal of Endocrinology</i> , 2009, 203, 203-213.	1.2	42
119	Parathyroid Hormone Contributes to Regulating Milk Calcium Content and Modulates Neonatal Bone Formation Cooperatively with Calcium. <i>Endocrinology</i> , 2009, 150, 561-569.	1.4	20
120	Hypophosphatemia-mediated hypotension in transgenic mice overexpressing human FGF-23. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H1514-H1520.	1.5	12
121	<i>Klotho</i> ablation converts the biochemical and skeletal alterations in FGF23 (R176Q) transgenic mice to a <i>Klotho</i> -deficient phenotype. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 296, E79-E88.	1.8	35
122	Exogenous PTH and Endogenous 1,25-Dihydroxyvitamin D Are Complementary in Inducing an Anabolic Effect on Bone. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 1257-1266.	3.1	22
123	Severe growth retardation and early lethality in mice lacking the nuclear localization sequence and C-terminus of PTH-related protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 20309-20314.	3.3	111
124	Calcium-independent and 1,25(OH) <sub>2</sub> D <sub>3</sub> -dependent regulation of the renin-angiotensin system in 1 <sup>1</sup> -hydroxylase knockout mice. <i>Kidney International</i> , 2008, 74, 170-179.	2.6	360
125	Altered Ovarian Function Affects Skeletal Homeostasis Independent of the Action of Follicle-Stimulating Hormone. <i>Endocrinology</i> , 2007, 148, 2613-2621.	1.4	70
126	Early Lethality in <i>Hyp</i> Mice with Targeted Deletion of <i>Pth</i> Gene. <i>Endocrinology</i> , 2007, 148, 4974-4983.	1.4	41



#	ARTICLE	IF	CITATIONS
127	Cellular and molecular mechanisms of abnormal calcification following ischemia-reperfusion injury in human liver transplantation. <i>Modern Pathology</i> , 2007, 20, 357-366.	2.9	24
128	Recruitment of stem cells by hepatocyte growth factor via intracoronary gene transfection in the postinfarction heart failure. <i>Science in China Series C: Life Sciences</i> , 2007, 50, 748-752.	1.3	12
129	Exogenous 1,25-Dihydroxyvitamin D <sub>3</sub> Exerts a Skeletal Anabolic Effect and Improves Mineral Ion Homeostasis in Mice that Are Homozygous for Both the 1 $\alpha$ -Hydroxylase and Parathyroid Hormone Null Alleles. <i>Endocrinology</i> , 2006, 147, 4801-4810.	1.4	77
130	Exogenous PTH-Related Protein and PTH Improve Mineral and Skeletal Status in 25-Hydroxyvitamin D-1 $\alpha$ -Hydroxylase and PTH Double Knockout Mice. <i>Journal of Bone and Mineral Research</i> , 2005, 20, 1766-1777.	3.1	38
131	NK cell activation and tumor infiltration are involved in the antitumor mechanism of Virulizin. <i>Cancer Immunology, Immunotherapy</i> , 2005, 54, 229-242.	2.0	10
132	Genetic models show that parathyroid hormone and 1,25-dihydroxyvitamin D <sub>3</sub> play distinct and synergistic roles in postnatal mineral ion homeostasis and skeletal development. <i>Human Molecular Genetics</i> , 2005, 14, 1515-1528.	1.4	89
133	Osteoblast-derived PTHrP is a potent endogenous bone anabolic agent that modifies the therapeutic efficacy of administered PTH 1-34. <i>Journal of Clinical Investigation</i> , 2005, 115, 2402-2411.	3.9	252
134	Skeletal and Reproductive Abnormalities in Pth-Null Mice. , 2005, , 179-196.		0
135	Alkaline Phosphatase. , 2004, , 164-169.		25
136	gp130-Mediated Signaling Is Necessary for Normal Osteoblastic Function in Vivo and in Vitro. <i>Endocrinology</i> , 2004, 145, 1376-1385.	1.4	60
137	Transgenic Mice Overexpressing Human Fibroblast Growth Factor 23 (R176Q) Delineate a Putative Role for Parathyroid Hormone in Renal Phosphate Wasting Disorders. <i>Endocrinology</i> , 2004, 145, 5269-5279.	1.4	307
138	Growth retardation and premature aging phenotypes in mice with disruption of the SNF2-like gene, PASG. <i>Genes and Development</i> , 2004, 18, 1035-1046.	2.7	163
139	Rosiglitazone impacts negatively on bone by promoting osteoblast/osteocyte apoptosis. <i>Journal of Endocrinology</i> , 2004, 183, 203-216.	1.2	179
140	Inactivation of the 25-Hydroxyvitamin D 1 $\alpha$ -Hydroxylase and Vitamin D Receptor Demonstrates Independent and Interdependent Effects of Calcium and Vitamin D on Skeletal and Mineral Homeostasis. <i>Journal of Biological Chemistry</i> , 2004, 279, 16754-16766.	1.6	358
141	Megakaryocyte-Bone Marrow Stromal Cell Aggregates Demonstrate Increased Colony Formation and Alkaline Phosphatase Expression in Vitro. <i>Tissue Engineering</i> , 2004, 10, 807-817.	4.9	38
142	Parathyroid Hormone-Related Peptide Is Required for Increased Trabecular Bone Volume in Parathyroid Hormone-Null Mice. <i>Endocrinology</i> , 2004, 145, 3554-3562.	1.4	110
143	Skeletal Abnormalities in Pth-Null Mice Are Influenced by Dietary Calcium. <i>Endocrinology</i> , 2004, 145, 2046-2053.	1.4	93
144	Cartilage abnormalities are associated with abnormal Phex expression and with altered matrix protein and MMP-9 localization in Hyp mice. <i>Bone</i> , 2004, 34, 638-647.	1.4	46

#	ARTICLE	IF	CITATIONS
145	Impaired endochondral bone development and osteopenia in Gli2-deficient mice. <i>Experimental Cell Research</i> , 2004, 294, 210-222.	1.2	78
146	Effects of calcium and of the Vitamin D system on skeletal and calcium homeostasis: lessons from genetic models. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004, 89-90, 485-489.	1.2	71
147	Liver-specific IGF-I gene deficient mice exhibit accelerated diabetes in response to streptozotocin, associated with early onset of insulin resistance. <i>Molecular and Cellular Endocrinology</i> , 2003, 204, 31-42.	1.6	28
148	Osteocrin, a Novel Bone-specific Secreted Protein That Modulates the Osteoblast Phenotype. <i>Journal of Biological Chemistry</i> , 2003, 278, 50563-50571.	1.6	107
149	The Autosomal Dominant Hypophosphatemic Rickets R176Q Mutation in Fibroblast Growth Factor 23 Resists Proteolytic Cleavage and Enhances in Vivo Biological Potency. <i>Journal of Biological Chemistry</i> , 2003, 278, 9843-9849.	1.6	253
150	Androgen Regulation of Parathyroid Hormone-Related Peptide Production in Human Prostate Cancer Cells. <i>Endocrinology</i> , 2003, 144, 858-867.	1.4	28
151	Parathyroid Hormone-Related Peptide Interacts with Bone Morphogenetic Protein 2 to Increase Osteoblastogenesis and Decrease Adipogenesis in Pluripotent C3H10T $\frac{1}{2}$ Mesenchymal Cells. <i>Endocrinology</i> , 2003, 144, 5511-5520.	1.4	74
152	Partial Rescue of the Hyp Phenotype by Osteoblast-Targeted PHEX (Phosphate-Regulating Gene with Homology to Endothelial Cell PHEX) in PHEX-Deficient Mice. <i>Journal of Biological Chemistry</i> , 2003, 278, 2913-2925.	3.7	92
153	Histochemical Localization of Alkaline Phosphatase Activity in Decalcified Bone and Cartilage. <i>Journal of Histochemistry and Cytochemistry</i> , 2002, 50, 333-340.	1.3	187
154	Recruitment, augmentation and apoptosis of rat osteoclasts in 1,25-(OH) $_2$ D $_3$ response to short-term treatment with 1,25-dihydroxyvitamin D $_3$ in vivo. <i>BMC Musculoskeletal Disorders</i> , 2002, 3, 16.	0.8	52
155	Parathyroid hormone is essential for normal fetal bone formation. <i>Journal of Clinical Investigation</i> , 2002, 109, 1173-1182.	3.9	212
156	Parathyroid hormone is essential for normal fetal bone formation. <i>Journal of Clinical Investigation</i> , 2002, 109, 1173-1182.	3.9	122
157	The Transcription Factor SOX9 Regulates Cell Cycle and Differentiation Genes in Chondrocytic CFK2 Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 41229-41236.	1.6	84
158	Parathyroid Hormone-related Peptide Stimulates Osteogenic Cell Proliferation through Protein Kinase C Activation of the Ras/Mitogen-activated Protein Kinase Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2001, 276, 32204-32213.	1.6	105
159	Osteomalacia in Hyp Mice Is Associated with Abnormal PheX Expression and with Altered Bone Matrix Protein Expression and Deposition. <i>Endocrinology</i> , 2001, 142, 926-939.	1.4	155
160	Tissue-Specific Targeting of the Pthrp Gene: The Generation of Mice with Floxed Alleles*. <i>Endocrinology</i> , 2001, 142, 2070-2077.	1.4	32
161	Short-Term Treatment of Rats with High Dose 1,25-Dihydroxyvitamin D $_3$ Stimulates Bone Formation and Increases the Number of Osteoblast Precursor Cells in Bone Marrow*. <i>Endocrinology</i> , 1997, 138, 4629-4635.	1.4	78
162	The effects of human seminal plasma and PGE $_2$ on mitogen induced proliferation and cytokine production of human splenic lymphocytes and peripheral blood mononuclear cells. <i>Journal of Reproductive Immunology</i> , 1996, 30, 97-114.	0.8	14

#	ARTICLE	IF	CITATIONS
163	Tissue-Specific Targeting of the Pthrp Gene: The Generation of Mice with Floxed Alleles. , 0, .		13