

Ying Xiao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/368105/publications.pdf>

Version: 2024-02-01

24
papers

432
citations

840776

11
h-index

794594

19
g-index

27
all docs

27
docs citations

27
times ranked

490
citing authors

#	ARTICLE	IF	CITATIONS
1	MicroRNA-22 Promotes Renal Tubulointerstitial Fibrosis by Targeting PTEN and Suppressing Autophagy in Diabetic Nephropathy. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-11.	2.3	69
2	BMP-7 inhibits renal fibrosis in diabetic nephropathy via miR-21 downregulation. <i>Life Sciences</i> , 2019, 238, 116957.	4.3	57
3	Oxymatrine Inhibits Renal Tubular EMT Induced by High Glucose via Upregulation of SnoN and Inhibition of TGF- β 1/Smad Signaling Pathway. <i>PLoS ONE</i> , 2016, 11, e0151986.	2.5	40
4	Notch1 regulates PTEN expression to exacerbate renal tubulointerstitial fibrosis in diabetic nephropathy by inhibiting autophagy via interactions with Hes1. <i>Biochemical and Biophysical Research Communications</i> , 2018, 497, 1110-1116.	2.1	33
5	Suberoylanilide hydroxamic acid attenuates paraquat-induced pulmonary fibrosis by preventing Smad7 from deacetylation in rats. <i>Journal of Thoracic Disease</i> , 2016, 8, 2485-2494.	1.4	22
6	Ski-related novel protein suppresses the development of diabetic nephropathy by modulating transforming growth factor- β 2 signaling and microRNA-21 expression. <i>Journal of Cellular Physiology</i> , 2019, 234, 17925-17936.	4.1	22
7	Regulation of PTEN/AKT/FAK pathways by PPAR γ 3 impacts on fibrosis in diabetic nephropathy. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 6998-7014.	2.6	19
8	MicroRNA-27a targets Sfrp1 to induce renal fibrosis in diabetic nephropathy by activating Wnt/ β 2-Catenin signalling. <i>Bioscience Reports</i> , 2020, 40, .	2.4	18
9	SnoN upregulation ameliorates renal fibrosis in diabetic nephropathy. <i>PLoS ONE</i> , 2017, 12, e0174471.	2.5	18
10	Smad2 and Smad3 play antagonistic roles in high glucose-induced renal tubular fibrosis via the regulation of SnoN. <i>Experimental and Molecular Pathology</i> , 2020, 113, 104375.	2.1	14
11	BMP-7 ameliorates partial epithelial-mesenchymal transition by restoring SnoN protein level via Smad1/5 pathway in diabetic kidney disease. <i>Cell Death and Disease</i> , 2022, 13, 254.	6.3	14
12	Oxymatrine Inhibits Twist-Mediated Renal Tubulointerstitial Fibrosis by Upregulating Id2 Expression. <i>Frontiers in Physiology</i> , 2020, 11, 599.	2.8	13
13	SAA1 is transcriptionally activated by STAT3 and accelerates renal interstitial fibrosis by inducing endoplasmic reticulum stress. <i>Experimental Cell Research</i> , 2021, 408, 112856.	2.6	13
14	BMP-7 enhances SnoN mRNA expression in renal tubular epithelial cells under high-glucose conditions. <i>Molecular Medicine Reports</i> , 2017, 16, 3308-3314.	2.4	12
15	BMP-7/Smads-induced inhibitor of differentiation 2 (Id2) upregulation and Id2/Twist interaction was involved in attenuating diabetic renal tubulointerstitial fibrosis. <i>International Journal of Biochemistry and Cell Biology</i> , 2019, 116, 105613.	2.8	11
16	The role of CDX2 in renal tubular lesions during diabetic kidney disease. <i>Aging</i> , 2021, 13, 6782-6803.	3.1	10
17	Outer membrane protein A inhibits the degradation of caspase-1 to regulate NLRP3 inflammasome activation and exacerbate the <i>Acinetobacter baumannii</i> pulmonary inflammation. <i>Microbial Pathogenesis</i> , 2021, 153, 104788.	2.9	10
18	Identification of YAP1 as a novel downstream effector of the FGF2/STAT3 pathway in the pathogenesis of renal tubulointerstitial fibrosis. <i>Journal of Cellular Physiology</i> , 2021, 236, 7655-7671.	4.1	10

#	ARTICLE	IF	CITATIONS
19	Atorvastatin Restores PPAR α Inhibition of Lipid Metabolism Disorders by Downregulating miR-21 Expression to Improve Mitochondrial Function and Alleviate Diabetic Nephropathy Progression. <i>Frontiers in Pharmacology</i> , 2022, 13, 819787.	3.5	7
20	TAK1 may promote the development of diabetic nephropathy by reducing the stability of SnoN protein. <i>Life Sciences</i> , 2019, 228, 1-10.	4.3	6
21	Autophagy-related protein EI24 delays the development of pulmonary fibrosis by promoting autophagy. <i>Life Sciences</i> , 2021, 264, 118664.	4.3	6
22	YAP1 Overexpression Is Associated with Kidney Dysfunction in Lupus Nephritis. <i>Pathobiology</i> , 2021, 88, 412-423.	3.8	4
23	EI24 alleviates renal interstitial fibrosis through inhibition of epithelial \rightarrow mesenchymal transition and fibroblast activation. <i>FASEB Journal</i> , 2021, 35, e21239.	0.5	2
24	Blood glucose control contributes to protein stability of Ski α -related novel protein β in a rat model of diabetes. <i>Experimental and Therapeutic Medicine</i> , 2021, 22, 1341.	1.8	1