

Leo A Pinczewski

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3681503/leo-a-pinczewski-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63
papers

4,978
citations

35
h-index

65
g-index

65
ext. papers

5,505
ext. citations

5.3
avg, IF

5.33
L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 63 | A 10-year comparison of anterior cruciate ligament reconstructions with hamstring tendon and patellar tendon autograft: a controlled, prospective trial. <i>American Journal of Sports Medicine</i> , 2007 , 35, 564-74 | 6.8 | 495 |
| 62 | Arthroscopic reconstruction of the anterior cruciate ligament. A comparison of patellar tendon autograft and four-strand hamstring tendon autograft. <i>American Journal of Sports Medicine</i> , 1999 , 27, 444-54 | 6.8 | 417 |
| 61 | Incidence and risk factors for graft rupture and contralateral rupture after anterior cruciate ligament reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2005 , 21, 948-57 | 5.4 | 385 |
| 60 | Patellar versus hamstring tendons in anterior cruciate ligament reconstruction: A meta-analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2001 , 17, 248-257 | 5.4 | 245 |
| 59 | Clinical results and risk factors for reinjury 15 years after anterior cruciate ligament reconstruction: a prospective study of hamstring and patellar tendon grafts. <i>American Journal of Sports Medicine</i> , 2012 , 40, 595-605 | 6.8 | 230 |
| 58 | A five-year comparison of patellar tendon versus four-strand hamstring tendon autograft for arthroscopic reconstruction of the anterior cruciate ligament. <i>American Journal of Sports Medicine</i> , 2002 , 30, 523-36 | 6.8 | 228 |
| 57 | Long-term outcome of endoscopic anterior cruciate ligament reconstruction with patellar tendon autograft: minimum 13-year review. <i>American Journal of Sports Medicine</i> , 2006 , 34, 721-32 | 6.8 | 216 |
| 56 | Posterior tibial slope and further anterior cruciate ligament injuries in the anterior cruciate ligament-reconstructed patient. <i>American Journal of Sports Medicine</i> , 2013 , 41, 2800-4 | 6.8 | 180 |
| 55 | A 7-year follow-up of patellar tendon and hamstring tendon grafts for arthroscopic anterior cruciate ligament reconstruction: differences and similarities. <i>American Journal of Sports Medicine</i> , 2005 , 33, 1337-45 | 6.8 | 175 |
| 54 | Long-term survival of high tibial osteotomy for medial compartment osteoarthritis of the knee. <i>American Journal of Sports Medicine</i> , 2011 , 39, 64-70 | 6.8 | 158 |
| 53 | Integration of hamstring tendon graft with bone in reconstruction of the anterior cruciate ligament. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 1997 , 13, 641-3 | 5.4 | 158 |
| 52 | Survival of the anterior cruciate ligament graft and the contralateral ACL at a minimum of 15 years. <i>American Journal of Sports Medicine</i> , 2012 , 40, 1985-92 | 6.8 | 156 |
| 51 | Fifteen-year outcome of endoscopic anterior cruciate ligament reconstruction with patellar tendon autograft for "isolated" anterior cruciate ligament tear. <i>American Journal of Sports Medicine</i> , 2011 , 39, 89-98 | 6.8 | 140 |
| 50 | Long Term Osteoarthritic Changes in Anterior Cruciate Ligament Reconstructed Knees. <i>Clinical Orthopaedics and Related Research</i> , 1999 , 358, 188-193 | 2.2 | 127 |
| 49 | 20-Year Outcomes of Anterior Cruciate Ligament Reconstruction With Hamstring Tendon Autograft: The Catastrophic Effect of Age and Posterior Tibial Slope. <i>American Journal of Sports Medicine</i> , 2018 , 46, 531-543 | 6.8 | 117 |
| 48 | Fifteen-Year Survival of Endoscopic Anterior Cruciate Ligament Reconstruction in Patients Aged 18 Years and Younger. <i>American Journal of Sports Medicine</i> , 2016 , 44, 384-92 | 6.8 | 114 |
| 47 | Radiological landmarks for placement of the tunnels in single-bundle reconstruction of the anterior cruciate ligament. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008 , 90, 172-9 | | 110 |

| | | | |
|----|---|-----|----|
| 46 | Revision anterior cruciate ligament reconstruction with hamstring tendon autograft: 5- to 9-year follow-up. <i>American Journal of Sports Medicine</i> , 2006 , 34, 1604-14 | 6.8 | 97 |
| 45 | Outcome of anatomic transphyseal anterior cruciate ligament reconstruction in Tanner stage 1 and 2 patients with open physes. <i>American Journal of Sports Medicine</i> , 2012 , 40, 1093-8 | 6.8 | 93 |
| 44 | Five-year results of single-incision arthroscopic anterior cruciate ligament reconstruction with patellar tendon autograft. <i>American Journal of Sports Medicine</i> , 1998 , 26, 181-8 | 6.8 | 91 |
| 43 | Twenty-Year Outcome of a Longitudinal Prospective Evaluation of Isolated Endoscopic Anterior Cruciate Ligament Reconstruction With Patellar Tendon or Hamstring Autograft. <i>American Journal of Sports Medicine</i> , 2016 , 44, 3083-3094 | 6.8 | 71 |
| 42 | The outcome at 15 years of endoscopic anterior cruciate ligament reconstruction using hamstring tendon autograft for isolated anterior cruciate ligament rupture. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012 , 94, 630-7 | | 70 |
| 41 | Gender differences in outcome after anterior cruciate ligament reconstruction with hamstring tendon autograft. <i>American Journal of Sports Medicine</i> , 2006 , 34, 621-9 | 6.8 | 67 |
| 40 | Endoscopic reconstruction of the anterior cruciate ligament with an ipsilateral patellar tendon autograft. A prospective longitudinal five-year study. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2000 , 82, 984-91 | | 66 |
| 39 | The influence of supplementary tibial fixation on laxity measurements after anterior cruciate ligament reconstruction with hamstring tendons in female patients. <i>American Journal of Sports Medicine</i> , 2005 , 33, 94-101 | 6.8 | 61 |
| 38 | Five-year comparison of oxidized zirconium and cobalt-chromium femoral components in total knee arthroplasty: a randomized controlled trial. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93, 624-30 | 5.6 | 54 |
| 37 | Arthroscopic posterior cruciate ligament reconstruction using four-strand hamstring tendon graft and interference screws. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 1997 , 13, 661-5 | 5.4 | 53 |
| 36 | Construct Validity and Test Re-Test Reliability of the Forgotten Joint Score. <i>Journal of Arthroplasty</i> , 2015 , 30, 1902-5 | 4.4 | 52 |
| 35 | Twenty-year outcomes of a longitudinal prospective evaluation of isolated endoscopic anterior cruciate ligament reconstruction with patellar tendon autografts. <i>American Journal of Sports Medicine</i> , 2015 , 43, 2164-74 | 6.8 | 50 |
| 34 | Endoscopic anterior cruciate ligament reconstruction in children using living donor hamstring tendon allografts. <i>American Journal of Sports Medicine</i> , 2013 , 41, 567-74 | 6.8 | 49 |
| 33 | Arthroscopic reattachment of an avulsion fracture of the tibial insertion of the posterior cruciate ligament. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2001 , 17, 422-5 | 5.4 | 46 |
| 32 | Endoscopic single-bundle posterior cruciate ligament reconstruction: results at minimum 2-year follow-up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2003 , 19, 955-62 | 5.4 | 45 |
| 31 | Concomitant partial meniscectomy worsens outcome after arthroscopic anterior cruciate ligament reconstruction. <i>Acta Orthopaedica</i> , 2002 , 73, 179-85 | | 42 |
| 30 | Disabling synovitis associated with LARS artificial ligament use in anterior cruciate ligament reconstruction: a case report. <i>American Journal of Sports Medicine</i> , 2012 , 40, 1167-71 | 6.8 | 38 |
| 29 | Randomized controlled trial of osteoconductive fixation screws for anterior cruciate ligament reconstruction: a comparison of the Calaxo and Milagro screws. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013 , 29, 74-82 | 5.4 | 35 |

| | | | |
|----|--|------|----|
| 28 | Bioabsorbable Versus Titanium Screws in Anterior Cruciate Ligament Reconstruction Using Hamstring Autograft: A Prospective, Blinded, Randomized Controlled Trial With 5-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2015 , 43, 1893-901 | 6.8 | 31 |
| 27 | Why autologous hamstring tendon reconstruction should now be considered the gold standard for anterior cruciate ligament reconstruction in athletes. <i>British Journal of Sports Medicine</i> , 2009 , 43, 325-7 | 10.3 | 22 |
| 26 | Does Age Influence the Risk of Incident Knee Osteoarthritis After a Traumatic Anterior Cruciate Ligament Injury?. <i>American Journal of Sports Medicine</i> , 2016 , 44, 2399-405 | 6.8 | 21 |
| 25 | Outpatient endoscopic quadruple hamstring anterior cruciate ligament reconstruction. <i>Operative Techniques in Orthopaedics</i> , 1996 , 6, 177-180 | 0.3 | 21 |
| 24 | Feedback From Activity Trackers Improves Daily Step Count After Knee and Hip Arthroplasty: A Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2018 , 33, 3422-3428 | 4.4 | 20 |
| 23 | The influence of reverse-thread screw femoral fixation on laxity measurements after anterior cruciate ligament reconstruction with hamstring tendon. <i>American Journal of Sports Medicine</i> , 2000 , 28, 695-9 | 6.8 | 15 |
| 22 | A Randomized Controlled Trial of PEEK Versus Titanium Interference Screws for Anterior Cruciate Ligament Reconstruction With 2-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2019 , 47, 2386-2393 | 6.8 | 14 |
| 21 | Clinical outcomes after anterior cruciate ligament injury: panther symposium ACL injury clinical outcomes consensus group. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 2415-2434 | 5.5 | 14 |
| 20 | Warfarin management in patients on continuous anticoagulation therapy undergoing total knee replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011 , 93, 1497-502 | | 12 |
| 19 | Supercritical Carbon Dioxide-Sterilized Bone Allograft in the Treatment of Tunnel Defects in 2-Stage Revision Anterior Cruciate Ligament Reconstruction: A Histologic Evaluation. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018 , 34, 706-713 | 5.4 | 10 |
| 18 | 5-Year Survival of Pediatric Anterior Cruciate Ligament Reconstruction With Living Donor Hamstring Tendon Grafts. <i>American Journal of Sports Medicine</i> , 2019 , 47, 41-51 | 6.8 | 10 |
| 17 | Intra-articular mechanical blocks and full extension in patients undergoing anterior cruciate ligament reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2000 , 16, 156-9 | 5.4 | 7 |
| 16 | Allograft Donor Characteristics Significantly Influence Graft Rupture After Anterior Cruciate Ligament Reconstruction in a Young Active Population. <i>American Journal of Sports Medicine</i> , 2020 , 48, 2401-2407 | 6.8 | 7 |
| 15 | Midterm Outcomes of Arthroscopic Reduction and Internal Fixation of Anterior Cruciate Ligament Tibial Eminence Avulsion Fractures With K-Wire Fixation. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019 , 35, 1533-1544 | 5.4 | 6 |
| 14 | Bioabsorbable Versus Titanium Screws in Anterior Cruciate Ligament Reconstruction Using Hamstring Autograft: A Prospective, Randomized Controlled Trial With 13-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2020 , 48, 1316-1326 | 6.8 | 6 |
| 13 | Clinical Outcomes After Anterior Cruciate Ligament Injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. <i>Orthopaedic Journal of Sports Medicine</i> , 2020 , 8, 2325967120934751 | 3.5 | 5 |
| 12 | Inpatient rehabilitation did not positively affect 6-month patient-reported outcomes after hip or knee arthroplasty. <i>ANZ Journal of Surgery</i> , 2018 , 88, 1056-1060 | 1 | 5 |
| 11 | Transphyseal anterior cruciate ligament reconstruction using living parental donor hamstring graft: excellent clinical results at 2 years in a cohort of 100 patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 2511-2518 | 5.5 | 4 |

| | | | |
|----|--|-----|---|
| 10 | Improvement in Sleep Patterns After Hip and Knee Arthroplasty: A Prospective Study in 780 Patients. <i>Journal of Arthroplasty</i> , 2021 , 36, 442-448 | 4.4 | 3 |
| 9 | Utility of preoperative blood screening before hip and knee arthroplasty. <i>ANZ Journal of Surgery</i> , 2020 , 90, 350-354 | 1 | 2 |
| 8 | A Reduction Method for All-Inside Posterior Horn Meniscal Repair. <i>Arthroscopy Techniques</i> , 2015 , 4, e423-4 | 2.4 | 2 |
| 7 | Acute Knee Injury in a Rock Musician. <i>Physician and Sportsmedicine</i> , 1989 , 17, 79-82 | 2.4 | 1 |
| 6 | Anterior Cruciate Ligament Reconstruction With Hamstring Tendons 2012 , 393-402 | | 1 |
| 5 | Stable Lateral Meniscal Posterior Root Tears Left In Situ at Time of Anterior Cruciate Ligament Reconstruction Are of Minimal Long-Term Clinical Detriment. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021 , 37, 3500-3506 | 5.4 | 1 |
| 4 | Side-to-Side Differences in Varus Thrust and Knee Abduction Moment in High-Functioning Individuals With Chronic Anterior Cruciate Ligament Deficiency. <i>American Journal of Sports Medicine</i> , 2019 , 47, 590-597 | 6.8 | 1 |
| 3 | Images in pathology. Florid (floral) synovitis. <i>International Journal of Surgical Pathology</i> , 2006 , 14, 146 | 1.2 | |
| 2 | Knee clinical cases105-109 | | |
| 1 | Knee oral core topics194-214 | | |