

Weizheng Sun

List of Publications by Citations

Source: <https://exaly.com/author-pdf/368194/weizheng-sun-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

2,003
citations

28
h-index

42
g-index

78
ext. papers

2,621
ext. citations

6.4
avg, IF

5.28
L-index

#	Paper	IF	Citations
75	Effect of Oxidation on the Emulsifying Properties of Myofibrillar Proteins. <i>Food and Bioprocess Technology</i> , 2013 , 6, 1703-1712	5.1	114
74	Effects of oxidative modification on gel properties of isolated porcine myofibrillar protein by peroxy radicals. <i>Meat Science</i> , 2014 , 96, 1432-9	6.4	98
73	Gelation of salted myofibrillar protein under malondialdehyde-induced oxidative stress. <i>Food Hydrocolloids</i> , 2014 , 40, 153-162	10.6	87
72	Effects of microfluidization treatment and transglutaminase cross-linking on physicochemical, functional, and conformational properties of peanut protein isolate. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 8886-94	5.7	83
71	Effect of oxidation on the emulsifying properties of soy protein isolate. <i>Food Research International</i> , 2013 , 52, 26-32	7	81
70	Effects of composition and oxidation of proteins on their solubility, aggregation and proteolytic susceptibility during processing of Cantonese sausage. <i>Food Chemistry</i> , 2011 , 124, 336-341	8.5	80
69	Effect of koji fermentation on generation of volatile compounds in soy sauce production. <i>International Journal of Food Science and Technology</i> , 2013 , 48, 609-619	3.8	76
68	Effect of Maillard reaction products derived from the hydrolysate of mechanically deboned chicken residue on the antioxidant, textural and sensory properties of Cantonese sausages. <i>Meat Science</i> , 2010 , 86, 276-82	6.4	64
67	Polysaccharides from <i>Laminaria japonica</i> : Structural characteristics and antioxidant activity. <i>LWT - Food Science and Technology</i> , 2016 , 73, 602-608	5.4	63
66	Physicochemical changes of myofibrillar proteins during processing of Cantonese sausage in relation to their aggregation behaviour and in vitro digestibility. <i>Food Chemistry</i> , 2011 , 129, 472-478	8.5	61
65	Stable and pH-sensitive protein nanogels made by self-assembly of heat denatured soy protein. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9553-61	5.7	60
64	Binding of aroma compounds with myofibrillar proteins modified by a hydroxyl-radical-induced oxidative system. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9544-52	5.7	55
63	Oxidation of sarcoplasmic proteins during processing of Cantonese sausage in relation to their aggregation behaviour and in vitro digestibility. <i>Meat Science</i> , 2011 , 88, 462-7	6.4	53
62	Volatile compounds of Cantonese sausage released at different stages of processing and storage. <i>Food Chemistry</i> , 2010 , 121, 319-325	8.5	53
61	Effect of protein oxidation on the in vitro digestibility of soy protein isolate. <i>Food Chemistry</i> , 2013 , 141, 3224-9	8.5	50
60	Structural characteristics of peptides extracted from Cantonese sausage during drying and their antioxidant activities. <i>Innovative Food Science and Emerging Technologies</i> , 2009 , 10, 558-563	6.8	49
59	Controlled formation of emulsion gels stabilized by salted myofibrillar protein under malondialdehyde (MDA)-induced oxidative stress. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 3766-77	5.7	48

58	Structural evaluation of myofibrillar proteins during processing of Cantonese sausage by Raman spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 11070-7	5.7	48
57	Influence of linoleic acid-induced oxidative modifications on physicochemical changes and in vitro digestibility of porcine myofibrillar proteins. <i>LWT - Food Science and Technology</i> , 2015 , 61, 414-421	5.4	43
56	Effect of pH on the interaction of porcine myofibrillar proteins with pyrazine compounds. <i>Food Chemistry</i> , 2019 , 287, 93-99	8.5	39
55	Changes in lipid composition, fatty acid profile and lipid oxidative stability during Cantonese sausage processing. <i>Meat Science</i> , 2013 , 93, 525-32	6.4	37
54	Partial substitution of NaCl with chloride salt mixtures: Impact on oxidative characteristics of meat myofibrillar protein and their rheological properties. <i>Food Hydrocolloids</i> , 2019 , 96, 36-42	10.6	32
53	Heteroprotein complex formation of soy protein isolate and lactoferrin: Thermodynamic formation mechanism and morphologic structure. <i>Food Hydrocolloids</i> , 2020 , 100, 105415	10.6	30
52	Effect of malondialdehyde modification on the binding of aroma compounds to soy protein isolates. <i>Food Research International</i> , 2018 , 105, 150-158	7	30
51	Anti-aging effect of sea cucumber (<i>Cucumaria frondosa</i>) hydrolysate on fruit flies and d-galactose-induced aging mice. <i>Journal of Functional Foods</i> , 2018 , 47, 11-18	5.1	30
50	Effect of oxidation on the gel properties of porcine myofibrillar proteins and their binding abilities with selected flavour compounds. <i>Food Chemistry</i> , 2020 , 329, 127032	8.5	29
49	Effects of malondialdehyde modification on the in vitro digestibility of soy protein isolate. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 12139-45	5.7	29
48	Effect of citric acid deamidation on in vitro digestibility and antioxidant properties of wheat gluten. <i>Food Chemistry</i> , 2013 , 141, 2772-8	8.5	29
47	Emulsifying and surface properties of citric acid deamidated wheat gliadin. <i>Journal of Cereal Science</i> , 2013 , 58, 68-75	3.8	25
46	Impact of heating treatments on physical stability and lipid-protein co-oxidation in oil-in-water emulsion prepared with soy protein isolates. <i>Food Hydrocolloids</i> , 2020 , 100, 105167	10.6	24
45	Immunomodulatory activity of a novel polysaccharide extracted from Huangshui on THP-1 cells through NO production and increased IL-6 and TNF- α expression. <i>Food Chemistry</i> , 2020 , 330, 127257	8.5	18
44	Immobilization of Lecitase [®] Ultra onto a novel polystyrene DA-201 resin: characterization and biochemical properties. <i>Applied Biochemistry and Biotechnology</i> , 2012 , 168, 1108-20	3.2	18
43	MICROBIAL ANALYSIS AND TEXTURAL PROPERTIES OF CANTONESE SAUSAGE. <i>Journal of Food Process Engineering</i> , 2010 , 33, 2-14	2.4	18
42	Physicochemical characteristics and gel-forming properties of myofibrillar protein in an oxidative system affected by partial substitution of NaCl with KCl, MgCl or CaCl. <i>Food Chemistry</i> , 2020 , 309, 125614	8.5	17
41	Effect of interaction between tea polyphenols with soymilk protein on inactivation of soybean trypsin inhibitor. <i>Food Hydrocolloids</i> , 2021 , 111, 106177	10.6	16

40	A highly sensitive electrochemical sensor containing nitrogen-doped ordered mesoporous carbon (NOMC) for voltammetric determination of l-tryptophan. <i>Food Chemistry</i> , 2020 , 326, 126976	8.5	15
39	Effect of Protein Oxidation on the Conformational Properties of Peanut Protein Isolate. <i>Journal of Chemistry</i> , 2013 , 2013, 1-6	2.3	15
38	Antioxidant efficiency and mechanisms of green tea, rosemary or matl extracts in porcine <i>Longissimus dorsi</i> subjected to iron-induced oxidative stress. <i>Food Chemistry</i> , 2019 , 298, 125030	8.5	14
37	Structural characterization and immuno-stimulating activities of a novel polysaccharide from Huangshui, a byproduct of Chinese Baijiu. <i>Food Research International</i> , 2020 , 136, 109493	7	14
36	Antioxidant activity and typical ageing compounds: their evolutions and relationships during the storage of lager beers. <i>International Journal of Food Science and Technology</i> , 2016 , 51, 2026-2033	3.8	14
35	Surface characterization of oxidized myofibrils using X-ray photoelectron spectroscopy and scanning electron microscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 7507-14	5.7	13
34	Effects of high hydrostatic pressure treatments on haemagglutination activity and structural conformations of phytohemagglutinin from red kidney bean (<i>Phaseolus vulgaris</i>). <i>Food Chemistry</i> , 2013 , 136, 1358-63	8.5	13
33	Physicochemical Changes and in Vitro Gastric Digestion of Modified Soybean Protein Induced by Lipoxygenase Catalyzed Linoleic Acid Oxidation. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 13978-13985	5.7	13
32	Biochemical changes of traditional Chinese-type soy sauce produced in four seasons during processing. <i>CYTA - Journal of Food</i> , 2014 , 12, 166-175	2.3	12
31	Heteroprotein complex of soy protein isolate and lysozyme: Formation mechanism and thermodynamic characterization. <i>Food Hydrocolloids</i> , 2020 , 101, 105571	10.6	12
30	Interaction of β -conglycinin with catechin-impact on physical and oxidative stability of safflower oil-in-water emulsion. <i>Food Chemistry</i> , 2018 , 268, 315-323	8.5	11
29	Interactions of selected ketone flavours with porcine myofibrillar proteins: The role of molecular structure of flavour compounds. <i>Food Chemistry</i> , 2019 , 298, 125060	8.5	11
28	Improvement of the ACE-inhibitory and DPPH radical scavenging activities of soya protein hydrolysates through pepsin pretreatment. <i>International Journal of Food Science and Technology</i> , 2015 , 50, 2175-2182	3.8	11
27	EFFECTS OF STAPHYLOCOCCUS CONDIMENTI AND MICROCOCCUS CASEOLYTICUS ON THE VOLATILE COMPOUNDS OF CANTONESE SAUSAGE. <i>Journal of Food Process Engineering</i> , 2009 , 32, 844-854	2.4	11
26	In vitro gastrointestinal digest of catechin-modified β -conglycinin oxidized by lipoxygenase-catalyzed linoleic acid peroxidation. <i>Food Chemistry</i> , 2019 , 280, 154-163	8.5	11
25	Isolation and identification of antioxidative peptides from frog (<i>Hylarana guentheri</i>) protein hydrolysate by consecutive chromatography and electrospray ionization mass spectrometry. <i>Applied Biochemistry and Biotechnology</i> , 2014 , 173, 1169-82	3.2	10
24	Effect of protein oxidation on the stability of peanut beverage. <i>CYTA - Journal of Food</i> , 2015 , 13, 49-55	2.3	10
23	Heteroprotein complex coacervation: Focus on experimental strategies to investigate structure formation as a function of intrinsic and external physicochemical parameters for food applications. <i>Advances in Colloid and Interface Science</i> , 2020 , 284, 102268	14.3	10

22	Isolation, purification, structure characterization of a novel glucan from Huangshui, a byproduct of Chinese Baijiu, and its immunomodulatory activity in LPS-stimulated THP-1 cells. <i>International Journal of Biological Macromolecules</i> , 2020 , 161, 406-416	7.9	9
21	Flavour binding mechanism between a typical meat flavour compound (nonanal) and porcine myofibrillar proteins with consideration of conformational changes. <i>International Journal of Food Science and Technology</i> , 2018 , 53, 1954-1961	3.8	9
20	Effects of high solid concentrations on the efficacy of enzymatic hydrolysis of yeast cells and the taste characteristics of the resulting hydrolysates. <i>International Journal of Food Science and Technology</i> , 2016 , 51, 1298-1304	3.8	9
19	The chemistry behind the antioxidant actions of soy protein isolate hydrolysates in a liposomal system: Their performance in aqueous solutions and liposomes. <i>Food Chemistry</i> , 2020 , 323, 126789	8.5	9
18	Iron(II) Initiation of Lipid and Protein Oxidation in Pork: The Role of Oxymyoglobin. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 4618-26	5.7	8
17	Gel Properties of Soy Protein Isolate Modified by Lipoxygenase-Catalyzed Linoleic Acid Oxidation and Their Influence on Pepsin Diffusion and In Vitro Gastric Digestion. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 5691-5698	5.7	7
16	EFFECT OF SUGAR LEVEL ON PHYSICO-CHEMICAL, BIOCHEMICAL CHARACTERISTICS AND PROTEOLYSIS PROPERTIES OF CANTONESE SAUSAGE DURING PROCESSING. <i>Journal of Food Quality</i> , 2012 , 35, 34-42	2.7	7
15	Comparison of the conformational and nutritional changes of deamidated wheat gliadin by citric acid and hydrochloric acid. <i>Journal of Cereal Science</i> , 2014 , 60, 143-150	3.8	6
14	Protective Effects of Natural Polysaccharides on Intestinal Barrier Injury: A Review.. <i>Journal of Agricultural and Food Chemistry</i> , 2022 , 70, 711-735	5.7	6
13	Heteroprotein Complex Coacervate Based on β -Conglycinin and Lysozyme: Dynamic Protein Exchange, Thermodynamic Mechanism, and Lysozyme Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 7948-7959	5.7	6
12	Antioxidant Properties of Maillard Reaction Products from Defatted Peanut Meal Hydrolysate-Glucose Syrup and its Application to Sachima. <i>Food Science and Technology Research</i> , 2014 , 20, 327-335	0.8	5
11	Soybean protein isolate hydrolysates-liposomes interactions under oxidation: Mechanistic insights into system stability. <i>Food Hydrocolloids</i> , 2021 , 112, 106336	10.6	5
10	Cantonese Sausage, Processing, Storage and Composition 2015 , 293-300		3
9	EFFECT OF MANUFACTURING LEVEL ON THE BIOCHEMICAL CHARACTERISTICS OF CANTONESE SAUSAGE DURING PROCESSING. <i>Journal of Food Biochemistry</i> , 2011 , 35, 1015-1033	3.3	2
8	Beyond antioxidant actions: Insights into the antioxidant activities of tyr-containing dipeptides in aqueous solution systems and liposomal systems. <i>International Journal of Food Science and Technology</i> , 2020 , 55, 3227-3234	3.8	1
7	Sodium chloride-programmed phase transition of β -conglycinin/lysozyme electrostatic complexes from amorphous precipitates to complex coacervates. <i>Food Hydrocolloids</i> , 2022 , 124, 107247	10.6	1
6	Physicochemical and Structural Characteristics of Soybean Protein Isolates Induced by Lipoxygenase-Catalyzed Linoleic Acid Oxidation during Gastric Digestion. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 12384-12392	5.7	1
5	Changes in Structural and Gel Properties of Myofibrillar Proteins Induced by Sodium Chloride and Hydroxyl Radical. <i>Food Science and Technology Research</i> , 2019 , 25, 97-106	0.8	1

4	Pepsin Diffusivity and Gastric Digestion of Soymilk as Affected by Binding of Tea Polyphenols to Soy Proteins. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 11043-11052	5.7	1
3	Structure-activity relationship of antioxidant polysaccharides from Huangshui based on the HPLC fingerprint combined with chemometrics methods. <i>LWT - Food Science and Technology</i> , 2022 , 159, 113201-113205	5.4	0
2	Dynamic equilibrium of Conglycinin/lysozyme heteroprotein complex coacervates. <i>Food Hydrocolloids</i> , 2021 , 124, 107339	10.6	0
1	Method for loading liposomes with soybean protein isolate hydrolysate influences the antioxidant efficiency of liposomal systems: Adding after liposomes formation or before lipid film hydration. <i>Food Hydrocolloids</i> , 2022 , 129, 107629	10.6	0