

Chang-Zhi Gu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3683321/chang-zhi-gu-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

3,177
citations

32
h-index

52
g-index

147
ext. papers

3,782
ext. citations

7.4
avg, IF

5.18
L-index

#	Paper	IF	Citations
136	Strain lithography for two-dimensional materials by electron irradiation. <i>Applied Physics Letters</i> , 2022 , 120, 093104	3.4	
135	Diversified plasmonic metallic nanostructures with high aspect ratio based on templated electrochemical deposition. <i>Journal of Micromechanics and Microengineering</i> , 2022 , 32, 054002	2	0
134	Vertical 3D diamond field effect transistors with nanoscale gate-all-around. <i>Materials Science in Semiconductor Processing</i> , 2022 , 148, 106841	4.3	
133	High-yield helicity-resolved Raman scattering with in-plane propagation of light in monolayer MoS ₂ . <i>Applied Physics Letters</i> , 2021 , 119, 153101	3.4	
132	Asymmetrical Chirality in 3D Bended Metasurface. <i>Advanced Functional Materials</i> , 2021 , 31, 2100689	15.6	9
131	High-efficiency reflection phase tunable metasurface at near-infrared frequencies*. <i>Chinese Physics B</i> , 2021 , 30, 057802	1.2	1
130	Precise tailoring of multiple nanostructures based on atomic layer assembly via versatile soft-templates. <i>Nano Today</i> , 2021 , 38, 101145	17.9	3
129	Probing trans-polyacetylene segments in a diamond film by tip-enhanced Raman spectroscopy. <i>Diamond and Related Materials</i> , 2021 , 116, 108415	3.5	3
128	Cross-nanofin-based waveplate pixels for broadband hybrid polarization coding in near-field. <i>Nanophotonics</i> , 2021 , 10, 1505-1515	6.3	0
127	Plasmonic Effect on the Magneto-Optical Property of Monolayer WS ₂ Studied by Polarized-Raman Spectroscopy. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 1599	2.6	0
126	Electromechanically reconfigurable optical nano-kirigami. <i>Nature Communications</i> , 2021 , 12, 1299	17.4	19
125	Multidimensional Image and Beam Splitter Based on Hyperbolic Metamaterials. <i>Nano Letters</i> , 2021 , 21, 1792-1799	11.5	13
124	3D Bended Metasurfaces: Asymmetrical Chirality in 3D Bended Metasurface (Adv. Funct. Mater. 31/2021). <i>Advanced Functional Materials</i> , 2021 , 31, 2170229	15.6	
123	Interior Melting of Rapidly Heated Gold Nanoparticles. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 8170-8177	6.4	2
122	Universal mechanical exfoliation of large-area 2D crystals. <i>Nature Communications</i> , 2020 , 11, 2453	17.4	169
121	Direct bandgap engineering with local biaxial strain in few-layer MoS ₂ bubbles. <i>Nano Research</i> , 2020 , 13, 2072-2078	10	10
120	Real-space light-reflection mapping of atomically thin WSe ₂ flakes revealing the gradient local strain. <i>Materials Research Express</i> , 2020 , 7, 035904	1.7	

119	Circular Dichroism: Intrinsic Chirality and Multispectral Spin-Selective Transmission in Folded Eta-Shaped Metamaterials (Advanced Optical Materials 4/2020). <i>Advanced Optical Materials</i> , 2020 , 8, 2070014	8.1	0
118	Realization of a near-infrared active Fano-resonant asymmetric metasurface by precisely controlling the phase transition of GeSbTe. <i>Nanoscale</i> , 2020 , 12, 8758-8767	7.7	33
117	Diabolical points in coupled active cavities with quantum emitters. <i>Light: Science and Applications</i> , 2020 , 9, 6	16.7	10
116	Independent tuning of bright and dark meta-atoms with phase change materials on EIT metasurfaces. <i>Nanoscale</i> , 2020 , 12, 10065-10071	7.7	6
115	Out-of-plane magnetic anisotropy enhancement in $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3/\text{La}_{2/3}\text{Sr}_{1/3}\text{MnO}_3/\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$ thin films. <i>Physical Review B</i> , 2020 , 101,	3.3	3
114	Titanium dioxide metasurface manipulating high-efficiency and broadband photonic spin Hall effect in visible regime. <i>Nanophotonics</i> , 2020 , 9, 4327-4335	6.3	10
113	Intrinsic Chirality and Multispectral Spin-Selective Transmission in Folded Eta-Shaped Metamaterials. <i>Advanced Optical Materials</i> , 2020 , 8, 1901448	8.1	17
112	Rapid Bending Origami in Micro/Nanoscale toward a Versatile 3D Metasurface. <i>Laser and Photonics Reviews</i> , 2020 , 14, 1900179	8.3	8
111	Micro-Defects in Monolayer MoS ₂ Studied by Low-Temperature Magneto-Raman Mapping. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 17418-17422	3.8	2
110	Trion-to-exciton upconversion dynamics in monolayer WSe ₂ . <i>Applied Physics Letters</i> , 2020 , 117, 083107	3.4	3
109	Plasmonic Hybrids of MoS and 10-nm Nanogap Arrays for Photoluminescence Enhancement. <i>Micromachines</i> , 2020 , 11,	3.3	3
108	Two Kinds of Metastable Structures in an Epitaxial Lanthanum Cobalt Oxide Thin Film. <i>Inorganic Chemistry</i> , 2019 , 58, 13440-13445	5.1	4
107	Diffusion dynamics of valley excitons by transient grating spectroscopy in monolayer WSe ₂ . <i>Applied Physics Letters</i> , 2019 , 115, 131902	3.4	14
106	Sub-5 nm Metal Nanogaps: Sub-5 nm Metal Nanogaps: Physical Properties, Fabrication Methods, and Device Applications (Small 5/2019). <i>Small</i> , 2019 , 15, 1970030	11	2
105	3D Micro/Nano Structures: Folding 2D Structures into 3D Configurations at the Micro/Nanoscale: Principles, Techniques, and Applications (Adv. Mater. 4/2019). <i>Advanced Materials</i> , 2019 , 31, 1970025	24	
104	Quasi-2D Transport and Weak Antilocalization Effect in Few-layered VSe. <i>Nano Letters</i> , 2019 , 19, 4551-4559		26
103	Broadband and Polarization-Insensitive Absorption Based on a Set of Multisized Fabry-Pérot-like Resonators. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 13856-13862	3.8	15
102	Anisotropic expansion and size-dependent fracture of silicon nanotubes during lithiation. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 15113-15122	13	18

101	Tuning magnetism and crystal orientations by octahedral coupling in LaCoO ₃ /LaMnO ₃ thin films. <i>Physical Review B</i> , 2019 , 100,	3.3	8
100	The origin of the modulated structure in Sr ₂ CuO ₃ +[(\pm 0.4): [CuO ₂] in-plane oxygen vacancy or apical oxygen vacancy?. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 6469-6474	3.8	
99	Circular-Photon-Drag-Effect-Induced Elliptically Polarized Terahertz Emission from Vertically Grown Graphene. <i>Physical Review Applied</i> , 2019 , 12,	4.3	9
98	Enhanced Strong Interaction between Nanocavities and p-shell Excitons Beyond the Dipole Approximation. <i>Physical Review Letters</i> , 2019 , 122, 087401	7.4	21
97	Sub-5 nm Metal Nanogaps: Physical Properties, Fabrication Methods, and Device Applications. <i>Small</i> , 2019 , 15, e1804177	11	53
96	Wafer Scale Mapping and Statistical Analysis of Radio Frequency Characteristics in Highly Uniform CVD Graphene Transistors. <i>Advanced Electronic Materials</i> , 2019 , 5, 1800711	6.4	8
95	Highly Sensitive, Low Voltage Operation, and Low Power Consumption Resistive Strain Sensors Based on Vertically Oriented Graphene Nanosheets. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800572	6.8	9
94	Spin-Selective Transmission in Chiral Folded Metasurfaces. <i>Nano Letters</i> , 2019 , 19, 3432-3439	11.5	50
93	Folding 2D Structures into 3D Configurations at the Micro/Nanoscale: Principles, Techniques, and Applications. <i>Advanced Materials</i> , 2019 , 31, e1802211	24	27
92	Demonstration of Orbital Angular Momentum Multiplexing and Demultiplexing Based on a Metasurface in the Terahertz Band. <i>ACS Photonics</i> , 2018 , 5, 1726-1732	6.3	61
91	Thickness dependence of superconductivity in single-crystal Ta ₄ Pd ₃ Te ₁₆ nanoribbons. <i>Applied Physics Letters</i> , 2018 , 113, 022603	3.4	2
90	Direct Experimental Evidence of Biomimetic Surfaces with Chemical Modifications Interfering with Adhesive Protein Adsorption. <i>Molecules</i> , 2018 , 24,	4.8	7
89	Abnormal Rheological Phenomena in Newtonian Fluids in Electroosmotic Flows in a Nanocapillary. <i>Langmuir</i> , 2018 , 34, 15203-15210	4	1
88	Tunable near-infrared perfect absorber based on the hybridization of phase-change material and nanocross-shaped resonators. <i>Applied Physics Letters</i> , 2018 , 113, 231103	3.4	13
87	Thickness-Dependently Enhanced Photodetection Performance of Vertically Grown SnS Nanoflakes with Large Size and High Production. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 18073-18081	9.5	39
86	Two-Photon Rabi Splitting in a Coupled System of a Nanocavity and Exciton Complexes. <i>Physical Review Letters</i> , 2018 , 120, 213901	7.4	32
85	Direct Observations of Nanofilament Evolution in Switching Processes in HfO ₂ -Based Resistive Random Access Memory by In Situ TEM Studies. <i>Advanced Materials</i> , 2017 , 29, 1602976	24	107
84	Rapidly fabricating large-scale plasmonic silver nanosphere arrays with sub-20 nm gap on Si-pyramids by inverted annealing for highly sensitive SERS detection. <i>RSC Advances</i> , 2017 , 7, 11578-11584	3.7	6

83	High-Quality-Factor Mid-Infrared Toroidal Excitation in Folded 3D Metamaterials. <i>Advanced Materials</i> , 2017 , 29, 1606298	24	89
82	Platinum composite nanowires for ultrasensitive mass detection. <i>Applied Physics Letters</i> , 2017 , 110, 143102	3.2	2
81	A Well-Defined Silicon Nanocone-Carbon Structure for Demonstrating Exclusive Influences of Carbon Coating on Silicon Anode of Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 2806-2814	9.5	24
80	Surface Plasmon Polariton Mediated Multiple Toroidal Resonances in 3D Folding Metamaterials. <i>ACS Photonics</i> , 2017 , 4, 2650-2658	6.3	28
79	Growth and Physical Properties of Sr _x Ca _{1-x} CrO ₃ Single Crystals. <i>Crystals</i> , 2017 , 7, 91	2.3	
78	Fano resonance Rabi splitting of surface plasmons. <i>Scientific Reports</i> , 2017 , 7, 8010	4.9	43
77	Broadband cross-polarization conversion by symmetry-breaking ultrathin metasurfaces. <i>Applied Physics Letters</i> , 2017 , 111, 241108	3.4	16
76	Simultaneous excitation of extremely high-Q-factor trapped and octupolar modes in terahertz metamaterials. <i>Optics Express</i> , 2017 , 25, 15938-15946	3.3	25
75	Multispectral plasmon-induced transparency in hyperfine terahertz meta-molecules. <i>Journal of Physics Condensed Matter</i> , 2016 , 28, 445002	1.8	11
74	Mass Production of Nanogap Electrodes toward Robust Resistive Random Access Memory. <i>Advanced Materials</i> , 2016 , 28, 8227-8233	24	18
73	Excitation of ultrasharp trapped-mode resonances in mirror-symmetric metamaterials. <i>Physical Review B</i> , 2016 , 93,	3.3	30
72	Introduction of Interfacial Charges to Black Phosphorus for a Family of Planar Devices. <i>Nano Letters</i> , 2016 , 16, 6870-6878	11.5	60
71	3D conductive coupling for efficient generation of prominent Fano resonances in metamaterials. <i>Scientific Reports</i> , 2016 , 6, 27817	4.9	35
70	Flexible Polyaniline/Poly(methyl methacrylate) Composite Fibers via Electrospinning and In Situ Polymerization for Ammonia Gas Sensing and Strain Sensing. <i>Journal of Nanomaterials</i> , 2016 , 2016, 1-8	3.2	9
69	Controllable optical activity with non-chiral plasmonic metasurfaces. <i>Light: Science and Applications</i> , 2016 , 5, e16096	16.7	59
68	High-quality graphene grown on polycrystalline PtRh ₂₀ alloy foils by low pressure chemical vapor deposition and its electrical transport properties. <i>Applied Physics Letters</i> , 2016 , 108, 063102	3.4	3
67	A three-terminal ultraviolet photodetector constructed on a barrier-modulated triple-layer architecture. <i>Scientific Reports</i> , 2016 , 6, 26169	4.9	11
66	Spatially oriented plasmonic 'nanograter' structures. <i>Scientific Reports</i> , 2016 , 6, 28764	4.9	8

65	Temperature-dependent Raman investigation on suspended graphene: Contribution from thermal expansion coefficient mismatch between graphene and substrate. <i>Carbon</i> , 2016 , 104, 27-32	10.4	46
64	Light emitting enhancement and angle-resolved property of surface textured GaN-based vertical LED. <i>Journal of Optics (India)</i> , 2016 , 45, 81-86	1.3	8
63	Epitaxy of Ultrathin SnSe Single Crystals on Polydimethylsiloxane: In-Plane Electrical Anisotropy and Gate-Tunable Thermopower. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600292	6.4	23
62	Phenanthrene Condensed Thiadiazoloquinoxaline Donor-Acceptor Polymer for Phototransistor Applications. <i>Chemistry of Materials</i> , 2015 , 27, 2218-2223	9.6	52
61	Single grain boundary break junction for suspended nanogap electrodes with gapwidth down to 1-2 nm by focused ion beam milling. <i>Advanced Materials</i> , 2015 , 27, 3002-6	24	46
60	Nanogap Electrodes: Single Grain Boundary Break Junction for Suspended Nanogap Electrodes with Gapwidth Down to 1.2 nm by Focused Ion Beam Milling (Adv. Mater. 19/2015). <i>Advanced Materials</i> , 2015 , 27, 3095-3095	24	4
59	Metasurfaces: Simultaneous Control of Light Polarization and Phase Distributions Using Plasmonic Metasurfaces (Adv. Funct. Mater. 5/2015). <i>Advanced Functional Materials</i> , 2015 , 25, 824-824	15.6	1
58	Dynamic observation of oxygen vacancies in hafnia layer by in situ transmission electron microscopy. <i>Nano Research</i> , 2015 , 8, 3571-3579	10	27
57	Simultaneous Control of Light Polarization and Phase Distributions Using Plasmonic Metasurfaces. <i>Advanced Functional Materials</i> , 2015 , 25, 704-710	15.6	150
56	Tunable mid-infrared coherent perfect absorption in a graphene meta-surface. <i>Scientific Reports</i> , 2015 , 5, 13956	4.9	104
55	Three Dimensional Hybrids of Vertical Graphene-nanosheet Sandwiched by Ag-nanoparticles for Enhanced Surface Selectively Catalytic Reactions. <i>Scientific Reports</i> , 2015 , 5, 16019	4.9	57
54	Directly patterned substrate-free plasmonic nanograting structures with unusual Fano resonances. <i>Light: Science and Applications</i> , 2015 , 4, e308-e308	16.7	84
53	High-Performance Broadband Circularly Polarized Beam Deflector by Mirror Effect of Multinanorod Metasurfaces. <i>Advanced Functional Materials</i> , 2015 , 25, 5428-5434	15.6	53
52	Beam Deflectors: High-Performance Broadband Circularly Polarized Beam Deflector by Mirror Effect of Multinanorod Metasurfaces (Adv. Funct. Mater. 34/2015). <i>Advanced Functional Materials</i> , 2015 , 25, 5567-5567	15.6	
51	Thermal induced single grain boundary break junction for suspended nanogap electrodes. <i>Science China Materials</i> , 2015 , 58, 769-774	7.1	3
50	The concept and realization of nanostructure fabrication using free-standing metallic wires with rapid thermal annealing. <i>Science China: Physics, Mechanics and Astronomy</i> , 2015 , 58, 1-7	3.6	
49	In situ TEM observation of resistance switching in titanate based device. <i>Scientific Reports</i> , 2014 , 4, 3890	4.9	24
48	A kind of double-sided porous anodic alumina membrane fabricated with the three-step anodic oxidation method. <i>Science China Technological Sciences</i> , 2014 , 57, 293-297	3.5	2

47	Direct laser writing of symmetry-broken spiral tapers for polarization-insensitive three-dimensional plasmonic focusing. <i>Laser and Photonics Reviews</i> , 2014 , 8, 602-609	8.3	21
46	Plasmonic Coupling: Wafer-Scale Double-Layer Stacked Au/Al ₂ O ₃ @Au Nanosphere Structure with Tunable Nanoscaling for Surface-Enhanced Raman Scattering (Small 19/2014). <i>Small</i> , 2014 , 10, 3932-3932	11	2
45	Rapid templated fabrication of large-scale, high-density metallic nanocone arrays and SERS applications. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 9987-9992	7.1	9
44	Morphology inducing selective plasma etching for AlN nanocone arrays: tip-size dependent photoluminescence and enhanced field emission properties. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 2417-2422	7.1	7
43	Large magnetoelectric coupling in nanoscale BiFeO ₃ from direct electrical measurements. <i>Physical Review B</i> , 2014 , 90,	3.3	19
42	Direct laser writing of symmetry-broken nanocorrals and their applications in SERS spectroscopy. <i>Applied Physics B: Lasers and Optics</i> , 2014 , 117, 121-125	1.9	2
41	Enhanced light extraction in n-GaN-based light-emitting diodes with three-dimensional semi-spherical structure. <i>Applied Physics Letters</i> , 2014 , 104, 061113	3.4	11
40	Low-Temperature, Directly Depositing Individual Single-Walled Carbon Nanotubes for Fabrication of Suspended Nanotube Devices. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 16256-16262	3.8	2
39	A VHF band HTS filter based on modified single-spiral resonators for radio astronomy application. <i>Science China: Physics, Mechanics and Astronomy</i> , 2013 , 56, 910-915	3.6	3
38	Annealing Effects of Ti/Au Contact on n-MgZnO/p-Si Ultraviolet-B Photodetectors. <i>IEEE Transactions on Electron Devices</i> , 2013 , 60, 3474-3477	2.9	36
37	Self-referenced sensing based on terahertz metamaterial for aqueous solutions. <i>Applied Physics Letters</i> , 2013 , 102, 151109	3.4	42
36	Experimental identification of p-type conduction in fluoridized boron nitride nanotube. <i>Applied Physics Letters</i> , 2013 , 102, 153107	3.4	12
35	Ion-beam-induced bending of freestanding amorphous nanowires: The importance of the substrate material and charging. <i>Applied Physics Letters</i> , 2013 , 102, 213112	3.4	19
34	Three-dimensional nanostructures by focused ion beam techniques: Fabrication and characterization. <i>Journal of Materials Research</i> , 2013 , 28, 3063-3078	2.5	9
33	Experimental observation of radial breathing-like mode of graphene nanoribbons. <i>Applied Physics Letters</i> , 2012 , 100, 101904	3.4	13
32	A 12-Pole K-Band Wideband High-Temperature Superconducting Microstrip Filter. <i>IEEE Transactions on Applied Superconductivity</i> , 2012 , 22, 1500106-1500106	1.8	13
31	Polarization-insensitive and wide-angle plasmonically induced transparency by planar metamaterials. <i>Applied Physics Letters</i> , 2012 , 101, 143105	3.4	58
30	Fabrication of patterned boron carbide nanowires and their electrical, field emission, and flexibility properties. <i>Nano Research</i> , 2012 , 5, 896-902	10	10

29	Fabrication technique of micro/nano-scale speckle patterns with focused ion beam. <i>Science China: Physics, Mechanics and Astronomy</i> , 2012 , 55, 1037-1044	3.6	22
28	Field electron emission based on resonant tunneling in diamond/CoSi ₂ /Si quantum well nanostructures. <i>Scientific Reports</i> , 2012 , 2, 746	4.9	11
27	Local rotational symmetry effects on Fano resonances with constant non-resonant transmission channel. <i>Applied Physics Letters</i> , 2012 , 101, 031114	3.4	1
26	Polarization insensitive and omnidirectional broadband near perfect planar metamaterial absorber in the near infrared regime. <i>Applied Physics Letters</i> , 2011 , 99, 253104	3.4	116
25	Semiconductor-superconductor transition and magnetoresistance terraces in an ultrathin superconducting Pb nanobridge. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2010 , 28, 678-681	1.3	6
24	An L-band HTS duplexer with improved performance. <i>Science Bulletin</i> , 2010 , 55, 3527-3532		5
23	Additional curvature-induced Raman splitting in carbon nanotube ring structures. <i>Physical Review B</i> , 2009 , 80,	3.3	10
22	A 23 GHz high-temperature superconducting microstrip filter for radio astronomy. <i>Science Bulletin</i> , 2009 , 54, 3485-3488	10.6	10
21	Magnetoresistance oscillations of ultrathin Pb bridges. <i>Nano Research</i> , 2009 , 2, 671-677	10	15
20	Dissipation in an ultrathin superconducting single-crystal Pb nanobridge. <i>Journal of Applied Physics</i> , 2009 , 106, 034301	2.5	6
19	Modulated terahertz responses of split ring resonators by nanometer thick liquid layers. <i>Applied Physics Letters</i> , 2008 , 92, 221101	3.4	41
18	Critical fields and anisotropy of NdFeAsO _{0.82} F _{0.18} single crystals. <i>Applied Physics Letters</i> , 2008 , 93, 032503	3.3	157
17	Anomalous magnetoresistance oscillations and enhanced superconductivity in single-crystal Pb nanobelts. <i>Applied Physics Letters</i> , 2008 , 92, 233119	3.4	35
16	Field emission study of CNTs on metal tips. <i>Science Bulletin</i> , 2008 , 53, 17-21		5
15	Individual Water-Filled Single-Walled Carbon Nanotubes as Hydroelectric Power Converters. <i>Advanced Materials</i> , 2008 , 20, 1772-1776	24	148
14	High Temperature Superconducting Microwave Filters for Applications in Mobile Communication, Satellite Receiver and Wind-Profile Radar 2007 ,		3
13	Space qualification mechanical tests of HTS filters for satellite application. <i>Science Bulletin</i> , 2007 , 52, 1771-1775		8
12	Tuning electrical properties of conjugated polymer nanowires with the diameter. <i>Applied Physics Letters</i> , 2007 , 90, 102114	3.4	46

11	Effect of the addition of argon to reactive nitrogen gas on field emission properties of amorphous carbon nitride films. <i>Journal of Vacuum Science & Technology B</i> , 2006 , 24, 2570		3
10	Electrical properties of a single electrochemically template-synthesized polypyrrole nanowire. <i>Applied Physics Letters</i> , 2006 , 88, 253106	3.4	17
9	Nanofabrication Challenges for NEMS 2006 ,		4
8	An impedance matched phase shifter using BaSrTiO/sub 3/ thin film. <i>IEEE Microwave and Wireless Components Letters</i> , 2006 , 16, 345-347	2.6	7
7	Ferroelectric thin-film characterization using a coplanar waveguide bandstop filter. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2006 , 203, 379-385	1.6	
6	Manipulating DNA molecules in nanofluidic channels. <i>Microfluidics and Nanofluidics</i> , 2006 , 2, 85-88	2.8	46
5	Electronic transport in single polyaniline and polypyrrole microtubes. <i>Physical Review B</i> , 2005 , 71,	3.3	83
4	Electrical conductivity of single CdS nanowire synthesized by aqueous chemical growth. <i>Applied Physics Letters</i> , 2005 , 86, 153102	3.4	51
3	Electron emission from nanocrystalline diamond films. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2001 , 19, 962		12
2	Quasi-BIC Enhanced Broadband Terahertz Generation in All-Dielectric Metasurface. <i>Advanced Optical Materials</i> , 2200193	8.1	1
1	Bidirectional Origami Inspiring Versatile 3D Metasurface. <i>Advanced Materials Technologies</i> , 2200373	6.8	0