

Frederico S Neves

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3684349/publications.pdf>

Version: 2024-02-01

93
papers

3,077
citations

257357

24
h-index

189801

50
g-index

94
all docs

94
docs citations

94
times ranked

3223
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Dung beetle diversity across Brazilian tropical dry forests does not support the Pleistocene Arc hypothesis. <i>Austral Ecology</i> , 2022, 47, 54-67. | 0.7 | 3 |
| 2 | ATLANTIC ANTS: a data set of ants in Atlantic Forests of South America. <i>Ecology</i> , 2022, 103, e03580. | 1.5 | 9 |
| 3 | Direct and indirect effects of ant-trophobiont interactions on the reproduction of a hummingbird-pollinated mistletoe. <i>Plant Ecology</i> , 2022, 223, 285-296. | 0.7 | 1 |
| 4 | Global trends in the trophic specialisation of flower-visitor networks are explained by current and historical climate. <i>Ecology Letters</i> , 2022, 25, 113-124. | 3.0 | 10 |
| 5 | A neotropical mistletoe influences herbivory of its host plant by driving changes in the associated insect community. <i>Die Naturwissenschaften</i> , 2022, 109, 27. | 0.6 | 2 |
| 6 | Habitat generalists drive nestedness in a tropical mountaintop insect metacommunity. <i>Biological Journal of the Linnean Society</i> , 2021, 133, 577-586. | 0.7 | 16 |
| 7 | Climate and plant structure determine the spatiotemporal butterfly distribution on a tropical mountain. <i>Biotropica</i> , 2021, 53, 191-200. | 0.8 | 14 |
| 8 | Elevational environmental stress modulating species cohabitation in nests of a social insect. <i>Ecological Entomology</i> , 2021, 46, 48-55. | 1.1 | 4 |
| 9 | Spatiotemporal dynamics of the ant community in a dry forest differ by vertical strata but not by successional stage. <i>Biotropica</i> , 2021, 53, 372-383. | 0.8 | 17 |
| 10 | Consequences of tropical dry forest conversion on diaspore fate of <i>Enterolobium contortisiliquum</i> (Fabaceae). <i>Plant Ecology</i> , 2021, 222, 525-535. | 0.7 | 4 |
| 11 | How much leaf area do insects eat? A data set of insect herbivory sampled globally with a standardized protocol. <i>Ecology</i> , 2021, 102, e03301. | 1.5 | 9 |
| 12 | Disentangling the effects of latitudinal and elevational gradients on bee, wasp, and ant diversity in an ancient neotropical mountain range. <i>Journal of Biogeography</i> , 2021, 48, 1564-1578. | 1.4 | 11 |
| 13 | Spatiotemporal Patterns of Ant Metacommunity in a Montane Forest Archipelago. <i>Neotropical Entomology</i> , 2021, 50, 886-898. | 0.5 | 4 |
| 14 | Spatiotemporal Distribution of Herbivorous Insects Along Always-Green Mountaintop Forest Islands. <i>Frontiers in Forests and Global Change</i> , 2021, 4, . | 1.0 | 5 |
| 15 | Disentangling the factors that shape bromeliad and ant communities in the canopies of cocoa agroforestry and preserved Atlantic Forest. <i>Biotropica</i> , 2021, 53, 1698-1709. | 0.8 | 0 |
| 16 | Disentangling elevational and vegetational effects on ant diversity patterns. <i>Acta Oecologica</i> , 2020, 102, 103489. | 0.5 | 18 |
| 17 | Ant removal distance, but not seed manipulation and deposition site increases the establishment of a myrmecochorous plant. <i>Oecologia</i> , 2020, 192, 133-142. | 0.9 | 11 |
| 18 | Patterns of diversity in a metacommunity of bees and wasps of relictual mountainous forest fragments. <i>Journal of Insect Conservation</i> , 2020, 24, 17-34. | 0.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Ecological interactions among insect herbivores, ants and the host plant <i>Baccharis dracunculifolia</i> in a Brazilian mountain ecosystem. <i>Austral Ecology</i> , 2020, 45, 158-167. | 0.7 | 13 |
| 20 | High Temporal Beta Diversity in an Ant Metacommunity, With Increasing Temporal Functional Replacement Along the Elevational Gradient. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, . | 1.1 | 12 |
| 21 | Biodiversity and ecosystem services in the Campo Rupestre: A road map for the sustainability of the hottest Brazilian biodiversity hotspot. <i>Perspectives in Ecology and Conservation</i> , 2020, 18, 213-222. | 1.0 | 34 |
| 22 | Vegetation composition and structure determine wild bee communities in a tropical dry forest. <i>Journal of Insect Conservation</i> , 2020, 24, 487-498. | 0.8 | 7 |
| 23 | Environmental drivers of taxonomic and functional diversity of ant communities in a tropical mountain. <i>Insect Conservation and Diversity</i> , 2020, 13, 393-403. | 1.4 | 32 |
| 24 | Species-level drivers of mammalian ectoparasite faunas. <i>Journal of Animal Ecology</i> , 2020, 89, 1754-1765. | 1.3 | 20 |
| 25 | Distance-decay patterns differ between canopy and ground ant assemblages in a tropical rainforest. <i>Journal of Tropical Ecology</i> , 2020, 36, 234-242. | 0.5 | 5 |
| 26 | Suspended leaf litter in an understorey treelet as habitat extension for ground-dwelling ants in the Atlantic Forest, south-eastern Brazil. <i>Journal of Tropical Ecology</i> , 2019, 35, 247-250. | 0.5 | 3 |
| 27 | Ant species richness and interactions in canopies of two distinct successional stages in a tropical dry forest. <i>Die Naturwissenschaften</i> , 2019, 106, 20. | 0.6 | 14 |
| 28 | Forest cover drives insect guild diversity at different landscape scales in tropical dry forests. <i>Forest Ecology and Management</i> , 2019, 443, 36-42. | 1.4 | 17 |
| 29 | Nectar quality affects ant aggressiveness and biotic defense provided to plants. <i>Biotropica</i> , 2019, 51, 196-204. | 0.8 | 27 |
| 30 | Tropical mountains as natural laboratories to study global changes: A long-term ecological research project in a megadiverse biodiversity hotspot. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2019, 38, 64-73. | 1.1 | 42 |
| 31 | A Humboldtian Approach to Mountain Conservation and Freshwater Ecosystem Services. <i>Frontiers in Environmental Science</i> , 2019, 7, . | 1.5 | 39 |
| 32 | Fire? They don't give a dung! The resilience of dung beetles to fire in a tropical savanna. <i>Ecological Entomology</i> , 2019, 44, 315-323. | 1.1 | 14 |
| 33 | Patch and landscape effects on forest-dependent dung beetles are masked by matrix-tolerant dung beetles in a mountaintop rainforest archipelago. <i>Science of the Total Environment</i> , 2019, 651, 1321-1331. | 3.9 | 37 |
| 34 | CHANGES IN THE INSECT HERBIVORE FAUNA AFTER THE FIRST RAINS IN A TROPICAL DRY FOREST. <i>Oecologia Australis</i> , 2019, 23, 381-387. | 0.1 | 8 |
| 35 | Butterflies collected using malaise traps as useful bycatches for ecology and conservation. <i>Journal of Threatened Taxa</i> , 2019, 11, 14235-14237. | 0.1 | 2 |
| 36 | Linking Biodiversity, the Environment and Ecosystem Functioning: Ecological Functions of Dung Beetles Along a Tropical Elevational Gradient. <i>Ecosystems</i> , 2018, 21, 1244-1254. | 1.6 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Food source quality and ant dominance hierarchy influence the outcomes of ant-plant interactions in an arid environment. <i>Acta Oecologica</i> , 2018, 87, 13-19. | 0.5 | 22 |
| 38 | Forest archipelagos: A natural model of metacommunity under the threat of fire. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2018, 238, 244-249. | 0.6 | 24 |
| 39 | Fluctuating asymmetry, leaf thickness and herbivory in <i>Tibouchina granulosa</i> : an altitudinal gradient analysis. <i>Arthropod-Plant Interactions</i> , 2018, 12, 277-282. | 0.5 | 8 |
| 40 | Interactions between wood-inhabiting fungi and termites: a meta-analytical review. <i>Arthropod-Plant Interactions</i> , 2018, 12, 229-235. | 0.5 | 10 |
| 41 | Positive effects of the catastrophic Hurricane Patricia on insect communities. <i>Scientific Reports</i> , 2018, 8, 15042. | 1.6 | 11 |
| 42 | Handling by avian frugivores affects diaspore secondary removal. <i>PLoS ONE</i> , 2018, 13, e0202435. | 1.1 | 13 |
| 43 | Resilience to fire and climate seasonality drive the temporal dynamics of ant-plant interactions in a fire-prone ecosystem. <i>Ecological Indicators</i> , 2018, 93, 247-255. | 2.6 | 25 |
| 44 | Brazil's protected areas under threat. <i>Science</i> , 2018, 361, 459-459. | 6.0 | 11 |
| 45 | Predatory beetles in cacao agroforestry systems in Brazilian Atlantic forest: a test of the natural enemy hypothesis. <i>Agroforestry Systems</i> , 2017, 91, 201-209. | 0.9 | 19 |
| 46 | Ant diversity in Brazilian tropical dry forests across multiple vegetation domains. <i>Environmental Research Letters</i> , 2017, 12, 035002. | 2.2 | 19 |
| 47 | High butterfly beta diversity between Brazilian cerrado and cerrado- <i>caatinga</i> transition zones. <i>Journal of Insect Conservation</i> , 2017, 21, 849-860. | 0.8 | 15 |
| 48 | Disturbance-modulated symbioses in termitophily. <i>Ecology and Evolution</i> , 2017, 7, 10829-10838. | 0.8 | 20 |
| 49 | Ant Assemblage Structure in a Secondary Tropical Dry Forest: The Role of Ecological Succession and Seasonality. <i>Sociobiology</i> , 2017, 64, 261. | 0.2 | 22 |
| 50 | Compositional changes in bee and wasp communities along Neotropical mountain altitudinal gradient. <i>PLoS ONE</i> , 2017, 12, e0182054. | 1.1 | 52 |
| 51 | Few Ant Species Play a Central Role Linking Different Plant Resources in a Network in Rupestrian Grasslands. <i>PLoS ONE</i> , 2016, 11, e0167161. | 1.1 | 35 |
| 52 | Spatio-Temporal Distribution of Bark and Ambrosia Beetles in a Brazilian Tropical Dry Forest. <i>Journal of Insect Science</i> , 2016, 16, 48. | 0.6 | 23 |
| 53 | Epiphytic bromeliads as key components for maintenance of ant diversity and ant-bromeliad interactions in agroforestry system canopies. <i>Forest Ecology and Management</i> , 2016, 372, 128-136. | 1.4 | 26 |
| 54 | Cerrado to Rupestrian Grasslands: Patterns of Species Distribution and the Forces Shaping Them Along an Altitudinal Gradient. , 2016, , 345-377. | | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Antagonistic Interactions in the Rupestrian Grasslands: New Insights and Perspectives. , 2016, , 315-343. | | 1 |
| 56 | How Does Dung Beetle (Coleoptera: Scarabaeidae) Diversity Vary Along a Rainy Season in a Tropical Dry Forest?. Journal of Insect Science, 2016, 16, 81. | 0.6 | 16 |
| 57 | Vegetation structure determines insect herbivore diversity in seasonally dry tropical forests. Journal of Insect Conservation, 2016, 20, 979-988. | 0.8 | 33 |
| 58 | Ecology and evolution of plant diversity in the endangered campo rupestre: a neglected conservation priority. Plant and Soil, 2016, 403, 129-152. | 1.8 | 467 |
| 59 | Ants in Burned and Unburned Areas in Campos Rupestres Ecosystem. Sociobiology, 2016, 63, 628. | 0.2 | 7 |
| 60 | Composition and Richness of Arboreal ants in Fragments of Brazilian Caatinga: Effects of Secondary Succession. Sociobiology, 2016, 63, 762. | 0.2 | 8 |
| 61 | Dung Beetles along a Tropical Altitudinal Gradient: Environmental Filtering on Taxonomic and Functional Diversity. PLoS ONE, 2016, 11, e0157442. | 1.1 | 97 |
| 62 | Mechanisms Driving Galling Success in a Fragmented Landscape: Synergy of Habitat and Top-Down Factors along Temperate Forest Edges. PLoS ONE, 2016, 11, e0157448. | 1.1 | 4 |
| 63 | Contrasting effects of habitat management on different feeding guilds of herbivorous insects in cacao agroforestry systems. Revista De Biologia Tropical, 2016, 64, 763. | 0.1 | 24 |
| 64 | Vertical stratification and effect of petiole and dry leaf size on arthropod feeding guilds in Cecropia pachystachya(Urticaceae). Brazilian Journal of Biology, 2015, 75, 517-523. | 0.4 | 2 |
| 65 | Change in herbivore insect communities from adjacent habitats in a transitional region. Arthropod-Plant Interactions, 2015, 9, 311-320. | 0.5 | 11 |
| 66 | Ant Fauna in Megadiverse Mountains: a Checklist for the Rocky Grasslands. Sociobiology, 2015, 62, . | 0.2 | 17 |
| 67 | Fatores que determinam a ocorrência de formigas, em particular poneromorfas, no dossel de florestas tropicais. , 2015, , 295-312. | | 1 |
| 68 | Insect herbivores associated with an evergreen tree Goniorrhachis marginata Taub. (Leguminosae:) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 | 0.4 | 5 |
| 69 | Is there a bottom-up cascade on the assemblages of trees, arboreal insects and spiders in a semiarid Caatinga?. Arthropod-Plant Interactions, 2014, 8, 581-591. | 0.5 | 10 |
| 70 | Insect Herbivores and Leaf Damage along Successional and Vertical Gradients in a Tropical Dry Forest. Biotropica, 2014, 46, 14-24. | 0.8 | 62 |
| 71 | Galls from Brazilian Tropical Dry Forests: Status of Knowledge and Perspectives. , 2014, , 405-427. | | 1 |
| 72 | Does leaf ontogeny lead to changes in defensive strategies against insect herbivores?. Arthropod-Plant Interactions, 2013, 7, 99-107. | 0.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Ants of Three Adjacent Habitats of a Transition Region Between the Cerrado and Caatinga Biomes: The Effects of Heterogeneity and Variation in Canopy Cover. <i>Neotropical Entomology</i> , 2013, 42, 258-268. | 0.5 | 32 |
| 74 | Fluctuating asymmetry and herbivory in two ontogenetical stages of <i>Chamaecrista semaphora</i> in restored and natural environments. <i>Journal of Plant Interactions</i> , 2013, 8, 179-186. | 1.0 | 11 |
| 75 | Fluctuating asymmetry of and herbivory on <i>Poincianella pyramidalis</i> (Tul.) L.P. Queiroz (Fabaceae) in pasture and secondary tropical dry forest. <i>Acta Botanica Brasilica</i> , 2013, 27, 21-25. | 0.8 | 13 |
| 76 | Ant Fauna on <i>Cecropia pachystachya</i> TrÃfÃcul (Urticaceae) Trees in an Atlantic Forest Area, Southeastern Brazil. <i>Sociobiology</i> , 2013, 60, . | 0.2 | 5 |
| 77 | Exploring the Diversity and Distribution of Neotropical Avian Malaria Parasites â A Molecular Survey from Southeast Brazil. <i>PLoS ONE</i> , 2013, 8, e57770. | 1.1 | 89 |
| 78 | Contrasting effects of sampling scale on insect herbivores distribution in response to canopy structure. <i>Revista De Biologia Tropical</i> , 2013, 61, 125-37. | 0.1 | 26 |
| 79 | Plant Phenology and Absence of Sex-Biased Gall Attack on Three Species of <i>Baccharis</i> . <i>PLoS ONE</i> , 2012, 7, e46896. | 1.1 | 28 |
| 80 | Differential effects of land use on ant and herbivore insect communities associated with <i>Caryocar brasiliense</i> (Caryocaraceae). <i>Revista De Biologia Tropical</i> , 2012, 60, 1065-73. | 0.1 | 14 |
| 81 | Insect galls in xeric and mesic habitats in a Cerrado-Caatinga transition in northern Minas Gerais, Brazil. <i>Neotropical Biology and Conservation</i> , 2012, 7, . | 0.4 | 7 |
| 82 | Relationship between plant development, tannin concentration and insects associated with <i>Copaifera langsdorffii</i> (Fabaceae). <i>Arthropod-Plant Interactions</i> , 2011, 5, 9-18. | 0.5 | 39 |
| 83 | Tri-trophic level interactions affect host plant development and abundance of insect herbivores. <i>Arthropod-Plant Interactions</i> , 2011, 5, 351-357. | 0.5 | 16 |
| 84 | Canopy Herbivory and Insect Herbivore Diversity in a Dry ForestâSavanna Transition in Brazil. <i>Biotropica</i> , 2010, 42, 112-118. | 0.8 | 56 |
| 85 | Successional and Seasonal Changes in a Community of Dung Beetles (Coleoptera: Scarabaeinae) in a Brazilian Tropical Dry Forest. <i>Natureza A Conservacao</i> , 2010, 08, 160-164. | 2.5 | 51 |
| 86 | Ants on plants: a meta-analysis of the role of ants as plant biotic defenses. <i>Oecologia</i> , 2009, 160, 537-549. | 0.9 | 321 |
| 87 | Succession and management of tropical dry forests in the Americas: Review and new perspectives. <i>Forest Ecology and Management</i> , 2009, 258, 1014-1024. | 1.4 | 260 |
| 88 | Sampling parasitoid wasps (Insecta, Hymenoptera) in cacao agroforestry systems. <i>Studies on Neotropical Fauna and Environment</i> , 2008, 43, 217-226. | 0.5 | 7 |
| 89 | Plant architecture and meristem dynamics as the mechanisms determining the diversity of gall-inducing insects. <i>Oecologia</i> , 2007, 153, 353-364. | 0.9 | 83 |
| 90 | Relationship between tree size and insect assemblages associated with <i>Anadenanthera macrocarpa</i> . <i>Ecography</i> , 2006, 29, 442-450. | 2.1 | 97 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Direct and indirect interactions involving ants, insect herbivores, parasitoids, and the host plant <i>Baccharis dracunculifolia</i> (Asteraceae). <i>Ecological Entomology</i> , 2005, 30, 28-35. | 1.1 | 54 |
| 92 | Tree species richness and density affect parasitoid diversity in cacao agroforestry. <i>Basic and Applied Ecology</i> , 2004, 5, 241-251. | 1.2 | 101 |
| 93 | Sexual Differences in Reproductive Phenology and their Consequences for the Demography of <i>Baccharis dracunculifolia</i> (Asteraceae), a Dioecious Tropical Shrub. <i>Annals of Botany</i> , 2003, 91, 13-19. | 1.4 | 90 |