

Andrzej K Gzella

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3686384/publications.pdf>

Version: 2024-02-01

87
papers

1,788
citations

430754

18
h-index

276775

41
g-index

98
all docs

98
docs citations

98
times ranked

2065
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis and structure elucidation of thiopyrano[2,3-d]thiazole-6-carbonitriles as adducts of Michael reaction. <i>Journal of Molecular Structure</i> , 2022, 1256, 132574.	1.8	2
2	2-{5-[(Z,Z)-2-Chloro-3-(4-nitrophenyl)-2-propenylidene]-4-oxo-2-thioxothiazolidin-3-yl}-3-methylbutanoic Acid as a Potential Anti-Breast Cancer Molecule. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4091.	1.8	6
3	Synthesis, structure and evaluation of anticancer activity of 4-amino-1,3-thiazolinone/pyrazoline hybrids. <i>Journal of Molecular Structure</i> , 2021, 1224, 129059.	1.8	11
4	Synthesis, Characterization and In Vitro Evaluation of Novel 5-Ene-thiazolo[3,2-b][1,2,4]triazole-6(5H)-ones as Possible Anticancer Agents. <i>Molecules</i> , 2021, 26, 1162.	1.7	17
5	Synthesis and Anticancer Activity Evaluation of 5-[2-Chloro-3-(4-nitrophenyl)-2-propenylidene]-4-thiazolidinones. <i>Molecules</i> , 2021, 26, 3057.	1.7	14
6	Combination of Negative, Positive, and Near-Zero Thermal Expansion in Bis(imidazolium) Terephthalate with a Helical Hydrogen-Bonded Network. <i>Crystal Growth and Design</i> , 2021, 21, 3838-3849.	1.4	8
7	Spectroscopic and Structural Study of a New Conducting Pyrazolium Salt. <i>Molecules</i> , 2021, 26, 4657.	1.7	5
8	Study of 1,3-dipolar cycloaddition of amino-acid azomethines and Juglone. <i>Synthetic Communications</i> , 2020, 50, 3165-3173.	1.1	2
9	Synthesis of new structurally diverse thiazolidinone-derived compounds based on reaction of isorhodanine with ortho-substituted aldehydes, β -keto- and β -aroylacrylic acids. <i>Journal of Molecular Structure</i> , 2020, 1217, 128448.	1.8	4
10	Study of 1,2,4-triazole-3(5)-thiol Behavior in Reactions with 1-phenyl-1H-pyrrole-2,5-dione Derivatives and 3-bromodihydrofuran-2(3H)-one and Antimicrobial Activity of Products. <i>Chemistry Proceedings</i> , 2020, 3, .	0.1	3
11	Toward a new type of proton conductor based on imidazole and aromatic acids. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 17152-17162.	1.3	13
12	Synthesis of 5-enamine-4-thiazolidinone derivatives with trypanocidal and anticancer activity. <i>Bioorganic Chemistry</i> , 2019, 86, 126-136.	2.0	38
13	Synthesis and cytotoxicity of new 2-oxo-7-phenyl-2,3-dihydrothiazolo[4,5-b]pyridine-5-carboxylic acid amides. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2019, 194, 1149-1157.	0.8	4
14	Synthesis and stereochemistry assignment of (3R,5R)- and (3S,5R)-4-benzyl-3-(3,4-dimethoxyphenyl)-5-phenyl-1,4-oxazin-2-ones. <i>Journal of Molecular Structure</i> , 2019, 1194, 204-210.	1.8	2
15	Thiazolidinone/thiazole based hybrids " New class of antitrypanosomal agents. <i>European Journal of Medicinal Chemistry</i> , 2019, 174, 292-308.	2.6	44
16	Synthesis of novel spiro-condensed 2-amino-4H-pyrans based on 1,2-benzoxathiin-4(3H)-one 2,2-dioxide. <i>Chemistry of Heterocyclic Compounds</i> , 2019, 55, 254-260.	0.6	5
17	Effect of counter ions on physical properties of imidazole-based proton conductors. <i>Electrochimica Acta</i> , 2019, 306, 575-589.	2.6	19
18	Synthesis and crystal structure of fused imidazooxazolidine systems. <i>Journal of Molecular Structure</i> , 2019, 1184, 305-309.	1.8	0

#	ARTICLE	IF	CITATIONS
19	Synthesis and cytotoxicity of new thiazolo[4,5-b]pyridine-2(3H)-one derivatives based on $\hat{1}\pm, \hat{1}^2$ -unsaturated ketones and $\hat{1}\pm$ -ketoacids. <i>Chemical Papers</i> , 2018, 72, 669-681.	1.0	24
20	Synthesis of 4-(2H-[1,2,4]-Triazol-5-ylsulfanyl)-1,2-dihydropyrazol-3-one via Ring-Switching Hydrazinolysis of 5-Ethoxymethylidenethiazolo [3,2-b][1,2,4]triazol-6-one. <i>MolBank</i> , 2018, 2018, M1022.	0.2	5
21	1,2-Benzoxathiin-4(3 <i>H</i>)-one 2,2-dioxide \hat{a} € new enol nucleophile in three-component interaction with benzaldehydes and active methylene nitriles. <i>RSC Advances</i> , 2018, 8, 37295-37302.	1.7	8
22	Synthesis and evaluation of antitrypanosomal activity of some thiosemicarbazide derivatives of 1-butyl-6-fluoro-7-morpholino-4-oxo-1,4-dihydroquinoline-3-carboxylic acid. <i>Synthetic Communications</i> , 2018, 48, 1883-1891.	1.1	5
23	One-Pot Synthesis of 5-Ene-4-aminothiazol-2(5H)-ones and Chromeno[2,3-d]thiazol-2-ones. <i>Synlett</i> , 2017, 28, 811-814.	1.0	7
24	Beckmann rearrangement within the ring C of oleanolic acid lactone: Synthesis, structural study and reaction mechanism analysis. <i>Journal of Molecular Structure</i> , 2017, 1136, 173-181.	1.8	5
25	Tandem hetero-Diels \hat{a} €Alder-hemiacetal reaction in the synthesis of new chromeno[4 \hat{a} €2,3 \hat{a} €2:4,5]thiopyrano[2,3- <i>d</i>]thiazoles. <i>Heterocyclic Communications</i> , 2017, 23, 1-5.	0.6	4
26	Unexpected synthesis of azepino[4,3,2- <i>cd</i>]indoles from 4-aminoindoles. <i>Tetrahedron Letters</i> , 2017, 58, 1324-1325.	0.7	7
27	Facile one-pot synthesis of 5-aryl/heterylidene-2-(2-hydroxyethyl- and Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 427 Td (3-hydroxy) 1071-1076.	1.1	7
28	Synthesis of 1-ethyl-1H-2,1-benzothiazine 2,2-dioxide derivatives using cycloalkanecarbaldehydes and evaluation of their antimicrobial activity. <i>Chemistry of Heterocyclic Compounds</i> , 2017, 53, 219-229.	0.6	10
29	trans -Aconitic acid-based hetero -Diels-Alder reaction in the synthesis of thiopyrano[2,3- <i>d</i>][1,3]thiazole derivatives. <i>Tetrahedron Letters</i> , 2017, 58, 1751-1754.	0.7	8
30	Novel O-Benzyl Oxime Ethers of 1-(Thiophen-2-yl)ethan-1-one \hat{a} € Synthesis, Structure and Antimicrobial Activity. <i>Heterocycles</i> , 2017, 94, 523.	0.4	3
31	Synthesis, anticancer and antiviral activities of novel thiopyrano[2,3- <i>d</i>]thiazole-6-carbaldehydes. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2016, 191, 1245-1249.	0.8	26
32	5-Ene-4-thiazolidinones induce apoptosis in mammalian leukemia cells. <i>European Journal of Medicinal Chemistry</i> , 2016, 117, 33-46.	2.6	61
33	Application of the 2(5 H)furanone motif in the synthesis of new thiopyrano[2,3- <i>d</i>]thiazoles via the hetero-Diels \hat{a} €Alder reaction and related tandem processes. <i>Tetrahedron Letters</i> , 2016, 57, 3318-3321.	0.7	15
34	Antifibrotic and anticancer action of 5-ene amino/iminothiazolidinones. <i>European Journal of Medicinal Chemistry</i> , 2016, 112, 180-195.	2.6	47
35	Synthesis and Evaluation of Anticancer Activity of 5-Ylidene-4- Aminothiazol-2(5H)-one Derivatives. <i>Medicinal Chemistry</i> , 2015, 11, 517-530.	0.7	19
36	Synthesis and Crystal Structure of (4S)-4-Benzyl-3-(4,5-dimethoxy-2-methylbenzoyl)-2,2-dimethyl-1,3-oxazolidine. <i>Heterocycles</i> , 2015, 90, 730.	0.4	5

#	ARTICLE	IF	CITATIONS
37	Arylidene Pyruvic Acids Motif in the Synthesis of New 2-Hydroxy-5-Hydroxy-Chromeno[4,3-f]thiopyrano[2,3-d]thiazoles via Tandem Hetero-Diels-Alder-Hemiacetal Reaction. <i>Synthetic Communications</i> , 2015, 45, 2266-2270.	1.1	14
38	Synthesis and anti-inflammatory activity of new 1,2,4-triazole derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 2664-2667.	1.0	75
39	Synthesis of fused thiopyrano[2,3-d][1,3]thiazoles via hetero-Diels-Alder reaction related tandem and domino processes. <i>Tetrahedron</i> , 2015, 71, 9501-9508.	1.0	34
40	NEW HETEROCYCLIC OXIME ETHERS OF 1-(BENZOFURAN-2-YL)ETHAN-1-ONE AND THEIR ANTIMICROBIAL ACTIVITY. <i>Acta Poloniae Pharmaceutica</i> , 2015, 72, 289-95.	0.3	3
41	Heterocyclic tautomerism: reassignment of two crystal structures of 2-amino-1,3-thiazolidin-4-one derivatives. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2014, 70, 812-816.	0.2	7
42	2-[(5-(Pyridin-4-yl)-4-p-tolyl-1,2,4-triazol-3-yl)methyl]acrylic acid hemihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o95-o96.	0.2	2
43	1-(1-Benzofuran-2-yl)ethanone O-(2,6-difluorobenzyl)oxime. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o91-o91.	0.2	0
44	Cyclocondensation of Thioamides and Haloacetic Acid Derivatives Provides Only 4-Thiazolidinones; Isomeric 5-Thiazolidinones Were Not observed. <i>Synthetic Communications</i> , 2014, 44, 231-236.	1.1	8
45	Crotonic, cinnamic, and propiolic acids motifs in the synthesis of thiopyrano[2,3-d][1,3]thiazoles via hetero-Diels-Alder reaction and related tandem processes. <i>Tetrahedron</i> , 2014, 70, 720-729.	1.0	29
46	Conformational space and vibrational spectra of 2-[(2,4-dimethoxyphenyl)amino]-1,3-thiazolidin-4-one. <i>Journal of Molecular Modeling</i> , 2014, 20, 2366.	0.8	9
47	2-[N-(4-Methoxyphenyl)acetamido]-1,3-thiazol-4-yl acetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o391-o391.	0.2	1
48	2-[N-(2,4-Dimethoxyphenyl)acetamido]-1,3-thiazol-4-yl acetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o356-o357.	0.2	2
49	On the reactions of tertiary carbanions with some nitroindazoles and nitrobenzotriazoles. <i>Arkivoc</i> , 2013, 2012, 169-186.	0.3	2
50	1-(1-Benzofuran-2-yl)ethanone O-(4-chlorobenzyl)oxime. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o3178-o3178.	0.2	0
51	2-[7-(3,5-Dibromo-2-hydroxyphenyl)-6-ethoxycarbonyl-2-oxo-5H-2,3,6,7-tetrahydrothiopyrano[2,3-d][1,3]thiazol-6-yl]acetic acid ethanol monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o2721-o2722.	0.2	6
52	Regioselective Nitro Group Substitution. Synthesis of Isomeric 4-Amino-5-nitro- and 5-Amino-4-nitroimidazoles. <i>Heterocycles</i> , 2012, 85, 2197.	0.4	4
53	Synthesis of New 4-Thiazolidinone-, Pyrazoline-, and Isatin-Based Conjugates with Promising Antitumor Activity. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 8630-8641.	2.9	195
54	A convenient method for the synthesis of 2-[(5-benzyl-1,3-thiazol-2-yl)imino]-1,3-thiazolidin-4-one derivatives. <i>Tetrahedron Letters</i> , 2012, 53, 543-545.	0.7	35

#	ARTICLE	IF	CITATIONS
55	Isorhodanine and Thiorhodanine Motifs in the Synthesis of Fused Thiopyrano[2,3-d][1,3]thiazoles. <i>Synlett</i> , 2011, 2011, 1385-1388.	1.0	15
56	3 ¹ -Acetoxy-12 ¹ -chloro-D-friedooleanan-28,14 ¹ -olide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o679-o679.	0.2	1
57	Synthesis and anticancer activity evaluation of 4-thiazolidinones containing benzothiazole moiety. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 5012-5021.	2.6	191
58	Synthesis of 5-arylidene-2-amino-4-azolones and evaluation of their anticancer activity. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 5090-5102.	1.4	85
59	Oleanolic acid ethanol monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2790-o2790.	0.2	7
60	(4S)-(âˆ“)4-Benzyl-2,2-dimethyl-3-o-toluoyl-1,3-oxazolidine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2850-o2850.	0.2	1
61	Synthesis of novel thiazolone-based compounds containing pyrazoline moiety and evaluation of their anticancer activity. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 1396-1404.	2.6	247
62	(E)-17 ¹ ,19-Epoxymethano-17,23,24-tridemethyl-4-nor-5 ¹ ,18 ¹ -olean-3-one oxime. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o1262-o1262.	0.2	1
63	A new domino-Knoevenagelâ€“hetero-Dielsâ€“Alder reaction. <i>Tetrahedron Letters</i> , 2008, 49, 4648-4651.	0.7	57
64	1-Methyl-2-(4-methylphenyl)-4-morpholinopyridazine-3,6(1H,2H)-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o435-o435.	0.2	0
65	New 5-substituted thiazolo[3,2-b][1,2,4]triazol-6-ones: Synthesis and anticancer evaluation. <i>European Journal of Medicinal Chemistry</i> , 2007, 42, 641-648.	2.6	137
66	(S)-(â€“)-2,3-Dimethoxy-8-oxoberbine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o598-o600.	0.2	1
67	(3R,4R)-(â€“)-3-Hydroxymethyl-4-phenyl-2-o-toluoyl-1,2,3,4-tetrahydroisoquinoline. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o1774-o1776.	0.2	1
68	1-(4-Chlorophenacyl)-2-methyl-4,5-dinitro-1H-imidazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o2168-o2170.	0.2	1
69	Anticancer thiopyrano[2,3-d][1,3]thiazol-2-ones with norbornane moiety. Synthesis, cytotoxicity, physico-chemical properties, and computational studies. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 5230-5240.	1.4	90
70	Structure of the minor ozonolysis product of 19 ¹ ,28-epoxy-A-neo-18 ¹ -olean-3(5)-ene. <i>Chemistry of Natural Compounds</i> , 2006, 42, 618-619.	0.2	2
71	(S)-(â€“)-2,3-Methylenedioxy-8-oxoberbine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o4001-o4003.	0.2	0
72	(R)-(+)-3-Chlor-1-(4-morpholino-5-nitro-1H-imidazol-1-yl)propan-2-ol. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o4071-o4072.	0.2	2

#	ARTICLE	IF	CITATIONS
73	(R)-(+)-2,3-Methylenedioxy-8-oxoberbine. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o4165-o4166.	0.2	0
74	(S)-($\hat{\wedge}$)-3-Chlor-1-(4-morpholino-5-nitro-1H-imidazol-1-yl)propan-2-ol. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o4231-o4232.	0.2	2
75	Azoles 48 [1]: Synthesis of Some 4-Amino-2-methyl-5-nitro-1-phenacylimidazoles. Monatshefte F \hat{A} 1/4r Chemie, 2003, 134, 1145-1150.	0.9	10
76	Azoles. Part 48. Synthesis of Some 4-Amino-2-methyl-5-nitro-1-phenacylimidazoles.. ChemInform, 2003, 34, no.	0.1	0
77	Synthesis, crystal structure and oxidation of (R)-(+)-8,9-dimethoxy-6,10b-dihydro-5H-thiazolo[2,3-a]isoquinolin-3-one. Tetrahedron: Asymmetry, 2002, 13, 2329-2333.	1.8	12
78	Two optically active isoquinoline derivatives. Acta Crystallographica Section C: Crystal Structure Communications, 2002, 58, o503-o506.	0.4	1
79	Azole. 47. \hat{A} œber 3-Thiomorpholino- und 3-(4-Methylpiperazino)-5-nitroindazole. Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 1189-1191.	0.4	2
80	Two thiazolino[2,3-a]isoquinolinoneS-oxides. Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 1454-1456.	0.4	1
81	Triterpenoide. XX. 3 \hat{I} ² -Acetoxy-12-oxo-18 \hat{I} ² -olean- und 3 \hat{I} ² -Acetoxy-12,19-dioxo-9(11),13(18)-oleandien-28-s \hat{A} ure-methylester. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 983-985.	0.4	1
82	(4S,5S)-(+)-4-Hydroxymethyl-2,5-diphenyloxazoline. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 981-982.	0.4	1
83	Azole. 44.. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 1161-1163.	0.4	2
84	Triterpenoide. XIX. 3 \hat{I} ² -Hydroxy-11-oxo-18 \hat{I} ¹ -olean-12-en-28-s \hat{A} ure-methylester und 3,11-Dioxo-18 \hat{I} ¹ -olean-12-en-28-s \hat{A} ure-methylester. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 505-507.	0.4	3
85	Crystal structure and spectroscopic properties of N-methylmorpholine betaine phosphate. Journal of Molecular Structure, 2000, 555, 67-74.	1.8	21
86	Triterpenoide, 5. Synthese und Strukturaufkl \hat{A} rung einiger neuer 18 \hat{I} ¹ - \hat{A} oleanols \hat{A} urederivate. Liebigs Annalen Der Chemie, 1990, 1990, 373-378.	0.8	2
87	Citraconic acid and its anhydride-based hetero-Diels \hat{A} lder reactions in the synthesis of new thiopyrano[2,3-d][1,3]thiazole derivatives. Synthetic Communications, 0, , 1-7.	1.1	0