

Nianzeng Xing

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3686863/publications.pdf>

Version: 2024-02-01

75
papers

989
citations

706676

14
h-index

563245

28
g-index

81
all docs

81
docs citations

81
times ranked

1629
citing authors

#	ARTICLE	IF	CITATIONS
1	Propensity score-matched analysis for ileal conduit and orthotopic neobladder intracorporeally accomplished following laparoscopic radical cystectomy. <i>Asian Journal of Surgery</i> , 2022, 45, 987-992.	0.2	0
2	Re: Cristina Masini, Cinzia Iotti, Ugo De Giorgi, et al. Nivolumab in Combination with Stereotactic Body Radiotherapy in Pretreated Patients with Metastatic Renal Cell Carcinoma. Results of the Phase II NIVES Study. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2021.09.016 . <i>European Urology</i> , 2022, 81, e96-e96.	0.9	0
3	Re: Valentin H. Meissner, Isabel Rauscher, Kristina Schwamborn, et al. Radical Prostatectomy Without Prior Biopsy Following Multiparametric Magnetic Resonance Imaging and Prostate-specific Membrane Antigen Positron Emission Tomography. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2021.11.019 . <i>European Urology</i> , 2022, 81, e121.	0.9	1
4	Comparative Analysis of Differentially Mutated Genes in Non-Muscle and Muscle-Invasive Bladder Cancer in the Chinese Population by Whole Exome Sequencing. <i>Frontiers in Genetics</i> , 2022, 13, 831146.	1.1	5
5	Allogeneic Expanded Human Peripheral NK Cells Control Prostate Cancer Growth in a Preclinical Mouse Model of Castration-Resistant Prostate Cancer. <i>Journal of Immunology Research</i> , 2022, 2022, 1-11.	0.9	2
6	"Two-zone and Three-segment" Laparoscopic Radical Cystectomy vs Conventional Laparoscopic Radical Cystectomy for Male Patients With Bladder Urothelial Carcinoma: A Retrospective Analysis. <i>Urology Journal</i> , 2022, , .	0.3	0
7	Copy number variation of urine exfoliated cells by low-coverage whole genome sequencing for diagnosis of prostate adenocarcinoma: a prospective cohort study. <i>BMC Medical Genomics</i> , 2022, 15, 104.	0.7	4
8	Combined treatment with anti-PSMA CAR NK-92 cell and anti-PD-L1 monoclonal antibody enhances the antitumour efficacy against castration-resistant prostate cancer. <i>Clinical and Translational Medicine</i> , 2022, 12, .	1.7	18
9	Surgical techniques, oncologic and functional outcomes of two types of modified ileal orthotopic neobladders. <i>Translational Andrology and Urology</i> , 2021, 10, 2970-2981.	0.6	1
10	Systemic Coagulation Markers Especially Fibrinogen Are Closely Associated with the Aggressiveness of Prostate Cancer in Patients Who Underwent Transrectal Ultrasound-Guided Prostate Biopsy. <i>Disease Markers</i> , 2021, 2021, 1-7.	0.6	4
11	SEMA3A-mediated crosstalk between prostate cancer cells and tumor-associated macrophages promotes androgen deprivation therapy resistance. <i>Cellular and Molecular Immunology</i> , 2021, 18, 752-754.	4.8	16
12	"Sandwich" Technique of Total Urethral Reconstruction in the Laparoscopic Radical Prostatectomy: A Prospective Study. <i>Cancer Management and Research</i> , 2021, Volume 13, 2341-2347.	0.9	1
13	Modified ileal conduit intracorporeally accomplished following laparoscopic radical cystectomy with enhanced recovery protocols: experience with 48 cases. <i>Translational Andrology and Urology</i> , 2021, 10, 1596-1606.	0.6	5
14	Impact of preoperative body mass index on perioperative outcomes is optimized by enhanced recovery protocols in laparoscopic radical cystectomy with intracorporeal urinary diversion. <i>Translational Andrology and Urology</i> , 2021, 10, 2008-2018.	0.6	3
15	A new and practical surgical technique of transvaginal natural orifice specimen extraction surgery (NOSES) in laparoscopic nephroureterectomy—an initial clinical experience. <i>Journal of Surgical Oncology</i> , 2021, 124, 1200-1206.	0.8	5
16	Histone methyltransferase Ezh2 negatively regulates NK cell terminal maturation and function. <i>Journal of Leukocyte Biology</i> , 2021, 110, 1033-1045.	1.5	7
17	Transvaginal natural orifice specimen extraction surgery (NOSES) in 3D laparoscopic partial or radical nephrectomy: a preliminary study. <i>BMC Urology</i> , 2021, 21, 123.	0.6	5
18	Single Position Laparoscopic Radical Nephrectomy and Tumor Thrombectomy for Left Renal Cell Carcinoma with High-Risk Mayo 0 Thrombus. <i>Urology</i> , 2021, , .	0.5	0

#	ARTICLE	IF	CITATIONS
19	The circRAB3IP Mediated by eIF4A3 and LEF1 Contributes to Enzalutamide Resistance in Prostate Cancer by Targeting miR-133a-3p/miR-133b/SGK1 Pathway. <i>Frontiers in Oncology</i> , 2021, 11, 752573.	1.3	5
20	Feasibility of single position laparoscopic radical nephrectomy and tumor thrombectomy for left renal cell carcinoma with high-risk Mayo grade 0 and 1 tumor thrombus. <i>BMC Urology</i> , 2021, 21, 181.	0.6	1
21	Comparison of survival and renal function between partial and radical laparoscopic nephrectomy for T1b renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 261-272.	1.2	11
22	Census report on Chinese urological surgeons. <i>Asian Journal of Urology</i> , 2020, 7, 149-160.	0.5	4
23	Lycopene attenuates chronic prostatitis/chronic pelvic pain syndrome by inhibiting oxidative stress and inflammation via the interaction of NF- κ B, MAPKs, and Nrf2 signaling pathways in rats. <i>Andrology</i> , 2020, 8, 747-755.	1.9	47
24	Targeting the radiation-induced TR4 nuclear receptor-mediated QKI/circZEB1/miR-141-3p/ZEB1 signaling increases prostate cancer radiosensitivity. <i>Cancer Letters</i> , 2020, 495, 100-111.	3.2	20
25	LMTK3 promotes tumorigenesis in bladder cancer via the ERK/MAPK pathway. <i>FEBS Open Bio</i> , 2020, 10, 2107-2121.	1.0	15
26	Transcription factor YY1 mediates epithelial \rightarrow mesenchymal transition through the TGF β ² signaling pathway in bladder cancer. <i>Medical Oncology</i> , 2020, 37, 93.	1.2	12
27	Quercetin Inhibits Epithelial-to-Mesenchymal Transition (EMT) Process and Promotes Apoptosis in Prostate Cancer via Downregulating lncRNA MALAT1. <i>Cancer Management and Research</i> , 2020, Volume 12, 1741-1750.	0.9	59
28	Quercetin reverses docetaxel resistance in prostate cancer via androgen receptor and PI3K/Akt signaling pathways. <i>International Journal of Biological Sciences</i> , 2020, 16, 1121-1134.	2.6	98
29	Efficacy and Safety of Androgen-Deprivation Therapy Combined with Docetaxel Plus Prednisone in High-Burden Metastatic Hormone-Sensitive Prostate Cancer. <i>Cancer Management and Research</i> , 2020, Volume 12, 4369-4377.	0.9	1
30	RRBP1 is highly expressed in bladder cancer and is associated with migration and invasion. <i>Oncology Letters</i> , 2020, 20, 1-1.	0.8	8
31	Comparison of laparoscopy and open radical nephrectomy of renal cell cancer. <i>Open Medicine (Poland)</i> , 2019, 14, 392-397.	0.6	5
32	Laparoscopic radical cystectomy with intracorporeal ileal conduit: one center experience and clinical outcomes. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2019, 45, 560-571.	0.7	7
33	The effects of microenergy acoustic pulses on animal model of obesity-associated stress urinary incontinence. Part 2: In situ activation of pelvic floor and urethral striated muscle progenitor cells. <i>Neurourology and Urodynamics</i> , 2019, 38, 2140-2150.	0.8	10
34	Comparison of intracorporeal and extracorporeal urinary diversions after laparoscopic radical cystectomy in females with bladder cancer. <i>World Journal of Surgical Oncology</i> , 2019, 17, 161.	0.8	3
35	Circular RNA circHIPK3 promotes cell proliferation and invasion of prostate cancer by sponging miR-193a-3p and regulating MCL1 expression. <i>Cancer Management and Research</i> , 2019, Volume 11, 1415-1423.	0.9	61
36	New therapy with XLQ to suppress chronic prostatitis through its anti-inflammatory and antioxidative activities. <i>Journal of Cellular Physiology</i> , 2019, 234, 17570-17577.	2.0	12

#	ARTICLE	IF	CITATIONS
37	The methods and techniques of identifying renal pedicle vessels during retroperitoneal laparoscopic radical and partial nephrectomy. <i>World Journal of Surgical Oncology</i> , 2019, 17, 38.	0.8	11
38	Whole-genome sequencing identifies ADGRG6 enhancer mutations and FRS2 duplications as angiogenesis-related drivers in bladder cancer. <i>Nature Communications</i> , 2019, 10, 720.	5.8	57
39	The long-term efficacy of one-shot neoadjuvant intra-arterial chemotherapy combined with radical cystectomy versus radical cystectomy alone for bladder cancer: a propensity-score matching study. <i>BMC Urology</i> , 2019, 19, 117.	0.6	3
40	IMP3 is a biomarker for non-muscle-invasive urothelial carcinoma of the bladder associated with an aggressive phenotype. <i>Medicine (United States)</i> , 2019, 98, e16009.	0.4	9
41	Application of intraoperative ultrasonography in retroperitoneal laparoscopic partial nephrectomy: A single-center experience of recent 199 cases. <i>Endoscopic Ultrasound</i> , 2019, 8, 118.	0.6	10
42	Self-retaining barbed suture reduces warm ischemia time during laparoscopic partial nephrectomy. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2018, 27, 272-277.	0.6	10
43	Surgical techniques for facilitating laparoscopic intracorporeal orthotopic neobladder: initial experience. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018, 44, 1156-1165.	0.7	2
44	Expression of CD74 in bladder cancer and its suppression in association with cancer proliferation, invasion and angiogenesis in HT-1376 cells. <i>Oncology Letters</i> , 2018, 15, 7631-7638.	0.8	14
45	Comparison of Radical Nephroureterectomy and Partial Ureterectomy for the Treatment of Upper Tract Urothelial Carcinoma. <i>BioMed Research International</i> , 2018, 2018, 1-7.	0.9	4
46	Regulation of Spontaneous Contractions in Intact Rat Bladder Strips and the Effects of Hydrogen Peroxide. <i>BioMed Research International</i> , 2018, 2018, 1-9.	0.9	4
47	Increased H2S and its synthases in urothelial cell carcinoma of the bladder, and enhanced cisplatin-induced apoptosis following H2S inhibition in EJ cells. <i>Oncology Letters</i> , 2018, 15, 8484-8490.	0.8	17
48	Laparoscopic appendiceal interposition pyeloplasty for long ureteric strictures in children. <i>Journal of Pediatric Urology</i> , 2018, 14, 551.e1-551.e5.	0.6	15
49	Galanin suppresses proliferation of human U251 and T98G glioma cells via its subtype 1 receptor. <i>Biological Chemistry</i> , 2017, 398, 1127-1139.	1.2	8
50	Penoscrotal Strangulation Caused by a Steel Ring: A Case Report. <i>Sexual Medicine</i> , 2017, 5, e131-e133.	0.9	5
51	An insertable low-cost continuum tool for shape sensing. , 2017, , .		1
52	Design of a haptic master device for teleoperation applications. , 2017, , .		3
53	Anti-proliferative activities of finasteride in benign prostate epithelial cells require stromal fibroblasts and c-Jun gene. <i>PLoS ONE</i> , 2017, 12, e0172233.	1.1	8
54	Metanephric Adenofibroma in a young adult. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2017, 43, 563-565.	0.7	2

#	ARTICLE	IF	CITATIONS
55	Rupture of ectopic renal arterial pseudoaneurysm after percutaneous nephrolithotomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2016, 42, 845-847.	0.7	2
56	“Total reconstruction” of the urethrovesical anastomosis contributes to early urinary continence in laparoscopic radical prostatectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2016, 42, 215-222.	0.7	6
57	Author Reply. <i>Urology</i> , 2016, 90, 105.	0.5	0
58	Blood shortages and donation in China. <i>Lancet, The</i> , 2016, 387, 1905-1906.	6.3	13
59	Feasibility of Pure Conventional Retroperitoneal Laparoscopic Radical Nephrectomy With Level II Vena Caval Tumor Thrombectomy. <i>Urology</i> , 2016, 90, 101-105.	0.5	12
60	Quercetin inhibits angiogenesis through thrombospondin-1 upregulation to antagonize human prostate cancer PC-3 cell growth in vitro and in vivo. <i>Oncology Reports</i> , 2016, 35, 1602-1610.	1.2	52
61	IKK inhibitor suppresses epithelial-mesenchymal transition and induces cell death in prostate cancer. <i>Oncology Reports</i> , 2016, 36, 1658-1664.	1.2	15
62	COP1 is downregulated in renal cell carcinoma (RCC) and inhibits the migration of RCC ACHN cells in vitro. <i>Molecular Medicine Reports</i> , 2016, 14, 1371-1378.	1.1	9
63	Urine gamma-synuclein as a biomarker for the diagnosis of bladder cancer. <i>Oncotarget</i> , 2016, 7, 43432-43441.	0.8	14
64	Quercetin in prostate cancer: Chemotherapeutic and chemopreventive effects, mechanisms and clinical application potential (Review). <i>Oncology Reports</i> , 2015, 33, 2659-2668.	1.2	79
65	Combination of Quercetin and 2-Methoxyestradiol Enhances Inhibition of Human Prostate Cancer LNCaP and PC-3 Cells Xenograft Tumor Growth. <i>PLoS ONE</i> , 2015, 10, e0128277.	1.1	44
66	Pure Conventional Laparoscopic Radical Nephrectomy with Level II Vena Cava Tumor Thrombectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014, 40, 266-273.	0.7	18
67	Postoperative spindle cell nodule of the bladder: A case report and review of the literature. <i>Oncology Letters</i> , 2014, 7, 1507-1510.	0.8	8
68	Sarcomatoid carcinoma of the renal pelvis: A case report. <i>Oncology Letters</i> , 2014, 8, 1208-1210.	0.8	5
69	Identification of β -Synuclein as a Stage-Specific Marker in Bladder Cancer by Immunohistochemistry. <i>Medical Science Monitor</i> , 2014, 20, 2550-2555.	0.5	12
70	Retroperitoneal laparoendoscopic single-site ureterolithotomy versus conventional laparoscopic ureterolithotomy. <i>Chinese Medical Journal</i> , 2014, 127, 865-8.	0.9	0
71	Port-site metastasis after retroperitoneal laparoscopic nephroureterectomy for renal pelvic cancer. <i>Chinese Medical Journal</i> , 2014, 127, 3678-9.	0.9	0
72	Quercetin synergizes with 2-methoxyestradiol inhibiting cell growth and inducing apoptosis in human prostate cancer cells. <i>Oncology Reports</i> , 2013, 30, 357-363.	1.2	36

#	ARTICLE	IF	CITATIONS
73	Intraoperative Ultrasonography: A Useful Tool In Retrolaparoscopic Nephron-Sparing Surgery. <i>Urologia Internationalis</i> , 2012, 88, 338-342.	0.6	14
74	Laparoscopic simple prostatectomy with prostatic urethra preservation for benign prostatic hyperplasia. <i>Translational Andrology and Urology</i> , 2012, 1, 9-13.	0.6	9
75	Radical nephrectomy using a chevron incision to treat complicated renal carcinoma: a report of 15 cases. <i>Chinese Journal of Clinical Oncology</i> , 2008, 5, 286-289.	0.0	0