

# Klaus A Miczek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3686966/publications.pdf>

Version: 2024-02-01

151  
papers

10,261  
citations

23500

58  
h-index

40881

93  
g-index

155  
all docs

155  
docs citations

155  
times ranked

6911  
citing authors

#	ARTICLE	IF	CITATIONS
1	Social defeat stress selectively alters mesocorticolimbic dopamine release: an in vivo microdialysis study. <i>Brain Research</i> , 1996, 721, 140-149.	1.1	441
2	Social and neural determinants of aggressive behavior: pharmacotherapeutic targets at serotonin, dopamine and ?-aminobutyric acid systems. <i>Psychopharmacology</i> , 2002, 163, 434-458.	1.5	369
3	A new test for aggression in rats without aversive stimulation: Differential effects of d-amphetamine and cocaine. <i>Psychopharmacology</i> , 1979, 60, 253-259.	1.5	360
4	Aggressive Behavior, Increased Accumbal Dopamine, and Decreased Cortical Serotonin in Rats. <i>Journal of Neuroscience</i> , 2000, 20, 9320-9325.	1.7	314
5	Persistent Escalation of Alcohol Drinking in C57BL/6J Mice With Intermittent Access to 20% Ethanol. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 1938-1947.	1.4	300
6	Repeated social-defeat stress, cocaine or morphine. <i>Psychopharmacology</i> , 2001, 158, 388-398.	1.5	298
7	Social stress, therapeutics and drug abuse: Preclinical models of escalated and depressed intake. , 2008, 120, 102-128.		285
8	Long-term impairment of autonomic circadian rhythms after brief intermittent social stress. <i>Physiology and Behavior</i> , 1993, 53, 983-993.	1.0	271
9	Escalated aggressive behavior: Dopamine, serotonin and GABA. <i>European Journal of Pharmacology</i> , 2005, 526, 51-64.	1.7	251
10	Ventral tegmental area dopamine revisited: effects of acute and repeated stress. <i>Psychopharmacology</i> , 2016, 233, 163-186.	1.5	201
11	Neurobiology of Escalated Aggression and Violence. <i>Journal of Neuroscience</i> , 2007, 27, 11803-11806.	1.7	192
12	Stress in adolescence and drugs of abuse in rodent models: Role of dopamine, CRF, and HPA axis. <i>Psychopharmacology</i> , 2014, 231, 1557-1580.	1.5	173
13	Neurogenetics of Aggressive Behavior: Studies in Rodents. <i>Current Topics in Behavioral Neurosciences</i> , 2013, 17, 3-44.	0.8	165
14	Neurosteroids, GABAA receptors, and escalated aggressive behavior. <i>Hormones and Behavior</i> , 2003, 44, 242-257.	1.0	163
15	Intense cocaine self-administration after episodic social defeat stress, but not after aggressive behavior: dissociation from corticosterone activation. <i>Psychopharmacology</i> , 2005, 183, 331-340.	1.5	154
16	Escalated or Suppressed Cocaine Reward, Tegmental BDNF, and Accumbal Dopamine Caused by Episodic versus Continuous Social Stress in Rats. <i>Journal of Neuroscience</i> , 2011, 31, 9848-9857.	1.7	150
17	Aggression Escalated by Social Instigation or by Discontinuation of Reinforcement (â€œFrustrationâ€) in Mice Inhibition by Anpirtoline: A 5-HT1B Receptor Agonist. <i>Neuropsychopharmacology</i> , 2002, 27, 171-181.	2.8	135
18	Aggression and defeat: persistent effects on cocaine self-administration and gene expression in peptidergic and aminergic mesocorticolimbic circuits. <i>Neuroscience and Biobehavioral Reviews</i> , 2004, 27, 787-802.	2.9	127

#	ARTICLE	IF	CITATIONS
19	Fighting Females: Neural and Behavioral Consequences of Social Defeat Stress in Female Mice. <i>Biological Psychiatry</i> , 2019, 86, 657-668.	0.7	121
20	Brief Social Defeat Stress: Long Lasting Effects on Cocaine Taking During a Binge and Zif268 mRNA Expression in the Amygdala and Prefrontal Cortex. <i>Neuropsychopharmacology</i> , 2005, 30, 310-321.	2.8	110
21	Brain serotonin receptors and transporters: initiation vs. termination of escalated aggression. <i>Psychopharmacology</i> , 2011, 213, 183-212.	1.5	109
22	Persistent suppression of ethanol self-administration by brief social stress in rats and increased startle response as index of withdrawal. <i>Physiology and Behavior</i> , 2001, 73, 301-311.	1.0	108
23	Long Ultrasonic Calls in Male Rats Following Mating, Defeat and Aversive Stimulation: Frequency Modulation and Bout Structure. <i>Behaviour</i> , 1991, 119, 127-142.	0.4	105
24	Alcohol, allopregnanolone and aggression in mice. <i>Psychopharmacology</i> , 2001, 153, 473-483.	1.5	103
25	GABA <sub>B</sub> Receptor Modulation of Serotonin Neurons in the Dorsal Raphe Nucleus and Escalation of Aggression in Mice. <i>Journal of Neuroscience</i> , 2010, 30, 11771-11780.	1.7	98
26	Alcohol-heightened aggression in mice: attenuation by 5-HT 1A receptor agonists. <i>Psychopharmacology</i> , 1998, 139, 160-168.	1.5	97
27	Maternal separation stress in male mice: long-term increases in alcohol intake. <i>Psychopharmacology</i> , 2008, 201, 459-468.	1.5	95
28	Social defeat stress in rats: escalation of cocaine and $\alpha$ -methyl-L-tyrosine binge self-administration, but not heroin. <i>Psychopharmacology</i> , 2011, 215, 165-175.	1.5	93
29	Withdrawal from a self-administered or non-contingent cocaine binge: differences in ultrasonic distress vocalizations in rats. <i>Psychopharmacology</i> , 1998, 136, 402-408.	1.5	90
30	Behavioral and Pharmacogenetics of Aggressive Behavior. <i>Current Topics in Behavioral Neurosciences</i> , 2011, 12, 73-138.	0.8	89
31	Identification of Serotonergic Neuronal Modules that Affect Aggressive Behavior. <i>Cell Reports</i> , 2016, 17, 1934-1949.	2.9	89
32	Serotonin and aggressive behavior in rodents and nonhuman primates: Predispositions and plasticity. <i>European Journal of Pharmacology</i> , 2005, 526, 259-273.	1.7	88
33	Tolerance to the analgesic, but not discriminative stimulus effects of morphine after brief social defeat in rats. <i>Psychopharmacology</i> , 1991, 104, 181-186.	1.5	87
34	Repeated brief social defeat episodes in mice: Effects on cell proliferation in the dentate gyrus. <i>Behavioural Brain Research</i> , 2006, 172, 344-350.	1.2	86
35	Social Stress and CRF Dopamine Interactions in the VTA: Role in Long-Term Escalation of Cocaine Self-Administration. <i>Journal of Neuroscience</i> , 2014, 34, 6659-6667.	1.7	85
36	Oral drug self-administration in the home cage of mice: alcohol-heightened aggression and inhibition by the 5-HT 1B agonist anpirtoline. <i>Psychopharmacology</i> , 2001, 157, 421-429.	1.5	84

#	ARTICLE	IF	CITATIONS
37	Sex differences in behavioral and neural cross-sensitization and escalated cocaine taking as a result of episodic social defeat stress in rats. <i>Psychopharmacology</i> , 2012, 224, 179-188.	1.5	84
38	Excessive aggression as model of violence: a critical evaluation of current preclinical methods. <i>Psychopharmacology</i> , 2013, 226, 445-458.	1.5	84
39	Social status as determinant of alcohol effects on aggressive behavior in squirrel monkeys (Saimiri) Tj ETQq1 1 0.784314 rgBT /Overlo	1.5	82
40	Behavioral sensitization to cocaine after a brief social defeat stress: c-fos expression in the PAG. <i>Psychopharmacology</i> , 1999, 141, 225-234.	1.5	82
41	Distress vocalizations in maternally separated mouse pups: modulation via 5-HT 1A , 5-HT 1B and GABA A receptors. <i>Psychopharmacology</i> , 2000, 149, 277-285.	1.5	81
42	Mechanistic Role for a Novel Glucocorticoid-KLF11 (TIEG2) Protein Pathway in Stress-induced Monoamine Oxidase A Expression. <i>Journal of Biological Chemistry</i> , 2012, 287, 24195-24206.	1.6	80
43	Withdrawal from IV cocaine "binges" in rats: ultrasonic distress calls and startle. <i>Psychopharmacology</i> , 1998, 135, 161-168.	1.5	77
44	Repeated alcohol: behavioral sensitization and alcohol-heightened aggression in mice. <i>Psychopharmacology</i> , 2002, 160, 39-48.	1.5	76
45	Prevention of social stress-escalated cocaine self-administration by CRF-R1 antagonist in the rat VTA. <i>Psychopharmacology</i> , 2011, 218, 257-269.	1.5	76
46	d-Amphetamine in squirrel monkeys of different social status: Effects on social and agonistic behavior, locomotion, and stereotypies. <i>Psychopharmacology</i> , 1983, 81, 183-190.	1.5	73
47	Zolmitriptan - a 5-HT 1B/D agonist, alcohol, and aggression in mice. <i>Psychopharmacology</i> , 2001, 157, 131-141.	1.5	73
48	Long-lasting alteration in mesocorticolimbic structures after repeated social defeat stress in rats: time course of $\mu$ -opioid receptor mRNA and FosB/l" FosB immunoreactivity. <i>European Journal of Neuroscience</i> , 2008, 27, 2272-2284.	1.2	72
49	Two modes of intense cocaine bingeing: increased persistence after social defeat stress and increased rate of intake due to extended access conditions in rats. <i>Psychopharmacology</i> , 2009, 206, 109-120.	1.5	72
50	Blunted accumbal dopamine response to cocaine following chronic social stress in female rats: exploring a link between depression and drug abuse. <i>Psychopharmacology</i> , 2011, 218, 271-279.	1.5	71
51	Escalated Aggressive Behavior: New Pharmacotherapeutic Approaches and Opportunities. <i>Annals of the New York Academy of Sciences</i> , 2006, 1036, 336-355.	1.8	70
52	Social stress and escalated drug self-administration in mice I. Alcohol and corticosterone. <i>Psychopharmacology</i> , 2015, 232, 991-1001.	1.5	69
53	Increased mesocorticolimbic dopamine during acute and repeated social defeat stress: modulation by corticotropin releasing factor receptors in the ventral tegmental area. <i>Psychopharmacology</i> , 2015, 232, 4469-4479.	1.5	69
54	Alcohol and Heightened Aggression in Individual Mice. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 1698-1705.	1.4	65

#	ARTICLE	IF	CITATIONS
55	Episodic Social Stress-Escalated Cocaine Self-Administration: Role of Phasic and Tonic Corticotropin Releasing Factor in the Anterior and Posterior Ventral Tegmental Area. <i>Journal of Neuroscience</i> , 2016, 36, 4093-4105.	1.7	65
56	Habituation of aggression in mice: Pharmacological evidence of catecholaminergic and serotonergic mediation. <i>Psychopharmacology</i> , 1983, 81, 286-291.	1.5	63
57	Regional serotonin and dopamine activity: Sensitivity to amphetamine and aggressive behavior in mice. <i>Aggressive Behavior</i> , 1990, 16, 259-270.	1.5	61
58	Anti-aggressive effects of agonists at 5-HT1B receptors in the dorsal raphe nucleus of mice. <i>Psychopharmacology</i> , 2007, 193, 295-304.	1.5	61
59	NMDA receptors in the rat VTA: a critical site for social stress to intensify cocaine taking. <i>Psychopharmacology</i> , 2008, 197, 203-216.	1.5	61
60	Alcohol in excess: CRF1 receptors in the rat and mouse VTA and DRN. <i>Psychopharmacology</i> , 2013, 225, 313-327.	1.5	59
61	Escalation of cocaine self-administration in adulthood after social defeat of adolescent rats: role of social experience and adaptive coping behavior. <i>Psychopharmacology</i> , 2015, 232, 3067-3079.	1.5	58
62	Behavioral sensitization to cocaine after a brief social stress is accompanied by changes in Fos expression in the murine brainstem. <i>Brain Research</i> , 1998, 810, 200-210.	1.1	57
63	Maternal aggression in mice and rats towards male and female conspecifics. <i>Aggressive Behavior</i> , 1989, 15, 443-453.	1.5	56
64	Corticotropin Releasing Factor Binding Protein and <sc>CRF</sc><sub>2</sub> Receptors in the Ventral Tegmental Area: Modulation of Ethanol Binge Drinking in <sc>C</sc>57<sc>BL</sc>/6j Mice. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 1609-1618.	1.4	56
65	Escalated Aggression after Alcohol Drinking in Male Mice: Dorsal Raphe and Prefrontal Cortex Serotonin and 5-HT1B Receptors. <i>Neuropsychopharmacology</i> , 2008, 33, 2888-2899.	2.8	54
66	Social stress-escalated intermittent alcohol drinking: modulation by CRF-R1 in the ventral tegmental area and accumbal dopamine in mice. <i>Psychopharmacology</i> , 2016, 233, 681-690.	1.5	54
67	Non-pharmacological factors that determine drug use and addiction. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 110, 3-27.	2.9	54
68	Social instigation and aggressive behavior in mice: role of 5-HT1A and 5-HT1B receptors in the prefrontal cortex. <i>Psychopharmacology</i> , 2008, 201, 237-248.	1.5	53
69	Differences in Aggressive Behavior and DNA Copy Number Variants Between BALB/cj and BALB/cByJ Substrains. <i>Behavior Genetics</i> , 2010, 40, 201-210.	1.4	53
70	Alcohol and violence: neuropeptidergic modulation of monoamine systems. <i>Annals of the New York Academy of Sciences</i> , 2015, 1349, 96-118.	1.8	53
71	Individual differences in anhedonic and accumbal dopamine responses to chronic social stress and their link to cocaine self-administration in female rats. <i>Psychopharmacology</i> , 2015, 232, 825-834.	1.5	52
72	Prevention of the pro-aggressive effects of alcohol in rats and squirrel monkeys by benzodiazepine receptor antagonists. <i>Psychopharmacology</i> , 1993, 111, 144-152.	1.5	51

#	ARTICLE	IF	CITATIONS
73	Social defeat stress, sensitization, and intravenous cocaine self-administration in mice. <i>Psychopharmacology</i> , 2007, 192, 261-273.	1.5	50
74	Glutamatergic and GABAergic modulations of ultrasonic vocalizations during maternal separation distress in mouse pups. <i>Psychopharmacology</i> , 2009, 204, 61-71.	1.5	50
75	Social defeat stress and escalation of cocaine and alcohol consumption: Focus on CRF. <i>Neurobiology of Stress</i> , 2018, 9, 151-165.	1.9	50
76	Glutamate Input in the Dorsal Raphe Nucleus As a Determinant of Escalated Aggression in Male Mice. <i>Journal of Neuroscience</i> , 2015, 35, 6452-6463.	1.7	47
77	Social defeat stress-induced sensitization and escalated cocaine self-administration: the role of ERK signaling in the rat ventral tegmental area. <i>Psychopharmacology</i> , 2015, 232, 1555-1569.	1.5	47
78	Stress and rodent models of drug addiction: role of VTAâ€“accumbensâ€“PFCâ€“amygdala circuit. <i>Drug Discovery Today: Disease Models</i> , 2008, 5, 259-270.	1.2	45
79	GABAA receptors in the dorsal raphe nucleus of mice: escalation of aggression after alcohol consumption. <i>Psychopharmacology</i> , 2010, 211, 467-477.	1.5	44
80	Social rank and social separation as determinants of alcohol drinking in squirrel monkeys. <i>Psychopharmacology</i> , 2008, 201, 137-145.	1.5	43
81	Morphine effects on maternal aggression, pup care and analgesia in mice. <i>Psychopharmacology</i> , 1989, 98, 68-74.	1.5	42
82	Social instigation and aggression in postpartum female rats: role of 5-Ht1A and 5-Ht1B receptors in the dorsal raphe nucleus and prefrontal cortex. <i>Psychopharmacology</i> , 2011, 213, 475-487.	1.5	41
83	Reduction of excessive alcohol drinking by a novel GABAB receptor positive allosteric modulator ADX71441 in mice. <i>Psychopharmacology</i> , 2014, 231, 333-343.	1.5	40
84	NMDA receptor antagonism: escalation of aggressive behavior in alcohol-drinking mice. <i>Psychopharmacology</i> , 2012, 224, 167-177.	1.5	39
85	Social stress and escalated drug self-administration in mice II. Cocaine and dopamine in the nucleus accumbens. <i>Psychopharmacology</i> , 2015, 232, 1003-1010.	1.5	39
86	Escalated aggression in animal models: shedding new light on mesocorticolimbic circuits. <i>Current Opinion in Behavioral Sciences</i> , 2015, 3, 90-95.	2.0	38
87	Persistent escalation of alcohol consumption by mice exposed to brief episodes of social defeat stress: suppression by CRF-R1 antagonism. <i>Psychopharmacology</i> , 2018, 235, 1807-1820.	1.5	38
88	Effects of $\mu$ and $\kappa$ opioid agonists and antagonists on affective vocal and reflexive pain responses during social stress in rats. <i>Psychopharmacology</i> , 1998, 139, 364-375.	1.5	37
89	Interactions between social stress and morphine in the periaqueductal gray: effects on affective vocal and reflexive pain responses in rats. <i>Psychopharmacology</i> , 1999, 146, 153-161.	1.5	37
90	Increased accumbal dopamine during daily alcohol consumption and subsequent aggressive behavior in rats. <i>Psychopharmacology</i> , 2007, 191, 679-688.	1.5	37

#	ARTICLE	IF	CITATIONS
91	Aggression and increased glutamate in the mPFC during withdrawal from intermittent alcohol in outbred mice. <i>Psychopharmacology</i> , 2015, 232, 2889-2902.	1.5	37
92	Habituation of aggressive behavior in mice: A parametric study. <i>Aggressive Behavior</i> , 1984, 10, 103-113.	1.5	36
93	GABA <sub>A</sub> / $\alpha$ 1 receptor agonists and antagonists: effects on species-typical and heightened aggressive behavior after alcohol self-administration in mice. <i>Psychopharmacology</i> , 2004, 172, 255-263.	1.5	35
94	Reinstatement toward a model of relapse. <i>Psychopharmacology</i> , 2003, 168, 1-2.	1.5	33
95	Role of Alcohol Consumption in Escalation to Violence. <i>Annals of the New York Academy of Sciences</i> , 2006, 1036, 278-289.	1.8	33
96	Genetic and Environmental Influences on Ethanol Consumption: Perspectives From Preclinical Research. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 976-987.	1.4	33
97	Gene Expression in Aminergic and Peptidergic Cells During Aggression and Defeat: Relevance to Violence, Depression and Drug Abuse. <i>Behavior Genetics</i> , 2011, 41, 787-802.	1.4	32
98	The fetal brain transcriptome and neonatal behavioral phenotype in the Ts1Cje mouse model of Down syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2015, 167, 1993-2008.	0.7	32
99	Prevention and reversal of social stress-escalated cocaine self-administration in mice by intra-VTA CRFR1 antagonism. <i>Psychopharmacology</i> , 2017, 234, 2813-2821.	1.5	31
100	Aggression during morphine withdrawal: Effects of method of withdrawal, fighting experience, and social role. <i>Psychopharmacology</i> , 1986, 90, 451-6.	1.5	30
101	Primate vocalizations during social separation and aggression: effects of alcohol and benzodiazepines. <i>Psychopharmacology</i> , 1996, 127, 255-264.	1.5	29
102	A Role for Prefrontal Cortical NMDA Receptors in Murine Alcohol-Heightened Aggression. <i>Neuropsychopharmacology</i> , 2018, 43, 1224-1234.	2.8	29
103	Stereotyped and complex motor routines expressed during cocaine self-administration: results from a 24-h binge of unlimited cocaine access in rats. <i>Psychopharmacology</i> , 2007, 192, 465-478.	1.5	28
104	Prevention of Alcohol-Heightened Aggression by CRF-R1 Antagonists in Mice: Critical Role for DRN-PFC Serotonin Pathway. <i>Neuropsychopharmacology</i> , 2014, 39, 2874-2883.	2.8	28
105	5-HT <sub>1B</sub> receptor inhibition of alcohol-heightened aggression in mice: comparison to drinking and running. <i>Psychopharmacology</i> , 2008, 197, 145-156.	1.5	27
106	Effects of alcohol on aggressive behavior in squirrel monkeys: influence of testosterone and social context. <i>Psychopharmacology</i> , 1988, 95, 356-63.	1.5	26
107	Behavioral characterization of escalated aggression induced by GABA <sub>B</sub> receptor activation in the dorsal raphe nucleus. <i>Psychopharmacology</i> , 2012, 224, 155-166.	1.5	26
108	CRF type 1 receptor antagonism in ventral tegmental area of adolescent rats during social defeat: prevention of escalated cocaine self-administration in adulthood and behavioral adaptations during adolescence. <i>Psychopharmacology</i> , 2016, 233, 2727-2736.	1.5	25

#	ARTICLE	IF	CITATIONS
109	Corticotropin Releasing Factor in the Bed Nucleus of the Stria Terminalis in Socially Defeated and Non-stressed Mice with a History of Chronic Alcohol Intake. <i>Frontiers in Pharmacology</i> , 2017, 8, 762.	1.6	24
110	Challenges for translational psychopharmacology research—some basic principles. <i>Psychopharmacology</i> , 2008, 199, 291-301.	1.5	23
111	Social Stimulus Causes Aberrant Activation of the Medial Prefrontal Cortex in a Mouse Model With Autism-Like Behaviors. <i>Frontiers in Synaptic Neuroscience</i> , 2018, 10, 35.	1.3	23
112	Escalated cocaine “binges” in rats: enduring effects of social defeat stress or intra-VTA CRF. <i>Psychopharmacology</i> , 2017, 234, 2823-2836.	1.5	22
113	The Urge to Fight: Persistent Escalation by Alcohol and Role of NMDA Receptors in Mice. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 206.	1.0	22
114	Long-term citalopram maintenance in mice: selective reduction of alcohol-heightened aggression. <i>Psychopharmacology</i> , 2008, 196, 407-416.	1.5	21
115	5-HT1B mRNA expression after chronic social stress. <i>Behavioural Brain Research</i> , 2011, 224, 350-357.	1.2	21
116	Implants of testosterone into the septal forebrain activate aggressive behavior in male mice. <i>Aggressive Behavior</i> , 1990, 16, 249-258.	1.5	19
117	Repeated limited access to IV cocaine self-administration: conditioned autonomic rhythmicity illustrating “predictive homeostasis”. <i>Psychopharmacology</i> , 1999, 145, 144-152.	1.5	19
118	Dissociation of $\mu$ -opioid receptor and $\kappa$ -CRF $\kappa$ -R1 antagonist effects on escalated ethanol consumption and $mPFC$ serotonin in $C57BL/6J$ mice. <i>Addiction Biology</i> , 2016, 21, 111-124.	1.4	18
119	Persistent increase of I.V. cocaine self-administration in a subgroup of C57BL/6J male mice after social defeat stress. <i>Psychopharmacology</i> , 2019, 236, 2027-2037.	1.5	18
120	Translational models of adaptive and excessive fighting: an emerging role for neural circuits in pathological aggression. <i>F1000Research</i> , 2019, 8, 963.	0.8	18
121	$\delta$ -containing GABA(A) receptors: a requirement for midazolam-escalated aggression and social approach in mice. <i>Psychopharmacology</i> , 2015, 232, 4359-4369.	1.5	17
122	Reward sensitivity deficits in a rat model of compulsive eating behavior. <i>Neuropsychopharmacology</i> , 2020, 45, 589-596.	2.8	17
123	Aggression-reducing effects of F15599, a novel selective 5-HT1A receptor agonist, after microinjection into the ventral orbital prefrontal cortex, but not in infralimbic cortex in male mice. <i>Psychopharmacology</i> , 2013, 230, 375-387.	1.5	15
124	Behavioral phenotyping and dopamine dynamics in mice with conditional deletion of the glutamate transporter GLT-1 in neurons: resistance to the acute locomotor effects of amphetamine. <i>Psychopharmacology</i> , 2018, 235, 1371-1387.	1.5	15
125	Heightened aggression after chronic flunitrazepam in male rats: potential links to cortical and caudate “putamen-binding sites. <i>Psychopharmacology</i> , 2008, 197, 309-318.	1.5	13
126	Serotonin and Aggression. <i>Handbook of Behavioral Neuroscience</i> , 2010, 21, 687-713.	0.7	13



#	ARTICLE	IF	CITATIONS
127	Capturing Individual Differences: Challenges in Animal Models of Posttraumatic Stress Disorder and Drug Abuse. <i>Biological Psychiatry</i> , 2015, 78, 816-818.	0.7	13
128	Emerging threats in addiction: will novel psychoactive substances contribute to exacerbating the ongoing drug overdose epidemic?. <i>Psychopharmacology</i> , 2019, 236, 839-843.	1.5	12
129	Recovery of stress-impaired social behavior by an antagonist of the CRF binding protein, CRF6 <sup>~</sup> 33, in the bed nucleus of the stria terminalis of male rats. <i>Behavioural Brain Research</i> , 2019, 357-358, 104-110.	1.2	12
130	Effects of <i>Gabra2</i> Point Mutations on Alcohol Intake: Increased Binge-Like and Blunted Chronic Drinking by Mice. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 2445-2455.	1.4	10
131	Hypoactive Thalamic Crh+ Cells in a Female Mouse Model of Alcohol Drinking After Social Trauma. <i>Biological Psychiatry</i> , 2021, 90, 563-574.	0.7	9
132	Nicotine psychopharmacology research: advancing science, public health, and global policy. <i>Psychopharmacology</i> , 2006, 184, 263-265.	1.5	8
133	Ascent of the kappa-opioid receptor in psychopharmacology. <i>Psychopharmacology</i> , 2010, 210, 107-108.	1.5	8
134	Maladaptive choices by defeated rats: link between rapid approach to social threat and escalated cocaine self-administration. <i>Psychopharmacology</i> , 2016, 233, 3173-3186.	1.5	7
135	Landmark publications in Psychopharmacology: the first 40 years. <i>Psychopharmacology</i> , 2001, 153, 399-401.	1.5	5
136	Dissociation of consummatory and vocal components of feeding in squirrel monkeys treated with benzodiazepines and alcohol. <i>Psychopharmacology</i> , 1998, 139, 117-127.	1.5	4
137	Alcohol, psychomotor-stimulants and behaviour: methodological considerations in preclinical models of early-life stress. <i>Psychopharmacology</i> , 2018, 235, 909-933.	1.5	4
138	Separate neural sites for d-amphetamine suppression of mouse killing and feeding behavior in rats. <i>Aggressive Behavior</i> , 1983, 9, 353-363.	1.5	3
139	Editorial: Reporting guidelines for psychopharmacology. <i>Psychopharmacology</i> , 2016, 233, 1131-1134.	1.5	3
140	The Molecular-Container Calabadiion-2 Prevents Methamphetamine-Induced Reinstatement in Rats: A Potential Approach to Relapse Prevention?. <i>International Journal of Neuropsychopharmacology</i> , 2020, 23, 401-405.	1.0	3
141	Effect of social instigation and aggressive behavior on hormone levels of lactating dams and adult male Wistar rats.. <i>Psychology and Neuroscience</i> , 2011, 4, 103-113.	0.5	2
142	Fos expression in the prefrontal cortex and mesencephalic dorsal raphe nucleus in lactating rats after social instigation.. <i>Psychology and Neuroscience</i> , 2013, 6, 115-121.	0.5	2
143	Neurobiological Bases of Alcohol Consumption After Social Stress. <i>Current Topics in Behavioral Neurosciences</i> , 2021, , 1.	0.8	2
144	The neurochemistry of defensive behavior and fear. <i>Behavioral and Brain Sciences</i> , 1980, 3, 313-314.	0.4	1

#	ARTICLE	IF	CITATIONS
145	The Case for Basic Research on the Psychopharmacology of Aggression. Journal of Clinical Psychopharmacology, 2012, 32, 1-2.	0.7	1
146	Ethopharmacology of social conflict and communication: anxiolytics, antidepressants, antipsychotics, and analgesics introduction. Psychopharmacology, 1989, 97, 141-141.	1.5	0
147	The ameliorating addict: An illusion reviewed. Behavioral and Brain Sciences, 1996, 19, 575-576.	0.4	0
148	Genes, drugs and behavior: polygenic behavioral phenotypes and single gene manipulations. Psychopharmacology, 1999, 147, 1-1.	1.5	0
149	Charles R. (Bob) Schuster, 1930-2011. Psychopharmacology, 2011, 217, 1-2.	1.5	0
150	Psychopharmacology in its 60th year. Psychopharmacology, 2019, 236, 3383-3384.	1.5	0
151	Direct CRFR1 antagonism within the VTA prevents the induction and expression of neural cross-sensitization to cocaine caused by social defeat stress. FASEB Journal, 2013, 27, 659.9.	0.2	0