Chi-Tung Cheng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3687313/publications.pdf

Version: 2024-02-01

84 1,236 19 30 g-index

92 92 92 2075 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Application of a deep learning algorithm for detection and visualization of hip fractures on plain pelvic radiographs. European Radiology, 2019, 29, 5469-5477.	4.5	183
2	Antitumor activity of the combination of an HSP90 inhibitor and a PI3K/mTOR dual inhibitor against cholangiocarcinoma. Oncotarget, 2014, 5, 2372-2389.	1.8	58
3	Aggressive Surgical Approach for Patients with T4 Gastric Carcinoma: Promise or Myth?. Annals of Surgical Oncology, 2011, 18, 1606-1614.	1.5	51
4	ALDH1A3, the Major Aldehyde Dehydrogenase Isoform in Human Cholangiocarcinoma Cells, Affects Prognosis and Gemcitabine Resistance in Cholangiocarcinoma Patients. Clinical Cancer Research, 2016, 22, 4225-4235.	7.0	44
5	Subtraction of Epstein–Barr virus and microsatellite instability genotypes from the Lauren histotypes: Combined molecular and histologic subtyping with clinicopathological and prognostic significance validated in a cohort of 1,248 cases. International Journal of Cancer, 2019, 145, 3218-3230.	5.1	40
6	A scalable physician-level deep learning algorithm detects universal trauma on pelvic radiographs. Nature Communications, 2021, 12, 1066.	12.8	40
7	Lipocalin 2 (LCN2) is a promising target for cholangiocarcinoma treatment and bile LCN2 level is a potential cholangiocarcinoma diagnostic marker. Scientific Reports, 2016, 6, 36138.	3.3	37
8	Long-term Outcomes of Endovascular and Open Repair for Traumatic Thoracic Aortic Injury. JAMA Network Open, 2019, 2, e187861.	5.9	29
9	Sunitinib for Taiwanese patients with gastrointestinal stromal tumor after imatinib treatment failure or intolerance. World Journal of Gastroenterology, 2011, 17, 2113.	3. 3	27
10	Integrating Bioinformatics and Clinicopathological Research of Gastrointestinal Stromal Tumors: Identification of Aurora Kinase A as a Poor Risk Marker. Annals of Surgical Oncology, 2012, 19, 3491-3499.	1.5	26
11	Fas/Fas Ligand Mediates Keratinocyte Death in Sunitinib-Induced Hand-Foot Skin Reaction. Journal of Investigative Dermatology, 2014, 134, 2768-2775.	0.7	25
12	Weakly Supervised Universal Fracture Detection in Pelvic X-Rays. Lecture Notes in Computer Science, 2019, , 459-467.	1.3	25
13	Imatinib Mesylate for Patients with Recurrent or Metastatic Gastrointestinal Stromal Tumors Expressing KIT: A Decade Experience from Taiwan. Translational Oncology, 2011, 4, 328-335.	3.7	24
14	Pain relief from combined wound and intraperitoneal local anesthesia for patients who undergo laparoscopic cholecystectomy. BMC Surgery, 2014, 14, 28.	1.3	24
15	The clinicopathological and molecular analysis of gastric cancer with altered SMARCA4 expression. Histopathology, 2020, 77, 250-261.	2.9	24
16	Identification of aurora kinase A as an unfavorable prognostic factor and potential treatment target for metastatic gastrointestinal stromal tumors. Oncotarget, 2014, 5, 4071-4086.	1.8	24
17	Prospective Evaluation of Neoadjuvant Imatinib Use in Locally Advanced Gastrointestinal Stromal Tumors: Emphasis on the Optimal Duration of Neoadjuvant Imatinib Use, Safety, and Oncological Outcome. Cancers, 2019, 11, 424.	3.7	23
18	Artificial intelligence-based education assists medical students' interpretation of hip fracture. Insights Into Imaging, 2020, 11, 119.	3.4	23

#	Article	IF	Citations
19	Deep neural network trained on gigapixel images improves lymph node metastasis detection in clinical settings. Nature Communications, 2022, 13, .	12.8	21
20	Natural Course of Acute Cholecystitis in Patients Treated With Percutaneous Transhepatic Gallbladder Drainage Without Elective Cholecystectomy. Journal of Gastrointestinal Surgery, 2020, 24, 772-779.	1.7	19
21	Identification of MALT1 as both a prognostic factor and a potential therapeutic target of regorafenib in cholangiocarcinoma patients. Oncotarget, 2017, 8, 113444-113459.	1.8	19
22	Outcomes of chronic subdural hematoma in patients with liver cirrhosis. Journal of Neurosurgery, 2018, 130, 302-311.	1.6	17
23	Right hospital, right patients: Penetrating injury patients treated at high-volume penetrating trauma centers have lower mortality. Journal of Trauma and Acute Care Surgery, 2019, 86, 961-966.	2.1	16
24	The psoas muscle index distribution and influence of outcomes in an Asian adult trauma population: an alternative indicator for sarcopenia of acute diseases. European Journal of Trauma and Emergency Surgery, 2021, 47, 1787-1795.	1.7	16
25	An Ingestible Electronics for Continuous and Real-Time Intraabdominal Pressure Monitoring. Journal of Personalized Medicine, 2021, 11, 12.	2.5	16
26	Hospital level variations in the trends and outcomes of the nonoperative management of splenic injuries $\hat{a} \in \hat{a}$ a nationwide cohort study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 4.	2.6	15
27	Identification of SPHK1 as a therapeutic target and marker of poor prognosis in cholangiocarcinoma. Oncotarget, 2015, 6, 23594-23608.	1.8	15
28	A Prognostic Nomogram for Overall Survival of Patients After Hepatectomy for Intrahepatic Cholangiocarcinoma. Anticancer Research, 2016, 36, 4249-58.	1.1	15
29	N3 Subclassification Incorporated into the Final Pathologic Staging of Gastric Cancer. Medicine (United States), 2015, 94, e575.	1.0	14
30	Imatinib escalation or sunitinib treatment after first-line imatinib in metastatic gastrointestinal stromal tumor patients. Anticancer Research, 2014, 34, 5029-36.	1.1	14
31	A Human-Algorithm Integration System for Hip Fracture Detection on Plain Radiography: System Development and Validation Study. JMIR Medical Informatics, 2020, 8, e19416.	2.6	13
32	Dual-Incision Laparoscopic Surgery for Peritoneal Dialysis Catheter Implantation and Fixation: A Novel, Simple, and Safe Procedure. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2013, 23, 673-678.	1.0	11
33	HO-1 is a favorable prognostic factor for HBV-HCC patients who underwent hepatectomy. Cancer Management and Research, 2018, Volume 10, 6049-6059.	1.9	11
34	Nab‑paclitaxel is effective against intrahepatic cholangiocarcinoma via disruption of desmoplastic stroma. Oncology Letters, 2018, 16, 566-572.	1.8	11
35	Knowledge Distillation with Adaptive Asymmetric Label Sharpening for Semi-supervised Fracture Detection in Chest X-Rays. Lecture Notes in Computer Science, 2021, , 599-610.	1.3	11
36	Feasibility and Timing of Cytoreduction Surgery in Advanced (Metastatic or Recurrent) Gastrointestinal Stromal Tumors During the Era of Imatinib. Medicine (United States), 2015, 94, e1014.	1.0	10

#	Article	IF	CITATIONS
37	Surgical outcome evaluation of perforated gastric cancer: from the aspects of both acute care surgery and surgical oncology. Scandinavian Journal of Gastroenterology, 2017, 52, 1371-1376.	1.5	10
38	Video Coaching Improving Contemporary Technical and Nontechnical Ability in Laparoscopic Education. Journal of Surgical Education, 2020, 77, 652-660.	2.5	10
39	Evaluating the advantages of treating acute cholecystitis by following the Tokyo Guidelines 2018 (TG18): a study emphasizing clinical outcomes and medical expenditures. Surgical Endoscopy and Other Interventional Techniques, 2020, 35, 6623-6632.	2.4	10
40	Unstable Hemodynamics is not Always Predictive of Failed Nonoperative Management in Blunt Splenic Injury. World Journal of Surgery, 2020, 44, 2985-2992.	1.6	10
41	How much could a low COVID-19 pandemic change the injury trends? A single-institute, retrospective cohort study. BMJ Open, 2021, 11, e046405.	1.9	10
42	Automatic Hip Detection in Anteroposterior Pelvic Radiographs—A Labelless Practical Framework. Journal of Personalized Medicine, 2021, 11, 522.	2.5	10
43	Surgical option for intestinal gastrointestinal stromal tumorsperioperative and oncological outcomes of laparoscopic surgery. Anticancer Research, 2015, 35, 1033-40.	1.1	10
44	Pelvic injury prognosis is more closely related to vascular injury severity than anatomical fracture complexity: the WSES classification for pelvic trauma makes sense. World Journal of Emergency Surgery, 2020, 15, 48.	5.0	9
45	Fractioned Dose Regimen of Sunitinib for Patients with Gastrointestinal Stromal Tumor: A Pharmacokinetic and Treatment Efficacy Study. Translational Oncology, 2014, 7, 620-625.	3.7	8
46	The relationship between computed tomography findings and the locations of perforated peptic ulcers: it may provide better information for gastrointestinal surgeons. American Journal of Surgery, 2016, 212, 755-761.	1.8	8
47	Effects of cholecystectomy on recurrent biliary complications after endoscopic treatment of common bile duct stone: a population-based cohort study. Surgical Endoscopy and Other Interventional Techniques, 2018, 32, 1793-1801.	2.4	8
48	Regorafenib treatment outcome for Taiwanese patients with metastatic gastrointestinal stromal tumors after failure of imatinib and sunitinib: A prospective, nonâ€'randomized, singleâ€'center study. Oncology Letters, 2020, 20, 2131-2142.	1.8	8
49	The Impact of Selenium Supplementation on Trauma Patientsâ€"Systematic Review and Meta-Analysis. Nutrients, 2022, 14, 342.	4.1	8
50	MART-10 represses cholangiocarcinoma cell growth and high vitamin D receptor expression indicates better prognosis for cholangiocarcinoma. Scientific Reports, 2017, 7, 43773.	3.3	7
51	Predicting outcomes of abdominal surgical emergencies in the elderly population using a CT muscle gauge. Aging Clinical and Experimental Research, 2021, 33, 2479-2490.	2.9	7
52	CT Data Curation for Liver Patients: Phase Recognition in Dynamic Contrast-Enhanced CT. Lecture Notes in Computer Science, 2019, , 139-147.	1.3	7
53	Does Artificial Intelligence Make Clinical Decision Better? A Review of Artificial Intelligence and Machine Learning in Acute Kidney Injury Prediction. Healthcare (Switzerland), 2021, 9, 1662.	2.0	7
54	Clinical significance of pathological complete response in patients with metastatic gastrointestinal stromal tumors after imatinib mesylate treatment-lessons learned. Anticancer Research, 2014, 34, 6617-25.	1.1	7

#	Article	IF	CITATIONS
55	The Prognosis of Blunt Bowel and Mesenteric Injuryâ€"The Pitfall in the Contemporary Image Survey. Journal of Clinical Medicine, 2019, 8, 1300.	2.4	6
56	Long-term renal outcomes in patients with traumatic renal injury after nephrectomy: A nationwide cohort study. International Journal of Surgery, 2019, 65, 140-146.	2.7	6
57	Overâ€expression of TNNI3K is associated with earlyâ€stage carcinogenesis of cholangiocarcinoma. Molecular Carcinogenesis, 2019, 58, 270-278.	2.7	6
58	Potential use of peptic ulcer perforation (PULP) score as a conversion index of laparoscopic-perforated peptic ulcer (PPU) repair. European Journal of Trauma and Emergency Surgery, 2022, 48, 61-69.	1.7	6
59	Increased long-term pneumonia risk for the trauma-related splenectomized population - a population-based, propensity score matching study. Surgery, 2020, 167, 829-835.	1.9	6
60	Practical computer vision application to detect hip fractures on pelvic X-rays: a bi-institutional study. Trauma Surgery and Acute Care Open, 2021, 6, e000705.	1.6	6
61	Inequality of trauma care under a single-payer universal coverage system in Taiwan: a nationwide cohort study from the National Health Insurance Research Database. BMJ Open, 2019, 9, e032062.	1.9	5
62	Gastric cancer patients with end-stage renal disease who underwent radical gastrectomy. Anticancer Research, 2015, 35, 2263-8.	1.1	5
63	Peritumoral SPARC expression and patient outcome with resectable intrahepatic cholangiocarcinoma. OncoTargets and Therapy, 2015, 8, 1899.	2.0	4
64	METâ€'RON dual inhibitor, BMSâ€'777607, suppresses cholangiocarcinoma cell growth, and METâ€'RON upregulation indicates worse prognosis for intraâ€'hepatic cholangiocarcinoma patients. Oncology Reports, 2018, 40, 1411-1421.	2.6	4
65	An Image-Based Mobile Health App for Postdrainage Monitoring: Usability Study. Journal of Medical Internet Research, 2020, 22, e17686.	4.3	4
66	Bladeless trocar versus traditional trocar for patients undergoing laparoscopic cholecystectomy. European Surgery - Acta Chirurgica Austriaca, 2012, 44, 408-412.	0.7	3
67	Is massive hemothorax still an absolute indication for operation in blunt trauma?. Injury, 2021, 52, 225-230.	1.7	3
68	How long of a postponement in surgery can a blunt hollow viscus injury patient tolerate? A retrospective study from the National Trauma Data Bank. Surgery, 2022, 171, 526-532.	1.9	3
69	Systematic Review of Diagnostic Sensors for Intra-Abdominal Pressure Monitoring. Sensors, 2021, 21, 4824.	3.8	3
70	Diagnosisâ€Related Group (DRG)â€Based Prospective Hospital Payment System can be well adopted for Acute Care Surgery: Taiwanese Experience with Acute Cholecystitis. World Journal of Surgery, 2021, 45, 1080-1087.	1.6	3
71	Eye irrigation as a first-line treatment and diagnostic method for emergency department patients who complain of ocular foreign bodies. Scientific Reports, 2021, 11, 23386.	3.3	3
72	Role of PLK1 signaling pathway genes in gastrointestinal stromal tumors. Oncology Letters, 2018, 16, 3070-3082.	1.8	2

#	Article	IF	CITATIONS
73	Does a "Cushion Effect―Really Exist? A Morphomic Analysis of Vulnerable Road Users with Serious Blunt Abdominal Injury. Healthcare (Switzerland), 2021, 9, 1006.	2.0	2
74	Aspirin does not increase the need for haemostatic interventions in blunt liver and spleen injuries. Injury, 2021, 52, 2594-2600.	1.7	2
75	The Impact on the Clinical Prognosis of Low Serum Selenium Level in Patients with Severe Trauma: Systematic Review and Meta-Analysis. Nutrients, 2022, 14, 1295.	4.1	2
76	The effect of transarterial embolization versus nephrectomy on acute kidney injury in blunt renal trauma patients. World Journal of Urology, 2022, 40, 1859-1865.	2.2	2
77	Effects of Posterior Fossa Decompression in Patients with Hunt and Hess Grade 5 Subarachnoid Hemorrhage After Endovascular Trapping of Ruptured Vertebral Artery Dissecting Aneurysms. World Neurosurgery, 2018, 119, e792-e800.	1.3	1
78	Early brain computed tomographic angiography to screen for blunt cerebrovascular injuries in patients with polytrauma: Is it necessary?. American Journal of Emergency Medicine, 2021, 39, 121-124.	1.6	1
79	The Feasibility and Efficiency of Remote Spirometry System on the Pulmonary Function for Multiple Ribs Fracture Patients. Journal of Personalized Medicine, 2021, 11, 1067.	2.5	1
80	Preinjury warfarin does not cause failure of nonoperative management in patients with blunt hepatic, splenic or renal injuries. Injury, 2022, 53, 92-97.	1.7	1
81	The role of acute care surgeons in treating rib fractures—a retrospective cohort study from a single level I trauma center. BMC Surgery, 2022, 22, .	1.3	1
82	Authors' Reply: Unstable Hemodynamics is not Always Predictive of Failed Nonoperative Management in Blunt Splenic Injury. World Journal of Surgery, 2020, 44, 3578-3579.	1.6	0
83	The Current Diagnostic Accuracy on Free Peritoneal Fluid in Computed Tomography to Determinate the Necessity of Surgery in Blunt Bowel and Mesenteric Traumaâ€"Systemic Review and Meta-Analysis. Diagnostics, 2021, 11, 2028.	2.6	O
84	Spleen size greater than 9.76Âcm may impact the treatment strategy for blunt splenic injury in adults - A retrospective analysis of experience at a tertiary trauma center in Taiwan. Asian Journal of Surgery, 2023, 46, 354-359.	0.4	0