

Ying Zhao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3687932/ying-zhao-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

2,378
citations

30
h-index

48
g-index

64
ext. papers

2,950
ext. citations

7.3
avg, IF

4.96
L-index

#	Paper	IF	Citations
59	Cytocompatibility, osseointegration, and bioactivity of three-dimensional porous and nanostructured network on polyetheretherketone. <i>Biomaterials</i> , 2013 , 34, 9264-77	15.6	229
58	Enhanced antimicrobial properties, cytocompatibility, and corrosion resistance of plasma-modified biodegradable magnesium alloys. <i>Acta Biomaterialia</i> , 2014 , 10, 544-56	10.8	157
57	Electrochemical corrosion behavior of biodegradable Mg ₉₂ RE and Mg ₉₂ Zn ₇ alloys in Ringer's solution and simulated body fluid. <i>Corrosion Science</i> , 2015 , 91, 160-184	6.8	129
56	Biodegradable Mg-Cu alloys with enhanced osteogenesis, angiogenesis, and long-lasting antibacterial effects. <i>Scientific Reports</i> , 2016 , 6, 27374	4.9	103
55	Precisely controlled delivery of magnesium ions thru sponge-like monodisperse PLGA/nano-MgO-alginate core-shell microsphere device to enable in-situ bone regeneration. <i>Biomaterials</i> , 2018 , 174, 1-16	15.6	92
54	In vitro and in vivo studies of anti-bacterial copper-bearing titanium alloy for dental application. <i>Dental Materials</i> , 2018 , 34, 1112-1126	5.7	87
53	Biodegradable Magnesium Alloys Developed as Bone Repair Materials: A Review. <i>Scanning</i> , 2018 , 2018, 9216314	1.6	83
52	In vivo stimulation of bone formation by aluminum and oxygen plasma surface-modified magnesium implants. <i>Biomaterials</i> , 2013 , 34, 9863-76	15.6	83
51	Effects of zirconium and oxygen plasma ion implantation on the corrosion behavior of ZK60 Mg alloy in simulated body fluids. <i>Corrosion Science</i> , 2014 , 82, 7-26	6.8	80
50	Functional replication of the tendon tissue microenvironment by a bioimprinted substrate and the support of tenocytic differentiation of mesenchymal stem cells. <i>Biomaterials</i> , 2012 , 33, 7686-98	15.6	71
49	Effects of carbon and nitrogen plasma immersion ion implantation on in vitro and in vivo biocompatibility of titanium alloy. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 1510-6	9.5	70
48	Plasma modified Mg ₉₂ Zn ₇ alloy with enhanced surface corrosion resistance. <i>Corrosion Science</i> , 2014 , 78, 121-129	6.8	65
47	Enhanced resistance of 2205 Cu-bearing duplex stainless steel towards microbiologically influenced corrosion by marine aerobic <i>Pseudomonas aeruginosa</i> biofilms. <i>Journal of Materials Science and Technology</i> , 2018 , 34, 1325-1336	9.1	62
46	Effects of silicon plasma ion implantation on electrochemical corrosion behavior of biodegradable Mg ₉₂ RE Alloy. <i>Corrosion Science</i> , 2013 , 69, 158-163	6.8	54
45	Improved corrosion resistance and cytocompatibility of magnesium alloy by two-stage cooling in thermal treatment. <i>Corrosion Science</i> , 2012 , 59, 360-365	6.8	53
44	Improved surface corrosion resistance of WE43 magnesium alloy by dual titanium and oxygen ion implantation. <i>Thin Solid Films</i> , 2013 , 529, 407-411	2.2	50
43	Self-protection against corrosion of aged magnesium alloy in simulated physiological environment. <i>Corrosion Science</i> , 2013 , 68, 279-285	6.8	50

42	A functionalized TiO/MgTiO nano-layer on biodegradable magnesium implant enables superior bone-implant integration and bacterial disinfection. <i>Biomaterials</i> , 2019 , 219, 119372	15.6	46
41	Plasma Surface Functionalized Polyetheretherketone for Enhanced Osseo-Integration at Bone-Implant Interface. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 3901-11	9.5	44
40	Effect of Cu Addition to 2205 Duplex Stainless Steel on the Resistance against Pitting Corrosion by the Pseudomonas aeruginosa Biofilm. <i>Journal of Materials Science and Technology</i> , 2017 , 33, 723-727	9.1	42
39	Effects of zirconium and nitrogen plasma immersion ion implantation on the electrochemical corrosion behavior of Mg/Y-RE alloy in simulated body fluid and cell culture medium. <i>Corrosion Science</i> , 2014 , 86, 239-251	6.8	40
38	Effects of surface alloying on electrochemical corrosion behavior of oxygen-plasma-modified biomedical magnesium alloy. <i>Surface and Coatings Technology</i> , 2012 , 206, 3186-3195	4.4	40
37	Rapid degradation of biomedical magnesium induced by zinc ion implantation. <i>Materials Letters</i> , 2011 , 65, 661-663	3.3	40
36	Formation and electrochemical behavior of Al and O plasma-implanted biodegradable Mg-Y-RE alloy. <i>Materials Chemistry and Physics</i> , 2012 , 132, 187-191	4.4	37
35	In vitro study on an antibacterial Ti-5Cu alloy for medical application. <i>Journal of Materials Science: Materials in Medicine</i> , 2016 , 27, 91	4.5	34
34	The effect of interlayer on corrosion resistance of ceramic coating/Mg alloy substrate in simulated physiological environment. <i>Surface and Coatings Technology</i> , 2012 , 206, 4892-4898	4.4	34
33	Functionalized Polymeric Membrane with Enhanced Mechanical and Biological Properties to Control the Degradation of Magnesium Alloy. <i>Advanced Healthcare Materials</i> , 2017 , 6, 1601269	10.1	32
32	Laboratory investigation of microbiologically influenced corrosion of 2205 duplex stainless steel by marine Pseudomonas aeruginosa biofilm using electrochemical noise. <i>Corrosion Science</i> , 2018 , 143, 281-291	6.8	31
31	Antimicrobial Cu-bearing 2205 duplex stainless steel against MIC by nitrate reducing Pseudomonas aeruginosa biofilm. <i>International Biodeterioration and Biodegradation</i> , 2018 , 132, 132-138	4.8	30
30	Effect of heat treatment on bioactivity of anodic titania films. <i>Applied Surface Science</i> , 2010 , 256, 3073-3076	3.7	30
29	Corrosion resistance and biocompatibility of calcium-containing coatings developed in near-neutral solutions containing phytic acid and phosphoric acid on AZ31B alloy. <i>Journal of Alloys and Compounds</i> , 2020 , 823, 153721	5.7	30
28	Osteogenic potential of a novel microarc oxidized coating formed on Ti6Al4V alloys. <i>Applied Surface Science</i> , 2017 , 412, 29-36	6.7	28
27	In vitro study on cytocompatibility and osteogenesis ability of Ti-Cu alloy. <i>Journal of Materials Science: Materials in Medicine</i> , 2019 , 30, 75	4.5	23
26	Regulation of extracellular bioactive cations in bone tissue microenvironment induces favorable osteoimmune conditions to accelerate bone regeneration. <i>Bioactive Materials</i> , 2021 , 6, 2315-2330	16.7	23
25	Effects of combined chemical design (Cu addition) and topographical modification (SLA) of Ti-Cu/SLA for promoting osteogenic, angiogenic and antibacterial activities. <i>Journal of Materials Science and Technology</i> , 2020 , 47, 202-215	9.1	22

24	Biofilm inhibition and corrosion resistance of 2205-Cu duplex stainless steel against acid producing bacterium <i>Acetobacter acetii</i> . <i>Journal of Materials Science and Technology</i> , 2019 , 35, 2494-2502	9.1	21
23	3D-printed nanocomposite scaffolds with tunable magnesium ionic microenvironment induce in situ bone tissue regeneration. <i>Applied Materials Today</i> , 2019 , 16, 493-507	6.6	20
22	A surface-engineered multifunctional TiO based nano-layer simultaneously elevates the corrosion resistance, osteoconductivity and antimicrobial property of a magnesium alloy. <i>Acta Biomaterialia</i> , 2019 , 99, 495-513	10.8	20
21	Preparation and formation mechanism of copper incorporated micro-arc oxidation coatings developed on Ti-6Al-4V alloys. <i>Surface and Coatings Technology</i> , 2019 , 375, 74-85	4.4	19
20	Functionalization of biomedical materials using plasma and related technologies. <i>Applied Surface Science</i> , 2014 , 310, 11-18	6.7	19
19	Copper-doped 3D porous coating developed on Ti-6Al-4V alloys and its in vitro long-term antibacterial ability. <i>Applied Surface Science</i> , 2020 , 509, 144717	6.7	19
18	In vivo study of microarc oxidation coated Mg alloy as a substitute for bone defect repairing: Degradation behavior, mechanical properties, and bone response. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 181, 349-359	6	18
17	Effects of carbon dioxide plasma immersion ion implantation on the electrochemical properties of AZ31 magnesium alloy in physiological environment. <i>Applied Surface Science</i> , 2013 , 286, 257-260	6.7	14
16	Investigation on mechanical, corrosion resistance and antibacterial properties of Cu-bearing 2205 duplex stainless steel by solution treatment. <i>RSC Advances</i> , 2016 , 6, 112738-112747	3.7	12
15	Investigation of Zinc and Phosphorus Elements Incorporated into Micro-Arc Oxidation Coatings Developed on Ti-6Al-4V Alloys. <i>Materials</i> , 2018 , 11,	3.5	12
14	Improved in vitro and in vivo biocompatibility of dual plasma modified titanium alloy. <i>Surface and Coatings Technology</i> , 2013 , 229, 130-134	4.4	11
13	Rare-earth-incorporated polymeric vector for enhanced gene delivery. <i>Biomaterials</i> , 2014 , 35, 479-88	15.6	10
12	Synthesis and optical properties of CdS nanowires by a simple chemical deposition. <i>Journal of Materials Science</i> , 2010 , 45, 1803-1808	4.3	10
11	Stepwise 3D-spatio-temporal magnesium cationic niche: Nanocomposite scaffold mediated microenvironment for modulating intramembranous ossification. <i>Bioactive Materials</i> , 2021 , 6, 503-519	16.7	10
10	Hot deformation behavior of Cu-bearing antibacterial titanium alloy. <i>Journal of Materials Science and Technology</i> , 2018 , 34, 1867-1875	9.1	8
9	Optimized antibacterial treatment for the Cu-bearing 420 stainless steel. <i>Materials Technology</i> , 2018 , 33, 699-708	2.1	6
8	Direct formation of amine functionality on DLC films and surface cyto-compatibility. <i>Diamond and Related Materials</i> , 2013 , 38, 28-31	3.5	5
7	In vitro bioactivity and cytocompatibility of porous scaffolds of bioactive borosilicate glasses. <i>Science Bulletin</i> , 2009 , 54, 3181-3186		4

6	Degradation Resistance and In Vitro Cytocompatibility of Iron-Containing Coatings Developed on WE43 Magnesium Alloy by Micro-Arc Oxidation. <i>Coatings</i> , 2020 , 10, 1138	2.9	4
5	and antibacterial performance of Zr & O PIII magnesium alloys with high concentration of oxygen vacancies. <i>Bioactive Materials</i> , 2021 , 6, 3049-3061	16.7	4
4	Enhanced spreading, migration and osteodifferentiation of HBMSCs on macroporous CS-Ta - A biocompatible macroporous coating for hard tissue repair. <i>Materials Science and Engineering C</i> , 2021 , 129, 112411	8.3	2
3	Plasma Modification of DLC Films and the Resulting Surface Biocompatibility. <i>Materials Science Forum</i> , 2014 , 783-786, 1396-1401	0.4	1
2	Insight into microbiologically induced corrosion performance of magnesium in tryptic soy broth with <i>S. aureus</i> and <i>E. coli</i> . <i>Journal of Materials Science and Technology</i> , 2022 , 115, 221-231	9.1	1
1	In Vitro Cytocompatibility and Osteogenic Potential of Biodegradable MgBr Alloys 2018 , 425-436		