

Bradley D Jones

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3687936/publications.pdf>

Version: 2024-02-01

59
papers

4,141
citations

109264

35
h-index

138417

58
g-index

59
all docs

59
docs citations

59
times ranked

3747
citing authors

#	ARTICLE	IF	CITATIONS
1	Photograftable Zwitterionic Coatings Prevent <i>Staphylococcus aureus</i> and <i>Staphylococcus epidermidis</i> Adhesion to PDMS Surfaces. ACS Applied Bio Materials, 2021, 4, 1283-1293.	2.3	22
2	On-demand biomanufacturing of protective conjugate vaccines. Science Advances, 2021, 7, .	4.7	67
3	Type IV Pili of <i>Streptococcus sanguinis</i> Contribute to Pathogenesis in Experimental Infective Endocarditis. Microbiology Spectrum, 2021, 9, e0175221.	1.2	13
4	Association of Novel <i>Streptococcus sanguinis</i> Virulence Factors With Pathogenesis in a Native Valve Infective Endocarditis Model. Frontiers in Microbiology, 2020, 11, 10.	1.5	29
5	Immunization with outer membrane vesicles displaying conserved surface polysaccharide antigen elicits broadly antimicrobial antibodies. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E3106-E3115.	3.3	81
6	Bacterial lipoproteins and other factors released by <i>Francisella tularensis</i> modulate human neutrophil lifespan: Effects of a <i>TLR1</i> SNP on apoptosis inhibition. Cellular Microbiology, 2018, 20, e12795.	1.1	24
7	The Ability to Acquire Iron Is Inversely Related to Virulence and the Protective Efficacy of <i>Francisella tularensis</i> Live Vaccine Strain. Frontiers in Microbiology, 2018, 9, 607.	1.5	9
8	Characterization of Inner and Outer Membrane Proteins from <i>Francisella tularensis</i> Strains LVS and Schu S4 and Identification of Potential Subunit Vaccine Candidates. MBio, 2017, 8, .	1.8	17
9	Inclusion of Epitopes That Expand High-Avidity CD4+T Cells Transforms Subprotective Vaccines to Efficacious Immunogens against Virulent <i>Francisella tularensis</i> . Journal of Immunology, 2016, 197, 2738-2747.	0.4	14
10	Outer membrane vesicles displaying engineered glycotopes elicit protective antibodies. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E3609-18.	3.3	112
11	Metabolic Reprogramming of Host Cells by Virulent <i>Francisella tularensis</i> for Optimal Replication and Modulation of Inflammation. Journal of Immunology, 2016, 196, 4227-4236.	0.4	29
12	Characterization of <i>Francisella tularensis</i> Schu S4 mutants identified from a transposon library screened for O-antigen and capsule deficiencies. Frontiers in Microbiology, 2015, 6, 338.	1.5	19
13	Interactions of <i>Francisella tularensis</i> with Alveolar Type II Epithelial Cells and the Murine Respiratory Epithelium. PLoS ONE, 2015, 10, e0127458.	1.1	11
14	Two-Component Regulators Control <i>hilA</i> Expression by Controlling <i>fimZ</i> and <i>hilE</i> Expression within <i>Salmonella enterica</i> Serovar Typhimurium. Infection and Immunity, 2015, 83, 978-985.	1.0	38
15	Uncovering the components of the <i>Francisella tularensis</i> virulence stealth strategy. Frontiers in Cellular and Infection Microbiology, 2014, 4, 32.	1.8	57
16	<i>Francisella tularensis</i> Schu S4 Lipopolysaccharide Core Sugar and O-Antigen Mutants Are Attenuated in a Mouse Model of Tularemia. Infection and Immunity, 2014, 82, 1523-1539.	1.0	28
17	Metabolic Engineering of <i>Salmonella</i> Vaccine Bacteria To Boost Human $\text{V}\hat{\text{I}}^3\text{V}\hat{\text{I}}^2$ T Cell Immunity. Journal of Immunology, 2014, 193, 708-721.	0.4	22
18	Disruption of <i>Francisella tularensis</i> Schu S4 <i>iglI</i> , <i>iglJ</i> , and <i>pdpC</i> Genes Results in Attenuation for Growth in Human Macrophages and <i>In Vivo</i> Virulence in Mice and Reveals a Unique Phenotype for <i>pdpC</i> . Infection and Immunity, 2013, 81, 850-861.	1.0	34

#	ARTICLE	IF	CITATIONS
19	Francisella tularensis Live Vaccine Strain Folate Metabolism and Pseudouridine Synthase Gene Mutants Modulate Macrophage Caspase-1 Activation. Infection and Immunity, 2013, 81, 201-208.	1.0	16
20	The Francisella tularensis migR, <i>trmE</i> , and <i>cphA</i> Genes Contribute to F. tularensis Pathogenicity Island Gene Regulation and Intracellular Growth by Modulation of the Stress Alarmone ppGpp. Infection and Immunity, 2013, 81, 2800-2811.	1.0	22
21	Francisella tularensis Schu S4 O-Antigen and Capsule Biosynthesis Gene Mutants Induce Early Cell Death in Human Macrophages. Infection and Immunity, 2011, 79, 581-594.	1.0	81
22	Identification, Characterization and Immunogenicity of an O-Antigen Capsular Polysaccharide of Francisella tularensis. PLoS ONE, 2010, 5, e11060.	1.1	98
23	Cutting Edge: Mutation of Francisella tularensis mviN Leads to Increased Macrophage Absent in Melanoma 2 Inflammasome Activation and a Loss of Virulence. Journal of Immunology, 2010, 185, 2670-2674.	0.4	73
24	Multiple mechanisms of NADPH oxidase inhibition by type A and type B Francisella tularensis. Journal of Leukocyte Biology, 2010, 88, 791-805.	1.5	86
25	Identification of migR, a Regulatory Element of the Francisella tularensis Live Vaccine Strain iglABCD Virulence Operon Required for Normal Replication and Trafficking in Macrophages. Infection and Immunity, 2009, 77, 2517-2529.	1.0	67
26	Francisella tularensis Genes Required for Inhibition of the Neutrophil Respiratory Burst and Intramacrophage Growth Identified by Random Transposon Mutagenesis of Strain LVS. Infection and Immunity, 2009, 77, 1324-1336.	1.0	69
27	Identification of Differentially Regulated Francisella tularensis Genes by Use of a Newly Developed Tn 5-Based Transposon Delivery System. Applied and Environmental Microbiology, 2008, 74, 2637-2645.	1.4	34
28	An In Vitro Model System Used To Study Adherence and Invasion of Francisella tularensis Live Vaccine Strain in Nonphagocytic Cells. Infection and Immunity, 2007, 75, 3178-3182.	1.0	43
29	Salmonella enterica Serovar Typhimurium Requires the Lpf, Pef, and Tafi Fimbriae for Biofilm Formation on HEp-2 Tissue Culture Cells and Chicken Intestinal Epithelium. Infection and Immunity, 2006, 74, 3156-3169.	1.0	151
30	Exopolysaccharide Sugars Contribute to Biofilm Formation by Salmonella enterica Serovar Typhimurium on HEp-2 Cells and Chicken Intestinal Epithelium. Journal of Bacteriology, 2005, 187, 3214-3226.	1.0	113
31	The fimYZ Genes Regulate Salmonella enterica Serovar Typhimurium Invasion in Addition to Type 1 Fimbrial Expression and Bacterial Motility. Infection and Immunity, 2005, 73, 1377-1385.	1.0	56
32	Biofilm Formation by Salmonella enterica Serovar Typhimurium and Escherichia coli on Epithelial Cells following Mixed Inoculations. Infection and Immunity, 2005, 73, 5198-5203.	1.0	19
33	Salmonella invasion gene regulation: a story of environmental awareness. Journal of Microbiology, 2005, 43 Spec No, 110-7.	1.3	52
34	Lon Protease Activity Causes Down-Regulation of Salmonella Pathogenicity Island 1 Invasion Gene Expression after Infection of Epithelial Cells. Infection and Immunity, 2004, 72, 2002-2013.	1.0	89
35	Effects of microcin 24-producing Escherichia coli on shedding and multiple-antimicrobial resistance of Salmonella enterica serotype Typhimurium in pigs. American Journal of Veterinary Research, 2004, 65, 1616-1620.	0.3	13
36	Salmonella enterica Serovar Typhimurium Requires Nonsterol Precursors of the Cholesterol Biosynthetic Pathway for Intracellular Proliferation. Infection and Immunity, 2004, 72, 1036-1042.	1.0	92

#	ARTICLE	IF	CITATIONS
37	Transcription of the Salmonella Invasion Gene Activator, hilA , Requires HilD Activation in the Absence of Negative Regulators. Journal of Bacteriology, 2003, 185, 525-533.	1.0	76
38	HilE Interacts with HilD and Negatively Regulates hilA Transcription and Expression of the Salmonella enterica Serovar Typhimurium Invasive Phenotype. Infection and Immunity, 2003, 71, 1295-1305.	1.0	98
39	Identification of cytokeratins as accessory mediators of Salmonella entry into eukaryotic cells. Life Sciences, 2002, 70, 1415-1426.	2.0	44
40	Differential binding to and biofilm formation on, HEp-2 cells by Salmonella enterica Serovar Typhimurium is dependent upon allelic variation in the fimH gene of the fim gene cluster. Molecular Microbiology, 2002, 45, 1255-1265.	1.2	135
41	The Salmonella-containing vacuole is a major site of intracellular cholesterol accumulation and recruits the GPI-anchored protein CD55. Cellular Microbiology, 2002, 4, 315-328.	1.1	91
42	A high-throughput genetic system for assessing the inhibition of proteins: identification of antibiotic resistance and virulence targets and their cognate inhibitors in Salmonella. Analytical Biochemistry, 2002, 310, 72-83.	1.1	6
43	Secretion of a putative cytotoxin in multiple antibiotic resistant Salmonella enterica serotype Typhimurium phage type DT104. Microbial Pathogenesis, 2001, 31, 201-204.	1.3	13
44	Salmonella Pathogenicity Island 2-Encoded Proteins SseC and SseD Are Essential for Virulence and Are Substrates of the Type III Secretion System. Infection and Immunity, 2001, 69, 737-743.	1.0	62
45	Fis, a DNA nucleoid-associated protein, is involved in Salmonella typhimurium SPI-1 invasion gene expression. Molecular Microbiology, 2001, 39, 79-88.	1.2	73
46	Identification of Listeria monocytogenes In Vivo-Induced Genes by Fluorescence-Activated Cell Sorting. Infection and Immunity, 2001, 69, 5016-5024.	1.0	27
47	Salmonella Pathogenicity Island 2-Encoded Type III Secretion System Mediates Exclusion of NADPH Oxidase Assembly from the Phagosomal Membrane. Journal of Immunology, 2001, 166, 5741-5748.	0.4	205
48	Hha Is a Negative Modulator of Transcription of hilA , the Salmonella enterica Serovar Typhimurium Invasion Gene Transcriptional Activator. Journal of Bacteriology, 2001, 183, 6620-6629.	1.0	75
49	Identification and characterization of mutants with increased expression of hilA , the invasion gene transcriptional activator of Salmonella typhimurium. FEMS Immunology and Medical Microbiology, 2000, 28, 25-35.	2.7	68
50	Salmonella enterica Serovars Gallinarum and Pullorum Expressing Salmonella enterica Serovar Typhimurium Type 1 Fimbriae Exhibit Increased Invasiveness for Mammalian Cells. Infection and Immunity, 2000, 68, 4782-4785.	1.0	53
51	Transcriptional Organization and Function of Invasion Genes within Salmonella enterica Serovar Typhimurium Pathogenicity Island 1, Including the prgH , prgI , prgJ , prgK , orgA , orgB , and orgC Genes. Infection and Immunity, 2000, 68, 3368-3376.	1.0	69
52	Identification of diminished tissue culture invasiveness among multiple antibiotic resistant Salmonella typhimurium DT104. Microbial Pathogenesis, 2000, 28, 37-44.	1.3	43
53	Identification and characterization of mutants with increased expression of hilA , the invasion gene transcriptional activator of Salmonella typhimurium. FEMS Immunology and Medical Microbiology, 2000, 28, 25-35.	2.7	2
54	Inhibition of Salmonella typhimurium Invasion by Host Cell Expression of Secreted Bacterial Invasion Proteins. Infection and Immunity, 1998, 66, 5295-5300.	1.0	16

#	ARTICLE	IF	CITATIONS
55	Interactions of the Invasive Pathogens <i>Salmonella typhimurium</i> , <i>Listeria monocytogenes</i> , and <i>Shigella flexneri</i> with M Cells and Murine Peyer's Patches. <i>Infection and Immunity</i> , 1998, 66, 3758-3766.	1.0	171
56	Non-invasive <i>Salmonella typhimurium</i> mutants are avirulent because of an inability to enter and destroy M cells of ileal Peyer's patches. <i>Molecular Microbiology</i> , 1997, 24, 697-709.	1.2	188
57	SALMONELLOSIS: Host Immune Responses and Bacterial Virulence Determinants. <i>Annual Review of Immunology</i> , 1996, 14, 533-561.	9.5	375
58	Phenotypic and genetic aspects of host cell invasion by <i>Salmonella</i> species. <i>Developments in Plant Pathology</i> , 1994, 3-16.	0.1	0
59	Ruffles induced by <i>Salmonella</i> and other stimuli direct macropinocytosis of bacteria. <i>Nature</i> , 1993, 364, 639-642.	13.7	451