

Renaud Legouis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3688128/publications.pdf>

Version: 2024-02-01

56
papers

11,309
citations

159585

30
h-index

155660

55
g-index

61
all docs

61
docs citations

61
times ranked

22605
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The strange case of Drp1 in autophagy: Jekyll and Hyde?. <i>BioEssays</i> , 2022, 44, e2100271. | 2.5 | 6 |
| 2 | Exploring selective autophagy events in multiple biologic models using LC3-interacting regions (LIR)-based molecular traps. <i>Scientific Reports</i> , 2022, 12, 7652. | 3.3 | 5 |
| 3 | L'auto-phagie facilite la reconstruction du r seau mitochondrial apr s un stress thermique chez le n matode <i>C. elegans</i> . <i>Medicine/Sciences</i> , 2022, 38, 517-519. | 0.2 | 0 |
| 4 | Autophagy facilitates mitochondrial rebuilding after acute heat stress via a DRP-1-dependent process. <i>Journal of Cell Biology</i> , 2021, 220, . | 5.2 | 21 |
| 5 | A DRP-1 dependent autophagy process facilitates rebuilding of the mitochondrial network and modulates adaptation capacity in response to acute heat stress during <i>C. elegans</i> development. <i>Autophagy</i> , 2021, 17, 2654-2655. | 9.1 | 3 |
| 6 | Mitophagy during development and stress in <i>C. elegans</i> . <i>Mechanisms of Ageing and Development</i> , 2020, 189, 111266. | 4.6 | 13 |
| 7 | High-speed polarization-resolved third-harmonic microscopy. <i>Optica</i> , 2019, 6, 385. | 9.3 | 24 |
| 8 | Autophagy mediates phosphatidylserine exposure and phagosome degradation during apoptosis through specific functions of GABARAP/LGG-1 and LC3/LGG-2. <i>Autophagy</i> , 2019, 15, 228-241. | 9.1 | 16 |
| 9 | Correlative Light and Electron Microscopy to Analyze LC3 Proteins in <i>Caenorhabditis elegans</i> Embryo. <i>Methods in Molecular Biology</i> , 2019, 1880, 281-293. | 0.9 | 3 |
| 10 | Subcellular Localization of ESCRT-II in the Nematode <i>C. elegans</i> by Correlative Light Electron Microscopy. <i>Methods in Molecular Biology</i> , 2019, 1998, 49-61. | 0.9 | 0 |
| 11 | Fast P-THG microscopy for the characterization of biomaterials. , 2019, , . | | 0 |
| 12 | ESCRT and autophagies: Endosomal functions and beyond. <i>Seminars in Cell and Developmental Biology</i> , 2018, 74, 21-28. | 5.0 | 82 |
| 13 | An Efficient Multicolor Two-Photon Imaging of Endogenous Fluorophores in Living Tissues by Wavelength Mixing. <i>Biophysical Journal</i> , 2017, 112, 186a. | 0.5 | 2 |
| 14 | Multicolor two-photon imaging of endogenous fluorophores in living tissues by wavelength mixing. <i>Scientific Reports</i> , 2017, 7, 3792. | 3.3 | 99 |
| 15 | Approaches for Studying Autophagy in <i>Caenorhabditis elegans</i> . <i>Cells</i> , 2017, 6, 27. | 4.1 | 33 |
| 16 | SAFER, an Analysis Method of Quantitative Proteomic Data, Reveals New Interactors of the <i>C. elegans</i> Autophagic Protein LGG-1. <i>Journal of Proteome Research</i> , 2016, 15, 1515-1523. | 3.7 | 1 |
| 17 | Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222. | 9.1 | 4,701 |
| 18 | The ESCRT-II proteins are involved in shaping the sarcoplasmic reticulum. <i>Journal of Cell Science</i> , 2016, 129, 1490-9. | 2.0 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Tools and methods to analyze autophagy in <i>C. elegans</i> . <i>Methods</i> , 2015, 75, 162-171. | 3.8 | 12 |
| 20 | Guidelines for monitoring autophagy in <i>Caenorhabditis elegans</i> . <i>Autophagy</i> , 2015, 11, 9-27. | 9.1 | 119 |
| 21 | Human GABARAP can restore autophagosome biogenesis in a <i>C. elegans</i> lgg-1 mutant. <i>Autophagy</i> , 2014, 10, 1868-1872. | 9.1 | 15 |
| 22 | Interactions Between Endosomal Maturation and Autophagy. <i>Methods in Enzymology</i> , 2014, 534, 93-118. | 1.0 | 5 |
| 23 | The <i>C. elegans</i> LC3 Acts Downstream of GABARAP to Degrade Autophagosomes by Interacting with the HOPS Subunit VPS39. <i>Developmental Cell</i> , 2014, 28, 43-55. | 7.0 | 126 |
| 24 | Autophagy in endosomal mutants. <i>Worm</i> , 2012, 1, 216-220. | 1.0 | 9 |
| 25 | Induction of autophagy in ESCRT mutants is an adaptive response for cell survival in <i>C. elegans</i> . <i>Journal of Cell Science</i> , 2012, 125, 685-694. | 2.0 | 50 |
| 26 | Need an ESCRT for autophagosomal maturation?. <i>Communicative and Integrative Biology</i> , 2012, 5, 566-571. | 1.4 | 20 |
| 27 | Allophagy. <i>Autophagy</i> , 2012, 8, 421-423. | 9.1 | 53 |
| 28 | Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544. | 9.1 | 3,122 |
| 29 | <i>Caenorhabditis elegans</i> Evolves a New Architecture for the Multi-aminoacyl-tRNA Synthetase Complex. <i>Journal of Biological Chemistry</i> , 2011, 286, 28476-28487. | 3.4 | 26 |
| 30 | Combined third-harmonic generation and four-wave mixing microscopy of tissues and embryos. <i>Biomedical Optics Express</i> , 2011, 2, 2837. | 2.9 | 44 |
| 31 | Postfertilization Autophagy of Sperm Organelles Prevents Paternal Mitochondrial DNA Transmission. <i>Science</i> , 2011, 334, 1144-1147. | 12.6 | 426 |
| 32 | Methionyl-tRNA synthetase from <i>Caenorhabditis elegans</i> : A specific multidomain organization for convergent functional evolution. <i>Protein Science</i> , 2010, 19, 2475-2484. | 7.6 | 18 |
| 33 | The autophagosomal protein LGG-2 acts synergistically with LGG-1 in dauer formation and longevity in <i>C. elegans</i> . <i>Autophagy</i> , 2010, 6, 622-633. | 9.1 | 82 |
| 34 | Developmental and cellular functions of the ESCRT machinery in pluricellular organisms. <i>Biology of the Cell</i> , 2010, 102, 191-202. | 2.0 | 43 |
| 35 | The ESCRT-III protein CeVPS-32 is enriched in domains distinct from CeVPS-27 and CeVPS-23 at the endosomal membrane of epithelial cells. <i>Biology of the Cell</i> , 2009, 101, 599-615. | 2.0 | 30 |
| 36 | Glutathione transferases kappa-1 and kappa-2 localize in peroxisomes and mitochondria, respectively, and are involved in lipid metabolism and respiration in <i>Caenorhabditis elegans</i> . <i>FEBS Journal</i> , 2009, 276, 5030-5040. | 4.7 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Increased IP3/Ca ²⁺ signaling compensates depletion of LET-413/DLG-1 in <i>C. elegans</i> epithelial junction assembly. <i>Developmental Biology</i> , 2009, 327, 34-47. | 2.0 | 38 |
| 38 | CeVPS-27 is an Endosomal Protein Required for the Molting and the Endocytic Trafficking of the Low-Density Lipoprotein Receptor-Related Protein 1 in <i>Caenorhabditis elegans</i> . <i>Traffic</i> , 2005, 6, 695-705. | 2.7 | 78 |
| 39 | PAR-3 is required for epithelial cell polarity in the distal spermatheca of <i>C. elegans</i> . <i>Development (Cambridge)</i> , 2004, 131, 2865-2874. | 2.5 | 47 |
| 40 | Basolateral targeting by leucine-rich repeat domains in epithelial cells. <i>EMBO Reports</i> , 2003, 4, 1096-1100. | 4.5 | 121 |
| 41 | The <i>Caenorhabditis elegans</i> vab-10 spectraplakins isoforms protect the epidermis against internal and external forces. <i>Journal of Cell Biology</i> , 2003, 161, 757-768. | 5.2 | 135 |
| 42 | Basolateral targeting by leucine-rich repeat domains in epithelial cells. <i>EMBO Reports</i> , 2003, 4, 1096-1100. | 4.5 | 48 |
| 43 | Epithelial biology: lessons from <i>Caenorhabditis elegans</i> . <i>Gene</i> , 2001, 277, 83-100. | 2.2 | 37 |
| 44 | Assembly of <i>C. elegans</i> apical junctions involves positioning and compaction by LET-413 and protein aggregation by the MAGUK protein DLG-1. <i>Journal of Cell Science</i> , 2001, 114, 2265-2277. | 2.0 | 154 |
| 45 | LET-413 is a basolateral protein required for the assembly of adherens junctions in <i>Caenorhabditis elegans</i> . <i>Nature Cell Biology</i> , 2000, 2, 415-422. | 10.3 | 175 |
| 46 | Collective nomenclature for LAP proteins. <i>Nature Cell Biology</i> , 2000, 2, E114-E114. | 10.3 | 64 |
| 47 | Characterization of the two zebrafish orthologues of the KAL-1 gene underlying X chromosome-linked Kallmann syndrome. <i>Mechanisms of Development</i> , 2000, 90, 89-94. | 1.7 | 43 |
| 48 | Early expression of the KAL gene during embryonic development of the chick. <i>Anatomy and Embryology</i> , 1994, 190, 549-62. | 1.5 | 13 |
| 49 | Isolation and characterization of the gene responsible for the X chromosome-linked Kallmann syndrome. <i>Biomedicine and Pharmacotherapy</i> , 1994, 48, 241-246. | 5.6 | 19 |
| 50 | Characterization and Chromosomal Assignment of a Human cDNA Encoding a Protein Related to the Murine 102-kDa Cadherin-Associated Protein (\pm -Catenin). <i>Genomics</i> , 1993, 15, 13-20. | 2.9 | 28 |
| 51 | Characterization of the Chicken and Quail Homologues of the Human Gene Responsible for the X-Linked Kallmann Syndrome. <i>Genomics</i> , 1993, 17, 516-518. | 2.9 | 42 |
| 52 | Expression of the KAL gene in multiple neuronal sites during chicken development.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 2461-2465. | 7.1 | 66 |
| 53 | Xp22.3 deletions in isolated familial Kallmann's syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1993, 76, 827-831. | 3.6 | 63 |
| 54 | X chromosome-linked Kallmann syndrome: stop mutations validate the candidate gene.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 8190-8194. | 7.1 | 182 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | The candidate gene for the X-linked Kallmann syndrome encodes a protein related to adhesion molecules. <i>Cell</i> , 1991, 67, 423-435. | 28.9 | 668 |
| 56 | A dinucleotide repeat polymorphism at the Kallmann locus (Xp22.3). <i>Nucleic Acids Research</i> , 1991, 19, 5453-5453. | 14.5 | 26 |