

Hamid Rahmatullah Bin Abd Razak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3689351/publications.pdf>

Version: 2024-02-01

85
papers

1,105
citations

471371

17
h-index

477173

29
g-index

88
all docs

88
docs citations

88
times ranked

1429
citing authors

#	ARTICLE	IF	CITATIONS
1	Patients with varus knee osteoarthritis undergoing high tibial osteotomy exhibit more femoral varus but similar tibial morphology compared to non-arthritic varus knees. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 680-687.	2.3	5
2	Optimisation of postoperative X-ray acquisition for orthopaedic patients. <i>BMJ Open Quality</i> , 2022, 11, e001216.	0.4	0
3	The Prevalence of Coexisting Lumbar Spondylosis and Knee Osteoarthritis: A Systematic Review and Meta-Analysis. <i>Asian Spine Journal</i> , 2022, , .	0.8	0
4	Effect of chronic ankle instability on lower extremity kinematics, dynamic postural stability, and muscle activity during unilateral jump-landing tasks: A systematic review and meta-analysis. <i>Physical Therapy in Sport</i> , 2022, 55, 176-188.	0.8	8
5	Routine Preoperative Group Crossmatching and Postoperative Check Hemoglobin Is not Necessary in Patients Undergoing Total Knee Arthroplasty. <i>Journal of Knee Surgery</i> , 2021, 34, 1359-1367.	0.9	1
6	The strengths of four different suture types in Pulvertaft tendon reconstruction. <i>Journal of Hand Surgery: European Volume</i> , 2021, 46, 417-419.	0.5	2
7	Early post-operative oxford knee score and knee society score predict patient satisfaction 2 years after total knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021, 141, 129-137.	1.3	21
8	Minimally Invasive High Tibial Osteotomy Using a Patient-Specific Cutting Guide. <i>Arthroscopy Techniques</i> , 2021, 10, e431-e435.	0.5	5
9	Soft-Tissue Management and Neurovascular Protection During Opening-Wedge High Tibial Osteotomy. <i>Arthroscopy Techniques</i> , 2021, 10, e419-e422.	0.5	9
10	SARS-CoV-2 not detected in pus from forearm abscess in a COVID-19-infected patient. <i>Singapore Medical Journal</i> , 2021, , .	0.3	0
11	Intraosseous Injections Are Safe And Effective in Knee Osteoarthritis: A Systematic Review. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1557-e1567.	0.8	6
12	Intra-articular injection of orthobiologics in patients undergoing high tibial osteotomy for knee osteoarthritis is safe and effective – a systematic review. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 83.	0.8	5
13	Autologous protein solution: a promising solution for osteoarthritis?. <i>EFORT Open Reviews</i> , 2021, 6, 716-726.	1.8	6
14	Role of high tibial osteotomy in medial compartment osteoarthritis of the knee: Indications, surgical technique and outcomes. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2021, 23, 101618.	0.6	15
15	Postoperative delirium following total joint arthroplasties in a multi-ethnic population – A prospective observational study. <i>Knee</i> , 2021, 32, 103-111.	0.8	3
16	Cement detachment from the cephalic blade in an intertrochanteric fracture fixation – A case report. <i>Trauma Case Reports</i> , 2021, 35, 100506.	0.2	0
17	Bony asymmetry in patellofemoral morphology and risk factors of instability are mostly clinically negligible. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3793-3799.	2.3	5
18	Comparing the efficacy of dual Platelet-Rich Plasma (PRP) and Hyaluronic Acid (HA) therapy with PRP-alone therapy in the treatment of knee osteoarthritis: a systematic review and meta-analysis. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 101.	0.8	18

#	ARTICLE	IF	CITATIONS
19	Bony Anatomy around the Watershed Line of the Distal Radius. <i>Journal of Wrist Surgery</i> , 2021, 10, 276-279.	0.3	0
20	Enoxaparin versus Direct Oral Anticoagulants for Venous Thromboembolism in Asians Undergoing Total Knee Arthroplasty: A Meta-Analysis and Systematic Review. <i>Journal of Arthroplasty</i> , 2021, , .	1.5	1
21	Role of joint distraction in osteoarthritis of the knee: Basic science, principles and outcomes. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2021, 24, 101723.	0.6	1
22	Clinical outcomes following long versus short cephalomedullary devices for fixation of extracapsular hip fractures: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2021, 11, 23997.	1.6	5
23	Patterns of Weight Change and Their Effects on Clinical Outcomes Following Total Knee Arthroplasty in an Asian Population. <i>Journal of Arthroplasty</i> , 2020, 35, 375-379.	1.5	12
24	Satisfaction Rates Are Low following Revision Total Knee Arthroplasty in Asians Despite Improvements in Patient-Reported Outcome Measures. <i>Journal of Knee Surgery</i> , 2020, 33, 1041-1046.	0.9	7
25	Which Patients Require a Contralateral Total Knee Arthroplasty Within 5 Years of Index Surgery?. <i>Journal of Knee Surgery</i> , 2020, 33, 1029-1033.	0.9	1
26	Hard truths about preoperative knee X-rays. <i>Annals of Translational Medicine</i> , 2020, 8, 1196-1196.	0.7	0
27	Arthroscopic procedures could delay the need for a subsequent knee arthroplasty in older patients with end-stage osteoarthritis. <i>Journal of Orthopaedic Surgery</i> , 2020, 28, 230949902090674.	0.4	1
28	An anatomical and biomechanical assessment of the interosseous membrane of the cadaveric forearm. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 369-374.	0.5	10
29	The strengths of one-, two-, and three-weave Pulvertaft tendon repairs. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 1051-1054.	0.5	8
30	A Rare Presentation of a Full-Thickness Rotator Cuff Tear With a Confluent Partial Articular-Sided Tear. <i>Cureus</i> , 2020, 12, e8663.	0.2	0
31	Outcomes of Surgically Treated Fingertip Injuries in Migrant Workers. <i>Annals of the Academy of Medicine, Singapore</i> , 2020, 49, 405-407.	0.2	0
32	Diabetes mellitus does not negatively impact outcomes and satisfaction following unicompartmental knee arthroplasty in well-controlled disease. <i>Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2019, 16, 24-29.	0.4	2
33	Achieving Minimum Clinically Important Difference in Oxford Knee Score and Short Form-36 Physical Component Summary Is Less Likely with Single-Radius Compared with Multiradius Total Knee Arthroplasty in Asians. <i>Journal of Knee Surgery</i> , 2019, 32, 227-232.	0.9	2
34	Case Report of a Rare Pipkin Type III Femoral Head Fracture. <i>Journal of Orthopaedic Case Reports</i> , 2019, 9, 11-15.	0.1	3
35	Cervical pedicle screw instrumentation is more reliable with O-arm-based 3D navigation: analysis of cervical pedicle screw placement accuracy with O-arm-based 3D navigation. <i>European Spine Journal</i> , 2018, 27, 2729-2736.	1.0	52
36	Early Functional, Radiological Outcomes and Satisfaction Rates of Total Ankle Arthroplasty in an Asian Population. <i>Foot and Ankle Specialist</i> , 2018, 11, 425-432.	0.5	3

#	ARTICLE	IF	CITATIONS
37	Unicompartmental Knee Arthroplasty Achieves Greater Flexion With No Difference in Functional Outcome, Quality of Life, and Satisfaction vs Total Knee Arthroplasty in Patients Younger Than 55 Years. A Propensity Scoreâ€“Matched Cohort Analysis. <i>Journal of Arthroplasty</i> , 2018, 33, 355-361.	1.5	47
38	Short-term outcomes of arthroscopic TightRopeÂ® fixation are better than hook plate fixation in acute unstable acromioclavicular joint dislocations. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 869-875.	0.6	35
39	Acceptable Functional Outcomes and Patient Satisfaction Following Total Knee Arthroplasty in Asians with Severe Knee Stiffness: A Matched Analysis. <i>Clinics in Orthopedic Surgery</i> , 2018, 10, 337.	0.8	11
40	Duration of physical activity, sitting, sleep and the risk of total knee replacement among Chinese in Singapore, the Singapore Chinese Health Study. <i>PLoS ONE</i> , 2018, 13, e0202554.	1.1	10
41	A comparative study of anterior cruciate ligament reconstruction with double, single, or selective bundle techniques. <i>Journal of Orthopaedic Surgery</i> , 2018, 26, 230949901877312.	0.4	10
42	Protocol for a single-centre prospective observational study of postoperative delirium following total joint arthroplasties among South East Asians. <i>BMJ Open</i> , 2018, 8, e019426.	0.8	0
43	Epidemiology of surgically managed anterior cruciate ligament ruptures in a sports surgery practice. <i>Journal of Orthopaedic Surgery</i> , 2017, 25, 230949901668428.	0.4	17
44	What Are the Preoperative Outcome Measures That Predispose to Periprosthetic Fractures After Primary Total Knee Arthroplasty?. <i>Journal of Arthroplasty</i> , 2017, 32, 2531-2534.	1.5	15
45	Obesity Does Not Affect Outcomes in Hybrid Versus Cemented Total Knee Arthroplasty in Asians. <i>Journal of Arthroplasty</i> , 2017, 32, 3643-3646.	1.5	9
46	Patient-Reported Outcomes, Quality of Life, and Satisfaction Rates in Young Patients Aged 50 Years or Younger After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 419-425.	1.5	57
47	Intraoperative Measurements of Joint Line Changes Using Computer Navigation Do Not Correlate With Postoperative Radiographic Measurements in Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 61-65.	1.5	4
48	Prevalence of Venous Thromboembolic Events Is Low in Asians After Total Knee Arthroplasty Without Chemoprophylaxis. <i>Journal of Arthroplasty</i> , 2017, 32, 974-979.	1.5	23
49	Predictors of Midterm Outcomes after Medial Unicompartmental Knee Arthroplasty in Asians. <i>Clinics in Orthopedic Surgery</i> , 2017, 9, 432.	0.8	6
50	The role of isolated polyethylene exchange in total knee arthroplasty. <i>EFORT Open Reviews</i> , 2017, 2, 66-71.	1.8	12
51	Obesity is associated with poorer range of motion and Tegner scores following hamstring autograft anterior cruciate ligament reconstruction in Asians. <i>Annals of Translational Medicine</i> , 2017, 5, 304-304.	0.7	7
52	Incidence of postoperative delirium in patients undergoing total knee arthroplastyâ€”an Asian perspective. <i>Annals of Translational Medicine</i> , 2017, 5, 321-321.	0.7	18
53	Single-Level Minimally Invasive Transforaminal Lumbar Interbody Fusion Provides Sustained Improvements in Clinical and Radiological Outcomes up to 5 Years Postoperatively in Patients with Neurogenic Symptoms Secondary to Spondylolisthesis. <i>Asian Spine Journal</i> , 2017, 11, 204-212.	0.8	19
54	A Rare Case of Massive Rotator Cuff Tear and Biceps Tendon Rupture with Posterior Shoulder Dislocation in a Young Adult - Surgical Decision-making and Outcome. <i>Journal of Orthopaedic Case Reports</i> , 2017, 7, 82-86.	0.1	6

#	ARTICLE	IF	CITATIONS
55	Cartilage Delamination Flap Mimicking a Torn Medial Meniscus. Case Reports in Orthopedics, 2016, 2016, 1-5.	0.1	1
56	Obesity and Venous Thromboembolism in Total Knee Arthroplasty Patients in an Asian Population. Journal of Arthroplasty, 2016, 31, 2880-2883.	1.5	14
57	Improvement in Health-Related Quality of Life after Unilateral Total Knee Arthroplasty in Patients with Bilateral Knee Osteoarthritis. Journal of Orthopaedic Surgery, 2016, 24, 294-297.	0.4	8
58	Age and Preoperative Knee Society Score Are Significant Predictors of Outcomes Among Asians Following Total Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2016, 98, 735-741.	1.4	75
59	Preoperative haemoglobin cut-off values for the prediction of post-operative transfusion in total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 3293-3298.	2.3	26
60	P-Hacking in Orthopaedic Literature: A Twist to the Tail. Journal of Bone and Joint Surgery - Series A, 2016, 98, e91.	1.4	10
61	Correlations Between Functional Knee Outcomes and Health-Related Quality of Life After Total Knee Arthroplasty in an Asian Population. Journal of Arthroplasty, 2016, 31, 989-993.	1.5	12
62	Factors Affecting Wear of Constrained Polyethylene Tibial Inserts in Total Knee Arthroplasty. Journal of Arthroplasty, 2016, 31, 1340-1345.	1.5	12
63	Injury patterns in patients presenting with a recurrent anterior cruciate ligament tear following primary reconstruction. Annals of Translational Medicine, 2016, 4, 232-232.	0.7	2
64	Irreducible Dislocation of the Great Toe Interphalangeal Joint Secondary to an Incarcerated Sesamoid. Case Reports in Orthopedics, 2015, 2015, 1-4.	0.1	4
65	No Gender-Based Differences in Outcomes after Conventional Total Knee Arthroplasty in Asians. Journal of Arthroplasty, 2015, 30, 1548-1550.	1.5	11
66	Postoperative Delirium in Patients Undergoing Total Joint Arthroplasty: A Systematic Review. Journal of Arthroplasty, 2015, 30, 1414-1417.	1.5	71
67	Outcomes are favorable in Asian patients undergoing deltoid-on open rotator cuff repair without acromioplasty. Journal of Orthopaedics, 2015, 12, 126-129.	0.6	2
68	Outcomes Are Favorable After Arthroscopic Treatment of Osteochondritis Dissecans of the Talus. Journal of Foot and Ankle Surgery, 2015, 54, 57-60.	0.5	15
69	Diagnosis of ligamentous and meniscal pathologies in patients with anterior cruciate ligament injury: comparison of magnetic resonance imaging and arthroscopic findings. Annals of Translational Medicine, 2015, 3, 243.	0.7	2
70	Radiographic grading of the patellofemoral joint is more accurate in skyline compared to lateral views. Annals of Translational Medicine, 2015, 3, 263.	0.7	4
71	Meeting patient expectations and ensuring satisfaction in total knee arthroplasty. Annals of Translational Medicine, 2015, 3, 315.	0.7	1
72	First-time anterior shoulder dislocations: should they be arthroscopically stabilised?. Singapore Medical Journal, 2014, 55, 511-516.	0.3	5

#	ARTICLE	IF	CITATIONS
73	The Truth Behind Subchondral Cysts in Osteoarthritis of the Knee. <i>The Open Orthopaedics Journal</i> , 2014, 8, 7-10.	0.1	53
74	Total Knee Arthroplasty in Asian Subjects: Preoperative Range of Motion Determines Postoperative Range of Motion?. <i>Orthopaedic Surgery</i> , 2014, 6, 33-37.	0.7	12
75	Computer Navigation Results in Less Severe Flexion Contracture Following Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 2369-2372.	1.5	4
76	Postoperative Range of Motion Does Not Correlate with Patient Reported Outcome Scores in Asians after Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 2285-2288.	1.5	3
77	Preoperative Patient Characteristics and Outcomes of Total Knee Arthroplasty in a Multiethnic Asian Population Stratified by Ethnicity. <i>Journal of Arthroplasty</i> , 2014, 29, 304-307.	1.5	6
78	The use of pneumatic tourniquets is safe in Asians undergoing total knee arthroplasty without anticoagulation. <i>Knee</i> , 2014, 21, 176-179.	0.8	19
79	Generalized ligamentous laxity may be a predisposing factor for musculoskeletal injuries. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 474-478.	0.6	35
80	Correlation between Radiographic and Arthroscopic Findings in Asian Osteoarthritic Knees. <i>Journal of Orthopaedic Surgery</i> , 2014, 22, 155-157.	0.4	9
81	Joint line changes in cruciate-retaining versus posterior-stabilized computer-navigated total knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 853-859.	1.3	15
82	Surgically treated cervical myelopathy: a functional outcome comparison study between multilevel anterior cervical decompression fusion with instrumentation and posterior laminoplasty. <i>Spine Journal</i> , 2013, 13, 723-731.	0.6	83
83	Obesity Does Not Imply Poor Outcomes in Asians after Total Knee Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 1957-1963.	0.7	40
84	Health Care Subsidy and Outcomes of Total Knee Arthroplasty in Asians. <i>Orthopedics</i> , 2013, 36, e735-40.	0.5	0
85	Incidence of Clinically Significant Venous Thromboembolic Events in Asian Patients Undergoing Total Knee Arthroplasty Without Anticoagulation. <i>Journal of Arthroplasty</i> , 2012, 27, 1128-1132.	1.5	27