## Kylie D Hesketh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3689721/publications.pdf

Version: 2024-02-01

200 papers 11,012 citations

56 h-index 97 g-index

211 all docs

211 docs citations

times ranked

211

9795 citing authors

#	Article	IF	CITATIONS
1	Health-Related Quality of Life of Overweight and Obese Children. JAMA - Journal of the American Medical Association, 2005, 293, 70.	3.8	521
2	Preschool Children and Physical Activity. American Journal of Preventive Medicine, 2008, 34, 435-441.e7.	1.6	446
3	Effect of classroom-based physical activity interventions on academic and physical activity outcomes: a systematic review and meta-analysis. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 114.	2.0	378
4	Interventions to Prevent Obesity in 0–5 Year Olds: An Updated Systematic Review of the Literature. Obesity, 2010, 18, S27-35.	<b>1.</b> 5	297
5	Change in the prevalence of overweight and obesity among young Australians, 1969–1997. American Journal of Clinical Nutrition, 2003, 77, 29-36.	2.2	262
6	A collaborative approach to adopting/adapting guidelines - The Australian 24-Hour Movement Guidelines for the early years (Birth to 5 years): an integration of physical activity, sedentary behavior, and sleep. BMC Public Health, 2017, 17, 869.	1.2	261
7	Healthy eating, activity and obesity prevention: a qualitative study of parent and child perceptions in Australia. Health Promotion International, 2005, 20, 19-26.	0.9	260
8	Preschoolers' Physical Activity, Screen Time, and Compliance with Recommendations. Medicine and Science in Sports and Exercise, 2012, 44, 458-465.	0.2	234
9	Are children and adolescents less active if parents restrict their physical activity and active transport due to perceived risk?. Social Science and Medicine, 2010, 70, 1799-1805.	1.8	231
10	Objectively measured sedentary behaviour and health and development in children and adolescents: systematic review and metaâ€analysis. Obesity Reviews, 2016, 17, 330-344.	3.1	227
11	A Parent-Focused Intervention to Reduce Infant Obesity Risk Behaviors: A Randomized Trial. Pediatrics, 2013, 131, 652-660.	1.0	225
12	Strategies which aim to positively impact on weight, physical activity, diet and sedentary behaviours in children from zero to five years. A systematic review of the literature. Obesity Reviews, 2007, 8, 327-338.	3.1	217
13	A systematic review of the validity and reliability of sedentary behaviour measures used with children and adolescents. Obesity Reviews, 2011, 12, 781-799.	3.1	213
14	The Infant Feeding Activity and Nutrition Trial (INFANT) an early intervention to prevent childhood obesity: Cluster-randomised controlled trial. BMC Public Health, 2008, 8, 103.	1.2	174
15	The epidemiology of overweight and obesity among Australian children and adolescents, 1995â€97. Australian and New Zealand Journal of Public Health, 2001, 25, 162-169.	0.8	163
16	Standardizing Anthropometric Measures in Children and Adolescents with New Functions for Egen. The Stata Journal, 2004, 4, 50-55.	0.9	158
17	Parent-reported health status of overweight and obese Australian primary school children: a cross-sectional population survey. International Journal of Obesity, 2002, 26, 717-724.	1.6	157
18	Body mass index and parent-reported self-esteem in elementary school children: evidence for a causal relationship. International Journal of Obesity, 2004, 28, 1233-1237.	1.6	156

#	Article	IF	CITATIONS
19	Electronic Media Use and Adolescent Health and Well-Being: Cross-Sectional Community Study. Academic Pediatrics, 2009, 9, 307-314.	1.0	152
20	Parental use of restrictive feeding practices and child BMI z-score. A 3-year prospective cohort study. Appetite, 2010, 55, 84-88.	1.8	150
21	Promoting Fundamental Movement Skill Development and Physical Activity in Early Childhood Settings: A Cluster Randomized Controlled Trial. Pediatric Exercise Science, 2011, 23, 600-615.	0.5	147
22	Television, computer use and body mass index in Australian primary school children. Journal of Paediatrics and Child Health, 2003, 39, 130-134.	0.4	138
23	A cluster-randomized controlled trial to reduce sedentary behavior and promote physical activity and health of 8-9 year olds: The Transform-Us! Study. BMC Public Health, 2011, 11, 759.	1.2	136
24	Systematic review of lifestyle interventions to limit postpartum weight retention: implications for future opportunities to prevent maternal overweight and obesity following childbirth. Obesity Reviews, 2013, 14, 792-805.	3.1	133
25	Maternal self-efficacy regarding children's eating and sedentary behaviours in the early years: Associations with children's food intake and sedentary behaviours. Pediatric Obesity, 2010, 5, 501-508.	3.2	125
26	Nutrition Knowledge: A Mediator between Socioeconomic Position and Diet Quality in Australian First-Time Mothers. Journal of the American Dietetic Association, 2011, 111, 696-704.	1.3	117
27	The Child Health Questionnaire in children with diabetes: cross-sectional survey of parent and adolescent-reported functional health status. Diabetic Medicine, 2000, 17, 700-707.	1.2	113
28	The Child Health Questionnaire in Australia: reliability, validity and population means. Australian and New Zealand Journal of Public Health, 2000, 24, 207-210.	0.8	109
29	Early childhood physical activity, sedentary behaviors and psychosocial well-being: A systematic review. Preventive Medicine, 2014, 62, 182-192.	1.6	101
30	Teething and Tooth Eruption in Infants: A Cohort Study. Pediatrics, 2000, 106, 1374-1379.	1.0	100
31	How Do School-Day Activity Patterns Differ with Age and Gender across Adolescence?. Journal of Adolescent Health, 2009, 44, 64-72.	1.2	100
32	A bi-directional relationship between obesity and health-related quality of life: evidence from the longitudinal AusDiab study. International Journal of Obesity, 2012, 36, 295-303.	1.6	98
33	The health and well-being of adolescents: a school-based population study of the self-report Child Health Questionnaire. Journal of Adolescent Health, 2001, 29, 140-149.	1.2	92
34	A Review of the Relationship Between Socioeconomic Position and the Early-Life Predictors of Obesity. Current Obesity Reports, 2015, 4, 350-362.	3.5	91
35	Children′s physical activity and screen time: qualitative comparison of views of parents of infants and preschool children. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 152.	2.0	89
36	Correlates of Preschool Children's Physical Activity. American Journal of Preventive Medicine, 2012, 43, 159-167.	1.6	88

#	Article	IF	Citations
37	Change in body mass index in Australian primary school children, 1985–1997. International Journal of Obesity, 2000, 24, 679-684.	1.6	83
38	Health-Related Quality of Life and Metabolic Control in Children With Type 1 Diabetes: A prospective cohort study. Diabetes Care, 2004, 27, 415-420.	4.3	81
39	Are Safety-Related Features of the Road Environment Associated with Smaller Declines in Physical Activity among Youth?. Journal of Urban Health, 2010, 87, 29-43.	1.8	81
40	What helps children to move more at school recess and lunchtime? Mid-intervention results from Transform-Us! cluster-randomised controlled trial. British Journal of Sports Medicine, 2014, 48, 271-277.	3.1	81
41	Examination of mid-intervention mediating effects on objectively assessed sedentary time among children in the Transform-Us! cluster-randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 62.	2.0	80
42	Assessing Volume of Accelerometry Data for Reliability in Preschool Children. Medicine and Science in Sports and Exercise, 2012, 44, 2436-2441.	0.2	79
43	Australian parents' views on their 5-6-year-old children's food choices. Health Promotion International, 2007, 22, 11-18.	0.9	78
44	Physical Activity Levels and Patterns of 19-Month-Old Children. Medicine and Science in Sports and Exercise, 2012, 44, 1715-1720.	0.2	78
45	More active pre-school children have better motor competence at school starting age: an observational cohort study. BMC Public Health, 2016, 16, 1068.	1.2	69
46	How is active transport associated with children's and adolescents' physical activity over time?. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 126.	2.0	67
47	The HAPPY Study: Development and reliability of a parent survey to assess correlates of preschool children's physical activity. Journal of Science and Medicine in Sport, 2012, 15, 407-417.	0.6	67
48	Children's television viewing and objectively measured physical activity: associations with family circumstance. International Journal of Behavioral Nutrition and Physical Activity, 2006, 3, 36.	2.0	64
49	Comorbidities of overweight/obesity experienced in adolescence: longitudinal study. Archives of Disease in Childhood, 2010, 95, 162-168.	1.0	63
50	Parent beliefs about infant teething: A survey of Australian parents. Journal of Paediatrics and Child Health, 1999, 35, 446-449.	0.4	61
51	Associations between family circumstance and weight status of Australian children. Pediatric Obesity, 2007, 2, 86-96.	3.2	61
52	Use of Electronic Games by Young Children and Fundamental Movement Skills?. Perceptual and Motor Skills, 2012, 114, 1023-1034.	0.6	60
53	Lifestyle Patterns Begin in Early Childhood, Persist and Are Socioeconomically Patterned, Confirming the Importance of Early Life Interventions. Nutrients, 2020, 12, 724.	1.7	60
54	Stability of body mass index in Australian children: a prospective cohort study across the middle childhood years. Public Health Nutrition, 2004, 7, 303-309.	1.1	59

#	Article	IF	Citations
55	Stability of television viewing and electronic game/computer use in a prospective cohort study of Australian children: relationship with body mass index. International Journal of Behavioral Nutrition and Physical Activity, 2007, 4, 60.	2.0	59
56	Prevalence of sedentary behavior in children under 2years: A systematic review. Preventive Medicine, 2015, 78, 105-114.	1.6	59
57	Socioeconomic variation in diet and activityâ€related behaviours of <scp>A</scp> ustralian children and adolescents aged 2–16 years. Pediatric Obesity, 2012, 7, 329-342.	1.4	58
58	Do the correlates of screen time and sedentary time differ in preschool children?. BMC Public Health, 2017, 17, 285.	1.2	57
59	Interventions to increase physical activity in children 0–5Âyears old: a systematic review, metaâ€analysis and realist synthesis. Obesity Reviews, 2019, 20, 75-87.	3.1	55
60	Health-related quality of life of children with acute lymphoblastic leukaemia: Comparisons and correlations between parent and clinician reports. International Journal of Cancer, 2003, 103, 514-518.	2.3	54
61	Meeting new Canadian 24-Hour Movement Guidelines for the Early Years and associations with adiposity among toddlers living in Edmonton, Canada. BMC Public Health, 2017, 17, 840.	1.2	54
62	Interventions to reduce sedentary behaviour in $0\hat{a}\in$ "5-year-olds: a systematic review and meta-analysis of randomised controlled trials. British Journal of Sports Medicine, 2018, 52, 314-321.	3.1	54
63	Mediators of the Relationship Between Maternal Education and Children's TV Viewing. American Journal of Preventive Medicine, 2007, 33, 41-47.	1.6	51
64	The importance of long-term follow-up in child and adolescent obesity prevention interventions. Pediatric Obesity, 2011, 6, 178-181.	3.2	50
65	Interventions commenced by early infancy to prevent childhood obesityâ€"The EPOCH Collaboration: An individual participant data prospective metaâ€analysis of four randomized controlled trials. Pediatric Obesity, 2020, 15, e12618.	1.4	50
66	Mediators of improved child diet quality following a health promotion intervention: the Melbourne InFANT Program. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 137.	2.0	49
67	Maternal dietary intake and physical activity habits during the postpartum period: associations with clinician advice in a sample of Australian first time mothers. BMC Pregnancy and Childbirth, 2016, 16, 27.	0.9	48
68	Physical activity and sedentary behavior across three time-points and associations with social skills in early childhood. BMC Public Health, 2019, 19, 27.	1.2	47
69	Role of parental and environmental characteristics in toddlers' physical activity and screen time: Bayesian analysis of structural equation models. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 17.	2.0	45
70	A systematic review of lifestyle patterns and their association with adiposity in children aged 5–12 years. Obesity Reviews, 2020, 21, e13029.	3.1	45
71	The Early Prevention of Obesity in CHildren (EPOCH) Collaboration - an Individual Patient Data Prospective Meta-Analysis. BMC Public Health, 2010, 10, 728.	1.2	43
72	The Melbourne Infant Feeding, Activity and Nutrition Trial (InFANT) Program follow-up. Contemporary Clinical Trials, 2013, 34, 145-151.	0.8	43

#	Article	IF	Citations
73	The extended Infant Feeding, Activity and Nutrition Trial (InFANT Extend) Program: a cluster-randomized controlled trial of an early intervention to prevent childhood obesity. BMC Public Health, 2016, 16, 166.	1.2	43
74	Urban–rural comparison of weight status among women and children living in socioeconomically disadvantaged neighbourhoods. Medical Journal of Australia, 2010, 192, 137-140.	0.8	42
75	Early childhood predictors of toddlers' physical activity: longitudinal findings from the Melbourne InFANT Program. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 123.	2.0	42
76	Variation in outcomes of the Melbourne Infant, Feeding, Activity and Nutrition Trial (InFANT) Program according to maternal education and age. Preventive Medicine, 2014, 58, 58-63.	1.6	41
77	Modifiable factors which predict children's gross motor competence: a prospective cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 129.	2.0	40
78	A parent focused child obesity prevention intervention improves some mother obesity risk behaviors: the Melbourne infant program. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 100.	2.0	39
79	The infant feeding practices of Chinese immigrant mothers in Australia: A qualitative exploration. Appetite, 2016, 105, 375-384.	1.8	39
80	Proportion of infants meeting the Australian 24-hour Movement Guidelines for the Early Years: data from the Melbourne InFANT Program. BMC Public Health, 2017, 17, 856.	1.2	39
81	Associations of Parental Rules and Socioeconomic Position With Preschool Children's Sedentary Behaviour and Screen Time. Journal of Physical Activity and Health, 2015, 12, 515-521.	1.0	38
82	Cross-sectional and Longitudinal Associations Between Parents' and Preschoolers' Physical Activity and Television Viewing: The HAPPY Study. Journal of Physical Activity and Health, 2016, 13, 269-274.	1.0	38
83	Prospective associations with physiological, psychosocial and educational outcomes of meeting Australian 24-Hour Movement Guidelines for the Early Years. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 36.	2.0	37
84	A Health Promotion Intervention Can Affect Diet Quality in Early Childhood. Journal of Nutrition, 2013, 143, 1672-1678.	1.3	36
85	Results from Australia's 2018 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2018, 15, S315-S317.	1.0	36
86	Prevalence and stability of active play, restricted movement and television viewing in infants. Early Child Development and Care, 2015, 185, 883-894.	0.7	35
87	Joint physical-activity/screen-time trajectories during early childhood: socio-demographic predictors and consequences on health-related quality-of-life and socio-emotional outcomes. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 55.	2.0	35
88	Fathers' perspectives on the diets and physical activity behaviours of their young children. PLoS ONE, 2017, 12, e0179210.	1,1	35
89	Teething symptoms: cross sectional survey of five groups of child health professionals. BMJ: British Medical Journal, 2002, 325, 814-814.	2.4	34
90	How should activity guidelines for young people be operationalised?. International Journal of Behavioral Nutrition and Physical Activity, 2007, 4, 43.	2.0	34

#	Article	IF	CITATIONS
91	Results from Australia's 2014 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2014, 11, S21-S25.	1.0	34
92	Preschool and childcare center characteristics associated with children's physical activity during care hours: an observational study. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 117.	2.0	34
93	Mothers' perceptions of the influences on their child feeding practices – A qualitative study. Appetite, 2016, 105, 596-603.	1.8	33
94	Associations between maternal concern about child's weight and related behaviours and maternal weight-related parenting practices: a cross-sectional study. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 104.	2.0	33
95	Changes in body mass index and health related quality of life from childhood to adolescence. Pediatric Obesity, 2011, 6, e442-e448.	3.2	32
96	A pilot primary school active break program (ACTI-BREAK): Effects on academic and physical activity outcomes for students in Years 3 and 4. Journal of Science and Medicine in Sport, 2019, 22, 438-443.	0.6	32
97	Differences Between Mothers and Fathers of Young Children in Their Use of the Internet to Support Healthy Family Lifestyle Behaviors: Cross-Sectional Study. Journal of Medical Internet Research, 2019, 21, e11454.	2.1	32
98	Association between maternal education and diet of children at 9 months is partially explained by mothers' diet. Maternal and Child Nutrition, 2015, 11, 936-947.	1.4	31
99	Does Preschool Physical Activity and Electronic Media Use Predict Later Social and Emotional Skills at 6 to 8 Years? A Cohort Study. Journal of Physical Activity and Health, 2017, 14, 308-316.	1.0	31
100	Influences on Preschool Children's Physical Activity. Family and Community Health, 2011, 34, 39-50.	0.5	30
101	Examining the Features of Parks That Children Visit During Three Stages of Childhood. International Journal of Environmental Research and Public Health, 2019, 16, 1658.	1.2	30
102	Feasibility and Efficacy ofÂa Parent-Focused, Text Message–Delivered Intervention toÂReduce Sedentary Behavior in 2- to 4-Year-Old Children (Mini Movers): Pilot Randomized Controlled Trial. JMIR MHealth and UHealth, 2018, 6, e39.	1.8	30
103	Regional and urban Victorian diabetic youth: Clinical and quality-of-life outcomes. Journal of Paediatrics and Child Health, 2002, 38, 593-596.	0.4	28
104	Describing objectively measured physical activity levels, patterns, and correlates in a cross sectional sample of infants and toddlers from South Africa. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 176.	2.0	28
105	Long-term outcomes (2 and 3.5 years post-intervention) of the INFANT early childhood intervention to improve health behaviors and reduce obesity: cluster randomised controlled trial follow-up. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 95.	2.0	27
106	Early detection of emotional and behavioural problems in children with diabetes: the validity of the Child Health Questionnaire as a screening instrument. Diabetic Medicine, 2003, 20, 646-650.	1.2	26
107	Parents' dietary patterns are significantly correlated: findings from the Melbourne Infant Feeding Activity and Nutrition Trial Program. British Journal of Nutrition, 2012, 108, 518-526.	1.2	26
108	Results From Australia's 2016 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2016, 13, S87-S94.	1.0	26

#	Article	IF	CITATIONS
109	Predictors of body mass index change in Australian primary school children. Pediatric Obesity, 2009, 4, 45-53.	3.2	25
110	Associations between dietary intakes of first-time fathers and their 20-month-old children are moderated by fathers' BMI, education and age. British Journal of Nutrition, 2015, 114, 988-994.	1.2	25
111	Maternal-child co-participation in physical activity-related behaviours: prevalence and cross-sectional associations with mothers and children's objectively assessed physical activity levels. BMC Public Health, 2017, 17, 506.	1.2	25
112	Influence of Peers on Breastfeeding Discontinuation Among New Parents: The Melbourne InFANT Program. Pediatrics, 2010, 126, e601-e607.	1.0	24
113	Longitudinal levels and bouts of objectively measured sedentary time among young Australian children in the HAPPY study. Journal of Science and Medicine in Sport, 2016, 19, 232-236.	0.6	24
114	Maternal correlates of young children's physical activity across periods of the day. Journal of Science and Medicine in Sport, 2017, 20, 178-183.	0.6	24
115	Translating an early childhood obesity prevention program for local community implementation: a case study of the Melbourne InFANT Program. BMC Public Health, 2016, 16, 748.	1.2	21
116	Dietary associations of fathers and their children between the ages of 20 months and 5 years. Public Health Nutrition, 2016, 19, 2033-2039.	1.1	21
117	Psychometric Properties of a Parental Questionnaire for Assessing Correlates of Toddlers' Physical Activity and Sedentary Behavior. Measurement in Physical Education and Exercise Science, 2017, 21, 190-200.	1.3	21
118	A pilot intervention to reduce postpartum weight retention and central adiposity in firstâ€time mothers: results from the mums OnLiNE (Online, Lifestyle, Nutrition & Exercise) study. Journal of Human Nutrition and Dietetics, 2018, 31, 314-328.	1.3	21
119	MatCH (Mothers and their Children's Health) Profile: offspring of the 1973-78 cohort of the Australian Longitudinal Study on Women's Health. Longitudinal and Life Course Studies, 2018, 9, 351-375.	0.3	21
120	A primary school active break programme (ACTI-BREAK): study protocol for a pilot cluster randomised controlled trial. Trials, 2017, 18, 433.	0.7	20
121	Changes in volume and bouts of physical activity and sedentary time across early childhood: a longitudinal study. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 42.	2.0	20
122	Process evaluation of a classroom active break (ACTI-BREAK) program for improving academic-related and physical activity outcomes for students in years 3 and 4. BMC Public Health, 2019, 19, 633.	1.2	20
123	The effect of an early childhood obesity intervention on father's obesity risk behaviors: the Melbourne InFANT Program. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 18.	2.0	19
124	Longitudinal associations between infant movement behaviours and development. International Journal of Behavioral Nutrition and Physical Activity, 2022, 19, 10.	2.0	19
125	How does perceived risk mediate associations between perceived safety and parental restriction of adolescents' physical activity in their neighborhood?. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 57.	2.0	17
126	Tracking of maternal self-efficacy for limiting young children's television viewing and associations with children's television viewing time: a longitudinal analysis over 15-months. BMC Public Health, 2015, 15, 517.	1.2	17

#	Article	IF	CITATIONS
127	Practicalities and Research Considerations for Conducting Childhood Obesity Prevention Interventions with Families. Children, 2016, 3, 24.	0.6	17
128	Differences in infant feeding practices between Chinese-born and Australian-born mothers living in Australia: a cross-sectional study. BMC Pediatrics, 2018, 18, 209.	0.7	17
129	Changing Behavior Using Ecological Models. , 2020, , 237-250.		17
130	Breastfeeding and emerging motherhood identity: An interpretative phenomenological analysis of first time Chinese Australian mothers' breastfeeding experiences. Women and Birth, 2021, 34, e292-e301.	0.9	17
131	Transforming Obesity Prevention for CHILDren (TOPCHILD) Collaboration: protocol for a systematic review with individual participant data meta-analysis of behavioural interventions for the prevention of early childhood obesity. BMJ Open, 2022, 12, e048166.	0.8	17
132	A mobile technology intervention to reduce sedentary behaviour in 2- to 4-year-old children (Mini) Tj ETQq0 0 0 r	gBT_/Over	lock 10 Tf 50
133	Paternal self-efficacy for promoting children's obesity protective diets and associations with children's dietary intakes. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 53.	2.0	15
134	Brief tools to measure obesityâ€related behaviours in children under 5Âyears of age: A systematic review. Obesity Reviews, 2019, 20, 432-447.	3.1	14
135	A systematic review of economic evaluations of webâ€based or telephoneâ€delivered interventions for preventing overweight and obesity and/or improving obesityâ€related behaviors. Obesity Reviews, 2021, 22, e13227.	3.1	14
136	Unpacking the behavioural components and delivery features of early childhood obesity prevention interventions in the TOPCHILD Collaboration: a systematic review and intervention coding protocol. BMJ Open, 2022, 12, e048165.	0.8	14
137	Facilitator and Participant Use of Facebook in a Community-Based Intervention for Parents: The InFANT Extend Program. Childhood Obesity, 2017, 13, 443-454.	0.8	13
138	Associations between organised sport participation and classroom behaviour outcomes among primary school-aged children. PLoS ONE, 2019, 14, e0209354.	1.1	13
139	Comparing the features of parks that children usually visit with those that are closest to home: A brief report. Urban Forestry and Urban Greening, 2020, 48, 126560.	2.3	13
140	Children's After-School Activity: Associations with Weight Status and Family Circumstance. Pediatric Exercise Science, 2008, 20, 84-94.	0.5	12
141	Physical environments, policies and practices for physical activity and screenâ€based sedentary behaviour among preschoolers within child care centres in <scp>M</scp> elbourne, <scp>A</scp> ustralia and <scp>K</scp> ingston, <scp>C</scp> anada. Child: Care, Health and Development. 2015. 41, 132-138.	0.8	12
142	Informing Active Play and Screen Time Behaviour Change Interventions for Low Socioeconomic Position Mothers of Young Children: What Do Mothers Want?. BioMed Research International, 2016, 2016, 1-13.	0.9	12
143	Setting them up for lifetime activity: Play competence perceptions and physical activity in young children. Journal of Science and Medicine in Sport, 2017, 20, 856-860.	0.6	12
144	Does height influence progression through primary school grades?. Archives of Disease in Childhood, 2000, 82, 297-301.	1.0	11

#	Article	IF	Citations
145	Parental Influences on Preschoolers' TV Viewing Time: Mediation Analyses on Australian and Belgian Data. Journal of Physical Activity and Health, 2015, 12, 1272-1279.	1.0	11
146	Preschool children's physical activity and cardiovascular disease risk: A systematic review. Journal of Science and Medicine in Sport, 2019, 22, 568-573.	0.6	11
147	Determinants of rapid infant weight gain: A pooled analysis of seven cohorts. Pediatric Obesity, 2022, 17, e12928.	1.4	11
148	Relative effects of postnatal rapid growth and maternal factors on early childhood growth trajectories. Paediatric and Perinatal Epidemiology, 2019, 33, 172-180.	0.8	10
149	Mothers' perceptions of Melbourne InFANT Program: informing future practice. Health Promotion International, 2016, 31, 614-622.	0.9	9
150	The views of first time mothers completing an intervention to reduce postpartum weight retention: A qualitative evaluation of the mums OnLiNE study. Midwifery, 2018, 56, 23-28.	1.0	9
151	Objectively Measured Environmental Correlates of Toddlers' Physical Activity and Sedentary Behavior. Pediatric Exercise Science, 2019, 31, 480-487.	0.5	9
152	Patterns and predictors of exclusive breastfeeding in Chinese Australian mothers: a cross sectional study. International Breastfeeding Journal, 2020, 15, 61.	0.9	9
153	Cost comparison of five Australasian obesity prevention interventions for children aged from birth to two years. Pediatric Obesity, 2020, 15, e12684.	1.4	9
154	Volume and accumulation patterns of physical activity and sedentary time: longitudinal changes and tracking from early to late childhood. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 39.	2.0	9
155	Protocol for an Effectiveness-Implementation Hybrid Trial to Evaluate Scale up of an Evidence-Based Intervention Addressing Lifestyle Behaviours From the Start of Life: INFANT. Frontiers in Endocrinology, 2021, 12, 717468.	1.5	9
156	A scoping review of outcomes commonly reported in obesity prevention interventions aiming to improve obesityâ€related health behaviors in children to age 5 years. Obesity Reviews, 2022, 23, e13427.	3.1	9
157	Breastfeeding mothers consume more vegetables and a greater variety of fruits and vegetables than nonâ€breastfeeding peers: The influence of socioeconomic position. Nutrition and Dietetics, 2012, 69, 84-90.	0.9	8
158	The role of parents in preventing child overweight and obesity: An ecological approach. , 2010, , 299-320.		8
159	Associations between the physical activity levels of fathers and their children at 20Âmonths, 3.5 and five years of age. BMC Public Health, 2017, 17, 628.	1.2	7
160	Is replacing sedentary time with bouts of physical activity associated with inflammatory biomarkers in children?. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 733-741.	1.3	7
161	Nighttime sleep duration trajectories were associated with body mass index trajectories in early childhood. Pediatric Obesity, 2021, 16, e12766.	1.4	7
162	Protocol for the Let's Grow randomised controlled trial: examining efficacy, cost-effectiveness and scalability of a m-Health intervention for movement behaviours in toddlers. BMJ Open, 2022, 12, e057521.	0.8	7

#	Article	IF	CITATIONS
163	Validity of hipâ€worn inertial measurement unit compared to jump mat for jump height measurement in adolescents. Scandinavian Journal of Medicine and Science in Sports, 2018, 28, 2183-2188.	1.3	6
164	Key Messages in an Early Childhood Obesity Prevention Intervention: Are They Recalled and Do They Impact Children's Behaviour?. International Journal of Environmental Research and Public Health, 2019, 16, 1550.	1.2	6
165	Reallocating sedentary time with total physical activity and physical activity bouts in children: Associations with cardiometabolic biomarkers. Journal of Sports Sciences, 2021, 39, 332-340.	1.0	6
166	Maternal knowledge explains screen time differences 2 and 3.5 years post-intervention in INFANT. European Journal of Pediatrics, 2021, 180, 3391-3398.	1.3	6
167	Lessons on early childhood obesity prevention interventions from the Victorian Infant Program. Public Health Research and Practice, 2019, 29, .	0.7	6
168	Quantifying the overall impact of an early childhood multiâ€behavioural lifestyle intervention. Pediatric Obesity, 2022, 17, e12861.	1.4	6
169	Demographic Correlates of Movement Behaviors in Infants: A Longitudinal Study. Journal of Physical Activity and Health, 2022, 19, 177-185.	1.0	6
170	The Chinese-born immigrant infant feeding and growth hypothesis. BMC Public Health, 2016, 16, 1071.	1.2	5
171	The influence of the maternal peer group (partner, friends, mothers' group, family) on mothers' attitudes to obesity-related behaviours of their children. BMC Pediatrics, 2019, 19, 357.	0.7	5
172	The Need for an Evidence-Based Program in Sweden to Support Parents to Create Healthy Lifestyle Behaviors from the Start of Life—Parental Perceptions. Nutrients, 2020, 12, 3823.	1.7	5
173	Association Between Longitudinal Trajectories of Lifestyle Pattern and BMI in Early Childhood. Obesity, 2021, 29, 879-887.	1.5	5
174	Validity of an Infant Tummy Time Questionnaire and Time-use Diary against the GENEActiv Accelerometer. Measurement in Physical Education and Exercise Science, 2022, 26, 27-38.	1.3	5
175	A comparison of children $\hat{a} \in \mathbb{M}$ s diet and movement behaviour patterns derived from three unsupervised multivariate methods. PLoS ONE, 2021, 16, e0255203.	1.1	5
176	Protocol for the development of Core Outcome Sets for Early intervention trials to Prevent Obesity in CHildren (COS-EPOCH). BMJ Open, 2021, 11, e048104.	0.8	5
177	A thematic cluster analysis of parents' online discussions about fussy eating. Maternal and Child Nutrition, 2022, 18, e13316.	1.4	5
178	Parent's views of the importance of making changes in settings where children spend time to prevent obesity. Asia Pacific Journal of Clinical Nutrition, 2008, 17, 148-58.	0.3	5
179	Associations between physical activity, television viewing and postnatal depressive symptoms amongst healthy primiparous mothers. Mental Health and Physical Activity, 2016, 10, 62-67.	0.9	4

Protocol for economic evaluation alongside the SHINE (Supporting Healthy Image, Nutrition and) Tj ETQq0 0 0 rgBT/Qverlock 10 Tf 50 c

#	Article	IF	Citations
181	Examining the sustainability of effects of early childhood obesity prevention interventions: Followâ€up of the <scp>EPOCH</scp> individual participant data prospective metaâ€analysis. Pediatric Obesity, 2022, 17, e12919.	1.4	4
182	Reimagining physical activity for children following the systemic disruptions from the COVID-19 pandemic in Australia. British Journal of Sports Medicine, 2022, 56, 899-900.	3.1	4
183	How to Change Young Children's Physical Activity and Sedentary Behavior: Mechanisms of Behavior Change in the INFANT Cluster Randomized Controlled Trial. Children, 2021, 8, 470.	0.6	3
184	How to Support Child Healthcare Nurses in Sweden to Promote Healthy Lifestyle Behaviors from the Start of Life. Children, 2021, 8, 696.	0.6	3
185	Physical activity and adiposity in preschool children: The Barwon Infant Study. Pediatric Obesity, 2021, , e12853.	1.4	3
186	Associations between Child and Family Level Correlates and Behavioural Patterns in School-Aged Children, 2021, 8, 1023.	0.6	3
187	Family history of non-communicable diseases and associations with weight and movement behaviours in Australian school-aged children: a prospective study. BMJ Open, 2020, 10, e038789.	0.8	3
188	Results from Australiaâ∈™s 2014 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2014, 11, S21-S25.	1.0	3
189	Funding for child obesity prevention in Australia. Australian and New Zealand Journal of Public Health, 2011, 35, 85-86.	0.8	2
190	Sitting and Screen Time Outside School Hours: Correlates in 6- to 8-Year-Old Children. Journal of Physical Activity and Health, 2019, 16, 752-764.	1.0	2
191	Not All Play Equipment Is Created Equal: Associations Between Equipment at Home and Children's Physical Activity. Journal of Physical Activity and Health, 2019, 16, 945-951.	1.0	2
192	Variation in outcomes of the Melbourne Infant, Feeding, Activity and Nutrition Trial (INFANT) according to maternal education and age 2 and 3·5 years post-intervention. Public Health Nutrition, 2021, 24, 1460-1468.	1.1	1
193	The reliability and validity of a physical activity and sedentary behaviour home audit tool for children aged 2–5†years. Journal of Science and Medicine in Sport, 2021, 24, 1143-1148.	0.6	1
194	What Factors Help Young Children Develop Positive Perceptions of Their Motor Skills?. International Journal of Environmental Research and Public Health, 2021, 18, 759.	1.2	1
195	The skeletal maturity of Australian children aged 10–13 years in 2016. Annals of Human Biology, 2021, 48, 150-152.	0.4	0
196	504Patterns of physical activity and sedentary time: Changes and tracking from early childhood. International Journal of Epidemiology, 2021, 50, .	0.9	0
197	Obesity prevention interventions for early childhood: An updated systematic review of the literature. , 2010, , 396-407.		0
198	Epidemiology of Obesity in Children and Adolescents in Australia, New Zealand and the Pacific Region. , 2011, , 111-125.		0

#	Article	IF	CITATIONS
199	Family history of non-communicable diseases and associations with weight and movement behaviours in Australian school-aged children: a prospective study. BMJ Open, 2020, 10, e038789.	0.8	o
200	Differing associations with childhood outcomes using behavioural patterns derived from three data reduction techniques. International Journal of Epidemiology, 0, , .	0.9	0