

# D Samuel Raj

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3691977/publications.pdf>

Version: 2024-02-01

19  
papers

358  
citations

1040056

9  
h-index

940533

16  
g-index

19  
all docs

19  
docs citations

19  
times ranked

286  
citing authors

#	ARTICLE	IF	CITATIONS
1	Study of the Effect of Tool Wear on Hole Quality in Drilling CFRP to Select a Suitable Drill for Multi-Criteria Hole Quality. <i>Materials and Manufacturing Processes</i> , 2016, 31, 587-592.	4.7	70
2	On the benefits of sub-zero air supplemented minimum quantity lubrication systems: An experimental and mechanistic investigation on end milling of Ti-6-Al-4-V alloy. <i>Tribology International</i> , 2018, 119, 464-473.	5.9	50
3	Modeling and Optimization of Process Parameters for Defect Toleranced Drilling of GFRP Composites. <i>Materials and Manufacturing Processes</i> , 2006, 21, 357-365.	4.7	40
4	A new and comprehensive characterisation of tool wear in CFRP drilling using micro-geometry and topography studies on the cutting edge. <i>Journal of Manufacturing Processes</i> , 2018, 32, 839-856.	5.9	33
5	Performance of cryogenically treated WC drill using tool wear measurements on the cutting edge and hole surface topography when drilling CFRP. <i>International Journal of Refractory Metals and Hard Materials</i> , 2019, 78, 32-44.	3.8	29
6	Simplified MQL system for drilling AISI 304 SS using cryogenically treated drills. <i>Materials and Manufacturing Processes</i> , 2017, 32, 1679-1684.	4.7	28
7	Cutting edge "flattening and roughness measurement" to monitor blunting and chipping of the drill cutting edge when drilling CFRP. <i>International Journal of Advanced Manufacturing Technology</i> , 2017, 92, 953-968.	3.0	19
8	Optimization of jet position and investigation of the effects of multijet MQCL during end milling of Ti-6Al-4V. <i>Journal of Manufacturing Processes</i> , 2021, 64, 392-408.	5.9	16
9	Performance analysis of tools with rake face textures produced using wire-EDM in turning AISI4340. <i>Materials and Manufacturing Processes</i> , 0, , 1-15.	4.7	15
10	A novel contact area based analysis to study the thermo-mechanical effect of cutting edge radius using numerical and multi-sensor experimental investigation in turning. <i>Journal of Materials Processing Technology</i> , 2021, 293, 117085.	6.3	15
11	Effect of cutting edge radius on end milling Ti-6Al-4V under minimum quantity cooling lubrication " Chip morphology and surface integrity study. <i>Wear</i> , 2022, 498-499, 204307.	3.1	11
12	A combined numerical and experimental investigation of minimum quantity lubrication applied to end milling of Ti6Al4V alloy. <i>Machining Science and Technology</i> , 2021, 25, 209-236.	2.5	10
13	Effect of EDMed rake face grooves on the chip breaking capability of twist drills during deep hole drilling of Al 6061 aluminum alloy. <i>Materials and Manufacturing Processes</i> , 2022, 37, 1052-1072.	4.7	8
14	Evaluation of the effect of cryogenic treatment of HSS drills at different holding time in drilling AISI 316-SS. <i>Engineering Research Express</i> , 2020, 2, 025005.	1.6	7
15	Six Sigma implementation in a manufacturing unit - a case study. <i>International Journal of Productivity and Quality Management</i> , 2016, 19, 409.	0.2	2
16	Improvement of hole quality and process characteristics by adopting reduced quantity lubrication in drilling of stainless steel 304. <i>International Journal of Productivity and Quality Management</i> , 2017, 22, 1.	0.2	2
17	Improvement of hole quality and process characteristics by adopting reduced quantity lubrication in drilling of stainless steel 304. <i>International Journal of Productivity and Quality Management</i> , 2017, 22, 190.	0.2	1
18	Studies on Cryogenic Treated Drills Under Nano-Fluid Based Reduced Quantity Lubrication Conditions for Machining Ti6Al4V. , 2018, , .		1

#	ARTICLE	IF	CITATIONS
19	Six Sigma implementation in a manufacturing unit - a case study. International Journal of Productivity and Quality Management, 2016, 19, 409.	0.2	1