

Tom Wilsgaard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3693146/publications.pdf>

Version: 2024-02-01

199
papers

20,659
citations

47409

49
h-index

14012

133
g-index

204
all docs

204
docs citations

204
times ranked

35321
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Validity of self-reported educational level in the TromsÅ, Study. <i>Scandinavian Journal of Public Health</i> , 2023, 51, 1061-1068. | 1.2 | 3 |
| 2 | Longitudinal changes in concentrations of persistent organic pollutants (1986â€“2016) and their associations with type 2 diabetes mellitus. <i>Environmental Research</i> , 2022, 204, 112129. | 3.7 | 8 |
| 3 | Obesity Does Not Protect From Subarachnoid Hemorrhage: Pooled Analyses of 3 Large Prospective Nordic Cohorts. <i>Stroke</i> , 2022, 53, 1301-1309. | 1.0 | 2 |
| 4 | Longitudinal changes in blood biomarkers and their ability to predict type 2 diabetes mellitusâ€”The TromsÅ, study. <i>Endocrinology, Diabetes and Metabolism</i> , 2022, , e00325. | 1.0 | 4 |
| 5 | Expression of miR-24-1-5p in Tumor Tissue Influences Prostate Cancer Recurrence: The PROCA-life Study. <i>Cancers</i> , 2022, 14, 1142. | 1.7 | 4 |
| 6 | Assessment of mental health trajectories before and after myocardial infarction, atrial fibrillation or stroke: analysis of a cohort study in TromsÅ, Norway (TromsÅ, Study, 1994â€“2016). <i>BMJ Open</i> , 2022, 12, e052948. | 0.8 | 3 |
| 7 | Drug-Eluting versus Bare-Metal Stents in Saphenous Vein Grafts Compared to Native Coronary Vessels: The Norwegian Coronary Stent Trial Study. <i>Cardiology</i> , 2022, 147, 14-22. | 0.6 | 0 |
| 8 | Association between espresso coffee and serum total cholesterol: the TromsÅ, Study 2015â€“2016. <i>Open Heart</i> , 2022, 9, e001946. | 0.9 | 3 |
| 9 | The seventh survey of the TromsÅ, Study (TromsÅ,7) 2015â€“2016: study design, data collection, attendance, and prevalence of risk factors and disease in a multipurpose population-based health survey. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 919-929. | 1.2 | 43 |
| 10 | Statistical analysis plan for the randomized controlled trial Tenecteplase in Wake-up Ischaemic Stroke Trial (TWIST). <i>Trials</i> , 2022, 23, 421. | 0.7 | 1 |
| 11 | Sexual dysfunction is prevalent in female lymphoma survivors after autologous stem-cell transplantation and is associated with younger age, chronic fatigue, and mental distress. <i>Bone Marrow Transplantation</i> , 2021, 56, 968-970. | 1.3 | 3 |
| 12 | Physical activity and cold pain tolerance in the general population. <i>European Journal of Pain</i> , 2021, 25, 637-650. | 1.4 | 11 |
| 13 | Do declines in occupational physical activity contribute to population gains in body mass index? TromsÅ, Study 1974â€“2016. <i>Occupational and Environmental Medicine</i> , 2021, 78, 203-210. | 1.3 | 7 |
| 14 | Tenecteplase in wake-up ischemic stroke trial: Protocol for a randomized-controlled trial. <i>International Journal of Stroke</i> , 2021, 16, 990-994. | 2.9 | 20 |
| 15 | Metachronous Contralateral Testicular Cancer in the Cisplatin Era: A Population-Based Cohort Study. <i>Journal of Clinical Oncology</i> , 2021, 39, 308-318. | 0.8 | 13 |
| 16 | What factors explain the much higher diabetes prevalence in Russia compared with Norway? Major sex differences in the contribution of adiposity. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002021. | 1.2 | 4 |
| 17 | Trends in known and undiagnosed diabetes, HbA1c levels, cardiometabolic risk factors and diabetes treatment target achievement in repeated cross-sectional surveys: the population-based TromsÅ, Study 1994â€“2016. <i>BMJ Open</i> , 2021, 11, e041846. | 0.8 | 11 |
| 18 | Prevalent diabetes and risk of total, colorectal, prostate and breast cancers in an ageing population: meta-analysis of individual participant data from cohorts of the CHANCES consortium. <i>British Journal of Cancer</i> , 2021, 124, 1882-1890. | 2.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Incidence and risk factors for major bleeding among patients undergoing percutaneous coronary intervention: Findings from the Norwegian Coronary Stent Trial (NORSTENT). PLoS ONE, 2021, 16, e0247358. | 1.1 | 4 |
| 20 | Sex-Specific Associations between Blood Pressure and Risk of Atrial Fibrillation Subtypes in the TromsÅ, Study. Journal of Clinical Medicine, 2021, 10, 1514. | 1.0 | 8 |
| 21 | Testicular cancer in the cisplatin era: Causes of death and mortality rates in a population-based cohort.. Journal of Clinical Oncology, 2021, 39, 5006-5006. | 0.8 | 3 |
| 22 | The bidirectional associations between leisure time physical activity change and body mass index gain. The TromsÅ, Study 1974â€“2016. International Journal of Obesity, 2021, 45, 1830-1843. | 1.6 | 8 |
| 23 | The trans-ancestral genomic architecture of glycemic traits. Nature Genetics, 2021, 53, 840-860. | 9.4 | 341 |
| 24 | Heavy alcohol drinking and subclinical echocardiographic abnormalities of structure and function. Open Heart, 2021, 8, e001457. | 0.9 | 1 |
| 25 | Is the ongoing obesity epidemic partly explained by concurrent decline in cigarette smoking? Insights from a longitudinal population study. The TromsÅ, Study 1994â€“2016. Preventive Medicine, 2021, 147, 106533. | 1.6 | 1 |
| 26 | Age-specific atrial fibrillation incidence, attributable risk factors and risk of stroke and mortality: results from the MORGAM Consortium. Open Heart, 2021, 8, e001624. | 0.9 | 20 |
| 27 | Validating Acute Myocardial Infarction Diagnoses in National Health Registers for Use as Endpoint in Research: The TromsÅ, Study. Clinical Epidemiology, 2021, Volume 13, 675-682. | 1.5 | 7 |
| 28 | Change in cardiovascular risk assessment tool and updated Norwegian guidelines for cardiovascular disease in primary prevention increase the population proportion at risk: the TromsÅ, Study 2015â€“2016. Open Heart, 2021, 8, e001777. | 0.9 | 2 |
| 29 | Long-Term Survival, Causes of Death, and Trends in 5-Year Mortality After Intracerebral Hemorrhage: The TromsÅ, Study. Stroke, 2021, 52, 3883-3890. | 1.0 | 8 |
| 30 | Secular and longitudinal trends in body composition: The TromsÅ, Study, 2001 to 2016. Obesity, 2021, 29, 1939-1949. | 1.5 | 6 |
| 31 | Analyses of Increased Mortality in New and Known Diabetes in Patients with Coronary Disease Enrolled in the NORSTENT Randomized Study. Cardiology, 2021, 146, 295-303. | 0.6 | 1 |
| 32 | Low Pain Tolerance Is Associated With Coronary Angiography, Coronary Artery Disease, and Mortality: The TromsÅ, Study. Journal of the American Heart Association, 2021, 10, e021291. | 1.6 | 3 |
| 33 | Association of glycated hemoglobin A1c levels with cardiovascular outcomes in the general population: results from the BiomarCaRE (Biomarker for Cardiovascular Risk Assessment in Europe) consortium. Cardiovascular Diabetology, 2021, 20, 223. | 2.7 | 20 |
| 34 | Associations Between Intake of Fermented Dairy Products and Blood Lipid Concentrations Are Affected by Fat Content and Dairy Matrix â€“ The TromsÅ, Study: TromsÅ,7. Frontiers in Nutrition, 2021, 8, 773468. | 1.6 | 10 |
| 35 | Systolic and diastolic blood pressure, prostate cancer risk, treatment, and survival. The PROCAâ€“life study. Cancer Medicine, 2021, , . | 1.3 | 4 |
| 36 | Long-term blood pressure trajectories and incident atrial fibrillation in women and men: the TromsÅ, Study. European Heart Journal, 2020, 41, 1554-1562. | 1.0 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Serum total thiol levels and the risk of lung, colorectal, breast and prostate cancer: A prospective caseâ€“cohort study. <i>International Journal of Cancer</i> , 2020, 146, 1261-1267. | 2.3 | 15 |
| 38 | Inflammatory serum markers and risk and severity of prostate cancer: The PROCAâ€“life study. <i>International Journal of Cancer</i> , 2020, 147, 84-92. | 2.3 | 26 |
| 39 | No additional longâ€“term effect of group vs individual family intervention in the treatment of childhood obesityâ€“A randomised trial. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 183-192. | 0.7 | 7 |
| 40 | Evidence for a Direct Harmful Effect of Alcohol on Myocardial Health: A Large Crossâ€“Sectional Study of Consumption Patterns and Cardiovascular Disease Risk Biomarkers From Northwest Russia, 2015 to 2017. <i>Journal of the American Heart Association</i> , 2020, 9, e014491. | 1.6 | 22 |
| 41 | Sexual function in long-term male lymphoma survivors after high-dose therapy with autologous stem-cell transplantation. <i>Bone Marrow Transplantation</i> , 2020, 55, 891-905. | 1.3 | 12 |
| 42 | Red Cell Distribution Width and Risk of Atrial Fibrillation and Subsequent Thromboembolism: The TromsÅ, Study. <i>TH Open</i> , 2020, 04, e280-e287. | 0.7 | 7 |
| 43 | Prevalence of general and abdominal obesity in 2015â€“2016 and 8-year longitudinal weight and waist circumference changes in adults and elderly: the TromsÅ, Study. <i>BMJ Open</i> , 2020, 10, e038465. | 0.8 | 20 |
| 44 | Volume blood flowâ€“based indices of fetal brain sparing in the second half of pregnancy: A longitudinal study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1717-1727. | 1.3 | 3 |
| 45 | Why does Russia have such high cardiovascular mortality rates? Comparisons of blood-based biomarkers with Norway implicate non-ischaemic cardiac damage. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2020-213885. | 2.0 | 10 |
| 46 | The Effect of Drug-Eluting Stents on Target Lesion Revascularization in Native Coronary Arteries: Results from the NORSTENT Randomized Study. <i>Cardiology</i> , 2020, 145, 333-341. | 0.6 | 2 |
| 47 | Employment status three years after percutaneous coronary intervention and predictors for being employed: A nationwide prospective cohort study. <i>European Journal of Cardiovascular Nursing</i> , 2020, 19, 433-439. | 0.4 | 3 |
| 48 | Exploring the effects of lifestyle on breast cancer risk, age at diagnosis, and survival: the EBBA-Life study. <i>Breast Cancer Research and Treatment</i> , 2020, 182, 215-227. | 1.1 | 25 |
| 49 | Baseline pain characteristics predict pain reduction after physical therapy in women with chronic pelvic pain. Secondary analysis of data from a randomized controlled trial. <i>Scandinavian Journal of Pain</i> , 2020, 20, 793-800. | 0.5 | 1 |
| 50 | Hypothetical interventions and risk of myocardial infarction in a general population: application of the parametric g-formula in a longitudinal cohort studyâ€“the TromsÅ, Study. <i>BMJ Open</i> , 2020, 10, e035584. | 0.8 | 5 |
| 51 | The impact of risk factor trends on intracerebral hemorrhage incidence over the last two decadesâ€“The TromsÅ, Study. <i>International Journal of Stroke</i> , 2019, 14, 61-68. | 2.9 | 6 |
| 52 | Patient reported outcomes with remote orthopaedic consultations by telemedicine: A randomised controlled trial. <i>Journal of Telemedicine and Telecare</i> , 2019, 25, 451-459. | 1.4 | 173 |
| 53 | Neuropsychological functions of verbal recall and psychomotor speed significantly affect pain tolerance. <i>European Journal of Pain</i> , 2019, 23, 1608-1618. | 1.4 | 4 |
| 54 | Polymorphisms in the vitamin D system and mortality â€“ The TromsÅ, study. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 195, 105481. | 1.2 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Collagen-Covered Autologous Chondrocyte Implantation Versus Autologous Matrix-Induced Chondrogenesis: A Randomized Trial Comparing 2 Methods for Repair of Cartilage Defects of the Knee. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711986821. | 0.8 | 36 |
| 56 | Left atrial diameter, left ventricle filling indices, and association with all-cause mortality: Results from the population-based TromsÅ, Study. <i>Echocardiography</i> , 2019, 36, 439-450. | 0.3 | 12 |
| 57 | Drug-eluting or bare-metal stents for percutaneous coronary intervention: a systematic review and individual patient data meta-analysis of randomised clinical trials. <i>Lancet, The</i> , 2019, 393, 2503-2510. | 6.3 | 166 |
| 58 | Secular and longitudinal trends in cardiovascular risk in a general population using a national risk model: The TromsÅ, Study. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1852-1861. | 0.8 | 6 |
| 59 | Effect of prothrombotic genotypes on the risk of venous thromboembolism in patients with and without ischemic stroke. The TromsÅ, Study. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 749-758. | 1.9 | 8 |
| 60 | Lifestyle behavior among lymphoma survivors after high-dose therapy with autologous hematopoietic stem cell transplantation, assessed by patient-reported outcomes. <i>Acta OncolÅ³gica</i> , 2019, 58, 690-699. | 0.8 | 11 |
| 61 | The Combined Effect of Cancer and Cardiometabolic Conditions on the Mortality Burden in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 366-372. | 1.7 | 3 |
| 62 | Pre-Å³diagnostic derivatives of reactive oxygen metabolites and the occurrence of lung, colorectal, breast and prostate cancer: An individual participant data meta-Å³analysis of two large population-Å³based studies. <i>International Journal of Cancer</i> , 2019, 145, 49-57. | 2.3 | 15 |
| 63 | Patterns of detectable viraemia among children and adults with HIV infection taking antiretroviral therapy in Zimbabwe. <i>International Journal of Infectious Diseases</i> , 2019, 78, 65-71. | 1.5 | 14 |
| 64 | Adolescent body composition and associations with body size and growth from birth to late adolescence. The TromsÅ, study: Fit Futures-Å³A Norwegian longitudinal cohort study. <i>Pediatric Obesity</i> , 2019, 14, e12492. | 1.4 | 5 |
| 65 | Effect of Genetically Low 25-Hydroxyvitamin D on Mortality Risk: Mendelian Randomization Analysis in 3 Large European Cohorts. <i>Nutrients</i> , 2019, 11, 74. | 1.7 | 30 |
| 66 | Brachial plexus block of the posterior and the lateral cord using ropivacaine 7.5Å³mg/mL. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 389-395. | 0.7 | 3 |
| 67 | Cost-Effectiveness of Telemedicine in Remote Orthopedic Consultations: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2019, 21, e11330. | 2.1 | 223 |
| 68 | Genetic variation in P2RX7 and pain tolerance. <i>Pain</i> , 2018, 159, 1064-1073. | 2.0 | 34 |
| 69 | Secondary prevention care and effect: Total and low-density lipoprotein cholesterol levels and lipid-lowering drug use in women and men after incident myocardial infarction -Å³ The TromsÅ, Study 1994-Å³2016. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 563-570. | 0.4 | 3 |
| 70 | Mild Albuminuria Is a Risk Factor for Faster GFR Decline in the Nondiabetic Population. <i>Kidney International Reports</i> , 2018, 3, 817-824. | 0.4 | 22 |
| 71 | Sex Differences in the Impact of Body Mass Index on the Risk of Future Atrial Fibrillation: Insights From the Longitudinal Population-Å³Based TromsÅ, Study. <i>Journal of the American Heart Association</i> , 2018, 7, . | 1.6 | 20 |
| 72 | The impact of changes in leisure time physical activity on changes in cardiovascular risk factors: results from The Finnmark 3 Study and SAMINOR 1, 1987-Å³2003. <i>International Journal of Circumpolar Health</i> , 2018, 77, 1459145. | 0.5 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Atrial Fibrillation and Cause-Specific Risks of Pulmonary Embolism and Ischemic Stroke. <i>Journal of the American Heart Association</i> , 2018, 7, . | 1.6 | 21 |
| 74 | Interleukin-6 is an independent predictor of progressive atherosclerosis in the carotid artery: The TromsÅ, Study. <i>Atherosclerosis</i> , 2018, 271, 1-8. | 0.4 | 41 |
| 75 | Blood pressure target achievement and antihypertensive medication use in women and men after first-ever myocardial infarction: the TromsÅ, Study 1994-2016. <i>Open Heart</i> , 2018, 5, e000746. | 0.9 | 5 |
| 76 | Genome-wide Study of Atrial Fibrillation Identifies Seven Risk Loci and Highlights Biological Pathways and Regulatory Elements Involved in Cardiac Development. <i>American Journal of Human Genetics</i> , 2018, 102, 103-115. | 2.6 | 86 |
| 77 | Hypothetical interventions to prevent stroke: an application of the parametric g-formula to a healthy middle-aged population. <i>European Journal of Epidemiology</i> , 2018, 33, 557-566. | 2.5 | 14 |
| 78 | Small and large vessel disease in persons with unrecognized compared to recognized myocardial infarction: The TromsÅ, Study 2007-2008. <i>International Journal of Cardiology</i> , 2018, 253, 14-19. | 0.8 | 12 |
| 79 | Sex differences in umbilical artery Doppler indices: a longitudinal study. <i>Biology of Sex Differences</i> , 2018, 9, 16. | 1.8 | 23 |
| 80 | How Is Adolescent Bone Mass and Density Influenced by Early Life Body Size and Growth? The TromsÅ, Study: Fit Futures- A Longitudinal Cohort Study From Norway. <i>JBMR Plus</i> , 2018, 2, 268-280. | 1.3 | 12 |
| 81 | Electrocardiographic unrecognized myocardial infarction does not improve prediction of cardiovascular events beyond traditional risk factors. The TromsÅ, Study. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 78-86. | 0.8 | 7 |
| 82 | Quality of life as a prognostic factor for survival in hepatocellular carcinoma. <i>Liver International</i> , 2018, 38, 885-894. | 1.9 | 25 |
| 83 | Variability in peripheral rewarming after cold stress among 255 healthy Norwegian army conscripts assessed by dynamic infrared thermography. <i>International Journal of Circumpolar Health</i> , 2018, 77, 1536250. | 0.5 | 8 |
| 84 | Gender differences in the association of syndecan-4 with myocardial infarction: The population-based TromsÅ, Study. <i>Atherosclerosis</i> , 2018, 278, 166-173. | 0.4 | 22 |
| 85 | The independent and joint associations of physical activity and body mass index with myocardial infarction: The TromsÅ, Study. <i>Preventive Medicine</i> , 2018, 116, 94-98. | 1.6 | 11 |
| 86 | Impact of Chronic Inflammation, Assessed by hs-CRP, on the Association between Red Cell Distribution Width and Arterial Cardiovascular Disease: The TromsÅ, Study. <i>TH Open</i> , 2018, 02, e182-e189. | 0.7 | 12 |
| 87 | Long-term serum platinum changes and their association with cisplatin-related late effects in testicular cancer survivors. <i>Acta OncolÅ³gica</i> , 2018, 57, 1392-1400. | 0.8 | 11 |
| 88 | Joint Effect of Carotid Plaque and C- Reactive Protein on First- Ever Ischemic Stroke and Myocardial Infarction?. <i>Journal of the American Heart Association</i> , 2018, 7, . | 1.6 | 13 |
| 89 | Cardiac rehabilitation and symptoms of anxiety and depression after percutaneous coronary intervention. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1017-1025. | 0.8 | 50 |
| 90 | Impact of pre-diagnostic triglycerides and HDL-cholesterol on breast cancer recurrence and survival by breast cancer subtypes. <i>BMC Cancer</i> , 2018, 18, 654. | 1.1 | 52 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Long-term platinum (Pt) change and its associations with cisplatin-related late effects in testicular cancer survivors (TCSs).. Journal of Clinical Oncology, 2018, 36, e22067-e22067. | 0.8 | 0 |
| 92 | Association of TNF Receptor 2 and CRP with GFR Decline in the General Nondiabetic Population. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 624-634. | 2.2 | 20 |
| 93 | High Ambulatory Arterial Stiffness Index Is an Independent Risk Factor for Rapid Age-Related Glomerular Filtration Rate Decline in the General Middle-Aged Population. Hypertension, 2017, 69, 651-659. | 1.3 | 16 |
| 94 | Resting heart rate trajectories and myocardial infarction, atrial fibrillation, ischaemic stroke and death in the general population: The TromsÅ, Study. European Journal of Preventive Cardiology, 2017, 24, 748-759. | 0.8 | 23 |
| 95 | Myocardial infarction and future risk of cancer in the general populationâ€”the TromsÅ, Study. European Journal of Epidemiology, 2017, 32, 193-201. | 2.5 | 49 |
| 96 | Declining Incidence of Ischemic Stroke. Stroke, 2017, 48, 544-550. | 1.0 | 71 |
| 97 | Risk of incident myocardial infarction by gender: Interactions with serum lipids, blood pressure and smoking. The TromsÅ, Study 1979â€”2012. Atherosclerosis, 2017, 261, 52-59. | 0.4 | 44 |
| 98 | Uric acid predicts mortality and ischaemic stroke in subjects with diastolic dysfunction: the TromsÅ, Study 1994â€”2013. ESC Heart Failure, 2017, 4, 154-161. | 1.4 | 15 |
| 99 | Burden of hip fracture using disability-adjusted life-years: a pooled analysis of prospective cohorts in the CHANCES consortium. Lancet Public Health, The, 2017, 2, e239-e246. | 4.7 | 169 |
| 100 | Comparison of general obesity and measures of body fat distribution in older adults in relation to cancer risk: meta-analysis of individual participant data of seven prospective cohorts in Europe. British Journal of Cancer, 2017, 116, 1486-1497. | 2.9 | 89 |
| 101 | Self-rated health and all-cause and cause-specific mortality of older adults: Individual data meta-analysis of prospective cohort studies in the CHANCES Consortium. Maturitas, 2017, 103, 37-44. | 1.0 | 58 |
| 102 | Pain sensitivity and analgesic use among 10,486 adults: the TromsÅ, study. BMC Pharmacology & Toxicology, 2017, 18, 45. | 1.0 | 44 |
| 103 | Determinants of social inequalities in stroke incidence across Europe: a collaborative analysis of 126 635 individuals from 48 cohort studies. Journal of Epidemiology and Community Health, 2017, 71, jech-2017-209728. | 2.0 | 20 |
| 104 | Longitudinal and secular trends in total cholesterol levels and impact of lipid-lowering drug use among Norwegian women and men born in 1905â€”1977 in the population-based TromsÅ, Study 1979â€”2016. BMJ Open, 2017, 7, e015001. | 0.8 | 41 |
| 105 | Data on gender contrasts in the risk of incident myocardial infarction by age. The TromsÅ, Study 1979â€”2012. Data in Brief, 2017, 13, 779-784. | 0.5 | 1 |
| 106 | Sexual Dimorphism in Umbilical Vein Blood Flow During the Second Half of Pregnancy: A Longitudinal Study. Journal of Ultrasound in Medicine, 2017, 36, 2447-2458. | 0.8 | 3 |
| 107 | The relation between birthweight, childhood body mass index, and overweight and obesity in late adolescence: a longitudinal cohort study from Norway, The TromsÅ, Study, Fit Futures. BMJ Open, 2017, 7, e015576. | 0.8 | 40 |
| 108 | C-reactive protein in atherosclerosis â€” A risk marker but not a causal factor? A 13-year population-based longitudinal study: The TromsÅ, study. Atherosclerosis, 2017, 263, 293-300. | 0.4 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Blood pressure and age-related GFR decline in the general population. <i>BMC Nephrology</i> , 2017, 18, 77. | 0.8 | 29 |
| 110 | Placental pulsatility index: a new, more sensitive parameter for predicting adverse outcome in pregnancies suspected of fetal growth restriction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 216-222. | 1.3 | 16 |
| 111 | Association of occasional smoking with total mortality in the population-based TromsÅ, study, 2001â€“2015. <i>BMJ Open</i> , 2017, 7, e019107. | 0.8 | 18 |
| 112 | Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <i>PLoS Medicine</i> , 2017, 14, e1002383. | 3.9 | 341 |
| 113 | Vitamin D and mortality: Individual participant data meta-analysis of standardized 25-hydroxyvitamin D in 26916 individuals from a European consortium. <i>PLoS ONE</i> , 2017, 12, e0170791. | 1.1 | 219 |
| 114 | Audiograms and hearing loss before and after cisplatin-based chemotherapy (CBCT) in testicular cancer survivors (TCS).. <i>Journal of Clinical Oncology</i> , 2017, 35, e16047-e16047. | 0.8 | 0 |
| 115 | Quality of care for remote orthopaedic consultations using telemedicine: a randomised controlled trial. <i>BMC Health Services Research</i> , 2016, 16, 483. | 0.9 | 199 |
| 116 | Atherosclerotic Risk Factors and Risk of Myocardial Infarction and Venous Thromboembolism; Time-Fixed versus Time-Varying Analyses. The TromsÅ, Study. <i>PLoS ONE</i> , 2016, 11, e0163242. | 1.1 | 20 |
| 117 | Cyclic endogenous estrogen and progesterone vary by mammographic density phenotypes in premenopausal women. <i>European Journal of Cancer Prevention</i> , 2016, 25, 9-18. | 0.6 | 13 |
| 118 | A longitudinal study of maternal endothelial function, inflammatory response and uterine artery blood flow during the second half of pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 225-232. | 1.3 | 20 |
| 119 | Resting heart rate predicts incident myocardial infarction, atrial fibrillation, ischaemic stroke and death in the general population: the TromsÅ, Study. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 902-909. | 2.0 | 27 |
| 120 | Pain Tolerance in Persons With Recognized and Unrecognized Myocardial Infarction: A Populationâ€“Based, Crossâ€“Sectional Study. <i>Journal of the American Heart Association</i> , 2016, 5, . | 1.6 | 16 |
| 121 | Quantification of the smoking-associated cancer risk with rate advancement periods: meta-analysis of individual participant data from cohorts of the CHANCES consortium. <i>BMC Medicine</i> , 2016, 14, 62. | 2.3 | 110 |
| 122 | Elevated blood pressure is not associated with accelerated glomerular filtration rate decline in the general non-diabetic middle-aged population. <i>Kidney International</i> , 2016, 90, 404-410. | 2.6 | 52 |
| 123 | Lifelong Gender Gap in Risk of Incident Myocardial Infarction. <i>JAMA Internal Medicine</i> , 2016, 176, 1673. | 2.6 | 113 |
| 124 | Joint effects of cancer and variants in the factor 5 gene on the risk of venous thromboembolism. <i>Haematologica</i> , 2016, 101, 1046-1053. | 1.7 | 28 |
| 125 | Cystatin C and Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2016, 68, 934-945. | 1.2 | 109 |
| 126 | Association of Increasing GFR with Change in Albuminuria in the General Population. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 2186-2194. | 2.2 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Drug-Eluting or Bare-Metal Stents for Coronary Artery Disease. <i>New England Journal of Medicine</i> , 2016, 375, 1242-1252. | 13.9 | 434 |
| 128 | Effect of Perioperative Dexamethasone and Different NSAIDs on Anastomotic Leak Risk: A Propensity Score Analysis. <i>World Journal of Surgery</i> , 2016, 40, 2782-2789. | 0.8 | 10 |
| 129 | Associations between long-term serum platinum and neurotoxicity and ototoxicity, endocrine gonadal function, and cardiovascular disease in testicular cancer survivors. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 487.e13-487.e20. | 0.8 | 16 |
| 130 | Ischemic Stroke and Risk of Venous Thromboembolism in the General Population: The TromsÅ, Study. <i>Journal of the American Heart Association</i> , 2016, 5, . | 1.6 | 57 |
| 131 | A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016, 7, 13357. | 5.8 | 74 |
| 132 | The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , 2016, 48, 1171-1184. | 9.4 | 362 |
| 133 | Secular trends and correlates of physical activity: The TromsÅ, Study 1979-2008. <i>BMC Public Health</i> , 2016, 16, 1215. | 1.2 | 24 |
| 134 | Longitudinal reference ranges for maternal plasma laeverin, and its role as a potential biomarker of preeclampsia. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 377. | 0.9 | 3 |
| 135 | Persistent analgesic use and the association with chronic pain and other risk factors in the populationâ€”a longitudinal study from the TromsÅ, Study and the Norwegian Prescription Database. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 977-985. | 0.8 | 9 |
| 136 | Overweight duration in older adults and cancer risk: a study of cohorts in Europe and the United States. <i>European Journal of Epidemiology</i> , 2016, 31, 893-904. | 2.5 | 40 |
| 137 | Tracking of overweight and obesity from early childhood to adolescenceâ€”in a population-based cohortâ€”the TromsÅ, Study, Fit Futures. <i>BMC Pediatrics</i> , 2016, 16, 64. | 0.7 | 112 |
| 138 | Effect of major lifestyle risk factors, independent and jointly, on life expectancy with and without cardiovascular disease: results from the Consortium on Health and Ageing Network of Cohorts in Europe and the United States (CHANCES). <i>European Journal of Epidemiology</i> , 2016, 31, 455-468. | 2.5 | 75 |
| 139 | Trends in Modifiable Risk Factors Are Associated With Declining Incidence of Hospitalized and Nonhospitalized Acute Coronary Heart Disease in a Population. <i>Circulation</i> , 2016, 133, 74-81. | 1.6 | 121 |
| 140 | Prediabetes and Risk of Glomerular Hyperfiltration and Albuminuria in the General Nondiabetic Population: A Prospective Cohort Study. <i>American Journal of Kidney Diseases</i> , 2016, 67, 841-850. | 2.1 | 67 |
| 141 | N-Acetyl-Î²-d-Glucosaminidase Does Not Enhance Prediction of Cardiovascular or All-Cause Mortality by Albuminuria in a Low-Risk Population. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 533-542. | 3.0 | 12 |
| 142 | Pre-diagnostic vitamin D concentrations and cancer risks in older individuals: an analysis of cohorts participating in the CHANCES consortium. <i>European Journal of Epidemiology</i> , 2016, 31, 311-323. | 2.5 | 42 |
| 143 | The DBP Phenotype Gc-1f/Gc-1f Is Associated with Reduced Risk of Cancer. <i>The TromsÅ, Study. PLoS ONE</i> , 2015, 10, e0126359. | 1.1 | 16 |
| 144 | The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378. | 1.5 | 331 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Maternal Functional Hemodynamics in the Second Half of Pregnancy: A Longitudinal Study. PLoS ONE, 2015, 10, e0135300. | 1.1 | 18 |
| 146 | Genetic Variations in the Vitamin D Receptor Predict Type 2 Diabetes and Myocardial Infarction in a Community-Based Population: The TromsÅ, Study. PLoS ONE, 2015, 10, e0145359. | 1.1 | 15 |
| 147 | Resting heart rate on the decline: the TromsÅ, Study 1986â€“2007. International Journal of Epidemiology, 2015, 44, 1007-1017. | 0.9 | 9 |
| 148 | Time Trends in Incidence and Case Fatality of Ischemic Stroke. Stroke, 2015, 46, 1173-1179. | 1.0 | 39 |
| 149 | New genetic loci link adipose and insulin biology to body fat distribution. Nature, 2015, 518, 187-196. | 13.7 | 1,328 |
| 150 | Genetic studies of body mass index yield new insights for obesity biology. Nature, 2015, 518, 197-206. | 13.7 | 3,823 |
| 151 | Low oxygen saturation and mortality in an adult cohort: the TromsÅ, study. BMC Pulmonary Medicine, 2015, 15, 9. | 0.8 | 41 |
| 152 | Longitudinal and Secular Trends in Blood Pressure Among Women and Men in Birth Cohorts Born Between 1905 and 1977. Hypertension, 2015, 66, 496-501. | 1.3 | 42 |
| 153 | Vitamin D and cognitive function: The TromsÅ, Study. Journal of the Neurological Sciences, 2015, 355, 155-161. | 0.3 | 61 |
| 154 | Cardiovascular health and the modifiable burden of incident myocardial infarction: the TromsÅ, Study. BMC Public Health, 2015, 15, 221. | 1.2 | 20 |
| 155 | Outcome prediction in chronic unilateral lumbar radiculopathy: prospective cohort study. BMC Musculoskeletal Disorders, 2015, 16, 17. | 0.8 | 22 |
| 156 | Impact of smoking and smoking cessation on cardiovascular events and mortality among older adults: meta-analysis of individual participant data from prospective cohort studies of the CHANCES consortium. BMJ, The, 2015, 350, h1551-h1551. | 3.0 | 349 |
| 157 | Alcohol consumption, endogenous estrogen and mammographic density among premenopausal women. Breast Cancer Research, 2015, 17, 103. | 2.2 | 44 |
| 158 | Clinically Significant Novel Biomarkers for Prediction of First Ever Myocardial Infarction. Circulation: Cardiovascular Genetics, 2015, 8, 363-371. | 5.1 | 25 |
| 159 | Smoking and All-cause Mortality in Older Adults. American Journal of Preventive Medicine, 2015, 49, e53-e63. | 1.6 | 60 |
| 160 | High-Density Lipoprotein-Cholesterol, Daily Estradiol and Progesterone, and Mammographic Density Phenotypes in Premenopausal Women. Cancer Prevention Research, 2015, 8, 535-544. | 0.7 | 10 |
| 161 | Lymphangiogenic Markers and Their Impact on Nodal Metastasis and Survival in Non-Small Cell Lung Cancer - A Structured Review with Meta-Analysis. PLoS ONE, 2015, 10, e0132481. | 1.1 | 11 |
| 162 | Long-term platinum retention after platinum-based chemotherapy in testicular cancer survivors: a 20-year follow-up study. Anticancer Research, 2015, 35, 1619-25. | 0.5 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Gene variations in oestrogen pathways, CYP19A1, daily 17 ^β -estradiol and mammographic density phenotypes in premenopausal women. <i>Breast Cancer Research</i> , 2014, 16, 499. | 2.2 | 12 |
| 164 | Anal incontinence, urinary incontinence and sexual problems in primiparous women – a comparison between women with episiotomy only and women with episiotomy and obstetric anal sphincter injury. <i>BMC Women's Health</i> , 2014, 14, 157. | 0.8 | 19 |
| 165 | Trends in cardiovascular risk factors across levels of education in a general population: is the educational gap increasing? The TromsÅ, study 1994–2008. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 712-719. | 2.0 | 41 |
| 166 | Long-term cardiovascular consequences of Rose angina at age 20–54 years: 29-years' follow-up of the TromsÅ, Study. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 754-759. | 2.0 | 8 |
| 167 | Vitamin D and mortality: meta-analysis of individual participant data from a large consortium of cohort studies from Europe and the United States. <i>BMJ</i> , The, 2014, 348, g3656-g3656. | 3.0 | 363 |
| 168 | Uric acid is associated with future atrial fibrillation: an 11-year follow-up of 6308 men and women—the Tromso Study. <i>Europace</i> , 2014, 16, 320-326. | 0.7 | 59 |
| 169 | Red Cell Distribution Width Is Associated With Incident Myocardial Infarction in a General Population: The TromsÅ, Study. <i>Journal of the American Heart Association</i> , 2014, 3, . | 1.6 | 70 |
| 170 | Systematic evaluation of coding variation identifies a candidate causal variant in TM6SF2 influencing total cholesterol and myocardial infarction risk. <i>Nature Genetics</i> , 2014, 46, 345-351. | 9.4 | 268 |
| 171 | High Fish plus Fish Oil Intake Is Associated with Slightly Reduced Risk of Venous Thromboembolism: The TromsÅ, Study. <i>Journal of Nutrition</i> , 2014, 144, 861-867. | 1.3 | 26 |
| 172 | Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186. | 9.4 | 1,818 |
| 173 | Insulin-like growth factor-1, growth hormone, and daily cycling estrogen are associated with mammographic density in premenopausal women. <i>Cancer Causes and Control</i> , 2014, 25, 891-903. | 0.8 | 12 |
| 174 | Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014, 46, 234-244. | 9.4 | 959 |
| 175 | Impact of long-term serum platinum on neuro- and ototoxicity, cardiovascular disease, and hypogonadism in testicular cancer survivors.. <i>Journal of Clinical Oncology</i> , 2014, 32, 4518-4518. | 0.8 | 1 |
| 176 | Accuracy of physical examination for chronic lumbar radiculopathy. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 206. | 0.8 | 52 |
| 177 | Discovery and refinement of loci associated with lipid levels. <i>Nature Genetics</i> , 2013, 45, 1274-1283. | 9.4 | 2,641 |
| 178 | Evaluation of Serum 25-Hydroxyvitamin D as a Predictor of Carotid Intima-Media Thickness and Carotid Total Plaque Area in Nonsmokers: The TromsÅ, Study. <i>International Journal of Endocrinology</i> , 2013, 1-7. | 0.6 | 9 |
| 179 | The sixth survey of the TromsÅ, Study (TromsÅ, 6) in 2007–08: Collaborative research in the interface between clinical medicine and epidemiology: Study objectives, design, data collection procedures, and attendance in a multipurpose population-based health survey. <i>Scandinavian Journal of Public Health</i> , 2013. 41, 65-80. | 1.2 | 122 |
| 180 | Palpitations are predictive of future atrial fibrillation. An 11-year follow-up of 22,815 men and women: the TromsÅ, Study. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 729-736. | 0.8 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Genetic Polymorphism CYP17rs2486758 and Metabolic Risk Factors Predict Daily Salivary 17 β -Estradiol Concentration in Healthy Premenopausal Norwegian Women. The EBBA-I Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E852-E857. | 1.8 | 11 |
| 182 | Cohort profile: The Tromso Study. <i>International Journal of Epidemiology</i> , 2012, 41, 961-967. | 0.9 | 547 |
| 183 | Age and gender differences in incidence and case fatality trends for myocardial infarction: a 30-year follow-up. The Troms \ddot{A} Study. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 927-934. | 0.8 | 50 |
| 184 | Polymorphisms Related to the Serum 25-Hydroxyvitamin D Level and Risk of Myocardial Infarction, Diabetes, Cancer and Mortality. The Troms \ddot{A} Study. <i>PLoS ONE</i> , 2012, 7, e37295. | 1.1 | 102 |
| 185 | Effect of caudal epidural steroid or saline injection in chronic lumbar radiculopathy: multicentre, blinded, randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2011, 343, d5278-d5278. | 2.4 | 96 |
| 186 | Carotid Plaque Area and Intima-Media Thickness in Prediction of First-Ever Ischemic Stroke. <i>Stroke</i> , 2011, 42, 972-978. | 1.0 | 283 |
| 187 | Tracking of Leisure Time Physical Activity during 28 yr in Adults. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 1229-1234. | 0.2 | 36 |
| 188 | Effect of smoking on the serum levels of 25-hydroxyvitamin D depends on the assay employed. <i>European Journal of Endocrinology</i> , 2010, 163, 339-348. | 1.9 | 78 |
| 189 | Lifestyle Impact on Lifetime Bone Loss in Women and Men: The Tromso Study. <i>American Journal of Epidemiology</i> , 2009, 169, 877-886. | 1.6 | 50 |
| 190 | Weight loss and mortality: A gender-specific analysis of the Troms \ddot{A} study. <i>Gender Medicine</i> , 2009, 6, 575-586. | 1.4 | 15 |
| 191 | Body Mass Index and Coronary Heart Disease Risk Score: The Troms \ddot{A} Study, 1979 to 2001. <i>Annals of Epidemiology</i> , 2007, 17, 100-105. | 0.9 | 21 |
| 192 | Lifestyle factors and incident metabolic syndrome. <i>Diabetes Research and Clinical Practice</i> , 2007, 78, 217-224. | 1.1 | 134 |
| 193 | Reference ranges for serial measurements of umbilical artery Doppler indices in the second half of pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 937-944. | 0.7 | 324 |
| 194 | Reference ranges for umbilical vein blood flow in the second half of pregnancy based on longitudinal data. <i>Prenatal Diagnosis</i> , 2005, 25, 99-111. | 1.1 | 90 |
| 195 | Determining Lifestyle Correlates of Body Mass Index using Multilevel Analyses: The Troms \ddot{A} Study, 1979-2001. <i>American Journal of Epidemiology</i> , 2005, 162, 1179-1188. | 1.6 | 43 |
| 196 | Serum High-Density Lipoprotein Cholesterol, Metabolic Profile, and Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2004, 96, 1152-1160. | 3.0 | 239 |
| 197 | Change in serum lipids and body mass index by age, sex, and smoking status: The Troms \ddot{A} study 1986-1995. <i>Annals of Epidemiology</i> , 2004, 14, 265-273. | 0.9 | 47 |
| 198 | Increase in Weight in All Birth Cohorts in a General Population. <i>Archives of Internal Medicine</i> , 2001, 161, 466. | 4.3 | 75 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Joint effect of myocardial infarction and obesity on the risk of venous thromboembolism: The TromsÅ, Study. Journal of Thrombosis and Haemostasis, 0, , . | 1.9 | 2 |