

Lisha Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3693965/lisha-zhang-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

7,492

citations

34

h-index

67

g-index

67

ext. papers

8,419

ext. citations

8.2

avg, IF

6.03

L-index

#	Paper	IF	Citations
66	Fabrication of NH-MIL-125(Ti) nanodots on carbon fiber/MoS-based weavable photocatalysts for boosting the adsorption and photocatalytic performance.. <i>Journal of Colloid and Interface Science</i> , 2022 , 611, 706-717	9.3	4
65	Bismuth oxybromide/bismuth oxyiodide nanojunctions decorated on flexible carbon fiber cloth as easily recyclable photocatalyst for removing various pollutants from wastewater. <i>Journal of Colloid and Interface Science</i> , 2021 , 608, 2660-2660	9.3	1
64	MIL-101(Fe) nanodot-induced improvement of adsorption and photocatalytic activity of carbon fiber/TiO ₂ -based weavable photocatalyst for removing pharmaceutical pollutants. <i>Journal of Cleaner Production</i> , 2021 , 290, 125782	10.3	18
63	TiO ₂ /BiOI p-n junction-decorated carbon fibers as weavable photocatalyst with UV-vis photoresponsive for efficiently degrading various pollutants. <i>Chemical Engineering Journal</i> , 2021 , 415, 129019	14.7	33
62	Construction of C ₃ N ₄ /CdS nanojunctions on carbon fiber cloth as a filter-membrane-shaped photocatalyst for degrading flowing wastewater. <i>Journal of Alloys and Compounds</i> , 2021 , 851, 156743	5.7	19
61	BiOBr/Ag/AgBr heterojunctions decorated carbon fiber cloth with broad-spectral photoresponse as filter-membrane-shaped photocatalyst for the efficient purification of flowing wastewater. <i>Journal of Colloid and Interface Science</i> , 2021 , 587, 633-643	9.3	21
60	Boosting the adsorption and photocatalytic activity of carbon fiber/MoS ₂ -based weavable photocatalyst by decorating UiO-66-NH ₂ nanoparticles. <i>Chemical Engineering Journal</i> , 2021 , 417, 128112	14.7	12
59	Decoration of amine functionalized zirconium metal organic framework/silver iodide heterojunction on carbon fiber cloth as a filter- membrane-shaped photocatalyst for degrading antibiotics. <i>Journal of Colloid and Interface Science</i> , 2021 , 603, 582-593	9.3	5
58	Synthesis of BiOBr/AgPO heterojunctions on carbon-fiber cloth as filter-membrane-shaped photocatalyst for treating the flowing antibiotic wastewater. <i>Journal of Colloid and Interface Science</i> , 2020 , 575, 183-193	9.3	34
57	Construction of TiO/AgPO nanojunctions on carbon fiber cloth for photocatalytically removing various organic pollutants in static or flowing wastewater. <i>Journal of Colloid and Interface Science</i> , 2020 , 571, 213-221	9.3	31
56	Synthesis of Cu ₂ (OH)PO ₄ superstructures with NIR-laser enhanced photocatalytic activity. <i>Functional Materials Letters</i> , 2020 , 13, 2050015	1.2	1
55	Construction of n-TiO ₂ /p-Ag ₂ O Junction on Carbon Fiber Cloth with Vis-NIR Photoresponse as a Filter-Membrane-Shaped Photocatalyst. <i>Advanced Fiber Materials</i> , 2020 , 2, 13-23	10.9	80
54	Fabrication of g-C ₃ N ₄ /BiOBr heterojunctions on carbon fibers as weaveable photocatalyst for degrading tetracycline hydrochloride under visible light. <i>Chemical Engineering Journal</i> , 2020 , 386, 124010	14.7	116
53	Construction of titanium dioxide/cadmium sulfide heterojunction on carbon fibers as weavable photocatalyst for eliminating various contaminants. <i>Journal of Colloid and Interface Science</i> , 2020 , 561, 307-317	9.3	28
52	Fabrication of MoS ₂ /BiOBr heterojunctions on carbon fibers as a weaveable photocatalyst for tetracycline hydrochloride degradation and Cr(VI) reduction under visible light. <i>Environmental Science: Nano</i> , 2020 , 7, 2708-2722	7.1	22
51	Synthesis of ultrathin g-C ₃ N ₄ /graphene nanocomposites with excellent visible-light photocatalytic performances. <i>Functional Materials Letters</i> , 2019 , 12, 1950025	1.2	3
50	Synthesis of MoS ₂ /CdS Heterostructures on Carbon-Fiber Cloth as Filter-Membrane-Shaped Photocatalyst for Purifying the Flowing Wastewater under Visible-Light Illumination. <i>ChemCatChem</i> , 2019 , 11, 2855-2863	5.2	42

49	Construction of Ag/AgCl-CN heterojunctions with enhanced photocatalytic activities for degrading contaminants in wastewater. <i>Journal of Colloid and Interface Science</i> , 2019 , 543, 25-33	9.3	21
48	MoS ₂ /Bi ₂ S ₃ heterojunctions-decorated carbon-fiber cloth as flexible and filter-membrane-shaped photocatalyst for the efficient degradation of flowing wastewater. <i>Journal of Alloys and Compounds</i> , 2019 , 779, 599-608	5.7	39
47	Vis-NIR Light-Responsive Photocatalytic Activity of C ₃ N ₄ /Ag ₂ O Heterojunction-Decorated Carbon-fiber Cloth as Efficient Filter-Membrane-Shaped Photocatalyst. <i>ChemCatChem</i> , 2019 , 11, 1362-1373	5.3	28
46	TiO ₂ /MoS ₂ heterojunctions-decorated carbon fibers with broad-spectrum response as weaveable photocatalyst/photoelectrode. <i>Materials Research Bulletin</i> , 2019 , 112, 354-362	5.1	39
45	Synthesis of Au nanoparticle-decorated carbon nitride nanorods with plasmon-enhanced photoabsorption and photocatalytic activity for removing various pollutants from water. <i>Journal of Hazardous Materials</i> , 2018 , 344, 1188-1197	12.8	61
44	Growth of Cu ₂ O Spherical Superstructures on g-C ₃ N ₄ as Efficient Visible-Light-Driven p-n Heterojunction Photocatalysts for Degrading Various Organic Pollutants. <i>Journal of Nanoscience and Nanotechnology</i> , 2018 , 18, 7355-7363	1.3	5
43	Synthesis of ZnWO ₄ nanorods with oxygen vacancy for efficient photocatalytic degradation of tetracycline. <i>Progress in Natural Science: Materials International</i> , 2018 , 28, 408-415	3.6	46
42	Preparation of TiO ₂ /CN heterojunctions on carbon-fiber cloth as efficient filter-membrane-shaped photocatalyst for removing various pollutants from the flowing wastewater. <i>Journal of Colloid and Interface Science</i> , 2018 , 532, 798-807	9.3	62
41	Synthesis of NiTiO ₃ /Bi ₂ MoO ₆ core-shell fiber-shaped heterojunctions as efficient and easily recyclable photocatalysts. <i>New Journal of Chemistry</i> , 2018 , 42, 411-419	3.6	20
40	Preparation of TiO ₂ /Bi ₂ WO ₆ nanostructured heterojunctions on carbon fibers as a weaveable visible-light photocatalyst/photoelectrode. <i>Environmental Science: Nano</i> , 2018 , 5, 327-337	7.1	72
39	Hydrothermal synthesis of graphene/TiO ₂ /CdS nanocomposites as efficient visible-light-driven photocatalysts. <i>Materials Letters</i> , 2017 , 194, 172-175	3.3	27
38	Synthesis of Ta ₃ N ₅ /Bi ₂ MoO ₆ core-shell fiber-shaped heterojunctions as efficient and easily recyclable photocatalysts. <i>Environmental Science: Nano</i> , 2017 , 4, 1155-1167	7.1	162
37	Growth of C ₃ N ₄ nanosheets on carbon-fiber cloth as flexible and macroscale filter-membrane-shaped photocatalyst for degrading the flowing wastewater. <i>Applied Catalysis B: Environmental</i> , 2017 , 219, 425-431	21.8	96
36	Synthesis of flower-like Ag ₂ O/BiO(COOH) p-n heterojunction with enhanced visible light photocatalytic activity. <i>Applied Surface Science</i> , 2017 , 397, 95-103	6.7	73
35	Synthesis of Yb ³⁺ /Er ³⁺ co-doped Bi ₂ WO ₆ nanosheets with enhanced photocatalytic activity. <i>Materials Letters</i> , 2016 , 163, 16-19	3.3	27
34	Synthesis of CuS nanoplate-containing PDMS film with excellent near-infrared shielding properties. <i>RSC Advances</i> , 2016 , 6, 18881-18890	3.7	25
33	Visible-light-driven photocatalytic inactivation of Escherichia coli by magnetic Fe ₂ O ₃ -AgBr. <i>Water Research</i> , 2016 , 90, 111-118	12.5	86
32	High Efficiency CdS/CdSe Quantum Dot Sensitized Solar Cells with Two ZnSe Layers. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 34482-34489	9.5	71

31	Preparation of Yb ³⁺ /Er ³⁺ co-doped BiOCl sheets as efficient visible-light-driven photocatalysts. <i>Materials Letters</i> , 2016 , 179, 154-157	3-3	21
30	Synthesis of flexible and up-converting luminescent NaYF ₄ :Yb,Er-PET composite film for constructing 980-nm laser-driven biopower. <i>RSC Advances</i> , 2016 , 6, 42763-42769	3-7	3
29	Synthesis of BiOBr/WO ₃ p/n heterojunctions with enhanced visible light photocatalytic activity. <i>CrystEngComm</i> , 2016 , 18, 3856-3865	3-3	89
28	Simultaneous control of morphology, phase and optical absorption of hydrophilic copper sulfide-based photothermal nanoagents through Cu/S precursor ratios. <i>Journal of Alloys and Compounds</i> , 2015 , 648, 98-103	5-7	14
27	Flower-like Bi ₂ S ₃ /Bi ₂ MoO ₆ heterojunction superstructures with enhanced visible-light-driven photocatalytic activity. <i>RSC Advances</i> , 2015 , 5, 75081-75088	3-7	63
26	Growth of TiO ₂ nanorod bundles on carbon fibers as flexible and weavable photocatalyst/photoelectrode. <i>RSC Advances</i> , 2015 , 5, 102868-102876	3-7	23
25	Synthesis of polypyrrole nanoparticles for constructing full-polymer UV/NIR-shielding film. <i>RSC Advances</i> , 2015 , 5, 96888-96895	3-7	30
24	Fe ₂ O ₃ /AgBr nonwoven cloth with hierarchical nanostructures as efficient and easily recyclable macroscale photocatalysts. <i>RSC Advances</i> , 2015 , 5, 10951-10959	3-7	33
23	Ta ₃ N ₅ -Pt nonwoven cloth with hierarchical nanopores as efficient and easily recyclable macroscale photocatalysts. <i>Scientific Reports</i> , 2014 , 4, 3978	4-9	49
22	Synthesis of Cu ₂ ZnSnS ₄ film by air-stable molecular-precursor ink for constructing thin film solar cells. <i>RSC Advances</i> , 2014 , 4, 36046	3-7	8
21	Semiconductor heterojunction photocatalysts: design, construction, and photocatalytic performances. <i>Chemical Society Reviews</i> , 2014 , 43, 5234-44	58.5	2515
20	In situ growth of CuInS ₂ nanocrystals on nanoporous TiO ₂ film for constructing inorganic/organic heterojunction solar cells. <i>Nanoscale Research Letters</i> , 2013 , 8, 354	5	3
19	Surface decoration of Bi ₂ WO ₆ superstructures with Bi ₂ O ₃ nanoparticles: an efficient method to improve visible-light-driven photocatalytic activity. <i>CrystEngComm</i> , 2013 , 15, 9011	3-3	67
18	Ultrathin PEGylated W ₁₈ O ₄₉ nanowires as a new 980 nm-laser-driven photothermal agent for efficient ablation of cancer cells in vivo. <i>Advanced Materials</i> , 2013 , 25, 2095-100	24	325
17	Construction of 980 nm laser-driven dye-sensitized photovoltaic cell with excellent performance for powering nanobiodevices implanted under the skin. <i>Journal of Materials Chemistry</i> , 2012 , 22, 18156		26
16	Facile one-pot sonochemical synthesis of hydrophilic ultrasmall LaF ₃ :Ce,Tb nanoparticles with green luminescence. <i>Progress in Natural Science: Materials International</i> , 2012 , 22, 488-492	3.6	12
15	Flexible fiber-shaped CuInSe ₂ solar cells with single-wire-structure: Design, construction and performance. <i>Nano Energy</i> , 2012 , 1, 769-776	17.1	17
14	Bi ₂ WO ₆ micro/nano-structures: Synthesis, modifications and visible-light-driven photocatalytic applications. <i>Applied Catalysis B: Environmental</i> , 2011 , 106, 1-1	21.8	88

13	980-nm Laser-Driven Photovoltaic Cells Based on Rare-Earth Up-Converting Phosphors for Biomedical Applications. <i>Advanced Functional Materials</i> , 2009 , 19, 3815-3820	15.6	68
12	AgBr-Ag-Bi ₂ WO ₆ nanojunction system: A novel and efficient photocatalyst with double visible-light active components. <i>Applied Catalysis A: General</i> , 2009 , 363, 221-229	5.1	291
11	Fabrication of flower-like Bi ₂ WO ₆ superstructures as high performance visible-light driven photocatalysts. <i>Journal of Materials Chemistry</i> , 2007 , 17, 2526		412
10	Ultrasonic-assisted synthesis of visible-light-induced Bi ₂ MO ₆ (M=W, Mo) photocatalysts. <i>Journal of Molecular Catalysis A</i> , 2007 , 268, 195-200		170
9	Bi ₂ WO ₆ nano- and microstructures: shape control and associated visible-light-driven photocatalytic activities. <i>Small</i> , 2007 , 3, 1618-25	11	525
8	Single-Crystalline BiVO ₄ Microtubes with Square Cross-Sections: Microstructure, Growth Mechanism, and Photocatalytic Property. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 13659-13664	3.8	232
7	Preparation of Fenton reagent with H ₂ O ₂ generated by solar light-illuminated nano-Cu ₂ O/MWNTs composites. <i>Applied Catalysis A: General</i> , 2006 , 299, 292-297	5.1	88
6	Electrodeposited nanoporous ZnO films exhibiting enhanced performance in dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2006 , 51, 5870-5875	6.7	131
5	A sonochemical route to visible-light-driven high-activity BiVO ₄ photocatalyst. <i>Journal of Molecular Catalysis A</i> , 2006 , 252, 120-124		309
4	Sonochemical synthesis of nanocrystallite Bi ₂ O ₃ as a visible-light-driven photocatalyst. <i>Applied Catalysis A: General</i> , 2006 , 308, 105-110	5.1	318
3	Electrodeposition and characterization of nanocrystalline cuprous oxide thin films on TiO ₂ films. <i>Materials Letters</i> , 2005 , 59, 434-438	3.3	73
2	Low temperature cathodic electrodeposition of nanocrystalline zinc oxide thin films. <i>Thin Solid Films</i> , 2005 , 492, 24-29	2.2	58
1	Watermelon Flesh-Derived Carbon Aerogel with Hierarchical Porous Structure for Interfacial Solar Steam Generation. <i>Solar Rrl</i> , 2200270	7.1	0