

# David A Cameron

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3696909/david-a-cameron-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

218  
papers

26,779  
citations

68  
h-index

163  
g-index

231  
ext. papers

31,170  
ext. citations

10.3  
avg, IF

6.22  
L-index

#	Paper	IF	Citations
218	Trastuzumab after adjuvant chemotherapy in HER2-positive breast cancer. <i>New England Journal of Medicine</i> , <b>2005</b> , 353, 1659-72	59.2	3921
217	Lapatinib plus capecitabine for HER2-positive advanced breast cancer. <i>New England Journal of Medicine</i> , <b>2006</b> , 355, 2733-43	59.2	2641
216	Pathological complete response and long-term clinical benefit in breast cancer: the CTNeoBC pooled analysis. <i>Lancet, The</i> , <b>2014</b> , 384, 164-72	40	2177
215	2-year follow-up of trastuzumab after adjuvant chemotherapy in HER2-positive breast cancer: a randomised controlled trial. <i>Lancet, The</i> , <b>2007</b> , 369, 29-36	40	1177
214	Ribociclib as First-Line Therapy for HR-Positive, Advanced Breast Cancer. <i>New England Journal of Medicine</i> , <b>2016</b> , 375, 1738-1748	59.2	975
213	Randomized trial of letrozole following tamoxifen as extended adjuvant therapy in receptor-positive breast cancer: updated findings from NCIC CTG MA.17. <i>Journal of the National Cancer Institute</i> , <b>2005</b> , 97, 1262-71	9.7	918
212	A phase III randomized comparison of lapatinib plus capecitabine versus capecitabine alone in women with advanced breast cancer that has progressed on trastuzumab: updated efficacy and biomarker analyses. <i>Breast Cancer Research and Treatment</i> , <b>2008</b> , 112, 533-43	4.4	631
211	Identification of molecular apocrine breast tumours by microarray analysis. <i>Oncogene</i> , <b>2005</b> , 24, 4660-71	19.2	594
210	Triple-negative breast cancer: disease entity or title of convenience?. <i>Nature Reviews Clinical Oncology</i> , <b>2010</b> , 7, 683-92	19.4	588
209	Treatment with trastuzumab for 1 year after adjuvant chemotherapy in patients with HER2-positive early breast cancer: a 4-year follow-up of a randomised controlled trial. <i>Lancet Oncology, The</i> , <b>2011</b> , 12, 236-44	21.7	500
208	11 years of follow-up of trastuzumab after adjuvant chemotherapy in HER2-positive early breast cancer: final analysis of the HERceptin Adjuvant (HERA) trial. <i>Lancet, The</i> , <b>2017</b> , 389, 1195-1205	40	486
207	Breast-conserving surgery with or without irradiation in women aged 65 years or older with early breast cancer (PRIME II): a randomised controlled trial. <i>Lancet Oncology, The</i> , <b>2015</b> , 16, 266-73	21.7	485
206	A stroma-related gene signature predicts resistance to neoadjuvant chemotherapy in breast cancer. <i>Nature Medicine</i> , <b>2009</b> , 15, 68-74	50.5	477
205	Tucatinib, Trastuzumab, and Capecitabine for HER2-Positive Metastatic Breast Cancer. <i>New England Journal of Medicine</i> , <b>2020</b> , 382, 597-609	59.2	396
204	Breast-cancer adjuvant therapy with zoledronic acid. <i>New England Journal of Medicine</i> , <b>2011</b> , 365, 1396-405	59.2	378
203	2 years versus 1 year of adjuvant trastuzumab for HER2-positive breast cancer (HERA): an open-label, randomised controlled trial. <i>Lancet, The</i> , <b>2013</b> , 382, 1021-8	40	377
202	Recommendations from an international consensus conference on the current status and future of neoadjuvant systemic therapy in primary breast cancer. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 1508-16	3.1	329

201	Adjuvant bevacizumab-containing therapy in triple-negative breast cancer (BEATRICE): primary results of a randomised, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2013</b> , 14, 933-42	21.7	318
200	The effects of chemotherapy and long-term gonadotrophin suppression on the ovarian reserve in premenopausal women with breast cancer. <i>Human Reproduction</i> , <b>2006</b> , 21, 2583-92	5.7	278
199	Phase III study comparing exemestane with tamoxifen as first-line hormonal treatment of metastatic breast cancer in postmenopausal women: the European Organisation for Research and Treatment of Cancer Breast Cancer Cooperative Group. <i>Journal of Clinical Oncology</i> , <b>2008</b> , 26, 4883-90	2.2	261
198	1st International consensus guidelines for advanced breast cancer (ABC 1). <i>Breast</i> , <b>2012</b> , 21, 242-52	3.6	258
197	Lapatinib plus capecitabine in women with HER-2-positive advanced breast cancer: final survival analysis of a phase III randomized trial. <i>Oncologist</i> , <b>2010</b> , 15, 924-34	5.7	227
196	Adjuvant zoledronic acid in patients with early breast cancer: final efficacy analysis of the AZURE (BIG 01/04) randomised open-label phase 3 trial. <i>Lancet Oncology, The</i> , <b>2014</b> , 15, 997-1006	21.7	216
195	Mature results of a randomized phase II multicenter study of exemestane versus tamoxifen as first-line hormone therapy for postmenopausal women with metastatic breast cancer. <i>Annals of Oncology</i> , <b>2003</b> , 14, 1391-8	10.3	188
194	Breast cancer in pregnancy: recommendations of an international consensus meeting. <i>European Journal of Cancer</i> , <b>2010</b> , 46, 3158-68	7.5	186
193	Phase III multicenter clinical trial of the sialyl-TN (STn)-keyhole limpet hemocyanin (KLH) vaccine for metastatic breast cancer. <i>Oncologist</i> , <b>2011</b> , 16, 1092-100	5.7	181
192	Pretreatment serum anti-Müllerian hormone predicts long-term ovarian function and bone mass after chemotherapy for early breast cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2011</b> , 96, 1336-43	5.6	171
191	Validation of gene signatures that predict the response of breast cancer to neoadjuvant chemotherapy: a substudy of the EORTC 10994/BIG 00-01 clinical trial. <i>Lancet Oncology, The</i> , <b>2007</b> , 8, 1071-1078	21.7	170
190	Trastuzumab-associated cardiac events at 8 years of median follow-up in the Herceptin Adjuvant trial (BIG 1-01). <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 2159-65	2.2	164
189	Late extended adjuvant treatment with letrozole improves outcome in women with early-stage breast cancer who complete 5 years of tamoxifen. <i>Journal of Clinical Oncology</i> , <b>2008</b> , 26, 1948-55	2.2	156
188	Phase III randomized trial of doxorubicin and docetaxel versus doxorubicin and cyclophosphamide as primary medical therapy in women with breast cancer: an anglo-celtic cooperative oncology group study. <i>Journal of Clinical Oncology</i> , <b>2005</b> , 23, 2988-95	2.2	147
187	Estimating the magnitude of trastuzumab effects within patient subgroups in the HERA trial. <i>Annals of Oncology</i> , <b>2008</b> , 19, 1090-6	10.3	146
186	Sequential docetaxel as adjuvant chemotherapy for early breast cancer (TACT): an open-label, phase III, randomised controlled trial. <i>Lancet, The</i> , <b>2009</b> , 373, 1681-92	4.0	144
185	HER2 and TOP2A as predictive markers for anthracycline-containing chemotherapy regimens as adjuvant treatment of breast cancer: a meta-analysis of individual patient data. <i>Lancet Oncology, The</i> , <b>2011</b> , 12, 1134-42	21.7	141
184	HER-2 gene amplification, HER-2 and epidermal growth factor receptor mRNA and protein expression, and lapatinib efficacy in women with metastatic breast cancer. <i>Clinical Cancer Research</i> , <b>2008</b> , 14, 7861-70	12.9	137

183	Letrozole suppresses plasma estradiol and estrone sulphate more completely than anastrozole in postmenopausal women with breast cancer. <i>Journal of Clinical Oncology</i> , <b>2008</b> , 26, 1671-6	2.2	137
182	Open-label, phase II, multicenter, randomized study of the efficacy and safety of two dose levels of Pertuzumab, a human epidermal growth factor receptor 2 dimerization inhibitor, in patients with human epidermal growth factor receptor 2-negative metastatic breast cancer. <i>Journal of Clinical Oncology</i> , <b>2009</b> , 27, 1131-7	2.2	135
181	Intracranial Efficacy and Survival With Tucatinib Plus Trastuzumab and Capecitabine for Previously Treated HER2-Positive Breast Cancer With Brain Metastases in the HER2CLIMB Trial. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 2610-2619	2.2	134
180	Zoledronic acid significantly improves pain scores and quality of life in breast cancer patients with bone metastases: a randomised, crossover study of community vs hospital bisphosphonate administration. <i>British Journal of Cancer</i> , <b>2005</b> , 92, 1869-76	8.7	134
179	6 versus 12 months of adjuvant trastuzumab for HER2-positive early breast cancer (PERSEPHONE): 4-year disease-free survival results of a randomised phase 3 non-inferiority trial. <i>Lancet, The</i> , <b>2019</b> , 393, 2599-2612	40	131
178	Adjuvant interferon alpha 2b in high risk melanoma - the Scottish study. <i>British Journal of Cancer</i> , <b>2001</b> , 84, 1146-9	8.7	129
177	CNS relapses in patients with HER2-positive early breast cancer who have and have not received adjuvant trastuzumab: a retrospective substudy of the HERA trial (BIG 1-01). <i>Lancet Oncology, The</i> , <b>2013</b> , 14, 244-8	21.7	126
176	Clinical benefit of lapatinib-based therapy in patients with human epidermal growth factor receptor 2-positive breast tumors coexpressing the truncated p95HER2 receptor. <i>Clinical Cancer Research</i> , <b>2010</b> , 16, 2688-95	12.9	115
175	Comparing Breast Cancer Multiparameter Tests in the OPTIMA Prelim Trial: No Test Is More Equal Than the Others. <i>Journal of the National Cancer Institute</i> , <b>2016</b> , 108,	9.7	114
174	Efficacy of letrozole extended adjuvant therapy according to estrogen receptor and progesterone receptor status of the primary tumor: National Cancer Institute of Canada Clinical Trials Group MA.17. <i>Journal of Clinical Oncology</i> , <b>2007</b> , 25, 2006-11	2.2	112
173	Predictive markers of anthracycline benefit: a prospectively planned analysis of the UK National Epirubicin Adjuvant Trial (NEAT/BR9601). <i>Lancet Oncology, The</i> , <b>2010</b> , 11, 266-74	21.7	109
172	TP53 status for prediction of sensitivity to taxane versus non-taxane neoadjuvant chemotherapy in breast cancer (EORTC 10994/BIG 1-00): a randomised phase 3 trial. <i>Lancet Oncology, The</i> , <b>2011</b> , 12, 527-39	21.7	101
171	Moderate neutropenia with adjuvant CMF confers improved survival in early breast cancer. <i>British Journal of Cancer</i> , <b>2003</b> , 89, 1837-42	8.7	100
170	ADD-ASPIRIN: A phase III, double-blind, placebo controlled, randomised trial assessing the effects of aspirin on disease recurrence and survival after primary therapy in common non-metastatic solid tumours. <i>Contemporary Clinical Trials</i> , <b>2016</b> , 51, 56-64	2.3	99
169	Efficacy of neoadjuvant bevacizumab added to docetaxel followed by fluorouracil, epirubicin, and cyclophosphamide, for women with HER2-negative early breast cancer (ARTemis): an open-label, randomised, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2015</b> , 16, 656-66	21.7	93
168	Mammostrat as a tool to stratify breast cancer patients at risk of recurrence during endocrine therapy. <i>Breast Cancer Research</i> , <b>2010</b> , 12, R47	8.3	92
167	Pretreatment anti-Müllerian hormone predicts for loss of ovarian function after chemotherapy for early breast cancer. <i>European Journal of Cancer</i> , <b>2013</b> , 49, 3404-11	7.5	90
166	Safety of zoledronic acid and incidence of osteonecrosis of the jaw (ONJ) during adjuvant therapy in a randomised phase III trial (AZURE: BIG 01-04) for women with stage II/III breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2011</b> , 127, 429-38	4.4	90

165	Bevacizumab plus paclitaxel versus placebo plus paclitaxel as first-line therapy for HER2-negative metastatic breast cancer (MERiDiAN): A double-blind placebo-controlled randomised phase III trial with prospective biomarker evaluation. <i>European Journal of Cancer</i> , <b>2017</b> , 70, 146-155	7.5	88
164	Reduced MLH1 expression in breast tumors after primary chemotherapy predicts disease-free survival. <i>Journal of Clinical Oncology</i> , <b>2000</b> , 18, 87-93	2.2	87
163	Increase in response rate by prolonged treatment with neoadjuvant letrozole. <i>Breast Cancer Research and Treatment</i> , <b>2009</b> , 113, 145-51	4.4	80
162	Type 1 receptor tyrosine kinase profiles identify patients with enhanced benefit from anthracyclines in the BR9601 adjuvant breast cancer chemotherapy trial. <i>Journal of Clinical Oncology</i> , <b>2008</b> , 26, 5027-35	2.2	80
161	Breast Cancer Therapy Annual [today] drug treatment of cancer?. <i>Breast Cancer Research</i> , <b>2003</b> , 6, 1	8.3	78
160	Duration of letrozole treatment and outcomes in the placebo-controlled NCIC CTG MA.17 extended adjuvant therapy trial. <i>Breast Cancer Research and Treatment</i> , <b>2006</b> , 99, 295-300	4.4	77
159	Letrozole as primary medical therapy for locally advanced and large operable breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2001</b> , 66, 191-9	4.4	75
158	Aromatase inhibitors and arthralgia. <i>Journal of Clinical Oncology</i> , <b>2001</b> , 19, 2767	2.2	75
157	Circulating tumour DNA analysis to direct therapy in advanced breast cancer (plasmaMATCH): a multicentre, multicohort, phase 2a, platform trial. <i>Lancet Oncology</i> , <b>2020</b> , 21, 1296-1308	21.7	72
156	The effect of exemestane on serum lipid profile in postmenopausal women with metastatic breast cancer: a companion study to EORTC Trial 10951, a randomized phase II study in first line hormonal treatment for metastatic breast cancer with exemestane or tamoxifen in postmenopausal patients. <i>Annals of Oncology</i> , <b>2004</b> , 15, 211-7	10.3	71
155	Continuous 5-fluorouracil in the treatment of breast cancer. <i>British Journal of Cancer</i> , <b>1994</b> , 70, 120-4	8.7	71
154	Bioequivalence of two tablet formulations of capecitabine and exploration of age, gender, body surface area, and creatinine clearance as factors influencing systemic exposure in cancer patients. <i>Cancer Chemotherapy and Pharmacology</i> , <b>1999</b> , 44, 453-60	3.5	69
153	Drug Insight: intracellular inhibitors of HER2--clinical development of lapatinib in breast cancer. <i>Nature Clinical Practice Oncology</i> , <b>2008</b> , 5, 512-20		68
152	Maximizing clinical benefit with trastuzumab. <i>Seminars in Oncology</i> , <b>2004</b> , 31, 35-44	5.5	68
151	High hospital research participation and improved colorectal cancer survival outcomes: a population-based study. <i>Gut</i> , <b>2017</b> , 66, 89-96	19.2	64
150	Impact of premenopausal status at breast cancer diagnosis in women entered on the placebo-controlled NCIC CTG MA17 trial of extended adjuvant letrozole. <i>Annals of Oncology</i> , <b>2013</b> , 24, 355-361	10.3	64
149	Ras/Raf-1/MAPK pathway mediates response to tamoxifen but not chemotherapy in breast cancer patients. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 1487-95	12.9	64
148	Economic evaluation of genomic test-directed chemotherapy for early-stage lymph node-positive breast cancer. <i>Journal of the National Cancer Institute</i> , <b>2012</b> , 104, 56-66	9.7	64

147	Primary systemic therapy for operable breast cancer--10-year survival data after chemotherapy and hormone therapy. <i>British Journal of Cancer</i> , <b>1997</b> , 76, 1099-105	8.7	60
146	Estrogen-regulated gene expression predicts response to endocrine therapy in patients with ovarian cancer. <i>Gynecologic Oncology</i> , <b>2007</b> , 106, 461-8	4.9	60
145	Human epidermal growth factor receptor 2 status correlates with lymph node involvement in patients with estrogen receptor (ER) negative, but with grade in those with ER-positive early-stage breast cancer suitable for cytotoxic chemotherapy. <i>Journal of Clinical Oncology</i> , <b>2007</b> , 25, 4423-30	2.2	59
144	In situ detection of HER2:HER2 and HER2:HER3 protein-protein interactions demonstrates prognostic significance in early breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2012</b> , 132, 463-70	4.4	58
143	Conventional adjuvant chemotherapy versus single-cycle, autograft-supported, high-dose, late-intensification chemotherapy in high-risk breast cancer patients: a randomized trial. <i>Journal of the National Cancer Institute</i> , <b>2004</b> , 96, 1076-83	9.7	56
142	Future options with capecitabine (Xeloda) in (neo)adjuvant treatment of breast cancer. <i>Seminars in Oncology</i> , <b>2004</b> , 31, 45-50	5.5	56
141	Bone mineral density loss during adjuvant chemotherapy in pre-menopausal women with early breast cancer: is it dependent on oestrogen deficiency?. <i>Breast Cancer Research and Treatment</i> , <b>2010</b> , 123, 805-14	4.4	53
140	Intent-to-treat analysis of the placebo-controlled trial of letrozole for extended adjuvant therapy in early breast cancer: NCIC CTG MA.17. <i>Annals of Oncology</i> , <b>2008</b> , 19, 877-82	10.3	52
139	Sensitivity to pertuzumab (2C4) in ovarian cancer models: cross-talk with estrogen receptor signaling. <i>Molecular Cancer Therapeutics</i> , <b>2007</b> , 6, 93-100	6.1	51
138	Insulin-like growth factor binding proteins IGFBP3, IGFBP4, and IGFBP5 predict endocrine responsiveness in patients with ovarian cancer. <i>Clinical Cancer Research</i> , <b>2007</b> , 13, 1438-44	12.9	50
137	Relapse-Free Survival as a Surrogate for Overall Survival in the Evaluation of Stage II-III Melanoma Adjuvant Therapy. <i>Journal of the National Cancer Institute</i> , <b>2018</b> , 110,	9.7	49
136	Lapatinib plus capecitabine versus capecitabine alone for HER2+ (ErbB2+) metastatic breast cancer: quality-of-life assessment. <i>Breast Cancer Research and Treatment</i> , <b>2009</b> , 117, 577-89	4.4	49
135	The expression of Ki-S1 and BCL-2 and the response to primary tamoxifen therapy in elderly patients with breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>1997</b> , 44, 123-33	4.4	49
134	Biological and clinical effects of aromatase inhibitors in neoadjuvant therapy. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , <b>2001</b> , 79, 103-7	5.1	49
133	The requirements of a specialist breast centre. <i>Breast</i> , <b>2020</b> , 51, 65-84	3.6	47
132	Predicting Anthracycline Benefit: TOP2A and CEP17-Not Only but Also. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 1680-7	2.2	47
131	Current perspective - trastuzumab. <i>European Journal of Cancer</i> , <b>2009</b> , 45, 12-8	7.5	46
130	Phase III trial of epirubicin plus paclitaxel compared with epirubicin plus cyclophosphamide as first-line chemotherapy for metastatic breast cancer: United Kingdom National Cancer Research Institute trial AB01. <i>Journal of Clinical Oncology</i> , <b>2005</b> , 23, 8322-30	2.2	45

129	Lessons from the use of aromatase inhibitors in the neoadjuvant setting. <i>Endocrine-Related Cancer</i> , <b>1999</b> , 6, 227-30	5.7	44
128	Updated cost-effectiveness analysis of trastuzumab for early breast cancer: a UK perspective considering duration of benefit, long-term toxicity and pattern of recurrence. <i>Pharmacoeconomics</i> , <b>2011</b> , 29, 415-32	4.4	42
127	Endocrine therapy resistance can be associated with high estrogen receptor alpha (ERalpha) expression and reduced ERalpha phosphorylation in breast cancer models. <i>Endocrine-Related Cancer</i> , <b>2006</b> , 13, 1121-33	5.7	42
126	OPTIMA prelim: a randomised feasibility study of personalised care in the treatment of women with early breast cancer. <i>Health Technology Assessment</i> , <b>2016</b> , 20, xxiii-xxix, 1-201	4.4	42
125	Adjuvant chemotherapy in older women (ACTION) study - what did we learn from the pilot phase?. <i>British Journal of Cancer</i> , <b>2011</b> , 105, 1260-6	8.7	41
124	Tamoxifen induced apoptosis in ZR-75 breast cancer xenografts antedates tumour regression. <i>Breast Cancer Research and Treatment</i> , <b>1997</b> , 45, 99-107	4.4	41
123	Accelerated versus standard epirubicin followed by cyclophosphamide, methotrexate, and fluorouracil or capecitabine as adjuvant therapy for breast cancer in the randomised UK TACT2 trial (CRUK/05/19): a multicentre, phase 3, open-label, randomised, controlled trial. <i>Lancet Oncology, The</i> , <b>2017</b> , 18, 929-945	21.7	38
122	Quality of life and sexual function after high-dose or conventional chemotherapy for high-risk breast cancer. <i>British Journal of Cancer</i> , <b>2006</b> , 95, 1626-31	8.7	36
121	Osteonecrosis of the jaw and oral health-related quality of life after adjuvant zoledronic acid: an adjuvant zoledronic acid to reduce recurrence trial subprotocol (BIG01/04). <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 2685-91	2.2	35
120	A comparative study of exemestane versus anastrozole in patients with postmenopausal breast cancer with visceral metastases. <i>Clinical Breast Cancer</i> , <b>2009</b> , 9, 39-44	3	35
119	Dynamic changes in gene expression in vivo predict prognosis of tamoxifen-treated patients with breast cancer. <i>Breast Cancer Research</i> , <b>2010</b> , 12, R39	8.3	34
118	Raf-1 is the predominant Raf isoform that mediates growth factor-stimulated growth in ovarian cancer cells. <i>Carcinogenesis</i> , <b>2006</b> , 27, 729-39	4.6	34
117	Trial design on prophylaxis and treatment of brain metastases: lessons learned from the EORTC Brain Metastases Strategic Meeting 2012. <i>European Journal of Cancer</i> , <b>2012</b> , 48, 3439-47	7.5	33
116	Effect of MAF amplification on treatment outcomes with adjuvant zoledronic acid in early breast cancer: a secondary analysis of the international, open-label, randomised, controlled, phase 3 AZURE (BIG 01/04) trial. <i>Lancet Oncology, The</i> , <b>2017</b> , 18, 1543-1552	21.7	32
115	A highly-sensitive anti-Müllerian hormone assay improves analysis of ovarian function following chemotherapy for early breast cancer. <i>European Journal of Cancer</i> , <b>2014</b> , 50, 2367-74	7.5	31
114	Strengthening clinical cancer research in the United Kingdom. <i>British Journal of Cancer</i> , <b>2011</b> , 104, 1529-84	4	31
113	Intensive loading dose of trastuzumab achieves higher-than-steady-state serum concentrations and is well tolerated. <i>Journal of Clinical Oncology</i> , <b>2010</b> , 28, 960-6	2.2	31
112	Docetaxel in combination with doxorubicin and cyclophosphamide as adjuvant treatment for early node-positive breast cancer: a cost-effectiveness and cost-utility analysis. <i>Journal of Clinical Oncology</i> , <b>2008</b> , 26, 925-33	2.2	31

111	Q-TWiST analysis of lapatinib combined with capecitabine for the treatment of metastatic breast cancer. <i>British Journal of Cancer</i> , <b>2008</b> , 99, 711-5	8.7	30
110	Magnitude of trastuzumab benefit in patients with HER2-positive, invasive lobular breast carcinoma: results from the HERA trial. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 1954-60	2.2	28
109	Predictive signatures for chemotherapy sensitivity in breast cancer: are they ready for use in the clinic?. <i>European Journal of Cancer</i> , <b>2009</b> , 45, 1733-43	7.5	28
108	Histopathology of breast carcinoma following neoadjuvant systemic therapy: a common association between letrozole therapy and central scarring. <i>Histopathology</i> , <b>2007</b> , 51, 219-26	7.3	28
107	Targeting anthracyclines in early breast cancer: new candidate predictive biomarkers emerge. <i>Oncogene</i> , <b>2010</b> , 29, 5231-40	9.2	27
106	Health care costs for the treatment of breast cancer recurrent events: estimates from a UK-based patient-level analysis. <i>British Journal of Cancer</i> , <b>2007</b> , 97, 479-85	8.7	27
105	Proximity ligation assays for isoform-specific Akt activation in breast cancer identify activated Akt1 as a driver of progression. <i>Journal of Pathology</i> , <b>2012</b> , 227, 481-9	9.4	26
104	Aspirin as an adjuvant treatment for cancer: feasibility results from the Add-Aspirin randomised trial. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2019</b> , 4, 854-862	18.8	25
103	Chromosome instability and benefit from adjuvant anthracyclines in breast cancer. <i>British Journal of Cancer</i> , <b>2012</b> , 107, 71-4	8.7	25
102	Assessment of the effect of chemotherapy on ovarian function in women with breast cancer. <i>Journal of Clinical Oncology</i> , <b>2007</b> , 25, 1630-1; author reply 1632	2.2	25
101	Histological grading of invasive breast carcinoma--a simplification of existing methods in a large conservation series with long-term follow-up. <i>Histopathology</i> , <b>2009</b> , 55, 724-31	7.3	24
100	Weekly doxorubicin and continuous infusional 5-fluorouracil for advanced breast cancer. <i>British Journal of Cancer</i> , <b>1996</b> , 74, 2008-12	8.7	24
99	Nottingham Prognostic Index Plus: Validation of a clinical decision making tool in breast cancer in an independent series. <i>Journal of Pathology: Clinical Research</i> , <b>2016</b> , 2, 32-40	5.3	24
98	Trastuzumab for early-stage, HER2-positive breast cancer: a meta-analysis of 13 864 women in seven randomised trials. <i>Lancet Oncology</i> , <b>2021</b> , 22, 1139-1150	21.7	24
97	Factors predictive of locoregional recurrence following neoadjuvant chemotherapy in patients with large operable or locally advanced breast cancer: An analysis of the EORTC 10994/BIG 1-00 study. <i>European Journal of Cancer</i> , <b>2017</b> , 79, 226-234	7.5	23
96	Associations Between Serum Bone Biomarkers in Early Breast Cancer and Development of Bone Metastasis: Results From the AZURE (BIG01/04) Trial. <i>Journal of the National Cancer Institute</i> , <b>2018</b> , 110, 871-879	9.7	23
95	Ibandronate: its role in metastatic breast cancer. <i>Oncologist</i> , <b>2006</b> , 11 Suppl 1, 27-33	5.7	22
94	Value of Information Analysis of Multiparameter Tests for Chemotherapy in Early Breast Cancer: The OPTIMA Prelim Trial. <i>Value in Health</i> , <b>2017</b> , 20, 1311-1318	3.3	21



93	Tamoxifen treatment failure in cancer and the nonlinear dynamics of TGFbeta. <i>Journal of Theoretical Biology</i> , <b>2004</b> , 229, 101-11	2.3	21
92	Trastuzumab-associated cardiac events in the Persephone trial. <i>British Journal of Cancer</i> , <b>2016</b> , 115, 1462-1470	2.1	20
91	Safety of oral ibandronate in the treatment of bone metastases from breast cancer : long-term follow-up experience. <i>Clinical Drug Investigation</i> , <b>2006</b> , 26, 43-8	3.2	20
90	On-treatment biomarkers can improve prediction of response to neoadjuvant chemotherapy in breast cancer. <i>Breast Cancer Research</i> , <b>2019</b> , 21, 73	8.3	19
89	Progressive loss of estrogen receptor alpha cofactor recruitment in endocrine resistance. <i>Molecular Endocrinology</i> , <b>2007</b> , 21, 2615-26		19
88	Combining clustering and classification ensembles: A novel pipeline to identify breast cancer profiles. <i>Artificial Intelligence in Medicine</i> , <b>2019</b> , 97, 27-37	7.4	18
87	Overall Survival with Ribociclib plus Letrozole in Advanced Breast Cancer.. <i>New England Journal of Medicine</i> , <b>2022</b> , 386, 942-950	59.2	18
86	Species differences in tumour responses to cancer chemotherapy. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2015</b> , 370,	5.8	17
85	Cost-effectiveness of lapatinib plus capecitabine in women with HER2+ metastatic breast cancer who have received prior therapy with trastuzumab. <i>European Journal of Health Economics</i> , <b>2012</b> , 13, 589-603	3.6	17
84	Advancing cancer drug discovery towards more agile development of targeted combination therapies. <i>Future Medicinal Chemistry</i> , <b>2012</b> , 4, 87-105	4.1	17
83	Breast cancer patients' experiences on endocrine therapy: monitoring with a checklist for patients on endocrine therapy (C-PET). <i>Breast</i> , <b>2004</b> , 13, 363-8	3.6	17
82	Impact of screening and risk factors for local recurrence and survival after conservative surgery and radiotherapy for early breast cancer: results from a large series with long-term follow-up. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2012</b> , 83, 829-38	4	16
81	An economic evaluation of docetaxel and paclitaxel regimens in metastatic breast cancer in the UK. <i>Pharmacoeconomics</i> , <b>2009</b> , 27, 847-59	4.4	16
80	Economic evaluation of fulvestrant as an extra step in the treatment sequence for ER-positive advanced breast cancer. <i>British Journal of Cancer</i> , <b>2008</b> , 99, 1984-90	8.7	16
79	The impact of new European Organisation for Research and Treatment of Cancer guidelines on the use of granulocyte colony-stimulating factor on the management of breast cancer patients. <i>European Journal of Cancer</i> , <b>2008</b> , 44, 353-65	7.5	16
78	A prognostic index for operable, node-negative breast cancer. <i>British Journal of Cancer</i> , <b>2004</b> , 90, 1933-48	4.7	16
77	Residual cancer burden after neoadjuvant chemotherapy and long-term survival outcomes in breast cancer: a multicentre pooled analysis of 5161 patients.. <i>Lancet Oncology</i> , <b>2021</b> ,	21.7	16
76	The p160 ER co-regulators predict outcome in ER negative breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2012</b> , 131, 463-72	4.4	15

75	Infusional 5-fluorouracil in breast cancer. <i>Cancer Treatment Reviews</i> , <b>1994</b> , 20, 357-64	14.4	15
74	Multi-omic machine learning predictor of breast cancer therapy response. <i>Nature</i> , <b>2021</b> ,	50.4	15
73	Serum Human Epidermal Growth Factor 2 Extracellular Domain as a Predictive Biomarker for Lapatinib Treatment Efficacy in Patients With Advanced Breast Cancer. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 936-44	2.2	14
72	Cancer survivorship: Reproductive health outcomes should be included in standard toxicity assessments. <i>European Journal of Cancer</i> , <b>2021</b> , 144, 310-316	7.5	14
71	Addition of gemcitabine to paclitaxel, epirubicin, and cyclophosphamide adjuvant chemotherapy for women with early-stage breast cancer (tAnGo): final 10-year follow-up of an open-label, randomised, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2017</b> , 18, 755-769	21.7	13
70	Health economics in drug development: efficient research to inform healthcare funding decisions. <i>European Journal of Cancer</i> , <b>2010</b> , 46, 2674-80	7.5	13
69	Adjuvant epirubicin followed by cyclophosphamide, methotrexate and fluorouracil (CMF) vs CMF in early breast cancer: results with over 7 years median follow-up from the randomised phase III NEAT/BR9601 trials. <i>British Journal of Cancer</i> , <b>2012</b> , 107, 1257-67	8.7	13
68	Overall survival in MERiDiAN, a double-blind placebo-controlled randomised phase III trial evaluating first-line bevacizumab plus paclitaxel for HER2-negative metastatic breast cancer. <i>European Journal of Cancer</i> , <b>2018</b> , 90, 153-155	7.5	13
67	Proven efficacy of zoledronic acid in the treatment of bone metastases in patients with breast cancer and other malignancies. <i>Breast</i> , <b>2003</b> , 12 Suppl 2, S22-9	3.6	12
66	Distinct temporal trends in breast cancer incidence from 1997 to 2016 by molecular subtypes: a population-based study of Scottish cancer registry data. <i>British Journal of Cancer</i> , <b>2020</b> , 123, 852-859	8.7	11
65	Identification of long-term survivors in primary breast cancer by dynamic modelling of tumour response. <i>British Journal of Cancer</i> , <b>2000</b> , 83, 98-103	8.7	11
64	Five-year outcome for women randomised in a phase III trial comparing doxorubicin and cyclophosphamide with doxorubicin and docetaxel as primary medical therapy in early breast cancer: an Anglo-Celtic Cooperative Oncology Group study. <i>Breast Cancer Research and Treatment</i> , <b>2010</b> , 122, 787-94	4.4	10
63	Cell killing and resistance in pre-operative breast cancer chemotherapy. <i>BMC Cancer</i> , <b>2008</b> , 8, 201	4.8	10
62	Patient management issues in metastatic bone disease. <i>Seminars in Oncology</i> , <b>2004</b> , 31, 79-82	5.5	10
61	Phosphorylation of AKT pathway proteins is not predictive of benefit of taxane therapy in early breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2013</b> , 138, 773-81	4.4	9
60	Locally advanced breast cancer: the outcome of primary polychemotherapy based on infusional 5 fluorouracil. <i>Breast</i> , <b>1999</b> , 8, 110-5	3.6	9
59	Mathematical modelling of tumour response in primary breast cancer. <i>British Journal of Cancer</i> , <b>1996</b> , 73, 1409-16	8.7	9
58	FKBPL: a marker of good prognosis in breast cancer. <i>Oncotarget</i> , <b>2015</b> , 6, 12209-23	3.3	9

57	Lapatinib plus capecitabine in patients with HER2-positive advanced breast cancer. <i>Clinical Advances in Hematology and Oncology</i> , <b>2007</b> , 5, 456-8	0.6	9
56	Opportunities for PET to deliver clinical benefit in cancer: breast cancer as a paradigm. <i>Cancer Imaging</i> , <b>2010</b> , 10, 144-52	5.6	8
55	Molecular apocrine tumours in EORTC 10994/BIG 1-00 phase III study: pathological response after neoadjuvant chemotherapy and clinical outcomes. <i>British Journal of Cancer</i> , <b>2019</b> , 120, 913-921	8.7	7
54	High-dose chemotherapy supported by peripheral blood progenitor cells in poor prognosis metastatic breast cancer--phase I/II study. Edinburgh Breast Group. <i>British Journal of Cancer</i> , <b>1996</b> , 74, 2013-7	8.7	7
53	The challenges of making informed decisions about treatment and trial participation following a cancer diagnosis: a qualitative study involving adolescents and young adults with cancer and their caregivers. <i>BMC Health Services Research</i> , <b>2020</b> , 20, 25	2.9	7
52	Adjuvant trastuzumab duration trials in HER2 positive breast cancer - what results would be practice-changing? Persephone investigator questionnaire prior to primary endpoint results. <i>BMC Cancer</i> , <b>2018</b> , 18, 391	4.8	6
51	Trastuzumab re-treatment following adjuvant trastuzumab and the importance of distant disease-free interval: the HERA trial experience. <i>Breast Cancer Research and Treatment</i> , <b>2016</b> , 155, 127-32	4.4	6
50	Breast cancer chemoprevention: little progress in practice?. <i>Lancet, The</i> , <b>2014</b> , 383, 1018-20	4.0	6
49	Pertuzumab for the treatment of metastatic breast cancer. <i>Expert Review of Anticancer Therapy</i> , <b>2013</b> , 13, 907-18	3.5	6
48	Intraoperative radiotherapy for early breast cancer. <i>Lancet, The</i> , <b>2010</b> , 376, 1142; author reply 1143-4	4.0	5
47	The Royal College of Physicians Simms Lecture, 6 December 2011: clinical research networks and the benefits of intensive healthcare systems. <i>Clinical Medicine</i> , <b>2012</b> , 12, 446-52	1.9	5
46	Lapatinib for inflammatory breast cancer. <i>Lancet Oncology, The</i> , <b>2009</b> , 10, 538-9	21.7	5
45	Block sequential adriamycin CMF--optimal non-myeloablative chemotherapy for high risk adjuvant breast cancer?. <i>British Journal of Cancer</i> , <b>2002</b> , 87, 1365-9	8.7	5
44	Reproductive hormone analyses and effects of adjuvant zoledronic acid in early breast cancer - An AZURE (BIG 01/04) sub-study. <i>Journal of Bone Oncology</i> , <b>2017</b> , 9, 48-54	4.5	4
43	Removing the primary tumour in metastatic breast cancer. <i>Lancet Oncology, The</i> , <b>2015</b> , 16, 1284-5	21.7	4
42	Bevacizumab: the first anti-angiogenic agent approved for the treatment of metastatic breast cancer. <i>European Journal of Cancer, Supplement</i> , <b>2008</b> , 6, 1-6	1.6	4
41	Postcode prescribing is alive and well in Scotland. <i>BMJ, The</i> , <b>2002</b> , 325, 101A	5.9	4
40	Cardiac safety, efficacy, and correlation of serial serum HER2-extracellular domain shed antigen measurement with the outcome of the combined trastuzumab plus CMF in women with HER2-positive metastatic breast cancer: results from the EORTC 10995 phase II study. <i>Breast Cancer Research and Treatment</i> , <b>2017</b> , 169, 507-515	4.4	3

39	Correlation between severe infection and breast cancer metastases in the EORTC 10994/BIG 1-00 trial: Investigating innate immunity as a tumour suppressor in breast cancer. <i>European Journal of Cancer</i> , <b>2017</b> , 72, 95-102	7.5	3
38	Expression of activated type I receptor tyrosine kinases in early breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2012</b> , 134, 701-8	4.4	3
37	Extended follow-up of breast cancer patients in clinic wastes time for both patients and doctors: the case against. <i>Breast Cancer Research</i> , <b>2008</b> , 10 Suppl 4, S8	8.3	3
36	Updated Standardized Definitions for Efficacy End Points (STEEP) in Adjuvant Breast Cancer Clinical Trials: STEEP Version 2.0. <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 2720-2731	2.2	3
35	Characterizing and quantifying the effects of breast cancer therapy using mathematical modeling. <i>Breast Cancer Research and Treatment</i> , <b>2016</b> , 155, 303-11	4.4	2
34	Developing an international network for breast cancer research: the BIG experience. <i>Clinical Investigation</i> , <b>2011</b> , 1, 623-628		2
33	Modelling the Effects of Paclitaxel and Cisplatin on Breast and Ovarian Cancer. <i>Journal of Theoretical Medicine</i> , <b>2000</b> , 3, 11-23		2
32	A pilot study of infusional CMF (CMF-inf): active and well tolerated in breast cancer. The Edinburgh Breast Group. <i>Annals of Oncology</i> , <b>1996</b> , 7, 409-11	10.3	2
31	Anti-Müllerian hormone as a marker of ovarian reserve and premature ovarian insufficiency in children and women with cancer: a systematic review.. <i>Human Reproduction Update</i> , <b>2022</b> ,	15.8	2
30	Treatment Exposure and Discontinuation in the PALbociclib CoLLaborative Adjuvant Study of Palbociclib With Adjuvant Endocrine Therapy for Hormone Receptor-Positive/Human Epidermal Growth Factor Receptor 2-Negative Early Breast Cancer (PALLAS/AFT-05/ABCSG-42/BIG-14-03).. <i>Journal of Clinical Oncology</i> , <b>2022</b> , JCO2101918	2.2	2
29	Six versus 12 months adjuvant trastuzumab in patients with HER2-positive early breast cancer: the PERSEPHONE non-inferiority RCT. <i>Health Technology Assessment</i> , <b>2020</b> , 24, 1-190	4.4	2
28	Breast cancer gene expression datasets do not reflect the disease at the population level. <i>Npj Breast Cancer</i> , <b>2020</b> , 6, 39	7.8	2
27	England's 30-day chemotherapy mortality: a measure of quality of care?. <i>Lancet Oncology</i> , <b>2016</b> , 17, 1172-3	21.7	2
26	Code of practice needed for samples donated by trial participants.. <i>Lancet Oncology</i> , <b>2022</b> , 23, e89-e90		2
25	Do patients whose tumor achieved a pathological response relapse at specific sites? A substudy of the EORTC 10994/BIG-1-00 trial. <i>Breast Cancer Research and Treatment</i> , <b>2018</b> , 169, 497-505	4.4	1
24	Is TIMP-1 immunoreactivity alone or in combination with other markers a predictor of benefit from anthracyclines in the BR9601 adjuvant breast cancer chemotherapy trial?. <i>Breast Cancer Research</i> , <b>2013</b> , 15, R31	8.3	1
23	The EORTC Breast Cancer Group: major achievements of 50 years of research and future directions. <i>European Journal of Cancer, Supplement</i> , <b>2012</b> , 10, 27-33	1.6	1
22	Foundation clinical trials. <i>Breast Cancer Research</i> , <b>2009</b> , 11 Suppl 3, S23	8.3	1

21	Role of bisphosphonate therapy in breast cancer and other advanced malignancies. <i>Breast</i> , <b>2003</b> , 12 Suppl 2, S20-1	3.6	1
20	Breast cancer vaccines: current research and future prospects. <i>Expert Review of Vaccines</i> , <b>2002</b> , 1, 29-34	5.2	1
19	Brachial plexopathy affecting the development of BeauQ lines unilaterally. <i>Lancet Oncology, The</i> , <b>2001</b> , 2, 342	21.7	1
18	Treatment of Screen-Detected Breast Cancer: Can We Avoid or Minimize Overtreatment? <b>2016</b> , 375-401		1
17	Expert Discussion: Highlights from the San Antonio Breast Cancer Symposium, San Antonio, December 8-11, 2020. <i>Breast Care</i> , <b>2021</b> , 16, 89-93	2.4	1
16	Central nervous system disease in phase III studies for advanced HER2 positive breast cancer: A review.. <i>Breast</i> , <b>2022</b> , 63, 85-100	3.6	1
15	Patterns of genomic change in residual disease after neoadjuvant chemotherapy for estrogen receptor-positive and HER2-negative breast cancer. <i>British Journal of Cancer</i> , <b>2021</b> , 125, 1356-1364	8.7	0
14	Abstract PD10-05: Activity of atezolizumab (atezo) plus paclitaxel (pac) in metastatic triple-negative breast cancer (mTNBC) according to Burstein molecular subtype: Analysis of the IMpassion131 trial. <i>Cancer Research</i> , <b>2022</b> , 82, PD10-05-PD10-05	10.1	0
13	Six-year absolute invasive disease-free survival benefit of adding adjuvant pertuzumab to trastuzumab and chemotherapy for patients with early HER2-positive breast cancer: A Subpopulation Treatment Effect Pattern Plot (STEPP) analysis of the APHINITY (BIG 4-11) trial.. <i>European Journal of Cancer</i> , <b>2022</b> , 166, 219-228	7.5	0
12	Autoimmunity and Benefit from Trastuzumab Treatment in Breast Cancer: Results from the HERA Trial. <i>Anticancer Research</i> , <b>2019</b> , 39, 797-802	2.3	
11	Protective strategies to prevent trastuzumab-induced cardiotoxicity - AuthorsQreply. <i>Lancet, The</i> , <b>2020</b> , 395, 492-493	40	
10	AuthorsQreply. <i>Journal of Pathology</i> , <b>2013</b> , 229, e2-3	9.4	
9	Concerns about cardiotoxicity in the HERA trial - AuthorsQreply. <i>Lancet, The</i> , <b>2017</b> , 390, 2767-2768	40	
8	Lapatinib in the management of breast cancer. <i>Therapy: Open Access in Clinical Medicine</i> , <b>2009</b> , 6, 553-568		
7	Promises borne out in clinical studies. <i>European Journal of Cancer, Supplement</i> , <b>2008</b> , 6, 15-24	1.6	
6	Paclitaxel in early breast cancer: a viewpoint by David A. Cameron. <i>Drugs</i> , <b>2004</b> , 64, 1848-9	12.1	
5	Time for a change in breast cancer therapy?. <i>British Journal of Hospital Medicine</i> , <b>2004</b> , 65, 724-9		
4	Adjuvant Systemic Treatment for Breast Cancer: An Overview <b>2016</b> , 311-321		

3	Strategies for improving access to clinical trials by teenagers and young adults with cancer: A qualitative study of health professionals' views. <i>European Journal of Cancer Care</i> , <b>2021</b> , 30, e13408	2.4
2	Collateral-resistance to estrogen and HER-activated growth is associated with modified AKT, ER $\beta$ and cell-cycle signaling in a breast cancer model.. <i>Exploration of Targeted Anti-tumor Therapy</i> , <b>2022</b> , 3, 97-116	2.5
1	Abstract PD9-08: Prognostic value of EndoPredict test in patients screened for UNIRAD, a UCBG randomized, double blind, phase III international trial evaluating the addition of everolimus (EVE) to adjuvant hormone therapy (HT) in women with high risk HR+, HER2- early breast cancer (eBC). <i>Cancer Research</i> , <b>2022</b> , 82, PD9-08-PD9-08	10.1