

# Patrice Forget

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/369763/patrice-forget-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128  
papers

5,495  
citations

31  
h-index

73  
g-index

217  
ext. papers

6,992  
ext. citations

5.5  
avg, IF

6.08  
L-index

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 128 | Mortality after surgery in Europe: a 7 day cohort study. <i>Lancet, The</i> , <b>2012</b> , 380, 1059-65   | 40   | 1278      |
| 127 | Aspirin in patients undergoing noncardiac surgery. <i>New England Journal of Medicine</i> , <b>2014</b> , 370, 1494-503  | 39.2 | 525       |
| 126 | What is the normal value of the neutrophil-to-lymphocyte ratio?. <i>BMC Research Notes</i> , <b>2017</b> , 10, 12  | 2.3  | 243       |
| 125 | Global patient outcomes after elective surgery: prospective cohort study in 27 low-, middle- and high-income countries. <i>British Journal of Anaesthesia</i> , <b>2016</b> , 117, 601-609   | 5.4  | 242       |
| 124 | Clonidine in patients undergoing noncardiac surgery. <i>New England Journal of Medicine</i> , <b>2014</b> , 370, 1504-13   | 39.2 | 219       |
| 123 | Perioperative patient outcomes in the African Surgical Outcomes Study: a 7-day prospective observational cohort study. <i>Lancet, The</i> , <b>2018</b> , 391, 1589-1598   | 40   | 205       |
| 122 | Goal-directed fluid management based on the pulse oximeter-derived pleth variability index reduces lactate levels and improves fluid management. <i>Anesthesia and Analgesia</i> , <b>2010</b> , 111, 910-4  | 3.9  | 181       |
| 121 | Do intraoperative analgesics influence breast cancer recurrence after mastectomy? A retrospective analysis. <i>Anesthesia and Analgesia</i> , <b>2010</b> , 110, 1630-5  | 3.9  | 154       |
| 120 | The neutrophil-to-lymphocyte ratio: a narrative review. <i>Ecancermedicalscience</i> , <b>2016</b> , 10, 702   | 2.7  | 126       |
| 119 | Epidemiology, practice of ventilation and outcome for patients at increased risk of postoperative pulmonary complications: LAS VEGAS - an observational study in 29 countries. <i>European Journal of Anaesthesiology</i> , <b>2017</b> , 34, 492-507            | 2.3  | 123       |
| 118 | Perioperative cardiovascular monitoring of high-risk patients: a consensus of 12. <i>Critical Care</i> , <b>2015</b> , 19, 224   | 10.8 | 119       |
| 117 | Neutrophil:lymphocyte ratio and intraoperative use of ketorolac or diclofenac are prognostic factors in different cohorts of patients undergoing breast, lung, and kidney cancer surgery. <i>Annals of Surgical Oncology</i> , <b>2013</b> , 20 Suppl 3, S650-60 | 3.1  | 101       |
| 116 | Accelerated surgery versus standard care in hip fracture (HIP ATTACK): an international, randomised, controlled trial. <i>Lancet, The</i> , <b>2020</b> , 395, 698-708   | 40   | 98        |
| 115 | Intraoperative use of ketorolac or diclofenac is associated with improved disease-free survival and overall survival in conservative breast cancer surgery. <i>British Journal of Anaesthesia</i> , <b>2014</b> , 113 Suppl 1, i82-7                             | 5.4  | 95        |
| 114 | Reduction of breast cancer relapses with perioperative non-steroidal anti-inflammatory drugs: new findings and a review. <i>Current Medicinal Chemistry</i> , <b>2013</b> , 20, 4163-76  | 4.3  | 85        |
| 113 | Perioperative aspirin and clonidine and risk of acute kidney injury: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2014</b> , 312, 2254-64   | 27.4 | 84        |
| 112 | NSAID analgesic ketorolac used perioperatively may suppress early breast cancer relapse: particular relevance to triple negative subgroup. <i>Breast Cancer Research and Treatment</i> , <b>2012</b> , 134, 881-8  | 4.4  | 84        |

|     |   |      |    |
|-----|---|------|----|
| 111 | Effects of inspiratory muscle training in COPD patients: A systematic review and meta-analysis. <i>Clinical Respiratory Journal</i> , <b>2018</b> , 12, 2178-2188   | 1.7  | 82 |
| 110 | Do intraoperative analgesics influence oncological outcomes after radical prostatectomy for prostate cancer?. <i>European Journal of Anaesthesiology</i> , <b>2011</b> , 28, 830-5  | 2.3  | 81 |
| 109 | Opioid-related side effects: Postoperative ileus, urinary retention, nausea and vomiting, and shivering. A review of the literature. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , <b>2017</b> , 31, 499-504   | 4    | 79 |
| 108 | Prevention of chronic postoperative pain: cellular, molecular, and clinical insights for mechanism-based treatment approaches. <i>Progress in Neurobiology</i> , <b>2013</b> , 104, 1-37  | 10.9 | 79 |
| 107 | Maternal and neonatal outcomes after caesarean delivery in the African Surgical Outcomes Study: a 7-day prospective observational cohort study. <i>The Lancet Global Health</i> , <b>2019</b> , 7, e513-e522  | 13.6 | 76 |
| 106 | Does analgesia and condition influence immunity after surgery? Effects of fentanyl, ketamine and clonidine on natural killer activity at different ages. <i>European Journal of Anaesthesiology</i> , <b>2010</b> , 27, 233-40 <sup>3</sup>   | 2.3  | 73 |
| 105 | Critical care admission following elective surgery was not associated with survival benefit: prospective analysis of data from 27 countries. <i>Intensive Care Medicine</i> , <b>2017</b> , 43, 971-979   | 14.5 | 68 |
| 104 | Consensus statement from the BJA Workshop on Cancer and Anaesthesia. <i>British Journal of Anaesthesia</i> , <b>2015</b> , 114, 2-3   | 5.4  | 59 |
| 103 | The surgical safety checklist and patient outcomes after surgery: a prospective observational cohort study, systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , <b>2018</b> , 120, 146-155   | 5.4  | 50 |
| 102 | Is the Neutrophil-to-Lymphocyte Ratio more correlated than C-reactive protein with postoperative complications after major abdominal surgery?. <i>PeerJ</i> , <b>2015</b> , 3, e713   | 3.1  | 39 |
| 101 | Potential Benefit of Intra-operative Administration of Ketorolac on Breast Cancer Recurrence According to the Patient's Body Mass Index. <i>Journal of the National Cancer Institute</i> , <b>2018</b> , 110, 1115-1122   | 9.7  | 36 |
| 100 | What is the place of clonidine in anesthesia? Systematic review and meta-analyses of randomized controlled trials. <i>Journal of Clinical Anesthesia</i> , <b>2017</b> , 38, 140-153  | 1.9  | 33 |
| 99  | A Timely Shift from Shotgun to Targeted Proteomics and How It Can Be Groundbreaking for Cancer Research. <i>Frontiers in Oncology</i> , <b>2017</b> , 7, 13   | 5.3  | 32 |
| 98  | How Anesthetic, Analgesic and Other Non-Surgical Techniques During Cancer Surgery Might Affect Postoperative Oncologic Outcomes: A Summary of Current State of Evidence. <i>Cancers</i> , <b>2019</b> , 11,   | 6.6  | 31 |
| 97  | The neutrophil-to-lymphocyte ratio (NLR) after surgery for hip fracture (HF). <i>Archives of Gerontology and Geriatrics</i> , <b>2015</b> , 60, 366-71  | 4    | 30 |
| 96  | Barriers to clinical research in Africa: a quantitative and qualitative survey of clinical researchers in 27 African countries. <i>British Journal of Anaesthesia</i> , <b>2018</b> , 121, 813-821  | 5.4  | 29 |
| 95  | Stable anesthesia with alternative to opioids: Are ketamine and magnesium helpful in stabilizing hemodynamics during surgery? A systematic review and meta-analyses of randomized controlled trials. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , <b>2017</b> , 31, 523-531 | 4    | 28 |
| 94  | Neutrophil-to-Lymphocyte Ratio Predicts Death in Acute-on-Chronic Liver Failure Patients Admitted to the Intensive Care Unit: A Retrospective Cohort Study. <i>Shock</i> , <b>2018</b> , 49, 385-392  | 3.4  | 27 |

|    |   |     |    |
|----|---|-----|----|
| 93 | Does the perioperative analgesic/anesthetic regimen influence the prevalence of long-term chronic pain after mastectomy?. <i>Journal of Clinical Anesthesia</i> , <b>2016</b> , 33, 20-5  | 1.9 | 26 |
| 92 | Opioid-free anaesthesia. Why and how? A contextual analysis. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , <b>2019</b> , 38, 169-172  | 3   | 25 |
| 91 | Perioperative ketorolac in high risk breast cancer patients. Rationale, feasibility and methodology of a prospective randomized placebo-controlled trial. <i>Medical Hypotheses</i> , <b>2013</b> , 81, 707-12  | 3.8 | 24 |
| 90 | Therapeutic dose of acetaminophen may induce fulminant hepatitis in the presence of risk factors: a report of two cases. <i>British Journal of Anaesthesia</i> , <b>2009</b> , 103, 899-900   | 5.4 | 24 |
| 89 | Cancer surgery induces inflammation, immunosuppression and neo-angiogenesis, but is it influenced by analgesics?. <i>F1000Research</i> , <b>2013</b> , 2, 102   | 3.6 | 24 |
| 88 | Association between night-time surgery and occurrence of intraoperative adverse events and postoperative pulmonary complications. <i>British Journal of Anaesthesia</i> , <b>2019</b> , 122, 361-369  | 5.4 | 18 |
| 87 | The changing face of malignant hyperthermia: less fulminant, more insidious. <i>Anaesthesia and Intensive Care</i> , <b>2015</b> , 43, 506-11   | 1.1 | 17 |
| 86 | Epidural anesthesia and cancer outcomes in bladder cancer patients: is it the technique or the medication? A matched-cohort analysis from a tertiary referral center. <i>BMC Anesthesiology</i> , <b>2018</b> , 18, 157   | 2.4 | 17 |
| 85 | The ASOS Surgical Risk Calculator: development and validation of a tool for identifying African surgical patients at risk of severe postoperative complications. <i>British Journal of Anaesthesia</i> , <b>2018</b> , 121, 1357-1363                                 | 5.4 | 17 |
| 84 | Staggered multi-site low-frequency electrostimulation effectively induces locomotor patterns in the isolated rat spinal cord. <i>Spinal Cord</i> , <b>2016</b> , 54, 93-101   | 2.7 | 15 |
| 83 | Perspectives in anaesthesia for cancer surgery. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2014</b> , 140, 353-9  | 4.9 | 15 |
| 82 | Life-threatening dextromethorphan intoxication associated with interaction with amitriptyline in a poor CYP2D6 metabolizer: a single case re-exposure study. <i>Journal of Pain and Symptom Management</i> , <b>2008</b> , 36, 92-6                                   | 4.8 | 15 |
| 81 | The concept of titration can be transposed to fluid management. but does is change the volumes? randomised trial on pleth variability index during fast-track colonic surgery. <i>Current Clinical Pharmacology</i> , <b>2013</b> , 8, 110-4                          | 2.5 | 13 |
| 80 | Functional magnetic resonance imaging: cerebral function alterations in subthreshold and suprathreshold spinal cord stimulation. <i>Journal of Pain Research</i> , <b>2018</b> , 11, 2517-2526  | 2.9 | 13 |
| 79 | Forty years of neuromuscular monitoring and postoperative residual curarisation: a meta-analysis and evaluation of confidence in network meta-analysis. <i>British Journal of Anaesthesia</i> , <b>2020</b> , 125, 466-482  | 5.4 | 12 |
| 78 | Intraoperative ketorolac in high-risk breast cancer patients. A prospective, randomized, placebo-controlled clinical trial. <i>PLoS ONE</i> , <b>2019</b> , 14, e0225748  | 3.7 | 12 |
| 77 | Rationale and design of the HIP fracture Accelerated surgical TreatMent And Care track (HIP ATTACK) Trial: a protocol for an international randomised controlled trial evaluating early surgery for hip fracture patients. <i>BMJ Open</i> , <b>2019</b> , 9, e028537 | 3   | 11 |
| 76 | Promising development from translational or perhaps anti-translational research in breast cancer. <i>Clinical and Translational Medicine</i> , <b>2012</b> , 1, 17  | 5.7 | 11 |

|    |  |     |    |
|----|--|-----|----|
| 75 | Reversible cerebral vasospasm, multilobular intracerebral hemorrhages, and nonaneurysmal subarachnoid hemorrhage: review of possible interrelationships. <i>Current Pain and Headache Reports</i> , <b>2010</b> , 14, 228-32           | 4.2 | 11 |
| 74 | Use of the neutrophil-to-lymphocyte ratio as a component of a score to predict postoperative mortality after surgery for hip fracture in elderly subjects. <i>BMC Research Notes</i> , <b>2016</b> , 9, 284                            | 2.3 | 11 |
| 73 | Prediction of postoperative mortality in elderly patient with hip fractures: a single-centre, retrospective cohort study. <i>BMC Anesthesiology</i> , <b>2018</b> , 18, 183  | 2.4 | 11 |
| 72 | Endpoint selection and unreported analgesic use may render oncologic studies inconclusive. <i>Anesthesiology</i> , <b>2011</b> , 114, 717; author reply 718  | 4.3 | 10 |
| 71 | Priorities for peri-operative research in Africa. <i>Anaesthesia</i> , <b>2020</b> , 75 Suppl 1, e28-e33   | 6.6 | 10 |
| 70 | Electrocardiographic Effects of Propofol versus Etomidate in Patients with Brugada Syndrome. <i>Anesthesiology</i> , <b>2020</b> , 132, 440-451  | 4.3 | 10 |
| 69 | Inflammatory scores are not interchangeable during the perioperative period of breast cancer surgery. <i>International Journal of Surgery</i> , <b>2014</b> , 12, 1360-2   | 7.5 | 9  |
| 68 | Biomarkers in immunonutrition programme, is there still a need for new ones? A brief review. <i>Ecancermedicalscience</i> , <b>2015</b> , 9, 546   | 2.7 | 8  |
| 67 | Possible overlap between reversible cerebral vasoconstriction syndrome and symptomatic vasospasm after aneurysmal subarachnoid hemorrhage. <i>Journal of Headache and Pain</i> , <b>2009</b> , 10, 299-302                             | 8.8 | 8  |
| 66 | Determining the Minimal Clinical Important Difference for Medication Quantification Scale III and Morphine Milligram Equivalents in Patients with Failed Back Surgery Syndrome. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9, | 5.1 | 8  |
| 65 | Transient neurological symptoms (TNS) following spinal anaesthesia with lidocaine versus other local anaesthetics in adult surgical patients: a network meta-analysis. <i>The Cochrane Library</i> , <b>2019</b> , 12, CD003006        | 5.2 | 8  |
| 64 | Prospective observational cohort study on grading the severity of postoperative complications in global surgery research. <i>British Journal of Surgery</i> , <b>2019</b> , 106, e73-e80   | 5.3 | 8  |
| 63 | Pain management in living related adult donor hepatectomy: feasibility of an evidence-based protocol in 100 consecutive donors. <i>BMC Research Notes</i> , <b>2018</b> , 11, 834  | 2.3 | 8  |
| 62 | Feasibility and Preliminary Effectiveness of a Tele-Prehabilitation Program in Esophagogastric Cancer Patients. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,   | 5.1 | 7  |
| 61 | Feasibility of Topical Applications of Natural High-Concentration Capsaicinoid Solutions in Patients with Peripheral Neuropathic Pain: A Retrospective Analysis. <i>Pain Research and Management</i> , <b>2016</b> , 2016, 9703036     | 2.6 | 7  |
| 60 | Bilateral tactile hypersensitivity and neuroimmune responses after spared nerve injury in mice lacking vasoactive intestinal peptide. <i>Experimental Neurology</i> , <b>2017</b> , 293, 62-73   | 5.7 | 6  |
| 59 | A new model of nerve injury in the rat reveals a role of Regulator of G protein Signaling 4 in tactile hypersensitivity. <i>Experimental Neurology</i> , <b>2016</b> , 286, 1-11   | 5.7 | 6  |
| 58 | Effect of clonidine on oncological outcomes after breast and lung cancer surgery. <i>British Journal of Anaesthesia</i> , <b>2018</b> , 121, 103-104   | 5.4 | 6  |

|    |  |      |   |
|----|--|------|---|
| 57 | Biological inflammatory markers mediate the effect of preoperative pain-related behaviours on postoperative analgesics requirements. <i>BMC Anesthesiology</i> , <b>2015</b> , 15, 183   | 2.4  | 6 |
| 56 | In vivo optical spectroscopy monitoring in a new model of muscular compartment syndrome. <i>British Journal of Anaesthesia</i> , <b>2012</b> , 109, 561-5  | 5.4  | 5 |
| 55 | One-year Results of a Factorial Randomized Trial of Aspirin versus Placebo and Clonidine versus Placebo in Patients Having Noncardiac Surgery. <i>Anesthesiology</i> , <b>2020</b> , 132, 692-701  | 4.3  | 5 |
| 54 | Impact of COVID-19 on opioid use in those awaiting hip and knee arthroplasty: a retrospective cohort study. <i>BMJ Quality and Safety</i> , <b>2021</b> ,  | 5.4  | 5 |
| 53 | Opioid-free Anesthesia: Comment. <i>Anesthesiology</i> , <b>2021</b> , 135, 751-753  | 4.3  | 5 |
| 52 | Association Between Spinal Cord Stimulation and Top-Down Nociceptive Inhibition in People With Failed Back Surgery Syndrome: A Cohort Study. <i>Physical Therapy</i> , <b>2019</b> , 99, 915-923   | 3.3  | 4 |
| 51 | Insights into fast-track colon surgery: a plea for a tailored program. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2013</b> , 27, 1178-85   | 5.2  | 4 |
| 50 | Long-term Consequences of the Acute Neural-Inflammatory Stress Response in the Cancer Surgical Patient: New Findings and Perspectives. <i>International Anesthesiology Clinics</i> , <b>2016</b> , 54, 58-71   | 0.6  | 4 |
| 49 | Anaesthesia care team improves outcomes in surgical patients compared with solo anaesthesiologist: An observational study. <i>European Journal of Anaesthesiology</i> , <b>2019</b> , 36, 64-69  | 2.3  | 4 |
| 48 | High-Dose Spinal Cord Stimulation Reduces Long-Term Pain Medication Use in Patients With Failed Back Surgery Syndrome Who Obtained at Least 50% Pain Intensity and Medication Reduction During a Trial Period: A Registry-Based Cohort Study. <i>Neuromodulation</i> , <b>2021</b> , 24, 520-531 | 3.1  | 4 |
| 47 | Enhanced postoperative surveillance versus standard of care to reduce mortality among adult surgical patients in Africa (ASOS-2): a cluster-randomised controlled trial. <i>The Lancet Global Health</i> , <b>2021</b> , 9, e1391-e1401  | 13.6 | 4 |
| 46 | Inadequate methodology renders results on the use of tranexamic acid inconclusive. <i>International Orthopaedics</i> , <b>2013</b> , 37, 1417-8  | 3.8  | 3 |
| 45 | Hysteroscopic Resection for Missed Abortion: Feasibility, Operative Technique and Potential Benefit Compared to Curettage. <i>Frontiers in Surgery</i> , <b>2020</b> , 7, 64   | 2.3  | 3 |
| 44 | Is urinary drainage necessary in patients with thoracic epidural analgesia? A prospective analysis. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>2015</b> , 29, e30-1   | 2.1  | 2 |
| 43 | What Can We Learn from Sarcopenia with Curarisation in the Context of Cancer Surgery? A Review of the Literature. <i>Current Pharmaceutical Design</i> , <b>2019</b> , 25, 3005-3010   | 3.3  | 2 |
| 42 | Persistent postoperative opioid use in Europe: A systematic review. <i>European Journal of Anaesthesiology</i> , <b>2021</b> , 38, 505-511   | 2.3  | 2 |
| 41 | Is Intraoperative Opioids Avoidance A Utopia? A Matched Study in Laparoscopic Hysterectomy. <i>Current Reviews in Clinical and Experimental Pharmacology</i> , <b>2021</b> , 16, 103-108   |      | 2 |
| 40 | Prescribing and deprescribing opioids.. <i>Pain</i> , <b>2022</b> , 163, 1-2   | 8    | 2 |

|    |  |     |   |
|----|--|-----|---|
| 39 | Feasibility and Preliminary Effects of a Telerehabilitation Program for People Living With HIV: A Pilot Randomized Study. <i>Journal of the Association of Nurses in AIDS Care</i> , <b>2019</b> , 30, 176-185   | 1.6 | 2 |
| 38 | Identification of the cerebral effects of paracetamol in healthy subjects: an fMRI study. <i>British Journal of Pain</i> , <b>2020</b> , 14, 23-30   | 2.1 | 2 |
| 37 | Esophageal bezoar. <i>Canadian Journal of Emergency Medicine</i> , <b>2008</b> , 10, 574   | 0.6 | 2 |
| 36 | A new minimally invasive technique for lead revision of perc-paddle leads. <i>Acta Neurochirurgica</i> , <b>2018</b> , 160, 831-833  | 3   | 1 |
| 35 | Anaesthesia and risk of cancer recurrence after surgery: a plea for a multidisciplinary vision. <i>British Journal of Anaesthesia</i> , <b>2018</b> , 121, 104-105   | 5.4 | 1 |
| 34 | Efficacité et tolérance des capsaïcinoïdes topiques dans le traitement de la douleur neuropathique. Une revue systématique et méta-analyse des essais cliniques randomisés. <i>Douleur Et Analgesie</i> , <b>2017</b> , 30, 239-249                            | 0.2 | 1 |
| 33 | Spinal cord stimulation for complex regional pain syndrome type 1 with dystonia: a case report and discussion of the literature. <i>F1000Research</i> , <b>2014</b> , 3, 97  | 3.6 | 1 |
| 32 | Important data about anaesthetics and cancer recurrence. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2014</b> , 58, 371-2  | 1.9 | 1 |
| 31 | Non-invasive fluid responsiveness monitoring: Patients selection considerations. <i>Saudi Journal of Anaesthesia</i> , <b>2013</b> , 7, 227-8  | 1.2 | 1 |
| 30 | Bad needles can't do good blocks. <i>Regional Anesthesia and Pain Medicine</i> , <b>2009</b> , 34, 603   | 3.4 | 1 |
| 29 | Breast cancer and the black swan. <i>Ecancermedicalscience</i> , <b>2020</b> , 14, 1050  | 2.7 | 1 |
| 28 | The African Surgical Outcomes-2 (ASOS-2) Pilot Trial, a mixed-methods implementation study. <i>Southern African Journal of Anaesthesia and Analgesia</i> , 14-23   | 0.4 | 1 |
| 27 | Characterization of Preoperative, Postsurgical, Acute and Chronic Pain in High Risk Breast Cancer Patients. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,   | 5.1 | 1 |
| 26 | To what extent are we confident that tapentadol induces less constipation and other side effects than the other opioids in chronic pain patients? a confidence evaluation in network meta-analysis. <i>British Journal of Pain</i> , <b>2021</b> , 15, 380-387 | 2.1 | 1 |
| 25 | Propofol for Induction and Maintenance of Anesthesia in Patients With Brugada Syndrome: A Single-Center, 25-Year, Retrospective Cohort Analysis. <i>Anesthesia and Analgesia</i> , <b>2021</b> , 132, 1645-1653  | 3.9 | 1 |
| 24 | Exploratory Outlier Detection for Acceleromyographic Neuromuscular Monitoring: Machine Learning Approach. <i>Journal of Medical Internet Research</i> , <b>2021</b> , 23, e25913   | 7.6 | 1 |
| 23 | Multimodal Analgesia for Spine Surgery: Does the Intraoperative Opioid Dose Matter?. <i>Anesthesia and Analgesia</i> , <b>2021</b> , 132, e27-e28  | 3.9 | 1 |
| 22 | What are the impact and the optimal design of a physical prehabilitation program in patients with esophagogastric cancer awaiting surgery? A systematic review. <i>BMC Sports Science, Medicine and Rehabilitation</i> , <b>2021</b> , 13, 33                  | 2.4 | 1 |

|    |   |     |   |
|----|---|-----|---|
| 21 | Pleth variability index and fluid management practices: a multicenter service evaluation. <i>BMC Research Notes</i> , <b>2021</b> , 14, 293   | 2.3 | 1 |
| 20 | System-level policies on appropriate opioid use, a multi-stakeholder consensus.. <i>BMC Health Services Research</i> , <b>2022</b> , 22, 329  | 2.9 | 1 |
| 19 | Opioid treatment for non-cancer pain: we need a comprehensive approach.. <i>BMJ, The</i> , <b>2021</b> , 375, n3045   | 5.9 | 1 |
| 18 | Acceptance of mHealth among health professionals: a case study on anesthesia practitioners. <i>BMC Anesthesiology</i> , <b>2020</b> , 20, 55  | 2.4 | 0 |
| 17 | Opioid-free versus opioid-based anesthesia in pancreatic surgery.. <i>BMC Anesthesiology</i> , <b>2022</b> , 22, 9  | 2.4 | 0 |
| 16 | Perioperative NSAIDs and Long-Term Outcomes After cancer Surgery: a Systematic Review and Meta-analysis. <i>Current Oncology Reports</i> , <b>2021</b> , 23, 146  | 6.3 | 0 |
| 15 | Effect of pneumoperitoneum on dynamic variables of fluid responsiveness (Delta PP and PVI) during Trendelenburg position. <i>Saudi Journal of Anaesthesia</i> , <b>2020</b> , 14, 323-328   | 1.2 | 0 |
| 14 | Perspectives on pain registries. <i>Pain</i> , <b>2021</b> , 162, 2201-2203   | 8   | 0 |
| 13 | Peer review report 1 on Meta-analysis of randomized controlled trials on the efficacy and safety of ondansetron in preventing postanesthesia shivering. <i>International Journal of Surgery</i> , <b>2017</b> , 37, 96  | 7.5 |   |
| 12 | Proposition de modernisation de la tarification des actes d'anesthésiologie réalisés au bloc opératoire en Belgique. <i>Anesthésie &amp; Réanimation</i> , <b>2018</b> , 4, 241-246   | 0.1 |   |
| 11 | DOSE AREA PRODUCT VALUES OF FLUOROSCOPICALLY GUIDED PAIN MANAGEMENT PROCEDURES: COMPARISON OF A BELGIAN TEACHING HOSPITAL WITH NATIONAL DIAGNOSTIC REFERENCE LEVELS. <i>Radiation Protection Dosimetry</i> , <b>2018</b> , 179, 271-274   | 0.9 |   |
| 10 | Long Term Consequences of Acute Inflammation in Cancer Surgery <b>2017</b> , 201-208  |     |   |
| 9  | Reply from the authors. <i>British Journal of Anaesthesia</i> , <b>2015</b> , 114, 527-8  | 5.4 |   |
| 8  | ST-Segment Elevation, Brugada Syndrome, and Propofol?: Is This the Only Thing We Should Be Noticing?. <i>JACC: Case Reports</i> , <b>2022</b> , 4, 111-112  | 1.2 |   |
| 7  | A fatal adverse event upon adenotonsillectomy in a child. Are Brugada syndrome and propofol real accomplices?. <i>Cardiology in the Young</i> , <b>2020</b> , 30, 1368-1369   | 1   |   |
| 6  | Anesthésie sans opioïde : le magnésium. <i>Praticien En Anesthésie Réanimation</i> , <b>2020</b> , 24, 318-319  | 0   |   |
| 5  | (Non) Pharmacological Modalities in Acute Procedural Pain. <i>Clinical Journal of Pain</i> , <b>2019</b> , 35, 459  | 3.5 |   |
| 4  | International multicentre observational study to evaluate the association between perioperative red blood cell transfusions and 1-year mortality after major cancer surgery (ARCA-1): study design, statistical analysis plan and study protocol. <i>BMJ Open</i> , <b>2021</b> , 11, e043453 | 3   |   |



- 3 Breast Cancer Relapse, Post-Surgical Confusion, and Dementia in the Elderly: An Unexpected Connection but with the Same Proposed Solution. *Medicina (Lithuania)*, **2018**, 54, 3.1
- 2 To better appraise (un)certainly in systematic reviews, useful approaches exist. A comment on Moore et al.. *European Journal of Pain*, **2022**, 3.7
- 1 Mortality by opioid poisoning in children and teenagers and opioid prescriptions.. *BMC Pediatrics*, **2021**, 21, 569 2.6