

Z Mohamed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3697659/publications.pdf>

Version: 2024-02-01

106
papers

2,368
citations

257101

24
h-index

233125

45
g-index

108
all docs

108
docs citations

108
times ranked

1108
citing authors

#	ARTICLE	IF	CITATIONS
1	Control strategies for crane systems: A comprehensive review. <i>Mechanical Systems and Signal Processing</i> , 2017, 95, 1-23.	4.4	270
2	Vibration control of a very flexible manipulator system. <i>Control Engineering Practice</i> , 2005, 13, 267-277.	3.2	120
3	Command shaping techniques for vibration control of a flexible robot manipulator. <i>Mechatronics</i> , 2004, 14, 69-90.	2.0	110
4	A neural network-based input shaping for swing suppression of an overhead crane under payload hoisting and mass variations. <i>Mechanical Systems and Signal Processing</i> , 2018, 107, 484-501.	4.4	110
5	Approaches for dynamic modelling of flexible manipulator systems. <i>IET Control Theory and Applications</i> , 2003, 150, 401-411.	1.7	102
6	An optimal performance control scheme for a 3D crane. <i>Mechanical Systems and Signal Processing</i> , 2016, 66-67, 756-768.	4.4	87
7	An improved input shaping design for an efficient sway control of a nonlinear 3D overhead crane with friction. <i>Mechanical Systems and Signal Processing</i> , 2017, 92, 364-378.	4.4	86
8	Improved unity magnitude input shaping scheme for sway control of an underactuated 3D overhead crane with hoisting. <i>Mechanical Systems and Signal Processing</i> , 2019, 123, 466-482.	4.4	86
9	Model reference command shaping for vibration control of multimode flexible systems with application to a double-pendulum overhead crane. <i>Mechanical Systems and Signal Processing</i> , 2019, 115, 677-695.	4.4	82
10	Adaptive output-based command shaping for sway control of a 3D overhead crane with payload hoisting and wind disturbance. <i>Mechanical Systems and Signal Processing</i> , 2018, 98, 157-172.	4.4	67
11	Multi-objective path planner for an agricultural mobile robot in a virtual greenhouse environment. <i>Computers and Electronics in Agriculture</i> , 2019, 157, 488-499.	3.7	62
12	Dynamic characterisation of a flexible manipulator system. <i>Robotica</i> , 2001, 19, 571-580.	1.3	59
13	Review of modelling and control of flexible-link manipulators. <i>Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering</i> , 2016, 230, 861-873.	0.7	58
14	Efficient swing control of an overhead crane with simultaneous payload hoisting and external disturbances. <i>Mechanical Systems and Signal Processing</i> , 2020, 135, 106326.	4.4	56
15	Hybrid learning control schemes with input shaping of a flexible manipulator system. <i>Mechatronics</i> , 2006, 16, 209-219.	2.0	46
16	Dynamic Model and Robust Control of Flexible Link Robot Manipulator. <i>Telkomnika (Telecommunication Computing Electronics and Control)</i> , 2011, 9, 279.	0.6	46
17	Vibration control of a single-link flexible manipulator using command shaping techniques. <i>Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering</i> , 2002, 216, 191-210.	0.7	39
18	Control of a gantry crane using input-shaping schemes with distributed delay. <i>Transactions of the Institute of Measurement and Control</i> , 2017, 39, 361-370.	1.1	39

#	ARTICLE	IF	CITATIONS
19	Techniques for vibration control of a flexible robot manipulator. <i>Robotica</i> , 2006, 24, 499-511.	1.3	36
20	Control of an underactuated double-pendulum overhead crane using improved model reference command shaping: Design, simulation and experiment. <i>Mechanical Systems and Signal Processing</i> , 2021, 151, 107358.	4.4	36
21	PSO-tuned PID controller for a nonlinear gantry crane system. , 2012, , .		33
22	Linear matrix inequality-based robust proportional derivative control of a two-link flexible manipulator. <i>JVC/Journal of Vibration and Control</i> , 2016, 22, 1244-1256.	1.5	33
23	Modelling and PSO Fine-tuned PID Control of Quadrotor UAV. <i>International Journal on Advanced Science, Engineering and Information Technology</i> , 2017, 7, 1367.	0.2	33
24	Dynamic Modelling and Characterisation of a Two-Link Flexible Robot Manipulator. <i>Journal of Low Frequency Noise Vibration and Active Control</i> , 2010, 29, 207-219.	1.3	31
25	Efficient control of a nonlinear double-pendulum overhead crane with sensorless payload motion using an improved PSO-tuned PID controller. <i>JVC/Journal of Vibration and Control</i> , 2019, 25, 907-921.	1.5	29
26	Efficient control of a 3D overhead crane with simultaneous payload hoisting and wind disturbance: design, simulation and experiment. <i>Mechanical Systems and Signal Processing</i> , 2020, 145, 106893.	4.4	25
27	Payload swing control of a tower crane using a neural network-based input shaper. <i>Measurement and Control</i> , 2020, 53, 1171-1182.	0.9	25
28	Dynamic Behaviour of a Nonlinear Gantry Crane System. <i>Procedia Technology</i> , 2013, 11, 419-425.	1.1	24
29	Hybrid vibration and rest-to-rest control of a two-link flexible robotic arm using H ∞ loop-shaping control design. <i>Engineering Computations</i> , 2016, 33, .	0.7	24
30	Dual boundary conditional integral backstepping control of a twin rotor MIMO system. <i>Journal of the Franklin Institute</i> , 2017, 354, 6831-6854.	1.9	23
31	Finite difference and finite element approaches to dynamic modelling of a flexible manipulator. <i>Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering</i> , 1997, 211, 145-156.	0.7	21
32	Output-based command shaping technique for an effective payload sway control of a 3D crane with hoisting. <i>Transactions of the Institute of Measurement and Control</i> , 2017, 39, 1443-1453.	1.1	20
33	Input shaping with an adaptive scheme for swing control of an underactuated tower crane under payload hoisting and mass variations. <i>Mechanical Systems and Signal Processing</i> , 2022, 175, 109106.	4.4	20
34	Dynamic modelling of a two-link flexible manipulator system incorporating payload. , 2008, , .		17
35	Hybrid Input Shaping and Feedback Control Schemes of a Flexible Robot Manipulator. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2008, 41, 11714-11719.	0.4	17
36	Bluetooth-Based Home Automation System Using an Android Phone. <i>Jurnal Teknologi (Sciences and)</i> Tj ETQq0 0 0 ggBT /Overlock 10 Tf	0.3	17

#	ARTICLE	IF	CITATIONS
37	Adaptive PID actuator fault tolerant control of single-link flexible manipulator. Transactions of the Institute of Measurement and Control, 2019, 41, 1019-1031.	1.1	17
38	Disturbance observer-based formation tracking control of multiple quadrotors in the presence of disturbances. Transactions of the Institute of Measurement and Control, 2019, 41, 4129-4141.	1.1	17
39	Sensor Fusion for Attitude Estimation and PID Control of Quadrotor UAV. International Journal of Electrical and Electronic Engineering and Telecommunications, 2018, , 183-189.	3.4	17
40	Optimal tuning of PID+PD controller by PFS for Gantry Crane System. , 2015, , .		15
41	Simulation and experimental study on PID control of a quadrotor MAV with perturbation. Bulletin of Electrical Engineering and Informatics, 2020, 9, 1811-1818.	0.6	14
42	Input Shaping Techniques for Anti-sway Control of a 3-DOF Rotary Crane System. , 2013, , .		13
43	Grey-box modelling and fuzzy logic control of a Leader“Follower robot manipulator system: A hybrid Grey Wolf“Whale Optimisation approach. ISA Transactions, 2022, 129, 572-593.	3.1	13
44	Finite element approach to dynamic modelling of a flexible robot manipulator: performance evaluation and computational requirements. Communications in Numerical Methods in Engineering, 1999, 15, 669-678.	1.3	12
45	Dynamic Modelling of a Flexible Manipulator System Incorporating Payload: Theory and Experiments. Journal of Low Frequency Noise Vibration and Active Control, 2000, 19, 209-229.	1.3	12
46	Improved integral backstepping control of variable speed motion systems with application to a laboratory helicopter. ISA Transactions, 2020, 97, 1-13.	3.1	11
47	Optimal Performance of a Nonlinear Gantry Crane System via Priority-based Fitness Scheme in Binary PSO Algorithm. IOP Conference Series: Materials Science and Engineering, 2013, 53, 012011.	0.3	10
48	Sensor Fusion Algorithm by Complementary Filter for Attitude Estimation of Quadrotor with Low-Cost IMU. Telkomnika (Telecommunication Computing Electronics and Control), 2018, 16, 868.	0.6	10
49	Dynamic characterisation of a two-link flexible manipulator: theory and experiments. Advances in Robotics Research, 2014, 1, 61-79.	0.1	9
50	An experiment for position and sway control of a 3D gantry crane. , 2012, , .		8
51	Optimal PID controller parameters for nonlinear gantry crane system via MOPSO technique. , 2013, , .		8
52	System Identification and LMI Based Robust PID Control of a Two-Link Flexible Manipulator. Telkomnika (Telecommunication Computing Electronics and Control), 2014, 12, 829.	0.6	8
53	Solving an Agricultural Robot Routing Problem with Binary Particle Swarm Optimization and a Genetic Algorithm. International Journal of Mechanical Engineering and Robotics Research, 2018, , 521-527.	0.7	8
54	Dynamic Hysteresis Based Modeling Of Piezoelectric Actuators. Jurnal Teknologi (Sciences and) Tj ETQq0 0 0 rgBT /Oyerk 1,0 Tf 50 62	0.3	7

#	ARTICLE	IF	CITATIONS
55	Optimal Composite Nonlinear Feedback Controller for an Active Front Steering System. Applied Mechanics and Materials, 0, 554, 526-530.	0.2	7
56	A hybrid control approach for precise positioning of a piezo-actuated stage. , 2014, , .		7
57	Development of an autonomous crop inspection mobile robot system. , 2015, , .		7
58	Lyapunov-Krasovskii stability condition for system with bounded delay - An application to steer-by-wire system. , 2015, , .		7
59	Composite Nonlinear Feedback Control with Multi-objective Particle Swarm Optimization for Active Front Steering System. Jurnal Teknologi (Sciences and Engineering), 2015, 72, .	0.3	7
60	VELOCITY CONTROL OF A UNICYCLE TYPE OF MOBILE ROBOT USING OPTIMAL PID CONTROLLER. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.3	7
61	INPUT SHAPING TECHNIQUES FOR SWAY CONTROL OF A ROTARY CRANE SYSTEM. Jurnal Teknologi (Sciences and Engineering), 2017, 80, .	0.3	7
62	Optimization of pid controllers for a flexible robot manipulator using metamodeling approach. , 2008, , .		6
63	Fuzzy modeling and control of rotary inverted pendulum system using LQR technique. IOP Conference Series: Materials Science and Engineering, 2013, 53, 012009.	0.3	6
64	Hybrid PSO-Tuned PID and Hysteresis-Observer Based Control for Piezoelectric Micropositioning Stages. , 2019, , .		6
65	Inverse dynamic analysis with feedback control for vibration-free positioning of a gantry crane system. , 2008, , .		5
66	Enhanced backstepping sliding mode controller for motion tracking of a nonlinear 2-DOF piezo-actuated micromanipulation system. Microsystem Technologies, 2019, 25, 3765-3777.	1.2	5
67	OUTPUT BASED INPUT SHAPING FOR OPTIMAL CONTROL OF SINGLE LINK FLEXIBLE MANIPULATOR. International Journal on Smart Sensing and Intelligent Systems, 2017, 10, 1-20.	0.4	5
68	Sliding mode control for altitude and attitude stabilization of quadrotor UAV with external disturbance. Indonesian Journal of Electrical Engineering and Informatics, 2019, 7, .	0.3	5
69	Modelling of a Flexible Robot Manipulator Using Finite Element Methods: A Symbolic Approach. Journal of Low Frequency Noise Vibration and Active Control, 1999, 18, 63-76.	1.3	4
70	Hybrid control schemes for input tracking and vibration suppression of a flexible manipulator. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2003, 217, 23-34.	0.7	4
71	A Hybrid Controller for Control of a 3-DOF Rotary Crane System. , 2013, , .		4
72	Resonant Control of a Single-Link Flexible Manipulator. Jurnal Teknologi (Sciences and Engineering), 2014, 67, .	0.3	4

#	ARTICLE	IF	CITATIONS
73	Performance Analysis for a Gantry Crane System (GCS) Using Priority-Based Fitness Scheme in Binary Particle Swarm Optimization. <i>Advanced Materials Research</i> , 0, 903, 285-290.	0.3	4
74	Adaptive input shaping for sway control of 3D crane using a pole-zero cancellation method. , 2015, , .		4
75	FAULT TOLERANT CONTROL FOR SENSOR FAULT OF A SINGLE-LINK FLEXIBLE MANIPULATOR SYSTEM. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2016, 78, .	0.3	4
76	Vibration control of pitch movement using command shaping techniques. , 0, , .		3
77	Vibration Suppression Techniques in Feedback Control of a Very Flexible Robot Manipulator. , 2008, , .		3
78	Improved input shaping technique for a nonlinear system. , 2014, , .		3
79	An improved topology model for two-vehicle look-ahead and rear-vehicle convoy control. , 2017, , .		3
80	Vibration Control of a Nonlinear Double-Pendulum Overhead Crane Using Feedforward Command Shaping. , 2018, , .		3
81	VIBRATION INDUCED FAILURE ANALYSIS OF A HIGH SPEED ROTOR SUPPORTED BY ACTIVE MAGNETIC BEARINGS. <i>Transactions of the Canadian Society for Mechanical Engineering</i> , 2015, 39, 855-866.	0.3	3
82	Hybrid control schemes for input tracking and vibration suppression of a flexible manipulator. , 0, .		3
83	Model and Analysis of Wind Speed Profile using Artificial Neural Network - Feasibility Study in Peninsular Malaysia. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2015, 74, .	0.3	3
84	Dynamic characterisation of a flexible manipulator system: theory and experiments. , 0, , .		2
85	Techniques of vibration and end-point trajectory control of flexible manipulator. , 2009, , .		2
86	LMI-based state feedback controller design for vibration control of a negative imaginary system. , 2015, , .		2
87	Intelligent control of capillary irrigation system for water-saving cultivation. , 2015, , .		2
88	Optimal composite nonlinear feedback with multi-objective genetic algorithm for active front steering system. , 2015, , .		2
89	Comparative assessment of anti-sway control strategy for tower crane system. <i>AIP Conference Proceedings</i> , 2017, , .	0.3	2
90	Principal vibration modes of a rigid-flexible manipulator. , 2017, , .		2

#	ARTICLE	IF	CITATIONS
91	2-step integral backstepping control of the two-rotor aero-dynamical system (TRAS). Journal of Fundamental and Applied Sciences, 2018, 9, 395.	0.2	2
92	Nonlinear stabilization with bounded controller. , 2015, , .		1
93	A Comparison of Particle Swarm Optimization and Genetic Algorithm Based on Multi-objective Approach for Optimal Composite Nonlinear Feedback Control of Vehicle Stability System. Communications in Computer and Information Science, 2016, , 652-662.	0.4	1
94	Performance Of Hybrid Learning Control With Input Shaping For Input Tracking And Vibration Suppression Of A Flexible Manipulator. Jurnal Teknologi (Sciences and Engineering), 0, , .	0.3	1
95	STABILITY ANALYSIS AND VIBRATION CONTROL OF A CLASS OF NEGATIVE IMAGINARY SYSTEMS. Jurnal Teknologi (Sciences and Engineering), 2015, 77, .	0.3	1
96	A Universal Formula for Asymptotic Stabilization with Bounded Controls. International Journal of Electrical and Computer Engineering, 2015, 5, 111.	0.5	1
97	Effect of Beam's Length on the Dynamic Modelling of Flexible Manipulator System. , 2009, , .		0
98	An analysis of X-Y table performance via input shaping. , 2014, , .		0
99	LOCALIZATION AND MOTION CONTROL IMPLEMENTATION FOR AN AGRICULTURAL MOBILE ROBOT. Jurnal Teknologi (Sciences and Engineering), 2017, 79, .	0.3	0
100	Hybrid Learning Control With Input Shaping for Input Tracking and Vibration Suppression of a Flexible Manipulator. , 2004, , .		0
101	Simulation and Experimental Studies of Hybrid Learning Control with Acceleration Feedback for Flexible Manipulators. , 2006, , 567-574.		0
102	The Investigations of Command Shaping and Non-Collocated PID Schemes in Hybrid Trajectory and Sway Control of a DPTOC System. Research Journal of Applied Sciences, 2010, 5, 320-327.	0.1	0
103	The Application Of Computer Algebra In Modelling And Vibration Control Of A Flexible Manipulator. Jurnal Teknologi (Sciences and Engineering), 0, , .	0.3	0
104	Anti-Sway Control Schemes of a Boom Crane Using Command Shaping Techniques. Jurnal Teknologi (Sciences and Engineering), 2014, 67, .	0.3	0
105	Active Sway Control of a Gantry Crane by an Electrical Ducted Fan. International Journal of Acoustics and Vibrations, 2015, 20, .	0.3	0
106	NEGATIVE IMAGINARY THEOREM WITH AN APPLICATION TO ROBUST CONTROL OF A CRANE SYSTEM. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.3	0