

# Nikolaos Tzortzakis

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3697771/nikolaos-tzortzakis-publications-by-citations.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124  
papers

2,525  
citations

27  
h-index

43  
g-index

132  
ext. papers

3,274  
ext. citations

4.2  
avg, IF

6.01  
L-index

#	Paper	IF	Citations
124	Antifungal activity of lemongrass ( <i>Cymbopogon citratus</i> L.) essential oil against key postharvest pathogens. <i>Innovative Food Science and Emerging Technologies</i> , <b>2007</b> , 8, 253-258	6.8	194
123	Impact of atmospheric ozone-enrichment on quality-related attributes of tomato fruit. <i>Postharvest Biology and Technology</i> , <b>2007</b> , 45, 317-325	6.2	116
122	Nitrogen and phosphorus levels affected plant growth, essential oil composition and antioxidant status of lavender plant ( <i>Lavandula angustifolia</i> Mill.). <i>Industrial Crops and Products</i> , <b>2016</b> , 83, 577-586	5.9	109
121	Maintaining postharvest quality of fresh produce with volatile compounds. <i>Innovative Food Science and Emerging Technologies</i> , <b>2007</b> , 8, 111-116	6.8	107
120	Impact of cinnamon oil-enrichment on microbial spoilage of fresh produce. <i>Innovative Food Science and Emerging Technologies</i> , <b>2009</b> , 10, 97-102	6.8	91
119	Deployment of low-level ozone-enrichment for the preservation of chilled fresh produce. <i>Postharvest Biology and Technology</i> , <b>2007</b> , 43, 261-270	6.2	79
118	Antioxidant and antibacterial activities, mineral and essential oil composition of spearmint ( <i>Mentha spicata</i> L.) affected by the potassium levels. <i>Industrial Crops and Products</i> , <b>2017</b> , 103, 202-212	5.9	74
117	Postharvest ozone application for the preservation of fruits and vegetables. <i>Food Reviews International</i> , <b>2017</b> , 33, 270-315	5.5	62
116	The combined and single effect of salinity and copper stress on growth and quality of <i>Mentha spicata</i> plants. <i>Journal of Hazardous Materials</i> , <b>2019</b> , 368, 584-593	12.8	62
115	Physiological and Biochemical Responses of to Salinity Under Mineral Foliar Application. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 489	6.2	49
114	Bioactive compounds content and antimicrobial activities of wild edible Asteraceae species of the Mediterranean flora under commercial cultivation conditions. <i>Food Research International</i> , <b>2019</b> , 119, 859-868	7	45
113	Nutritional Value and Bioactive Compounds Characterization of Plant Parts From L. (Asteraceae) Cultivated in Central Greece. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 459	6.2	41
112	Methyl jasmonate-induced suppression of anthracnose rot in tomato fruit. <i>Crop Protection</i> , <b>2007</b> , 26, 1507-1513	2.7	41
111	Determining the carbon footprint of indigenous and introduced grape varieties through Life Cycle Assessment using the island of Cyprus as a case study. <i>Journal of Cleaner Production</i> , <b>2017</b> , 156, 418-425 <sup>10.3</sup>		40
110	Impact of low-level atmospheric ozone-enrichment on black spot and anthracnose rot of tomato fruit. <i>Postharvest Biology and Technology</i> , <b>2008</b> , 47, 1-9	6.2	40
109	Effectiveness of Aloe vera gel coating for maintaining tomato fruit quality. <i>New Zealand Journal of Crop and Horticultural Science</i> , <b>2016</b> , 44, 203-217	0.9	39
108	Effects of water stress on lavender and sage biomass production, essential oil composition and biocidal properties against <i>Tetranychus urticae</i> (Koch). <i>Scientia Horticulturae</i> , <b>2016</b> , 213, 96-103	4.1	38

107	Chemical characterization of biochar and assessment of the nutrient dynamics by means of preliminary plant growth tests. <i>Journal of Environmental Management</i> , <b>2018</b> , 216, 89-95	7.9	35
106	Ethanol, vinegar and Origanum vulgare oil vapour suppress the development of anthracnose rot in tomato fruit. <i>International Journal of Food Microbiology</i> , <b>2010</b> , 142, 14-8	5.8	31
105	MAINTAINING POSTHARVEST QUALITY OF THE TOMATO FRUIT BY EMPLOYING METHYL JASMONATE AND ETHANOL VAPOR TREATMENT. <i>Journal of Food Quality</i> , <b>2007</b> , 30, 567-580	2.7	31
104	Minimizing water and nutrient losses from soilless cropping in southern Europe. <i>Agricultural Water Management</i> , <b>2020</b> , 241, 106395	5.9	31
103	Grown to be Blue-Antioxidant Properties and Health Effects of Colored Vegetables. Part II: Leafy, Fruit, and Other Vegetables. <i>Antioxidants</i> , <b>2020</b> , 9,	7.1	30
102	Quality and safety attributes on shredded carrots by using Origanum majorana and ascorbic acid. <i>Postharvest Biology and Technology</i> , <b>2019</b> , 155, 120-129	6.2	29
101	Bioactivities, chemical composition and nutritional value of Cynara cardunculus L. seeds. <i>Food Chemistry</i> , <b>2019</b> , 289, 404-412	8.5	29
100	Low-level atmospheric ozone exposure induces protection against Botrytis cinerea with down-regulation of ethylene-, jasmonate- and pathogenesis-related genes in tomato fruit. <i>Postharvest Biology and Technology</i> , <b>2011</b> , 61, 152-159	6.2	29
99	A biorefinery for conversion of citrus peel waste into essential oils, pectin, fertilizer and succinic acid via different fermentation strategies. <i>Waste Management</i> , <b>2020</b> , 113, 469-477	8.6	27
98	Use of sawdust, coco soil and pumice in hydroponically grown strawberry. <i>Plant, Soil and Environment</i> , <b>2013</b> , 59, 452-459	2.2	27
97	Effect of Origanum Oil and Vinegar on the Maintenance of Postharvest Quality of Tomato. <i>Food and Nutrition Sciences (Print)</i> , <b>2011</b> , 02, 974-982	0.4	27
96	Sustainable Agriculture Systems in Vegetable Production Using Chitin and Chitosan as Plant Biostimulants. <i>Biomolecules</i> , <b>2021</b> , 11,	5.9	27
95	Effects of Ascophyllum nodosum seaweed extracts on lettuce growth, physiology and fresh-cut salad storage under potassium deficiency. <i>Journal of the Science of Food and Agriculture</i> , <b>2018</b> , 98, 5861-5872	4.3	25
94	Profiling of Essential Oils Components and Polyphenols for Their Antioxidant Activity of Medicinal and Aromatic Plants Grown in Different Environmental Conditions. <i>Agronomy</i> , <b>2020</b> , 10, 727	3.6	24
93	Plant Nutrient Availability and pH of Biochars and Their Fractions, with the Possible Use as a Component in a Growing Media. <i>Agronomy</i> , <b>2020</b> , 10, 10	3.6	24
92	Olive Mill Wastes as a Growing Medium Component for Seedling and Crop Production of Lettuce and Chicory. <i>International Journal of Vegetable Science</i> , <b>2009</b> , 15, 325-339	1.2	23
91	INFLUENCE OF SODIUM CHLORIDE AND CALCIUM FOLIAR SPRAY ON HYDROPONICALLY GROWN PARSLEY IN NUTRIENT FILM TECHNIQUE SYSTEM. <i>Journal of Plant Nutrition</i> , <b>2012</b> , 35, 1457-1467	2.3	23
90	Vapour or dipping applications of methyl jasmonate, vinegar and sage oil for pepper fruit sanitation towards grey mould. <i>Postharvest Biology and Technology</i> , <b>2016</b> , 118, 120-127	6.2	22

89	Profiling shifts in protein complement in tomato fruit induced by atmospheric ozone-enrichment and/or wound-inoculation with <i>Botrytis cinerea</i> . <i>Postharvest Biology and Technology</i> , <b>2013</b> , 78, 67-75	6.2	21
88	Biostimulants Application Alleviates Water Stress Effects on Yield and Chemical Composition of Greenhouse Green Bean ( <i>Phaseolus vulgaris</i> L.). <i>Agronomy</i> , <b>2020</b> , 10, 181	3.6	20
87	Potassium and calcium enrichment alleviate salinity-induced stress in hydroponically grown endives. <i>Zahradnictvi (Prague, Czech Republic: 1992)</i> , <b>2010</b> , 37, 155-162	1.1	20
86	Adaptive Response of a Native Mediterranean Grapevine Cultivar Upon Short-Term Exposure to Drought and Heat Stress in the Context of Climate Change. <i>Agronomy</i> , <b>2020</b> , 10, 249	3.6	20
85	Wild and Cultivated subsp. : A Valuable Source of Bioactive Compounds. <i>Antioxidants</i> , <b>2020</b> , 9,	7.1	19
84	Growth, photosynthesis and pollen performance in saline water treated olive plants under high temperature. <i>International Journal of Plant Biology</i> , <b>2015</b> , 6,	1.3	19
83	Origanum dictamnus oil vapour suppresses the development of grey mould in eggplant fruit in vitro. <i>BioMed Research International</i> , <b>2014</b> , 2014, 562679	3	19
82	Sage Essential Oil Improves the Effectiveness of Aloe vera Gel on Postharvest Quality of Tomato Fruit. <i>Agronomy</i> , <b>2019</b> , 9, 635	3.6	19
81	The Effects of Biostimulants, Biofertilizers and Water-Stress on Nutritional Value and Chemical Composition of Two Spinach Genotypes ( L.). <i>Molecules</i> , <b>2019</b> , 24,	4.8	19
80	Interactive effects of salinity and silicon application on <i>Solanum lycopersicum</i> growth, physiology and shelf-life of fruit produced hydroponically. <i>Journal of the Science of Food and Agriculture</i> , <b>2020</b> , 100, 732-743	4.3	18
79	Vegetative, physiological, nutritional and antioxidant behavior of spearmint ( <i>Mentha spicata</i> L.) in response to different nitrogen supply in hydroponics. <i>Journal of Applied Research on Medicinal and Aromatic Plants</i> , <b>2017</b> , 6, 52-61	2.6	17
78	Cultivation strategy to improve chemical profile and anti-oxidant activity of <i>Sideritis perfoliata</i> L. subsp. <i>perfoliata</i> . <i>Industrial Crops and Products</i> , <b>2019</b> , 140, 111694	5.9	16
77	Optimization of potassium fertilization/nutrition for growth, physiological development, essential oil composition and antioxidant activity of <i>Lavandula angustifolia</i> Mill. <i>Journal of Soil Science and Plant Nutrition</i> , <b>2017</b> , 0-0	3.2	16
76	Potential application of spearmint and lavender essential oils for assuring endive quality and safety. <i>Crop Protection</i> , <b>2017</b> , 102, 94-103	2.7	16
75	Alternative soilless media using olive-mill and paper waste for growing ornamental plants. <i>Environmental Science and Pollution Research</i> , <b>2018</b> , 25, 35915-35927	5.1	15
74	Foliar Application of Nano-zinc and Iron Affects Physiological Attributes of <i>Rosmarinus officinalis</i> and Quietens NaCl Salinity Depression. <i>Journal of Soil Science and Plant Nutrition</i> , <b>2020</b> , 20, 335-345	3.2	15
73	Deployment of olive-stone waste as a substitute growing medium component for Brassica seedling production in nurseries. <i>Environmental Science and Pollution Research</i> , <b>2019</b> , 26, 35461-35472	5.1	14
72	(Subsp. ) Nutritive Value and Its Potential Medicinal Properties. <i>Antioxidants</i> , <b>2019</b> , 8,	7.1	14

71	Effects of substrate and salinity in hydroponically grown <i>Cichorium spinosum</i> . <i>Journal of Soil Science and Plant Nutrition</i> , <b>2014</b> , 0-0	3.2	14
70	Influence of NaCl and Calcium Nitrate on Lettuce and Endive Growth Using Nutrient Film Technique. <i>International Journal of Vegetable Science</i> , <b>2008</b> , 15, 44-56	1.2	14
69	Biochar Type and Ratio as a Peat Additive/Partial Peat Replacement in Growing Media for Cabbage Seedling Production. <i>Agronomy</i> , <b>2019</b> , 9, 693	3.6	14
68	Biochar Type, Ratio, and Nutrient Levels in Growing Media Affects Seedling Production and Plant Performance. <i>Agronomy</i> , <b>2020</b> , 10, 1421	3.6	14
67	Grown to be Blue-Antioxidant Properties and Health Effects of Colored Vegetables. Part I: Root Vegetables. <i>Antioxidants</i> , <b>2019</b> , 8,	7.1	14
66	Mint and pomegranate extracts/oils as antibacterial agents against <i>Escherichia coli</i> O157:H7 and <i>Listeria monocytogenes</i> on shredded carrots. <i>Journal of Food Safety</i> , <b>2018</b> , 38, e12423	2	14
65	Effects of Salinity on <i>Tagetes</i> Growth, Physiology, and Shelf Life of Edible Flowers Stored in Passive Modified Atmosphere Packaging or Treated With Ethanol. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 1765	6.2	14
64	Physiological and biochemical attributes of <i>Mentha spicata</i> when subjected to saline conditions and cation foliar application. <i>Journal of Plant Physiology</i> , <b>2019</b> , 232, 27-38	3.6	13
63	Utilization of paper waste as growing media for potted ornamental plants. <i>Clean Technologies and Environmental Policy</i> , <b>2019</b> , 21, 1937-1948	4.3	13
62	Variation of microbial load and biochemical activity of ready-to-eat salads in Cyprus as affected by vegetable type, season, and producer. <i>Food Microbiology</i> , <b>2019</b> , 83, 200-210	6	12
61	Chemical Composition and Plant Growth of subsp. Plants Cultivated under Saline Conditions. <i>Molecules</i> , <b>2020</b> , 25,	4.8	12
60	The use of treated wastewater and fertigation in greenhouse pepper crop as affecting growth and fruit quality. <i>Journal of Water Reuse and Desalination</i> , <b>2014</b> , 4, 92-99	2.6	12
59	Shredded Maize Stems as an Alternative Substrate Medium. <i>International Journal of Vegetable Science</i> , <b>2005</b> , 11, 57-70		12
58	Water-energy-food nexus: A case study on medicinal and aromatic plants. <i>Journal of Cleaner Production</i> , <b>2019</b> , 233, 1334-1343	10.3	11
57	Substitution of peat with municipal solid waste compost in watermelon seedling production combined with fertigation. <i>Chilean Journal of Agricultural Research</i> , <b>2014</b> , 74, 452-459	1.9	11
56	Evaluation of Municipal Solid Waste Compost and/or Fertigation as Peat Substituent for Pepper Seedlings Production. <i>Waste and Biomass Valorization</i> , <b>2018</b> , 9, 2285-2294	3.2	11
55	Bioactive properties of greenhouse-cultivated green beans ( <i>Phaseolus vulgaris</i> L.) under biostimulants and water-stress effect. <i>Journal of the Science of Food and Agriculture</i> , <b>2019</b> , 99, 6049-6059	4.3	10
54	Natural Antioxidants, Health Effects and Bioactive Properties of Wild <i>Allium</i> Species. <i>Current Pharmaceutical Design</i> , <b>2020</b> , 26, 1816-1837	3.3	10

53	Evaluation of Lettuce ( <i>Lactuca sativa</i> L.) Production under Hydroponic System: Nutrient Solution Derived from Fish Waste vs. Inorganic Nutrient Solution. <i>Horticulturae</i> , <b>2021</b> , 7, 292	2.5	10
52	Cotton and cardoon byproducts as potential growing media components for <i>Cichorium spinosum</i> L. commercial cultivation. <i>Journal of Cleaner Production</i> , <b>2019</b> , 240, 118254	10.3	9
51	Salinity and cation foliar application: Implications on essential oil yield and composition of hydroponically grown spearmint plants. <i>Scientia Horticulturae</i> , <b>2019</b> , 256, 108581	4.1	9
50	Traditionally Used Post.: Phytochemistry, Nutritional Content, Bioactive Compounds of Cultivated Populations. <i>Frontiers in Pharmacology</i> , <b>2020</b> , 11, 650	5.6	9
49	Determining the Carbon Footprint and Emission Hotspots for the Wine Produced in Cyprus. <i>Atmosphere</i> , <b>2020</b> , 11, 463	2.7	9
48	Assessing the Impact of Drought Stress and Soil Cultivation in Chardonnay and Xynisteri Grape Cultivars. <i>Agronomy</i> , <b>2020</b> , 10, 670	3.6	9
47	Treated Wastewater and Fertigation Applied for Greenhouse Tomato Cultivation Grown in Municipal Solid Waste Compost and Soil Mixtures. <i>Sustainability</i> , <b>2020</b> , 12, 4287	3.6	9
46	Olive Mill Waste as a Substitute Growing Medium Component in Tomato Seedling and Crop Production. <i>International Journal of Vegetable Science</i> , <b>2012</b> , 18, 272-283	1.2	9
45	Sustainable Viticulture: First Determination of the Environmental Footprint of Grapes. <i>Sustainability</i> , <b>2020</b> , 12, 8812	3.6	8
44	Assessing the Biostimulant Effects of a Novel Plant-Based Formulation on Tomato Crop. <i>Sustainability</i> , <b>2020</b> , 12, 8432	3.6	8
43	Deployment of Sawdust as Substrate Medium in Hydroponically Grown Lettuce. <i>Journal of Plant Nutrition</i> , <b>2014</b> , 37, 1304-1315	2.3	8
42	Occurrence of Micro-pollutants in a Soil-Bed System Irrigated with Several Types of Treated Domestic Wastewater. <i>Water, Air, and Soil Pollution</i> , <b>2014</b> , 225, 1	2.6	8
41	Use of fertigation and municipal solid waste compost for greenhouse pepper cultivation. <i>Scientific World Journal</i> , <b>2012</b> , 2012, 973193	2.2	8
40	Drought stress and soil management practices in grapevines in Cyprus under the threat of climate change. <i>Journal of Water and Climate Change</i> , <b>2018</b> , 9, 703-714	2.3	8
39	Climate change due to heat and drought stress can alter the physiology of Maratheftiko local Cyprian grapevine variety. <i>Journal of Water and Climate Change</i> , <b>2018</b> , 9, 715-727	2.3	7
38	The use of primary and secondary treated municipal wastewater for cucumber irrigation in hydroponic system. <i>Water Practice and Technology</i> , <b>2013</b> , 8, 433-439	0.9	6
37	The Combined and Single Effect of Marjoram Essential Oil, Ascorbic Acid, and Chitosan on Fresh-Cut Lettuce Preservation. <i>Foods</i> , <b>2021</b> , 10,	4.9	6
36	Physiological and Proteomic Approaches to Address the Active Role of Inoculation in Tomato Postharvest Ripening. <i>Microorganisms</i> , <b>2019</b> , 7,	4.9	6

35	Effect of phosphorus application rate on <i>Mentha spicata</i> L. grown in deep flow technique (DFT). <i>Food Chemistry</i> , <b>2019</b> , 276, 84-92	8.5	6
34	The use of spent coffee grounds in growing media for the production of Brassica seedlings in nurseries. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 24279-24290	5.1	6
33	Bacterial community dynamics varies with soil management and irrigation practices in grapevines ( <i>Vitis vinifera</i> L.). <i>Applied Soil Ecology</i> , <b>2021</b> , 158, 103807	5	6
32	Responses to Drought Stress Modulate the Susceptibility to in Self-Rooted Cuttings. <i>Plants</i> , <b>2021</b> , 10,	4.5	6
31	Bio-sanitation treatment using essential oils against E. coli O157:H7 on fresh lettuce. <i>New Zealand Journal of Crop and Horticultural Science</i> , <b>2017</b> , 45, 165-174	0.9	5
30	Physiochemical properties of petunia edible flowers grown under saline conditions and their postharvest performance under modified atmosphere packaging and ethanol application. <i>Journal of the Science of Food and Agriculture</i> , <b>2019</b> , 99, 3644-3652	4.3	5
29	Deployment of municipal solid wastes as a substitute growing medium component in marigold and basil seedlings production. <i>Scientific World Journal, The</i> , <b>2012</b> , 2012, 285874	2.2	5
28	Alleviation of Salinity-Induced Stress in Lettuce Growth by Potassium Sulphate Using Nutrient Film Technique. <i>International Journal of Vegetable Science</i> , <b>2009</b> , 15, 226-239	1.2	5
27	Application of Rosemary and Eucalyptus Essential Oils and Their Main Component on the Preservation of Apple and Pear Fruits. <i>Horticulturae</i> , <b>2021</b> , 7, 479	2.5	5
26	Municipal solid wastes and mineral fertilizer as an eggplant transplant medium. <i>Journal of Soil Science and Plant Nutrition</i> , <b>2015</b> , 0-0	3.2	4
25	Printed Paper Waste as an Alternative Growing Medium Component to Produce Brassica Seedlings under Nursery Conditions. <i>Sustainability</i> , <b>2020</b> , 12, 5992	3.6	4
24	Bio-Guided Investigation of <i>Sideritis cypria</i> Methanol Extract Driven by in Vitro Antioxidant and Cytotoxic Assays. <i>Chemistry and Biodiversity</i> , <b>2021</b> , 18, e2000966	2.5	4
23	Ozone: A Powerful Tool for the Fresh Produce Preservation <b>2016</b> , 175-207		3
22	Quality Attributes and Storage of Tomato Fruits as Affected by an Eco-Friendly, Essential Oil-Based Product. <i>Plants</i> , <b>2021</b> , 10,	4.5	3
21	Copper Tolerance and Accumulation on L <sup>THE</sup> Grown in Hydroponic Culture. <i>Plants</i> , <b>2021</b> , 10,	4.5	3
20	Morphological Diversity, Genetic Characterization, and Phytochemical Assessment of the Cypriot Tomato Germplasm. <i>Plants</i> , <b>2021</b> , 10,	4.5	3
19	The Sustainable Use of Cotton, Hazelnut and Ground Peanut Waste in Vegetable Crop Production. <i>Sustainability</i> , <b>2020</b> , 12, 8511	3.6	2
18	GASEOUS OZONE-ENRICHMENT FOR THE PRESERVATION OF FRESH PRODUCE. <i>Acta Horticulturae</i> , <b>2015</b> , 273-278	0.3	2

17	Shredded Maize Stems as an Alternative Substrate Medium. <i>International Journal of Vegetable Science</i> , <b>2008</b> , 13, 103-122	1.2	2
16	Ammonium to Total Nitrogen Ratio Interactive Effects with Salinity Application on <i>Solanum lycopersicum</i> Growth, Physiology, and Fruit Storage in a Closed Hydroponic System. <i>Agronomy</i> , <b>2022</b> , 12, 386	3.6	2
15	Vapour Application of Sage Essential Oil Maintain Tomato Fruit Quality in Breaker and Red Ripening Stages.. <i>Plants</i> , <b>2021</b> , 10,	4.5	2
14	Expiration Date of Ready-to-Eat Salads: Effects on Microbial Load and Biochemical Attributes. <i>Foods</i> , <b>2021</b> , 10,	4.9	2
13	Effects of Selenium and/or Arbuscular Mycorrhizal Fungal Inoculation on Strawberry Grown in Hydroponic Trial. <i>Agronomy</i> , <b>2021</b> , 11, 721	3.6	2
12	Chemical Composition and Bioactive Properties of Purple French Bean ( <i>Phaseolus vulgaris</i> L.) as Affected by Water Deficit Irrigation and Biostimulants Application. <i>Sustainability</i> , <b>2021</b> , 13, 6869	3.6	2
11	Organic Cultivation and Deficit Irrigation Practices to Improve Chemical and Biological Activity of <i>Mentha spicata</i> Plants. <i>Agronomy</i> , <b>2021</b> , 11, 599	3.6	2
10	Polar constituents, biological effects and nutritional value of Boiss. <i>Natural Product Research</i> , <b>2021</b> , 1-5	2.3	2
9	Essential Oil Composition and Bioactive Properties of Lemon Balm Aerial Parts as Affected by Cropping System and Irrigation Regime. <i>Agronomy</i> , <b>2022</b> , 12, 649	3.6	2
8	Heat treatment, sodium carbonate, ascorbic acid and rosemary essential oil application for the preservation of fresh <i>Rosmarinus officinalis</i> quality. <i>Postharvest Biology and Technology</i> , <b>2022</b> , 187, 111868	6.2	1
7	First Report of Root Rot of Hydroponically Grown Lettuce ( <i>Lactuca sativa</i> ) Caused by a <i>Pythium</i> Species From the Cluster B2a Species Complex in Cyprus. <i>Plant Disease</i> , <b>2017</b> , 101, 636-636	1.5	1
6	Performance of Hydroponically Cultivated Geranium and Common Verbena under Salinity and High Electrical Conductivity Levels. <i>Agronomy</i> , <b>2021</b> , 11, 1237	3.6	1
5	NMR Fingerprint Comparison of Cultivated <i>Sideritis</i> spp. from Cyprus. <i>Agronomy</i> , <b>2021</b> , 11, 1503	3.6	1
4	Seasonal Variation of Antioxidant Capacity, Phenols, Minerals and Essential Oil Components of Sage, Spearmint and <i>Sideritis</i> Plants Grown at Different Altitudes. <i>Agronomy</i> , <b>2021</b> , 11, 1766	3.6	1
3	First Report of Root Rot of Hydroponically Grown Peppermint ( <i>Mentha piperita</i> ) Caused by a <i>Pythium myriotylum</i> in Cyprus. <i>Plant Disease</i> , <b>2017</b> , 101, 1682-1682	1.5	0
2	Salmonella Enteritidis survival in different temperatures and nutrient solution pH levels in hydroponically grown lettuce. <i>Food Microbiology</i> , <b>2022</b> , 102, 103898	6	0
1	Aquatic Plants Native to Europe <b>2020</b> , 241-290		