

Tryggve Lundar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/369788/publications.pdf>

Version: 2024-02-01

38
papers

656
citations

759233

12
h-index

580821

25
g-index

39
all docs

39
docs citations

39
times ranked

758
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Choroid Plexus Tumors in Children: Long-Term Follow-Up of Consecutive Single-Institutional Series of 59 Patients Treated over a Period of 8 Decades (1939–2020). <i>World Neurosurgery</i> , 2022, 158, e810-e819. | 1.3 | 5 |
| 2 | Outcomes in adulthood after neurosurgical treatment of brain tumors in the first 3 years of life: long-term follow-up of a single consecutive institutional series of 97 patients. <i>Child's Nervous System</i> , 2021, 37, 427-433. | 1.1 | 6 |
| 3 | Outcome after treatment of pediatric supratentorial ependymoma: long-term follow-up of a single consecutive institutional series of 26 patients. <i>British Journal of Neurosurgery</i> , 2021, , 1-9. | 0.8 | 2 |
| 4 | Outcome After Treatment of Spinal Ependymoma in Children and Adolescents: Long-Term Follow-up of a Single Consecutive Institutional Series of 33 Patients Treated Over Eight Decades. <i>World Neurosurgery</i> , 2021, 150, e228-e235. | 1.3 | 4 |
| 5 | Outcomes in adulthood after neurosurgical treatment of brain tumors in the first 3 years of life: long-term follow-up of a single consecutive institutional series of 97 patients. <i>Child's Nervous System</i> , 2021, 37, 2435-2435. | 1.1 | 0 |
| 6 | Comment on : A retrospective analysis of recurrent pediatric ependymoma reveals extremely poor survival and ineffectiveness of current treatments across central nervous locations and molecular subgroups. <i>Pediatric Blood and Cancer</i> , 2021, 68, e29193. | 1.5 | 0 |
| 7 | Persistent shunt dependency in children treated with CSF diversion for idiopathic intracranial hypertension (IIH). <i>Acta Neurochirurgica</i> , 2020, 162, 39-42. | 1.7 | 1 |
| 8 | Long-term outcome of posterior fossa medulloblastoma in patients surviving more than 20 years following primary treatment in childhood. <i>Scientific Reports</i> , 2020, 10, 9371. | 3.3 | 15 |
| 9 | Adult outcome after treatment of pediatric posterior fossa ependymoma: long-term follow-up of a single consecutive institutional series of 22 patients with more than 5 years of survival. <i>Journal of Neurosurgery: Pediatrics</i> , 2020, 26, 22-26. | 1.3 | 8 |
| 10 | Adult outcome after neurosurgical treatment of brain tumours in the first year of life: long-term follow-up of a single consecutive institutional series of 34 patients. <i>Acta Neurochirurgica</i> , 2019, 161, 1793-1798. | 1.7 | 3 |
| 11 | Children treated for medulloblastoma and supratentorial primitive neuroectodermal tumor in Norway from 1974 through 2013: Unexplainable regional differences in survival. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27910. | 1.5 | 10 |
| 12 | Neurosurgical treatment of pediatric pleomorphic xanthoastrocytomas: long-term follow-up of a single-institution, consecutive series of 12 patients. <i>Journal of Neurosurgery: Pediatrics</i> , 2019, 23, 512-516. | 1.3 | 3 |
| 13 | Neurosurgical treatment of gangliogliomas in children and adolescents: long-term follow-up of a single-institution series of 32 patients. <i>Acta Neurochirurgica</i> , 2018, 160, 1207-1214. | 1.7 | 14 |
| 14 | Postoperative radiotherapy for pediatric brain tumor: a lesson learned from treatment of a 5-year-old girl for posterior fossa astrocytoma (WHO1) in 1967. <i>Acta Neurochirurgica</i> , 2018, 160, 2065-2066. | 1.7 | 1 |
| 15 | Outcome for children treated for medulloblastoma and supratentorial primitive neuroectodermal tumor (CNS-PNET) – a retrospective analysis spanning 40 years of treatment. <i>Acta Oncologica</i> , 2017, 56, 698-705. | 1.8 | 29 |
| 16 | Persistent shunt dependency and very late shunt failure in a 3-year-old boy with idiopathic intracranial hypertension (IIH). <i>Child's Nervous System</i> , 2017, 33, 213-215. | 1.1 | 2 |
| 17 | Cerebrospinal fluid (CSF) shunting and ventriculocisternostomy (ETV) in 400 pediatric patients. Shifts in understanding, diagnostics, case-mix, and surgical management during half a century. <i>Child's Nervous System</i> , 2017, 33, 259-268. | 1.1 | 11 |
| 18 | Arne Torkildsen and the ventriculocisternal shunt: the first clinically successful shunt for hydrocephalus. <i>Journal of Neurosurgery</i> , 2016, 124, 1421-1428. | 1.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Patients with focal cerebellar lesions show reduced auditory cortex activation during silent reading. <i>Brain and Language</i> , 2016, 161, 18-27. | 1.6 | 5 |
| 20 | Posterior fossa ependymblastoma diagnosed in the second month of life: uneventful 12Âyears survival after gross total resection followed by chemotherapy. <i>SpringerPlus</i> , 2015, 4, 389. | 1.2 | 1 |
| 21 | Pediatric hydrocephalus: 40-year outcomes in 128 hydrocephalic patients treated with shunts during childhood. Assessment of surgical outcome, work participation, and health-related quality of life. <i>Journal of Neurosurgery: Pediatrics</i> , 2015, 16, 633-641. | 1.3 | 79 |
| 22 | Posterior fossa ependymoma in childhood: 60Âyears event-free survival after partial resectionâ€”a case report. <i>Child's Nervous System</i> , 2015, 31, 1573-1576. | 1.1 | 5 |
| 23 | Neurosurgical treatment of brain tumors in the first 6Âmonths of life: long-term follow-up of a single consecutive institutional series of 30 patients. <i>Child's Nervous System</i> , 2015, 31, 2283-2290. | 1.1 | 10 |
| 24 | Pediatric spinal ependymomas: an unpredictable and puzzling disease. Long-term follow-up of a single consecutive institutional series of ten patients. <i>Child's Nervous System</i> , 2014, 30, 2083-2088. | 1.1 | 24 |
| 25 | Neurosurgical treatment of low-grade cerebellar astrocytoma in children and adolescents: a single consecutive institutional series of 100 patients. <i>Journal of Neurosurgery: Pediatrics</i> , 2013, 11, 245-249. | 1.3 | 34 |
| 26 | Neurosurgical treatment of oligodendroglial tumors in children and adolescents: a single-institution series of 35 consecutive patients. <i>Journal of Neurosurgery: Pediatrics</i> , 2013, 12, 241-246. | 1.3 | 10 |
| 27 | Twenty-year outcome in young adults with childhood hydrocephalus: assessment of surgical outcome, work participation, and health-related quality of life. <i>Journal of Neurosurgery: Pediatrics</i> , 2010, 6, 527-535. | 1.3 | 73 |
| 28 | Choroid plexus tumors in children and young adults: report of 16 consecutive cases. <i>Child's Nervous System</i> , 2001, 17, 252-256. | 1.1 | 60 |
| 29 | Assessment of intracranial pressure volume relationships in childhood: the lumbar infusion test versus intracranial pressure monitoring. <i>Child's Nervous System</i> , 2001, 17, 382-390. | 1.1 | 19 |
| 30 | Ependymoma in children and young adults (0-19 years): report of 25 consecutive cases. <i>Child's Nervous System</i> , 2001, 17, 24-30. | 1.1 | 23 |
| 31 | Occurrence and management of fractured peripheral catheters in CSF shunts. <i>Child's Nervous System</i> , 1992, 8, 222-225. | 1.1 | 35 |
| 32 | Fatal cardiopulmonary complications in children treated with ventriculoatrial shunts. <i>Child's Nervous System</i> , 1991, 7, 215-7. | 1.1 | 37 |
| 33 | Management of pediatric pontine gliomas. <i>Child's Nervous System</i> , 1991, 7, 13-15. | 1.1 | 66 |
| 34 | Steady-state lumbar infusion tests in the management of children with craniosynostosis. <i>Child's Nervous System</i> , 1991, 7, 31-33. | 1.1 | 11 |
| 35 | Monitoring of Intracranial Pressure After Open-Heart Surgery. <i>Scandinavian Journal of Thoracic and Cardiovascular Surgery</i> , 1983, 17, 149-155. | 0.2 | 8 |
| 36 | The Clinical Significance of Changes in Cerebral Perfusion Pressure During Open-Heart Surgery. <i>Scandinavian Journal of Thoracic and Cardiovascular Surgery</i> , 1983, 17, 163-169. | 0.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Aspects of Cerebral Perfusion in Open-Heart Surgery. Scandinavian Journal of Thoracic and Cardiovascular Surgery, 1982, 16, 217-222. | 0.2 | 16 |
| 38 | Will CSF Diversion in Patients with Idiopathic Intracranial Hypertension (IIH) Lead to Long-Lasting Shunt Dependency?. , 0, , . | | 0 |