

Sedat Keles

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3700314/sedat-keles-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

34
papers

621
citations

12
h-index

24
g-index

34
ext. papers

694
ext. citations

2.2
avg, IF

3.97
L-index

#	Paper	IF	Citations
34	Estimation of Aboveground Stand Carbon using Landsat 8 OLI Satellite Image: A Case Study from Turkey. <i>Environmental Science and Engineering</i> , 2021 , 385-403	0.2	1
33	Estimation of some stand parameters from textural features from WorldView-2 satellite image using the artificial neural network and multiple regression methods: a case study from Turkey. <i>Geocarto International</i> , 2021 , 36, 918-935	2.7	3
32	Evaluating different spatial interpolation methods and modeling techniques for estimating spatial forest site index in pure beech forests: a case study from Turkey. <i>Environmental Monitoring and Assessment</i> , 2019 , 192, 53	3.1	2
31	An assessment of hydrological functions of forest ecosystems to support sustainable forest management. <i>Journal of Sustainable Forestry</i> , 2019 , 38, 305-326	1.2	8
30	Artificial neural network models predicting the leaf area index: a case study in pure even-aged Crimean pine forests from Turkey. <i>Forest Ecosystems</i> , 2018 , 5,	3.8	10
29	Estimation of leaf area index using WorldView-2 and Aster satellite image: a case study from Turkey. <i>Environmental Monitoring and Assessment</i> , 2017 , 189, 538	3.1	6
28	Analysis of the changes in forest ecosystem functions, structure and composition in the Black Sea region of Turkey. <i>Journal of Forestry Research</i> , 2017 , 28, 329-342	2	10
27	Spatially explicit estimates and temporal changes of forest tree biomass in a typical department of forest management, Turkey. <i>International Journal of Global Warming</i> , 2017 , 12, 50	0.6	
26	Determining Optimum Cutting Ages Including Timber Production and Carbon Sequestration Benefits in Turkish Pine Plantations 2017 , 46, 381-386		3
25	Optimum cutting ages in hybrid poplar plantations including carbon sequestration: A case study in Turkey. <i>Revista Chapingo, Serie Ciencias Forestales Y Del Ambiente</i> , 2016 , XXII, 339-349	1.4	2
24	Discrimination of crown closure of forest ecosystems using different remotely sensed data: a case study of Kütahya planning unit. <i>Forest Science and Technology</i> , 2016 , 12, 33-42	1.5	
23	Comparison of alternative approaches of estimating above-ground tree biomass in a forest ecosystem of Turkey. <i>International Journal of Global Warming</i> , 2016 , 9, 397	0.6	
22	Challenges in developing and implementing a decision support systems (ETAP) in forest management planning: a case study in Honaz and Ibradı Turkey. <i>Scandinavian Journal of Forest Research</i> , 2014 , 29, 121-131	1.7	7
21	Identifying priority areas for reforestation using remote sensing and geographical information systems: a case study from Turkey. <i>International Journal of Global Warming</i> , 2013 , 5, 109	0.6	2
20	The effects of land-use and land-cover changes on carbon storage in forest timber biomass: a case study in Torul, Turkey. <i>Journal of Land Use Science</i> , 2012 , 7, 125-133	2.7	8
19	Quantifying the Effects of Forest Management Strategies on the Production of Forest Values: Timber, Carbon, Oxygen, Water, and Soil. <i>Environmental Modeling and Assessment</i> , 2011 , 16, 145-152	2	17
18	Joint production of timber and water: a case study. <i>Water Policy</i> , 2011 , 13, 535-546	1.6	13

17	Forest optimisation models including timber production and carbon sequestration values of forest ecosystems: a case study. <i>International Journal of Sustainable Development and World Ecology</i> , 2010 , 17, 468-474	3.8	9
16	Monitoring forest plant biodiversity changes and developing conservation strategies: a study from Camili Biosphere Reserve Area in NE Turkey. <i>Biologia (Poland)</i> , 2010 , 65, 843-852	1.5	7
15	Data Base Design with GIS in Ecosystem Based Multiple Use Forest Management in Artvin, Turkey: A Case Study in Balçık Forest Management Planning Unit. <i>Sensors</i> , 2009 , 9, 1644-61	3.8	3
14	Spatiotemporal changes of landscape pattern in response to deforestation in Northeastern Turkey: a case study in Rize. <i>Environmental Monitoring and Assessment</i> , 2009 , 148, 127-37	3.1	31
13	Developing Alternative Forest Management Planning Strategies Incorporating Timber, Water and Carbon Values: An Examination of their Interactions. <i>Environmental Modeling and Assessment</i> , 2009 , 14, 467-480	2	23
12	Comparing multipurpose forest management with timber management, incorporating timber, carbon and oxygen values: A case study. <i>Scandinavian Journal of Forest Research</i> , 2008 , 23, 105-120	1.7	25
11	Spatiotemporal Changes in Landscape Pattern in Response to Afforestation in Northeastern Turkey: A Case Study of Torul. <i>Scottish Geographical Journal</i> , 2008 , 124, 259-273	0.7	11
10	Estimation of Stand Type Parameters and Land Cover Using Landsat-7 ETM Image: A Case Study from Turkey. <i>Sensors</i> , 2008 , 8, 2509-2525	3.8	8
9	Forest cover change and fragmentation using Landsat data in Malazgirt State Forest Enterprise in Turkey. <i>Environmental Monitoring and Assessment</i> , 2008 , 137, 51-66	3.1	47
8	Urbanization and forest cover change in regional directorate of Trabzon forestry from 1975 to 2000 using landsat data. <i>Environmental Monitoring and Assessment</i> , 2008 , 140, 1-14	3.1	39
7	Evaluating urbanization, fragmentation and land use/land cover change pattern in Istanbul city, Turkey from 1971 TO 2002. <i>Land Degradation and Development</i> , 2008 , 19, 663-675	4.4	66
6	Effect of aspect, tree age and tree diameter on bark thickness of <i>Picea orientalis</i> . <i>Scandinavian Journal of Forest Research</i> , 2007 , 22, 193-197	1.7	27
5	Evaluating land use/land cover changes and fragmentation in the Camili forest planning unit of northeastern Turkey from 1972 to 2005. <i>Land Degradation and Development</i> , 2007 , 18, 383-396	4.4	34
4	Temporal changes in forest landscape patterns in Artvin Forest Planning Unit, Turkey. <i>Environmental Monitoring and Assessment</i> , 2007 , 129, 483-90	3.1	11
3	Spatial distribution and temporal change of carbon storage in timber biomass of two different forest management units. <i>Environmental Monitoring and Assessment</i> , 2007 , 132, 429-38	3.1	28
2	Monitoring thirty years of land cover change: Secondary forest succession in the Artvin Forest planning unit of Northeastern Turkey. <i>Scottish Geographical Journal</i> , 2007 , 123, 209-226	0.7	10
1	Spatial forest planning: A review. <i>Ecological Modelling</i> , 2005 , 188, 145-173	3	150