

Sebastiã J. Santaeugenia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3700520/publications.pdf>

Version: 2024-02-01

32
papers

575
citations

623188

14
h-index

713013

21
g-index

41
all docs

41
docs citations

41
times ranked

653
citing authors

#	ARTICLE	IF	CITATIONS
1	Reply to Inzitari et al. Comment on “Blancafort Alias et al. A Multi-Domain Group-Based Intervention to Promote Physical Activity, Healthy Nutrition, and Psychological Wellbeing in Older People with Losses in Intrinsic Capacity: AMICOPE Development Study. <i>Int. J. Environ. Res. Public Health</i> 2021, 18, 5979”. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 889.	1.2	1
2	Study of a Quasi-Experimental Trial to Compare Two Models of Home Care for the Elderly in an Urban Primary Care Setting in Spain: Results of Intermediate Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2329.	1.2	0
3	Frailty degree and illness trajectories in older people towards the end-of-life: a prospective observational study. <i>BMJ Open</i> , 2021, 11, e042645.	0.8	12
4	Reliability, Validity, and Feasibility of the Frail-VIG Index. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5187.	1.2	12
5	Healthcare for Older Adults, Where Are We Moving towards?. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6219.	1.2	2
6	A Multi-Domain Group-Based Intervention to Promote Physical Activity, Healthy Nutrition, and Psychological Wellbeing in Older People with Losses in Intrinsic Capacity: AMICOPE Development Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5979.	1.2	17
7	Determinants of the number of days people in the general population spent at home during end-of-life: Results from a population-based cohort analysis. <i>PLoS ONE</i> , 2021, 16, e0253483.	1.1	2
8	Clinical characteristics of COVID-19 in older adults. A retrospective study in long-term nursing homes in Catalonia. <i>PLoS ONE</i> , 2021, 16, e0255141.	1.1	23
9	Primary Care Professionals’ Self-Efficacy Surrounding Advance Care Planning and Its Link to Sociodemographics, Background and Perceptions: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9034.	1.2	7
10	Characteristics and Service Utilization by Complex Chronic and Advanced Chronic Patients in Catalonia: A Retrospective Seven-Year Cohort-Based Study of an Implemented Chronic Care Program. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9473.	1.2	13
11	Risk Factors for Mortality in Nursing Home Residents: An Observational Study. <i>Geriatrics (Switzerland)</i> , 2020, 5, 71.	0.6	9
12	What lies beneath: a retrospective, population-based cohort study investigating clinical and resource-use characteristics of institutionalized older people in Catalonia. <i>BMC Geriatrics</i> , 2020, 20, 187.	1.1	24
13	Study protocol of a quasi-experimental trial to compare two models of home care for older people in the primary setting. <i>BMC Geriatrics</i> , 2020, 20, 101.	1.1	5
14	Clinical effectiveness of an intermediate care inpatient model based on integrated care pathways. <i>Geriatrics and Gerontology International</i> , 2020, 20, 366-372.	0.7	3
15	Influence of hospital adverse events and previous diagnoses on hospital care cost of patients with hip fracture. <i>Archives of Osteoporosis</i> , 2019, 14, 88.	1.0	7
16	Determinants of health literacy in the general population: results of the Catalan health survey. <i>BMC Public Health</i> , 2019, 19, 1122.	1.2	87
17	Evaluation of integrated care services in Catalonia: population-based and service-based real-life deployment protocols. <i>BMC Health Services Research</i> , 2019, 19, 370.	0.9	31
18	Home as a Place for Care of the Oldest Stroke Patients: A Pilot from the Catalan Stroke Program. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 1979-1981.	1.3	3

#	ARTICLE	IF	CITATIONS
19	Socioeconomic status, life expectancy and mortality in a universal healthcare setting: An individual-level analysis of >6 million Catalan residents. <i>Preventive Medicine</i> , 2019, 123, 91-94.	1.6	27
20	Development and implementation of an advance care planning program in Catalonia, Spain. <i>Palliative and Supportive Care</i> , 2019, 17, 415-424.	0.6	8
21	Long-term Impact of Hip Fracture on the Use of Healthcare Resources: a Population-Based Study. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 456-461.	1.2	15
22	Effectiveness of a Hospital-at-Home Integrated Care Program as Alternative Resource for Medical Crises Care in Older Adults With Complex Chronic Conditions. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 860-863.	1.2	31
23	Influence of demographic and clinical characteristics of elderly patients with a hip fracture on mortality: A retrospective, total cohort study in North-East Spain. <i>Bone</i> , 2018, 117, 123-129.	1.4	15
24	Hospital-at-home Integrated Care Program for Older Patients With Orthopedic Processes: An Efficient Alternative to Usual Hospital-Based Care. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 780-784.	1.2	29
25	Hospital-at-home Integrated Care Programme for the management of disabling health crises in older patients: comparison with bed-based Intermediate Care. <i>Age and Ageing</i> , 2017, 46, 925-931.	0.7	35
26	Protocol for regional implementation of community-based collaborative management of complex chronic patients. <i>Npj Primary Care Respiratory Medicine</i> , 2017, 27, 44.	1.1	10
27	Does the presence Pressure Ulcers entail "high risk of negative outcomes" in geriatric rehabilitation? Results from a retrospective cohort study. <i>Nutricion Hospitalaria</i> , 2017, 34, 1305-1310.	0.2	5
28	Rehabilitation Profiles of Older Adult Stroke Survivors Admitted to Intermediate Care Units: A Multi-Centre Study. <i>PLoS ONE</i> , 2016, 11, e0166304.	1.1	16
29	Proposals for enhanced health risk assessment and stratification in an integrated care scenario. <i>BMJ Open</i> , 2016, 6, e010301.	0.8	61
30	Hospital-at-home integrated care programme for older patients with orthopaedic conditions: Early community reintegration maximising physical function. <i>Maturitas</i> , 2016, 88, 65-69.	1.0	21
31	Geriatric frailty applied to fibromyalgia patients. <i>Rheumatology International</i> , 2015, 35, 193-194.	1.5	1
32	Direct Admission to Intermediate Care for Older Adults With Reactivated Chronic Diseases: Avoiding Both Conventional Hospitalization and Emergency Department Use?. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 444-445.	1.2	8