

# Naomi Harada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3700676/publications.pdf>

Version: 2024-02-01

57  
papers

1,204  
citations

361413

20  
h-index

414414

32  
g-index

64  
all docs

64  
docs citations

64  
times ranked

1793  
citing authors

#	ARTICLE	IF	CITATIONS
1	Aleutian Low variability for the last 7500 years and its relation to the Westerly Jet. <i>Quaternary Research</i> , 2022, 108, 161-179.	1.7	6
2	Phytoplankton blooms in summer and autumn in the northwestern subarctic Pacific detected by the mooring and float systems. <i>Journal of Oceanography</i> , 2022, 78, 63-72.	1.7	2
3	Reply to: Questioning High Nitrogen Fixation Rate Measurements in the Southern Ocean. <i>Nature Geoscience</i> , 2022, 15, 31-32.	12.9	1
4	Ocean mixing processes (OMIX): impact on biogeochemistry, climate and ecosystem. <i>Journal of Oceanography</i> , 2021, 77, 1-1.	1.7	4
5	Possible future scenarios in the gateways to the Arctic for Subarctic and Arctic marine systems: II. prey resources, food webs, fish, and fisheries. <i>ICES Journal of Marine Science</i> , 2021, 78, 3017-3045.	2.5	19
6	From the Perspective of Marine Ecosystem Conservation. <i>Trends in the Sciences</i> , 2021, 26, 1_35-1_41.	0.0	0
7	A DNA metabarcoding approach for recovering plankton communities from archived samples fixed in formalin. <i>PLoS ONE</i> , 2021, 16, e0245936.	2.5	10
8	<i>Triparma laevis</i> f. <i>marchantii</i> f. nov. (Bolidophyceae) from the Southern Ocean, and comparison with other infraspecific taxa of <i>T. laevis</i> . <i>Phycologia</i> , 2021, 60, 180-187.	1.4	2
9	Diversity within the <i>Triparma strigata</i> – <i>Triparma verrucosa</i> group (Bolidophyceae), including five new taxa from polar–subpolar regions. <i>Phycologia</i> , 2021, 60, 215-224.	1.4	2
10	A novel characteristic of a phytoplankton as a potential source of straight-chain alkanes. <i>Scientific Reports</i> , 2021, 11, 14190.	3.3	7
11	New evaluation of species-specific biogenic silica flux of radiolarians (Rhizaria) in the western Arctic Ocean using microfocal X-ray computed tomography. <i>Limnology and Oceanography</i> , 2021, 66, 3901-3915.	3.1	1
12	Assimilation and oxidation of urea-derived nitrogen in the summer Arctic Ocean. <i>Limnology and Oceanography</i> , 2021, 66, 4159-4170.	3.1	6
13	Interannual Variation of Settling Particles Reflects Upper Ocean Circulation in the Southern Chukchi Borderland, 2010–2014. <i>Journal of Geophysical Research: Oceans</i> , 2021, 126, .	2.6	3
14	Do Strong Winds Impact Water Mass, Nutrient, and Phytoplankton Distributions in the Ice-Free Canada Basin in the Fall?. <i>Journal of Geophysical Research: Oceans</i> , 2020, 125, e2019JC015428.	2.6	10
15	Biological nitrogen fixation detected under Antarctic sea ice. <i>Nature Geoscience</i> , 2020, 13, 729-732.	12.9	43
16	A specific combination of dual index adaptors decreases the sensitivity of amplicon sequencing with the Illumina platform. <i>DNA Research</i> , 2020, 27, .	3.4	0
17	Impacts of Temperature, CO <sub>2</sub> , and Salinity on Phytoplankton Community Composition in the Western Arctic Ocean. <i>Frontiers in Marine Science</i> , 2020, 6, .	2.5	38
18	Regional comparison of seasonal changes on copepod community structure in the Arctic Ocean. <i>Polar Science</i> , 2020, 24, 100509.	1.2	2

#	ARTICLE	IF	CITATIONS
19	Genomic and geochemical identification of the long-chain alkenone producers in the estuarine Lake Takahoko, Japan: Implications for temperature reconstructions. <i>Organic Geochemistry</i> , 2020, 142, 103980.	1.8	3
20	High time-resolution alkenone paleotemperature variations in Tokyo Bay during the Meghalayan: Implications for cold climates and social unrest in Japan. <i>Quaternary Science Reviews</i> , 2020, 230, 106160.	3.0	7
21	Investigating Algal Communities in Lacustrine and Hydro-Terrestrial Environments of East Antarctica Using Deep Amplicon Sequencing. <i>Microorganisms</i> , 2020, 8, 497.	3.6	8
22	Constraints on the thermal history of the Allende (CV3) meteorite by gradual and stepwise pyrolyses of insoluble organic matter. <i>Geochemical Journal</i> , 2020, 54, 255-265.	1.0	3
23	Response of N <sub>2</sub> O production rate to ocean acidification in the western North Pacific. <i>Nature Climate Change</i> , 2019, 9, 954-958.	18.8	31
24	Factors Regulating Nitrification in the Arctic Ocean: Potential Impact of Sea Ice Reduction and Ocean Acidification. <i>Global Biogeochemical Cycles</i> , 2019, 33, 1085-1099.	4.9	25
25	Phaeodaria: An Important Carrier of Particulate Organic Carbon in the Mesopelagic Twilight Zone of the North Pacific Ocean. <i>Global Biogeochemical Cycles</i> , 2019, 33, 1146-1160.	4.9	15
26	Year-round observations of sea-ice drift and near-inertial internal waves in the Northwind Abyssal Plain, Arctic Ocean. <i>Polar Science</i> , 2019, 21, 212-223.	1.2	12
27	The Warming of the Chukchi Slope Through the Barrow Canyon Outflow in the 2016–2017 Winter. <i>Journal of Geophysical Research: Oceans</i> , 2019, 124, 7437-7456.	2.6	4
28	Eukaryotic Phytoplankton Contributing to a Seasonal Bloom and Carbon Export Revealed by Tracking Sequence Variants in the Western North Pacific. <i>Frontiers in Microbiology</i> , 2019, 10, 2722.	3.5	10
29	Seasonal phenology of four dominant copepods in the Pacific sector of the Arctic Ocean: Insights from statistical analyses of sediment trap data. <i>Polar Science</i> , 2019, 19, 94-111.	1.2	10
30	Horizontal and vertical distribution of polycystine radiolarians in the western Arctic Ocean during the late summers of 2013 and 2015. <i>Polar Biology</i> , 2019, 42, 285-305.	1.2	6
31	Widespread occurrence of distinct alkenones from Group I haptophytes in freshwater lakes: Implications for paleotemperature and paleoenvironmental reconstructions. <i>Earth and Planetary Science Letters</i> , 2018, 492, 239-250.	4.4	53
32	Major and minor elemental compositions of streambed biofilms and its implications of riverine biogeochemical cycles. <i>Environmental Pollution</i> , 2018, 243, 308-317.	7.5	6
33	Biogeochemical Anatomy of a Cyclonic Warm-Core Eddy in the Arctic Ocean. <i>Geophysical Research Letters</i> , 2018, 45, 11,284.	4.0	12
34	Diazotroph community structure and the role of nitrogen fixation in the nitrogen cycle in the Chukchi Sea (western Arctic Ocean). <i>Limnology and Oceanography</i> , 2018, 63, 2191-2205.	3.1	79
35	Change in coccolith size and morphology due to response to temperature and salinity in coccolithophore <i>Emiliana huxleyi</i> (Haptophyta) isolated from the Bering and Chukchi seas. <i>Biogeosciences</i> , 2016, 13, 2743-2755.	3.3	18
36	Distribution of detrital minerals and sediment color in western Arctic Ocean and northern Bering Sea sediments: Changes in the provenance of western Arctic Ocean sediments since the last glacial period. <i>Polar Science</i> , 2016, 10, 519-531.	1.2	29

#	ARTICLE	IF	CITATIONS
37	Review: Potential catastrophic reduction of sea ice in the western Arctic Ocean: Its impact on biogeochemical cycles and marine ecosystems. <i>Global and Planetary Change</i> , 2016, 136, 1-17.	3.5	69
38	Distribution and vertical fluxes of silicoflagellates, ebridians, and the endoskeletal dinoflagellate <i>Actiniscus</i> in the western Arctic Ocean. <i>Polar Biology</i> , 2016, 39, 327-341.	1.2	10
39	Two new living Entactinaria (Radiolaria) species from the Arctic province: <i>Joergensenium arcticum</i> n. sp. and <i>Joergensenium clevei</i> n. sp.. <i>Marine Micropaleontology</i> , 2016, 124, 75-94.	1.2	8
40	Biogeochemical characteristics of the Fujimae tidal flat sediments indicated by vertical distribution of elements, stable isotope ratios of carbon and nitrogen, and five types of phosphorus fractions. <i>Japanese Journal of Limnology</i> , 2016, 77, 293-303.	0.1	1
41	Diatom flux reflects water-mass conditions on the southern Northwind Abyssal Plain, Arctic Ocean. <i>Biogeosciences</i> , 2015, 12, 1373-1385.	3.3	31
42	Flux variations and vertical distributions of siliceous Rhizaria (Radiolaria and Phaeodaria) in the western Arctic Ocean: indices of environmental changes. <i>Biogeosciences</i> , 2015, 12, 2019-2046.	3.3	30
43	Wind-driven interannual variability of sea ice algal production in the western Arctic Chukchi Borderland. <i>Biogeosciences</i> , 2015, 12, 6147-6168.	3.3	23
44	Seasonal changes in the population structure of dominant planktonic copepods collected using a sediment trap moored in the western Arctic Ocean. <i>Journal of Natural History</i> , 2015, 49, 2711-2726.	0.5	11
45	Glacial reduction and millennial-scale variations in Drake Passage throughflow. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 13496-13501.	7.1	86
46	Enhanced role of eddies in the Arctic marine biological pump. <i>Nature Communications</i> , 2014, 5, 3950.	12.8	95
47	Seasonal changes in mesozooplankton swimmers collected by sediment trap moored at a single station on the Northwind Abyssal Plain in the western Arctic Ocean. <i>Journal of Plankton Research</i> , 2014, 36, 490-502.	1.8	29
48	Holocene sea surface temperature and sea ice extent in the Okhotsk and Bering Seas. <i>Progress in Oceanography</i> , 2014, 126, 242-253.	3.2	46
49	$\delta^{13}C$ -normalized fluxes of biogenic components from the central and southernmost Chilean margin over the past 22,000 years. <i>Geochemical Journal</i> , 2013, 47, 119-135.	1.0	7
50	Melting history of the Patagonian Ice Sheet during Termination I inferred from marine sediments. <i>Geochemical Journal</i> , 2013, 47, 107-117.	1.0	6
51	Preface: Geoscience dynamics in the Patagonia Archipelago—Southern Pacific Ocean. <i>Geochemical Journal</i> , 2013, 47, 93-95.	1.0	0
52	Enhancement of coccolithophorid blooms in the Bering Sea by recent environmental changes. <i>Global Biogeochemical Cycles</i> , 2012, 26, .	4.9	33
53	Abrupt changes of intermediate water properties on the northeastern slope of the Bering Sea during the last glacial and deglacial period. <i>Paleoceanography</i> , 2012, 27, .	3.0	50
54	Freshwater impacts recorded in tetraunsaturated alkenones and alkenone sea surface temperatures from the Okhotsk Sea across millennial-scale cycles. <i>Paleoceanography</i> , 2008, 23, .	3.0	39

#	ARTICLE	IF	CITATIONS
55	Basic physical properties of sediment cores collected in the Chilean marginal area and Magellan Strait during leg.3 of cruise MR03-K04.. JAMSTEC Report of Research and Development, 2005, 2, 13-27.	0.2	2
56	Northward and southward migrations of frontal zones during the past 40 kyr in the Kuroshio-Oyashio transition area. <i>Geochemistry, Geophysics, Geosystems</i> , 2004, 5, n/a-n/a.	2.5	43
57	Characteristics of alkenones synthesized by a bloom of <i>emiliana huxleyi</i> in the Bering Sea. <i>Geochimica Et Cosmochimica Acta</i> , 2003, 67, 1507-1519.	3.9	92