

Mario Humberto Cardiel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3703626/mario-humberto-cardiel-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

5,251
citations

29
h-index

72
g-index

86
ext. papers

6,190
ext. citations

2.7
avg, IF

4.75
L-index

#	Paper	IF	Citations
77	Impact of COVID-19 pandemic on patients with rheumatic diseases in Latin America. <i>Rheumatology International</i> , 2021 , 1	3.6	2
76	Controversies in Systemic Lupus Erythematosus: Are We Treating Our Patients Adequately?. <i>Journal of Clinical Rheumatology</i> , 2021 ,	1.1	1
75	Update of the Mexican College of Rheumatology Guidelines for the Pharmacological Treatment of Rheumatoid Arthritis, 2018. <i>Reumatología Clínica</i> , 2021 , 17, 215-228	0.9	7
74	Update of the Mexican College of Rheumatology guidelines for the pharmacological treatment of rheumatoid arthritis, 2018. <i>Reumatología Clínica (English Edition)</i> , 2021 , 17, 215-228	0.1	2
73	A longitudinal multiethnic study of biomarkers in systemic lupus erythematosus: Launching the GLADEL 2.0 Study Group. <i>Lupus</i> , 2021 , 961203320988586	2.6	0
72	Current status of the rheumatologists workforce in Latin America: a PANLAR collaborative study. <i>Clinical Rheumatology</i> , 2021 , 40, 2913-2920	3.9	3
71	Clinical practice guidelines and recommendations for the management of patients with systemic lupus erythematosus: a critical comparison. <i>Rheumatology</i> , 2020 , 59, e165-e168	3.9	
70	Clinical predictors of remission and low disease activity in Latin American early rheumatoid arthritis: data from the GLADAR cohort. <i>Clinical Rheumatology</i> , 2019 , 38, 2737-2746	3.9	6
69	Demographic and clinical characteristics of chikungunya patients from six Colombian cities, 2014-2015. <i>Emerging Microbes and Infections</i> , 2019 , 8, 1490-1500	18.9	12
68	Response to: Clinical evidence guidelines in systemic lupus erythematosus: reevaluation by Scheinberg. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, e120	2.4	0
67	A Consensus Position Paper From REAL-PANLAR Group About the Methodological Approach for the Accreditation Process of Centers of Excellence in Rheumatoid Arthritis in Latin America. <i>Journal of Clinical Rheumatology</i> , 2019 , 25, 54-58	1.1	5
66	Starting biologic therapy in rheumatoid arthritis. A Colombian experience. <i>Revista Colombiana De Reumatología</i> , 2018 , 25, 1-2	0.2	
65	Prevalence of musculoskeletal manifestations and related disabilities in a Peruvian urban population living at high altitude. COPCORD Study. Stage I. <i>Reumatología Clínica</i> , 2018 , 14, 278-284	0.9	10
64	First Latin American clinical practice guidelines for the treatment of systemic lupus erythematosus: Latin American Group for the Study of Lupus (GLADEL,)-Pan-American League of Associations of Rheumatology (PANLAR). <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1549-1557	2.4	57
63	Therapeutic Guidelines for Latin American Lupus Patients: Methodology. <i>Journal of Clinical Rheumatology</i> , 2018 , 24, 41-44	1.1	3
62	Starting biologic therapy in rheumatoid arthritis. A Colombian experience. <i>Revista Colombiana De Reumatología (English Edition)</i> , 2018 , 25, 1-2	0.1	
61	Peficitinib, a JAK Inhibitor, in Combination With Limited Conventional Synthetic Disease-Modifying Antirheumatic Drugs in the Treatment of Moderate-to-Severe Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2017 , 69, 932-942	9.5	66

60	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 960-977	2.4	1649
59	Safety of Tofacitinib in the Treatment of Rheumatoid Arthritis in Latin America Compared With the Rest of the World Population. <i>Journal of Clinical Rheumatology</i> , 2017 , 23, 193-199	1.1	10
58	Remission and Low Disease Activity Status (LDAS) protect lupus patients from damage occurrence: data from a multiethnic, multinational Latin American Lupus Cohort (GLADEL). <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 2071-2074	2.4	62
57	Educational website incorporating rheumatoid arthritis patient needs for Latin American and Caribbean countries. <i>Clinical Rheumatology</i> , 2017 , 36, 2789-2797	3.9	9
56	Association of anti-Ro52, anti-Ro60 and anti-La antibodies with diagnostic, clinical and laboratory features in a referral hospital in Jerez, Spain. <i>Reumatología Clínica</i> , 2016 , 12, 256-62	0.9	17
55	Treating rheumatoid arthritis to target: 2014 update of the recommendations of an international task force. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 3-15	2.4	814
54	The Social Gap Index and the prevalence of osteoarthritis in the community: a cross-sectional multilevel study in Mexico. <i>Clinical Rheumatology</i> , 2016 , 35, 175-82	3.9	10
53	Evaluation of clopidogrel response variability and identification of the CYP2C19 polymorphism in Mexican patients. <i>Archivos De Cardiología De Mexico</i> , 2016 , 86, 297-304	0.2	3
52	Genome-Wide Association Study in an Amerindian Ancestry Population Reveals Novel Systemic Lupus Erythematosus Risk Loci and the Role of European Admixture. <i>Arthritis and Rheumatology</i> , 2016 , 68, 932-43	9.5	93
51	Tuberculosis and other opportunistic infections in tofacitinib-treated patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1133-8	2.4	134
50	Prevalence of musculoskeletal disorders and rheumatic diseases in Cuenca, Ecuador: a WHO-ILAR COPCORD study. <i>Rheumatology International</i> , 2016 , 36, 1195-204	3.6	27
49	Association of anti-Ro52, anti-Ro60 and anti-La antibodies with diagnostic, clinical and laboratory features in a referral hospital in Jerez, Spain. <i>Reumatología Clínica (English Edition)</i> , 2016 , 12, 256-262	0.1	
48	Association of regional and cultural factors with the prevalence of rheumatoid arthritis in the Mexican population: a multilevel analysis. <i>Journal of Clinical Rheumatology</i> , 2015 , 21, 57-62	1.1	10
47	Burden of illness of rheumatoid arthritis in Latin America: a regional perspective. <i>Clinical Rheumatology</i> , 2015 , 34 Suppl 1, S9-15	3.9	14
46	Health related quality of life in rheumatoid arthritis, osteoarthritis, diabetes mellitus, end stage renal disease and geriatric subjects. Experience from a General Hospital in Mexico. <i>Reumatología Clínica</i> , 2015 , 11, 68-72	0.9	22
45	Health Related Quality of Life in Rheumatoid Arthritis, Osteoarthritis, Diabetes Mellitus, End Stage Renal Disease and Geriatric Subjects. Experience From a General Hospital in Mexico. <i>Reumatología Clínica (English Edition)</i> , 2015 , 11, 68-72	0.1	2
44	REAL-PANLAR Project for the Implementation and Accreditation of Centers of Excellence in Rheumatoid Arthritis Throughout Latin America: A Consensus Position Paper From REAL-PANLAR Group on Improvement of Rheumatoid Arthritis Care in Latin America Establishing Centers of Excellence. <i>Journal of Clinical Rheumatology</i> , 2015 , 21, 175-80	1.1	16
43	Update of the Mexican College of Rheumatology guidelines for the pharmacologic treatment of rheumatoid arthritis. <i>Reumatología Clínica</i> , 2014 , 10, 227-40	0.9	37

42	Characterization of Knee Osteoarthritis in Latin America. A Comparative Analysis of Clinical and Health Care Utilization in Argentina, Brazil, and Mexico. <i>Reumatología Clínica (English Edition)</i> , 2014 , 10, 152-159	0.1	
41	Update of the Mexican College of Rheumatology Guidelines for the Pharmacologic Treatment of Rheumatoid Arthritis. <i>Reumatología Clínica (English Edition)</i> , 2014 , 10, 227-240	0.1	1
40	Characterization of knee osteoarthritis in Latin America. A comparative analysis of clinical and health care utilization in Argentina, Brazil, and Mexico. <i>Reumatología Clínica</i> , 2014 , 10, 152-9	0.9	20
39	Treat to target strategy in rheumatoid arthritis: real benefits. <i>Reumatología Clínica</i> , 2013 , 9, 101-5	0.9	19
38	Current therapies in rheumatoid arthritis: a Latin American perspective. <i>Reumatología Clínica</i> , 2013 , 9, 106-12	0.9	41
37	Treat to Target Strategy in Rheumatoid Arthritis: Real Benefits. <i>Reumatología Clínica (English Edition)</i> , 2013 , 9, 101-105	0.1	
36	Current therapies in rheumatoid arthritis: A Latin American perspective. <i>Reumatología Clínica (English Edition)</i> , 2013 , 9, 106-112	0.1	2
35	A phase Ib multiple ascending dose study evaluating safety, pharmacokinetics, and early clinical response of brodalumab, a human anti-IL-17R antibody, in methotrexate-resistant rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2013 , 15, R164	5.7	87
34	Impact of genetic ancestry and sociodemographic status on the clinical expression of systemic lupus erythematosus in American Indian-European populations. <i>Arthritis and Rheumatism</i> , 2012 , 64, 3687-94		61
33	Cushing's disease as a cause of severe osteoporosis: a clinical challenge. <i>Reumatología Clínica</i> , 2012 , 8, 278-9	0.9	5
32	Cushings Disease as a Cause of Severe Osteoporosis: A Clinical Challenge. <i>Reumatología Clínica (English Edition)</i> , 2012 , 8, 278-279	0.1	
31	Early rheumatoid arthritis in Latin America: low socioeconomic status related to high disease activity at baseline. <i>Arthritis Care and Research</i> , 2012 , 64, 1135-43	4.7	39
30	Treating rheumatoid arthritis in Latin America: current challenges and future treatment strategies. <i>International Journal of Clinical Rheumatology</i> , 2012 , 7, 139-142	1.5	3
29	Present and Future of Rheumatic Diseases in Latin America. Are We Prepared to Face Them?. <i>Reumatología Clínica (English Edition)</i> , 2011 , 7, 279-280	0.1	
28	Geographical factors in rheumatoid arthritis. <i>International Journal of Clinical Rheumatology</i> , 2011 , 6, 259-261	2.5	2
27	Reaching those most in need: a scoping review of interventions to improve health care quality for disadvantaged populations with osteoarthritis. <i>Arthritis Care and Research</i> , 2011 , 63, 39-52	4.7	26
26	Epidemiology of the rheumatic diseases in Mexico. A study of 5 regions based on the COPCORD methodology. <i>Journal of rheumatology Supplement, The</i> , 2011 , 86, 3-8		153
25	Towards elucidation of the epidemiology of the rheumatic diseases in Mexico. COPCORD studies in the community. <i>Journal of rheumatology Supplement, The</i> , 2011 , 86, 1-2		9

24	Treating Rheumatoid Arthritis to Target: multinational recommendations assessment questionnaire. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1999-2002	2.4	59
23	A phase 2 randomized, double-blind study of AMG 108, a fully human monoclonal antibody to IL-1R, in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2010 , 12, R192	5.7	22
22	Management of patients with rheumatoid arthritis in Latin America: a consensus position paper from Pan-American League of Associations of Rheumatology and Grupo Latino Americano De Estudio De Artritis Reumatoide. <i>Journal of Clinical Rheumatology</i> , 2009 , 15, 203-10	1.1	31
21	Community-based study to estimate prevalence and burden of illness of rheumatic diseases in Cuba: a COPCORD study. <i>Journal of Clinical Rheumatology</i> , 2009 , 15, 51-5	1.1	62
20	Prevalence of antinuclear antibodies in 3 groups of healthy individuals: blood donors, hospital personnel, and relatives of patients with autoimmune diseases. <i>Journal of Clinical Rheumatology</i> , 2009 , 15, 325-9	1.1	53
19	Challenges in the management of rheumatoid arthritis in developing countries. <i>Best Practice and Research in Clinical Rheumatology</i> , 2008 , 22, 621-41	5.3	57
18	Cultural adaptation and validation of the Quality of Life Questionnaire of the European Foundation for Osteoporosis (QUALEFFO) in a Mexican population. <i>Clinical Rheumatology</i> , 2008 , 27, 151-61	3.9	14
17	Abetimus sodium for renal flare in systemic lupus erythematosus: results of a randomized, controlled phase III trial. <i>Arthritis and Rheumatism</i> , 2008 , 58, 2470-80		113
16	Clinical Utility of Specialized Immunologic Testing in Rheumatology in a Secondary Level Hospital in Mexico. <i>Reumatología Clínica (English Edition)</i> , 2007 , 3, 110-116	0.1	
15	Steroid therapy in clinically stable but serologically active systemic lupus erythematosus prevents severe disease flares. <i>Expert Review of Clinical Immunology</i> , 2007 , 3, 267-9	5.1	2
14	Tumor necrosis factor-alpha promoter polymorphisms in Mexican patients with spondyloarthritis. <i>Human Immunology</i> , 2006 , 67, 826-32	2.3	36
13	Tumor necrosis factor-alpha -308 promoter polymorphism contributes independently to HLA alleles in the severity of rheumatoid arthritis in Mexicans. <i>Journal of Autoimmunity</i> , 2005 , 24, 63-8	15.5	47
12	Familial aggregation of systemic lupus erythematosus, rheumatoid arthritis, and other autoimmune diseases in 1,177 lupus patients from the GLADEL cohort. <i>Arthritis and Rheumatism</i> , 2005 , 52, 1138-47		287
11	Abetimus sodium: a new therapy for delaying the time to, and reducing the incidence of, renal flare and/or major systemic lupus erythematosus flares in patients with systemic lupus erythematosus who have a history of renal disease. <i>Expert Opinion on Investigational Drugs</i> , 2005 , 14, 77-88	5.9	12
10	The GLADEL multinational Latin American prospective inception cohort of 1,214 patients with systemic lupus erythematosus: ethnic and disease heterogeneity among "Hispanics". <i>Medicine (United States)</i> , 2004 , 83, 1-17	1.8	288
9	Association study of LMP gene polymorphisms in Mexican patients with spondyloarthritis. <i>Human Immunology</i> , 2004 , 65, 1437-42	2.3	27
8	LJP 394 for the prevention of renal flare in patients with systemic lupus erythematosus: results from a randomized, double-blind, placebo-controlled study. <i>Arthritis and Rheumatism</i> , 2003 , 48, 442-54		191
7	Risk factors associated with depression in patients with type 2 diabetes mellitus. <i>Archives of Medical Research</i> , 2002 , 33, 53-60	6.6	64

6	Use of a numerical rating scale as an answer modality in ankylosing spondylitis-specific questionnaires. <i>Arthritis and Rheumatism</i> , 2002 , 47, 242-8		66
5	Cross-cultural equivalence of a brief helplessness scale for Spanish-speaking rheumatology patients in the United States. <i>Arthritis and Rheumatism</i> , 1999 , 12, 341-50		10
4	Omega-3 fatty acids in rheumatoid arthritis: an overview. <i>Seminars in Arthritis and Rheumatism</i> , 1998 , 27, 366-70	5.3	58
3	Measurement of depression in Mexican patients with rheumatoid arthritis: validity of the Beck Depression Inventory. <i>Arthritis and Rheumatism</i> , 1997 , 10, 194-9		30
2	Systemic lupus erythematosus in males. A study of 107 Latin American patients. <i>Medicine (United States)</i> , 1996 , 75, 124-30	1.8	90
1	Comparative Effectiveness of Packages of Treatment Including Ultrasound or Transcutaneous Electrical Nerve Stimulation in Painful Shoulder Syndrome. <i>Physiotherapy</i> , 1993 , 79, 251-253	3	25