## Jelle Stekelenburg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3703957/publications.pdf

Version: 2024-02-01

201658 233409 2,561 102 27 45 citations g-index h-index papers 103 103 103 2581 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	Maternal and fetal outcomes of pregnancies complicated by acute hepatitis E and the impact of HIV status: A crossâ€sectional study in Namibia. Liver International, 2022, 42, 50-58.	3.9	8
2	Quality of pre-service midwifery education in public and private midwifery schools in Afghanistan: a cross sectional survey. BMC Medical Education, 2022, 22, 39.	2.4	5
3	Confidential enquiry into maternal deaths in the Netherlands, 2006–2018. Acta Obstetricia Et Gynecologica Scandinavica, 2022, 101, 441-449.	2.8	5
4	Nationwide confidential enquiries into maternal deaths because of obstetric hemorrhage in the Netherlands between 2006 and 2019. Acta Obstetricia Et Gynecologica Scandinavica, 2022, 101, 450-460.	2.8	5
5	Beyond severe acute maternal morbidity: a mixedâ€methods study on the longâ€term consequences of (severe preâ€)eclampsia in rural Tanzania. Tropical Medicine and International Health, 2021, 26, 33-44.	2.3	6
6	Status of institutionalâ€level respectful maternity care: Results from the national Ethiopia EmONC assessment. International Journal of Gynecology and Obstetrics, 2021, 153, 260-267.	2.3	1
7	Quality of Maternal Death Documentation in Afghanistan: A Retrospective Health Facility Record Review. Frontiers in Global Women S Health, 2021, 2, 610578.	2.3	1
8	Health facility capacity to provide postabortion care in Afghanistan: a cross-sectional study. Reproductive Health, 2021, 18, 160.	3.1	5
9	Assessing quality of family planning counseling and its determinants in Kenya: Analysis of health facility exit interviews. PLoS ONE, 2021, 16, e0256295.	2.5	6
10	Role of male partners in the long-term well-being of women who have experienced severe pre-eclampsia and eclampsia in rural Tanzania: a qualitative study. Journal of Obstetrics and Gynaecology, 2021, , 1-8.	0.9	1
11	Maternal and Perinatal Outcomes among Maternity Waiting Home Users and Non-Users in Rural Rwanda. International Journal of Environmental Research and Public Health, 2021, 18, 11211.	2.6	2
12	Childbirths and the Prevalence of Potential Risk Factors for Adverse Perinatal Outcomes among Asylum Seekers in The Netherlands: A Five-Year Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 12933.	2.6	3
13	The contribution of Dutch doctors in Global Health and Tropical Medicine to research in global health in low- and middle-income countries: an exploration of the evidence. Tropical Doctor, 2020, 50, 43-49.	0.5	3
14	Readiness of emergency obstetric and newborn care in public health facilities in Afghanistan between 2010 and 2016. International Journal of Gynecology and Obstetrics, 2020, 148, 361-368.	2.3	2
15	Mental Health and Quality of Life of Women One Year after Maternal Near-Miss in Low and Middle-Income Countries: The Case of Zanzibar, Tanzania. International Journal of Environmental Research and Public Health, 2020, 17, 9034.	2.6	6
16	Introduction of Criterion-Based Audit of Postpartum Hemorrhage in a University Hospital in Eastern Ethiopia: Implementation and Considerations. International Journal of Environmental Research and Public Health, 2020, 17, 9281.	2.6	5
17	Surviving mothers and lost babies – burden of stillbirths and neonatal deaths among women with maternal near miss in eastern Ethiopia: a prospective cohort study. Journal of Global Health, 2020, 10, 01041310.	2.7	15
18	Quality of care in prevention, detection and management of postpartum hemorrhage in hospitals in Afghanistan: an observational assessment. BMC Health Services Research, 2020, 20, 484.	2.2	4

#	Article	IF	Citations
19	Assessing Implementation of Maternal and Perinatal Death Surveillance and Response in Rwanda. International Journal of Environmental Research and Public Health, 2020, 17, 4376.	2.6	12
20	Health Indicators of Pregnant Women in Tonkolili District, Rural Sierra Leone. International Journal of Environmental Research and Public Health, 2020, 17, 3918.	2.6	3
21	Development and use of a scale to assess gender differences in appraisal of mistreatment during childbirth among Ethiopian midwifery students. PLoS ONE, 2020, 15, e0227958.	2.5	5
22	Risk Factors for Positive Appraisal of Mistreatment during Childbirth among Ethiopian Midwifery Students. International Journal of Environmental Research and Public Health, 2020, 17, 2682.	2.6	1
23	<p>Severe Hypertensive Disorders of Pregnancy in Eastern Ethiopia: Comparing the Original WHO and Adapted sub-Saharan African Maternal Near-Miss Criteria</p> . International Journal of Women's Health, 2020, Volume 12, 255-263.	2.6	7
24	Maternal near-miss surveillance, Namibia. Bulletin of the World Health Organization, 2020, 98, 548-557.	3.3	14
25	Effectiveness of a quality improvement intervention to increase adherence to key practices during female sterilization services in Chhattisgarh and Odisha states of India. PLoS ONE, 2020, 15, e0244088.	2.5	1
26	Patterns and determinants of modern contraceptive discontinuation among women of reproductive age: Analysis of Kenya Demographic Health Surveys, 2003–2014. PLoS ONE, 2020, 15, e0241605.	2.5	22
27	Title is missing!. , 2020, 15, e0244088.		O
28	Title is missing!. , 2020, 15, e0244088.		0
29	Title is missing!. , 2020, 15, e0244088.		0
30	Title is missing!. , 2020, 15, e0244088.		0
31	Measuring maternal near-miss in a middle-income country: assessing the use of WHO and sub-Saharan Africa maternal near-miss criteria in Namibia. Global Health Action, 2019, 12, 1646036.	1.9	19
32	Feasibility and effectiveness of electronic vs. paper partograph on improving birth outcomes: A prospective crossover study design. PLoS ONE, 2019, 14, e0222314.	2.5	9
33	Understanding job satisfaction and motivation among nurses in public health facilities of Ethiopia: a cross-sectional study. BMC Nursing, 2019, 18, 46.	2.5	47
34	Mistreatment of women in public health facilities of Ethiopia. Reproductive Health, 2019, 16, 130.	3.1	18
35	Sacrospinous hysteropexy versus vaginal hysterectomy with uterosacral ligament suspension in women with uterine prolapse stage 2 or higher: observational follow-up of a multicentre randomised trial. BMJ: British Medical Journal, 2019, 366, 15149.	2.3	64
36	Quality of care in early detection and management of pre-eclampsia/eclampsia in health facilities in Afghanistan. BMC Pregnancy and Childbirth, 2019, 19, 36.	2.4	12

#	Article	IF	Citations
37	Harmonizing scientific rigor with political urgency: policy learnings for identifying accelerators for scale-up from the safe childbirth checklist programme in Rajasthan, India. BMC Health Services Research, 2019, 19, 273.	2.2	5
38	Long-Acting Reversible Contraception Uptake and Associated Factors among Women of Reproductive Age in Rural Kenya. International Journal of Environmental Research and Public Health, 2019, 16, 1543.	2.6	30
39	Factors Affecting Breastfeeding Practices in Sindh Province, Pakistan: A Secondary Analysis of Cross-Sectional Survey Data. International Journal of Environmental Research and Public Health, 2019, 16, 1689.	2.6	9
40	Impact of Socio-Economic Factors and Health Information Sources on Place of Birth in Sindh Province, Pakistan: A Secondary Analysis of Cross-Sectional Survey Data. International Journal of Environmental Research and Public Health, 2019, 16, 932.	2.6	8
41	Applicability of the WHO maternal near miss tool in sub-Saharan Africa: a systematic review. BMC Pregnancy and Childbirth, 2019, 19, 79.	2.4	39
42	Evaluation of two vaginal, uterus sparing operations for pelvic organ prolapse: modified Manchester operation (MM) and sacrospinous hysteropexy (SSH), a study protocol for a multicentre randomized non-inferiority trial (the SAM study). BMC Women's Health, 2019, 19, 49.	2.0	8
43	Factors associated with the use of antenatal care in Sindh province, Pakistan: A population-based study. PLoS ONE, 2019, 14, e0213987.	2.5	29
44	Women's Experience of Facility-Based Childbirth Care and Receipt of an Early Postnatal Check for Herself and Her Newborn in Northwestern Tanzania. International Journal of Environmental Research and Public Health, 2019, 16, 481.	2.6	24
45	Quality of essential newborn care and neonatal resuscitation at health facilities in Afghanistan: a cross-sectional assessment. BMJ Open, 2019, 9, e030496.	1.9	8
46	Determinants of timeliness in early childhood vaccination among mothers with vaccination cards in Sindh province, Pakistan: a secondary analysis of cross-sectional survey data. BMJ Open, 2019, 9, e028922.	1.9	16
47	Factors Predicting Ethiopian Anesthetists' Intention to Leave Their Job. World Journal of Surgery, 2018, 42, 1262-1269.	1.6	12
48	Comparison of pregnancy outcomes between maternity waiting home users and non-users at hospitals with and without a maternity waiting home: retrospective cohort study. International Health, 2018, 10, 47-53.	2.0	27
49	Realising the right to sexual and reproductive health: access to essential medicines for medical abortion as a core obligation. BMC International Health and Human Rights, 2018, 18, 8.	2.5	9
50	Analysis of caesarean sections using Robson 10-group classification system in a university hospital in eastern Ethiopia: a cross-sectional study. BMJ Open, 2018, 8, e020520.	1.9	36
51	Education, Practice, and Competency Gaps of Anesthetists in Ethiopia: Task Analysis. Journal of Perianesthesia Nursing, 2018, 33, 426-435.	0.7	11
52	Facilitators for maternity waiting home utilisation at Attat Hospital: a mixedâ€methods study based on 45Âyears of experience. Tropical Medicine and International Health, 2018, 23, 1332-1341.	2.3	22
53	Severe maternal outcomes in eastern Ethiopia: Application of the adapted maternal near miss tool. PLoS ONE, 2018, 13, e0207350.	2.5	26
54	Factors associated with institutional delivery: Findings from a cross-sectional study in Mara and Kagera regions in Tanzania. PLoS ONE, 2018, 13, e0209672.	2.5	43

#	Article	lF	Citations
55	Factors affecting complete and timely childhood immunization coverage in Sindh, Pakistan; A secondary analysis of cross-sectional survey data. PLoS ONE, 2018, 13, e0206766.	2.5	53
56	Job satisfaction among anesthetists in Ethiopia—a national crossâ€sectional study. International Journal of Health Planning and Management, 2018, 33, e960-e970.	1.7	9
57	Factors associated with intended use of a maternity waiting home in Southern Ethiopia: a community-based cross-sectional study. BMC Pregnancy and Childbirth, 2018, 18, 38.	2.4	32
58	Trainers' perception of the learning environment and student competency: A qualitative investigation of midwifery and anesthesia training programs in Ethiopia. Nurse Education Today, 2017, 55, 5-10.	3.3	12
59	Maternity Waiting Homes as Part of an Integrated Program for Maternal and Neonatal Health Improvements: Women's Lives Are Worth Saving. Journal of Midwifery and Women's Health, 2017, 62, 151-154.	1.3	16
60	Assessing emergency obstetric and newborn care: can performance indicators capture health system weaknesses?. BMC Pregnancy and Childbirth, 2017, 17, 92.	2.4	23
61	Using a quality improvement model to enhance providers' performance in maternal and newborn health care: a post-only intervention and comparison design. BMC Pregnancy and Childbirth, 2017, 17, 115.	2.4	7
62	Respectful maternity care in Ethiopian public health facilities. Reproductive Health, 2017, 14, 60.	3.1	104
63	Emergency obstetric care provision in Southern Ethiopia: a facility-based survey. BMJ Open, 2017, 7, e018459.	1.9	22
64	Quality of Midwife-provided Intrapartum Care in Amhara Regional State, Ethiopia. BMC Pregnancy and Childbirth, 2017, 17, 261.	2.4	16
65	Clinical performance and patient outcome after simulation-based training in prevention and management of postpartum haemorrhage: an educational intervention study in a low-resource setting. BMC Pregnancy and Childbirth, 2017, 17, 301.	2.4	62
66	Adaptation of the WHO maternal near miss tool for use in sub–Saharan Africa: an International Delphi study. BMC Pregnancy and Childbirth, 2017, 17, 445.	2.4	39
67	Using task analysis to generate evidence for strengthening midwifery education, practice, and regulation in Ethiopia. International Journal of Women's Health, 2016, 8, 181.	2.6	12
68	Criteriaâ€based audit of caesarean section in a referral hospital in rural Tanzania. Tropical Medicine and International Health, 2016, 21, 525-534.	2.3	21
69	Preparing the health workforce in Ethiopia: A Cross-sectional study of competence of anesthesia graduating students. Education for Health: Change in Learning and Practice, 2016, 29, 3.	0.3	17
70	Factors Affecting Turnover Intention among Nurses in Ethiopia. World Health & Population, 2015, 16, 62-74.	0.2	36
71	Global surgery and the dilemma for obstetricians. Lancet, The, 2015, 386, 1941-1942.	13.7	16
72	Characteristics and outcomes of patients with eclampsia and severe pre-eclampsia in a rural hospital in Western Tanzania: a retrospective medical record study. BMC Pregnancy and Childbirth, 2015, 15, 213.	2.4	18

#	Article	IF	Citations
73	Transvaginal prolapse repair with or without the addition of a midurethral sling in women with genital prolapse and stress urinary incontinence: a randomised trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 1022-1030.	2.3	51
74	Assessing post-abortion care in health facilities in Afghanistan: a cross-sectional study. BMC Pregnancy and Childbirth, 2015, 15, 6.	2.4	12
75	Helping Mothers Survive Bleeding After Birth: retention of knowledge, skills, and confidence nine months after obstetric simulation-based training. BMC Pregnancy and Childbirth, 2015, 15, 190.	2.4	50
76	Sacrospinous hysteropexy versus vaginal hysterectomy with suspension of the uterosacral ligaments in women with uterine prolapse stage 2 or higher: multicentre randomised non-inferiority trial. BMJ, The, 2015, 351, h3717.	6.0	130
77	How well does pre-service education prepare midwives for practice: competence assessment of midwifery students at the point of graduation in Ethiopia. BMC Medical Education, 2015, 15, 130.	2.4	59
78	Impact of Birth Preparedness and Complication Readiness Interventions on Birth with a Skilled Attendant: A Systematic Review. PLoS ONE, 2015, 10, e0143382.	2.5	46
79	Helping mothers survive bleeding after birth: an evaluation of simulationâ€based training in a lowâ€resource setting. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 287-295.	2.8	47
80	A protocol for a systematic review of birth preparedness and complication readiness programs. Systematic Reviews, 2013, 2, 11.	5.3	13
81	Prevention and management of severe pre-eclampsia/eclampsia in Afghanistan. BMC Pregnancy and Childbirth, 2013, 13, 186.	2.4	20
82	Assessing the capacity for newborn resuscitation and factors associated with providers' knowledge and skills: a cross-sectional study in Afghanistan. BMC Pediatrics, 2013, 13, 140.	1.7	36
83	Maternal near miss and mortality in a rural referral hospital in northern Tanzania: a cross-sectional study. BMC Pregnancy and Childbirth, 2013, 13, 141.	2.4	86
84	Twinning of obstetric and gynecological societies in Tanzania and the Netherlands. International Journal of Gynecology and Obstetrics, 2013, 122, 160-161.	2.3	0
85	Maternal death reviews at a rural hospital in Malawi. International Journal of Gynecology and Obstetrics, 2013, 120, 74-77.	2.3	15
86	Maternal mortality in a rural Tanzanian hospital: fatal Jarisch-Herxheimer reaction in a case of relapsing fever in pregnancy. Tropical Doctor, 2013, 43, 138-141.	0.5	9
87	Female Health and Family Planning in Sierra Leone. Obstetrics and Gynecology, 2013, 122, 525-531.	2.4	8
88	The WHO Maternal Near Miss Approach: Consequences at Malawian District Level. PLoS ONE, 2013, 8, e54805.	2.5	46
89	Applicability of the WHO Maternal Near Miss Criteria in a Low-Resource Setting. PLoS ONE, 2013, 8, e61248.	2.5	82
90	Maternity waiting facilities for improving maternal and neonatal outcome in low-resource countries. The Cochrane Library, 2012, 10, CD006759.	2.8	84

#	Article	IF	CITATIONS
91	Maternal mortality and severe maternal morbidity from acute fatty liver of pregnancy in the Netherlands. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2011, 157, 27-31.	1.1	35
92	Improvement of maternal health services through the use of mobile phones. Tropical Medicine and International Health, 2011, 16, 622-626.	2.3	135
93	Treatment of uterine prolapse stage 2 or higher: a randomized multicenter trial comparing sacrospinous fixation with vaginal hysterectomy (SAVE U trial). BMC Women's Health, 2011, 11, 4.	2.0	22
94	Maternity waiting facilities for improving maternal and neonatal outcome in low-resource countries. , 2009, , CD006759.		24
95	Skilled or Traditional Birth Attendant? Choices of Communities in Lukulu District, Rural Zambia. World Health & Emp; Population, 2008, 10, 34-43.	0.2	11
96	The Use of Audit to Identify Maternal Mortality in Different Settings: Is It Just a Difference Between the Rich and the Poor?. World Health & Eamp; Population, 2007, 9, 5-13.	0.2	5
97	Editorial: Integrating continuous support of the traditional birth attendant into obstetric care by skilled midwives and doctors: a cost-effective strategy to reduce perinatal mortality and unnecessary obstetric interventions. Tropical Medicine and International Health, 2005, 10, 393-394.	2.3	20
98	Health care seeking behaviour and utilisation of traditional healers in Kalabo, Zambia. Health Policy, 2005, 71, 67-81.	3.0	88
99	Waiting too long: low use of maternal health services in Kalabo, Zambia. Tropical Medicine and International Health, 2004, 9, 390-398.	2.3	143
100	Poor performance of community health workers in Kalabo District, Zambia. Health Policy, 2003, 65, 109-118.	3.0	63
101	The Maternal Mortality Review Meeting: Experiences from Kalabo District Hospital, Zambia. Tropical Doctor, 2002, 32, 219-223.	0.5	11
102	Factors contributing to high mortality due to pneumonia among under-fives in Kalabo District, Zambia. Tropical Medicine and International Health, 2002, 7, 886-893.	2.3	14