

Ricardo S Osorio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3705524/ricardo-s-osorio-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

4,757
citations

32
h-index

68
g-index

123
ext. papers

6,220
ext. citations

5
avg. IF

5.3
L-index

#	Paper	IF	Citations
101	Association between lower body temperature and increased tau pathology in cognitively normal older adults.. <i>Neurobiology of Disease</i> , 2022 , 105748	7.5	
100	0275 Effect of acutely induced severe OSA on AD plasma biomarkers. <i>Sleep</i> , 2022 , 45, A124-A124	1.1	
99	0734 Examining the diagnostic validity of the WatchPAT in a preliminary sample of cognitive normal Black/African-American older adults. <i>Sleep</i> , 2022 , 45, A320-A321	1.1	
98	0645 Associations of Objective Sleep Parameters and Gray Matter Microstructure in community dwelling cognitive normal older adults. <i>Sleep</i> , 2022 , 45, A283-A284	1.1	
97	The Neutrophil to Lymphocyte Ratio Is Associated With the Risk of Subsequent Dementia in the Framingham Heart Study.. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 773984	5.3	1
96	ENIGMA-Sleep: Challenges, opportunities, and the road map. <i>Journal of Sleep Research</i> , 2021 , 30, e133475.8	5.8	5
95	Opportunities, barriers, and recommendations in down syndrome research. <i>Translational Science of Rare Diseases</i> , 2021 , 5, 99-129	3.3	13
94	Measures of resting state EEG rhythms for clinical trials in Alzheimer's disease: Recommendations of an expert panel. <i>Alzheimer's and Dementia</i> , 2021 , 17, 1528-1553	1.2	12
93	Effects of obstructive sleep apnea on human spatial navigational memory processing in cognitively normal older individuals. <i>Journal of Clinical Sleep Medicine</i> , 2021 , 17, 939-948	3.1	2
92	684 Contribution of Pulmonary Diseases to COVID-19 Mortality in a Diverse Community of New York City. <i>Sleep</i> , 2021 , 44, A267-A267	1.1	78
91	Evidence of upregulation of the cholinergic anti-inflammatory pathway in late-life depression. <i>Journal of Affective Disorders</i> , 2021 , 286, 275-281	6.6	3
90	703 From in-lab to at-home: Measuring sleep and memory in the time of SARS-COVID-19. <i>Sleep</i> , 2021 , 44, A274-A275	1.1	78
89	791 Association of Obstructive Sleep Apnea Severity and Novel Plasma Biomarkers of Alzheimer's Disease Pathology. <i>Sleep</i> , 2021 , 44, A308-A308	1.1	
88	Contribution of pulmonary diseases to COVID-19 mortality in a diverse urban community of New York. <i>Chronic Respiratory Disease</i> , 2021 , 18, 1479973120986806	3	6
87	Obesity and Race May Explain Differential Burden of White Matter Hyperintensity Load. <i>Clinical Interventions in Aging</i> , 2021 , 16, 1563-1571	4	2
86	Association of Apolipoprotein E e4 Allele With Clinical and Multimodal Biomarker Changes of Alzheimer Disease in Adults With Down Syndrome. <i>JAMA Neurology</i> , 2021 , 78, 937-947	17.2	11
85	Endotyping Sleep Apnea One Breath at a Time: An Automated Approach for Separating Obstructive from Central Sleep Disordered Breathing. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 ,	10.2	1

84	Potential long-term effect of tumor necrosis factor inhibitors on dementia risk: A propensity score matched retrospective cohort study in US veterans. <i>Alzheimers and Dementia</i> , 2021 ,	1.2	2
83	Association of CSF sTREM2, a marker of microglia activation, with cholinergic basal forebrain volume in major depressive disorder. <i>Journal of Affective Disorders</i> , 2021 , 293, 429-434	6.6	1
82	Interactive Associations of Neuropsychiatry Inventory-Questionnaire Assessed Sleep Disturbance and Vascular Risk on Alzheimer's Disease Stage Progression in Clinically Normal Older Adults.. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 763264	5.3	0
81	Effects of blood pressure on white matter lesions and brain volumes in hypertensive and normotensive subjects.. <i>Alzheimers and Dementia</i> , 2021 , 17 Suppl 3, e053826	1.2	
80	Impact of MR-guided PET reconstruction on tau detection and quantification with [18F]-MK-6240. <i>Alzheimers and Dementia</i> , 2020 , 16, e037977	1.2	
79	Interactive associations of nocturnal sleep disturbance and vascular risk with prospective cognitive decline in clinically normal elderly individuals: Findings from the National Alzheimer's Coordinating Center Uniform Data Set. <i>Alzheimers and Dementia</i> , 2020 , 16, e044904	1.2	
78	Characterization of older, cognitively normal obstructive sleep apnea patients at risk of prospective cognitive decline using the NIA-AA Research Framework. <i>Alzheimers and Dementia</i> , 2020 , 16, e044942	1.2	
77	Cerebral white matter diffusion properties and free-water with obstructive sleep apnea severity in older adults. <i>Human Brain Mapping</i> , 2020 , 41, 2686-2701	5.9	8
76	Clinical and biomarker changes of Alzheimer's disease in adults with Down syndrome: a cross-sectional study. <i>Lancet, The</i> , 2020 , 395, 1988-1997	4.0	74
75	Diffusion MRI biomarkers of white matter microstructure vary nonmonotonically with increasing cerebral amyloid deposition. <i>Neurobiology of Aging</i> , 2020 , 89, 118-128	5.6	19
74	Gray matter volume and estimated brain age gap are not linked with sleep-disordered breathing. <i>Human Brain Mapping</i> , 2020 , 41, 3034-3044	5.9	10
73	Plasma tau predicts cerebral vulnerability in aging. <i>Aging</i> , 2020 , 12, 21004-21022	5.6	3
72	Obstructive sleep apnea, cognition and Alzheimer's disease: A systematic review integrating three decades of multidisciplinary research. <i>Sleep Medicine Reviews</i> , 2020 , 50, 101250	10.2	57
71	Nocturnal Hypoxemia Is Associated with Altered Parahippocampal Functional Brain Connectivity in Older Adults at Risk for Dementia. <i>Journal of Alzheimers Disease</i> , 2020 , 73, 571-584	4.3	3
70	Obstructive Sleep Apnea and Its Treatment in Aging: Effects on Alzheimer's disease Biomarkers, Cognition, Brain Structure and Neurophysiology. <i>Neurobiology of Disease</i> , 2020 , 145, 105054	7.5	15
69	Self-reported obstructive sleep apnea, amyloid and tau burden, and Alzheimer's disease time-dependent progression. <i>Alzheimers and Dementia</i> , 2020 , 17, 226	1.2	7
68	0302 Interactive Associations of Obstructive Sleep Apnea and Amyloid Burden among Clinically Normal and Mild Cognitive Impairment Elderly Individuals: An examination of conversion risk. <i>Sleep</i> , 2019 , 42, A123-A123	1.1	0
67	Precisely-Measured Hydration Status Correlates with Hippocampal Volume in Healthy Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2019 , 27, 653-654	6.5	2

66	Alterations in EEG connectivity in healthy young adults provide an indicator of sleep depth. <i>Sleep</i> , 2019 , 42,	1.1	5
65	Obstructive sleep apnea and longitudinal Alzheimer's disease biomarker changes. <i>Sleep</i> , 2019 , 42,	1.1	66
64	A deep learning approach for real-time detection of sleep spindles. <i>Journal of Neural Engineering</i> , 2019 , 16, 036004	5	18
63	Sleep oscillation-specific associations with Alzheimer's disease CSF biomarkers: novel roles for sleep spindles and tau. <i>Molecular Neurodegeneration</i> , 2019 , 14, 10	19	30
62	Obstructive Sleep Apnea and the Risk of Cognitive Decline in Older Adults. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 199, 142-148	10.2	43
61	The prevalence of obstructive sleep apnea in mild cognitive impairment: a systematic review. <i>BMC Neurology</i> , 2019 , 19, 195	3.1	14
60	0293 Effects of Obstructive Sleep Apnea on Human Spatial Navigational Memory Processing in Cognitively Normal Older Adults. <i>Sleep</i> , 2019 , 42, A120-A120	1.1	
59	IC-P-118: β A-AMYLOID BURDEN MODIFIES CONVERSION RISK IN CLINICALLY NORMAL AND MILD COGNITIVE IMPAIRMENT OBSTRUCTIVE SLEEP APNEA ELDERLY INDIVIDUALS 2019 , 15, P100-P100		
58	0706 Examining Sleeping Medication And Insomnia Symptoms By Cognitive Impairment Among Older Americans In The U.S. Using The National Health And Aging Trends Study. <i>Sleep</i> , 2019 , 42, A283-A283	1.1	11
57	0960 Interactive Associations of Obstructive Sleep Apnea and Hypertension with longitudinal changes in β Amyloid Burden and Cognitive Decline in Clinically Normal Elderly Individuals. <i>Sleep</i> , 2019 , 42, A386-A386	1.1	
56	Different Relationship Between Systolic Blood Pressure and Cerebral Perfusion in Subjects With and Without Hypertension. <i>Hypertension</i> , 2019 , 73, 197-205	8.5	20
55	Basal forebrain septal nuclei are enlarged in healthy subjects prior to the development of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2018 , 65, 201-205	5.6	11
54	Mediterranean diet and 3-year Alzheimer brain biomarker changes in middle-aged adults. <i>Neurology</i> , 2018 , 90, e1789-e1798	6.5	133
53	Lifestyle and vascular risk effects on MRI-based biomarkers of Alzheimer's disease: a cross-sectional study of middle-aged adults from the broader New York City area. <i>BMJ Open</i> , 2018 , 8, e019362	3	40
52	Biomarkers of dementia in obstructive sleep apnea. <i>Sleep Medicine Reviews</i> , 2018 , 42, 139-148	10.2	36
51	The nonlinear relationship between cerebrospinal fluid $A\beta$ 2 and tau in preclinical Alzheimer's disease. <i>PLoS ONE</i> , 2018 , 13, e0191240	3.7	23
50	Obstructive Sleep Apnea Severity Affects Amyloid Burden in Cognitively Normal Elderly. A Longitudinal Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 197, 933-943	10.2	109
49	O1-11-01: OBSTRUCTIVE SLEEP APNEA, BRAIN BETA-AMYLOID MEASURES AND TIME-TO-PROGRESSION FROM MILD COGNITIVE IMPAIRMENT TO ALZHEIMER'S DISEASE 2018 , 14, P246-P247		

48	P1-287: SLOW WAVE SLEEP DECREASE IS ASSOCIATED WITH INCREASED LEVELS OF CSF A β 2 IN COGNITIVELY NORMAL OLDER ADULTS 2018 , 14, P395-P395		
47	P1-269: SLEEP DISORDERED BREATHING AND BRAIN BETA-AMYLOID BOTH PREDICT TIME-TO-PROGRESSION FROM COGNITIVE NORMAL TO MILD COGNITIVE IMPAIRMENT WITH BRAIN BETA-AMYLOID MODIFYING THE PROGRESSION RISK 2018 , 14, P384-P385		
46	IC-P-002: OBSTRUCTIVE SLEEP APNEA, BRAIN BETA-AMYLOID MEASURES AND TIME-TO-PROGRESSION FROM MILD COGNITIVE IMPAIRMENT TO ALZHEIMER'S DISEASE 2018 , 14, P15-P15		
45	Prevalence of Sleep Disorders in Adults With Down Syndrome: A Comparative Study of Self-Reported, Actigraphic, and Polysomnographic Findings. <i>Journal of Clinical Sleep Medicine</i> , 2018 , 14, 1725-1733	3.1	34
44	IC-P-154: SLEEP DISORDERED BREATHING AND BRAIN BETA-AMYLOID BOTH PREDICT TIME-TO-PROGRESSION FROM NORMAL COGNITION TO MILD COGNITIVE IMPAIRMENT WITH BRAIN BETA-AMYLOID MODIFYING THE PROGRESSION RISK 2018 , 14, P130-P131		
43	P2-074: IMPAIRED CSF CLEARANCE AND BRAIN AMYLOID IN ALZHEIMER'S DISEASE: A MULTI-TRACER PET STUDY 2018 , 14, P695-P695		
42	Associations of lifestyle and vascular risk factors with Alzheimer's brain biomarker changes during middle age: a 3-year longitudinal study in the broader New York City area. <i>BMJ Open</i> , 2018 , 8, e023664	3	17
41	P2-128: DECREASED TOTAL SLEEP TIME IN AMYLOID NEGATIVE APOE4 CARRIERS: A NEW CLINICAL ENDOPHENOTYPE? 2018 , 14, P717-P717		
40	Role of normal sleep and sleep apnea in human memory processing. <i>Nature and Science of Sleep</i> , 2018 , 10, 255-269	3.6	16
39	The Relationship between Obstructive Sleep Apnea and Alzheimer's Disease. <i>Journal of Alzheimers Disease</i> , 2018 , 64, S255-S270	4.3	65
38	Candidate mechanisms underlying the association between sleep-wake disruptions and Alzheimer's disease. <i>Sleep Medicine Reviews</i> , 2017 , 31, 102-111	10.2	110
37	Insulin resistance among obese middle-aged is associated with decreased cerebrovascular reactivity. <i>Neurology</i> , 2017 , 89, 249-255	6.5	17
36	Functional reorganization in obstructive sleep apnoea and insomnia: A systematic review of the resting-state fMRI. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 77, 219-231	9	78
35	Cerebrospinal Fluid Clearance in Alzheimer Disease Measured with Dynamic PET. <i>Journal of Nuclear Medicine</i> , 2017 , 58, 1471-1476	8.9	85
34	Perimenopause and emergence of an Alzheimer's bioenergetic phenotype in brain and periphery. <i>PLoS ONE</i> , 2017 , 12, e0185926	3.7	62
33	Sex differences in Alzheimer risk: Brain imaging of endocrine vs chronologic aging. <i>Neurology</i> , 2017 , 89, 1382-1390	6.5	104
32	Neuropsychiatric signs and symptoms of Alzheimer's disease: New treatment paradigms. <i>Alzheimers and Dementia: Translational Research and Clinical Interventions</i> , 2017 , 3, 440-449	6	153
31	[P3191]: SLEEP PROBLEMS AND CHANGES IN AD BIOMARKERS ARE PREDICTIVE OF PERSONS WHO ULTIMATELY DEVELOP AD: FINDINGS FROM SUBGROUP META-ANALYSIS ON SLEEP AND ALZHEIMER'S DISEASE 2017 , 13, P1007-P1008		1

30	Multichannel sleep spindle detection using sparse low-rank optimization. <i>Journal of Neuroscience Methods</i> , 2017 , 288, 1-16	3	10
29	Structural correlates of apathy in Alzheimer's disease: a multimodal MRI study. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 922-930	3.9	21
28	[P3192]: EFFECT OF OBSTRUCTIVE SLEEP APNEA (OSA) ON RATE OF CHANGE OF AD BIOMARKERS IN COGNITIVELY NORMAL, MCI AND AD ELDERLY: FINDINGS FROM THE ALZHEIMER'S DISEASE NEUROIMAGING INITIATIVE (ADNI) COHORT 2017 , 13, P1008-P1009		1
27	[P4133]: DIFFERENTIAL VALUE OF PLASMA TAU AS A BIOMARKER FOR ALZHEIMER'S DISEASE AND CHRONIC TRAUMATIC BRAIN INJURY 2017 , 13, P1307-P1307		3
26	[IC-P-131]: EFFECT OF OBSTRUCTIVE SLEEP APNEA (OSA) ON RATE OF CHANGE OF AD BIOMARKERS IN COGNITIVE NORMAL, MCI AND AD ELDERLY: FINDINGS FROM THE ALZHEIMER'S DISEASE NEUROIMAGING INITIATIVE (ADNI) COHORT 2017 , 13, P99-P99		
25	[O20405]: IN COGNITIVELY NORMAL ELDERLY, INCREASED CSF P-TAU IS ASSOCIATED WITH REDUCED SPINDLE FREQUENCY AND DENSITY IN STAGE 2 NREM SLEEP 2017 , 13, P559		
24	Orexin-A is Associated with Increases in Cerebrospinal Fluid Phosphorylated-Tau in Cognitively Normal Elderly Subjects. <i>Sleep</i> , 2016 , 39, 1253-60	1.1	35
23	Reduced Slow-Wave Sleep Is Associated with High Cerebrospinal Fluid A β 2 Levels in Cognitively Normal Elderly. <i>Sleep</i> , 2016 , 39, 2041-2048	1.1	92
22	State-dependent alterations in cerebrospinal fluid A β 2 levels in cognitively intact elderly with late-life major depression. <i>NeuroReport</i> , 2016 , 27, 1068-71	1.7	13
21	Effects of aging on slow-wave sleep dynamics and human spatial navigational memory consolidation. <i>Neurobiology of Aging</i> , 2016 , 42, 142-149	5.6	53
20	Greater specificity for cerebrospinal fluid P-tau231 over P-tau181 in the differentiation of healthy controls from Alzheimer's disease. <i>Journal of Alzheimers Disease</i> , 2016 , 49, 93-100	4.3	25
19	Effects of vascular risk factors, statins, and antihypertensive drugs on PiB deposition in cognitively normal subjects. <i>Alzheimers and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016 , 2, 95-104	5.2	13
18	Alzheimer's disease cerebrospinal fluid biomarker in cognitively normal subjects. <i>Brain</i> , 2015 , 138, 2701-15.2	15.2	86
17	Clearance systems in the brain-implications for Alzheimer disease. <i>Nature Reviews Neurology</i> , 2015 , 11, 457-70	15	759
16	Sleep-disordered breathing advances cognitive decline in the elderly. <i>Neurology</i> , 2015 , 84, 1964-71	6.5	223
15	A novel rating scale for the measurement of apathy in institutionalized persons with dementia: the APADEM-NH. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 149-59	6.5	10
14	P4-180: CSF A β 2 levels may increase due to age-dependent slow-wave sleep loss prior to amyloid deposition in humans 2015 , 11, P848-P848		
13	P4-255: Normotensive elderly with white matter lesions: A group at risk for Alzheimer's disease 2015 , 11, P879-P879		

12	A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. <i>Alzheimers and Dementia</i> , 2014 , 10, 844-52	1.2	1219
11	Blood pressure decrease correlates with tau pathology and memory decline in hypertensive elderly. <i>Neurobiology of Aging</i> , 2014 , 35, 64-71	5.6	49
10	Apnea-induced rapid eye movement sleep disruption impairs human spatial navigational memory. <i>Journal of Neuroscience</i> , 2014 , 34, 14571-7	6.6	42
9	Interaction between sleep-disordered breathing and apolipoprotein E genotype on cerebrospinal fluid biomarkers for Alzheimer's disease in cognitively normal elderly individuals. <i>Neurobiology of Aging</i> , 2014 , 35, 1318-24	5.6	83
8	P4-092: SLEEP DISORDERED BREATHING IN THE ELDERLY AND RISK FOR ALZHEIMER'S DISEASE USING FDG-PET 2014 , 10, P818-P818		
7	Brain imaging of cognitively normal individuals with 2 parents affected by late-onset AD. <i>Neurology</i> , 2014 , 82, 752-60	6.5	37
6	Nutrient intake and brain biomarkers of Alzheimer's disease in at-risk cognitively normal individuals: a cross-sectional neuroimaging pilot study. <i>BMJ Open</i> , 2014 , 4, e004850	3	59
5	Soluble amyloid- β levels and late-life depression. <i>Current Pharmaceutical Design</i> , 2014 , 20, 2547-54	3.3	21
4	FDG and Amyloid PET in Cognitively Normal Individuals at Risk for Late-Onset Alzheimer's Disease. <i>Advances in Molecular Imaging</i> , 2014 , 4, 15-26	0.3	23
3	An effective environmental intervention for management of the 'mirror sign' in a case of probable Lewy body dementia. <i>Neurocase</i> , 2013 , 19, 1-13	0.8	13
2	Promoting research in advanced dementia: early clinical results of the Alzheimer Center Reina Sofía Foundation. <i>Journal of Alzheimers Disease</i> , 2012 , 28, 211-22	4.3	11
1	Greater risk of Alzheimer's disease in older adults with insomnia. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 559-62	5.6	109