

Li Ding

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3707475/li-ding-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97
papers

841
citations

15
h-index

22
g-index

100
ext. papers

988
ext. citations

3.9
avg, IF

4.1
L-index

#	Paper	IF	Citations
97	MiR-31 inhibits migration and invasion by targeting SATB2 in triple negative breast cancer. <i>Gene</i> , 2016 , 594, 47-58	3.8	46
96	Facile synthesis and characterization of water soluble ZnSe/ZnS quantum dots for cellular imaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2013 , 104, 143-9	4.4	42
95	HPLC-APCI-MS for the determination of vitamin K(1) in human plasma: method and clinical application. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 875, 541-5	3.2	35
94	Simultaneous Determination of Tramadol and Acetaminophen in Human Plasma by LC-ESI-MS. <i>Chromatographia</i> , 2007 , 66, 171-178	2.1	33
93	Promising therapeutic role of miR-27b in tumor. <i>Tumor Biology</i> , 2017 , 39, 1010428317691657	2.9	30
92	Simultaneous quantitation of folic acid and 5-methyltetrahydrofolic acid in human plasma by HPLC-MS/MS and its application to a pharmacokinetic study. <i>Journal of Pharmaceutical Analysis</i> , 2015 , 5, 269-275	14	27
91	LC-ESI-MS method for the determination of bisoprolol in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 520-5	3.5	25
90	Colorimetric determination of thrombin by exploiting a triple enzyme-mimetic activity and dual-aptamer strategy. <i>Mikrochimica Acta</i> , 2017 , 184, 3145-3151	5.8	24
89	Study on the pharmacokinetic profiles of corynoline and its potential interaction in traditional Chinese medicine formula Shuanghua Baihe tablets in rats by LC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 117, 247-54	3.5	22
88	Simultaneous determination of capecitabine and its three nucleoside metabolites in human plasma by high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 989, 71-9	3.2	20
87	A sensitive LC-ESI-MS method for the determination of indapamide in human plasma: method and clinical applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 42, 213-7	3.5	20
86	Determination of glycyrrhetic acid in human plasma by LC-ESI-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 40, 758-62	3.5	19
85	Asymmetric synthesis and biological activities of natural product (+)-balasubramide and its derivatives. <i>Natural Product Research</i> , 2016 , 30, 800-5	2.3	18
84	Rapid and sensitive liquid chromatography-electrospray ionization-mass spectrometry method for the determination of eperisone in human plasma: method and clinical applications. <i>Journal of Chromatographic Science</i> , 2004 , 42, 254-8	1.4	16
83	Development and evaluation of inhalable composite niclosamide-lysozyme particles: A broad-spectrum, patient-adaptable treatment for coronavirus infections and sequalae. <i>PLoS ONE</i> , 2021 , 16, e0246803	3.7	16
82	Self-assembly hydrogels as multifunctional drug delivery of paclitaxel for synergistic tumour-targeting and biocompatibility in vitro and in vivo. <i>Journal of Pharmacy and Pharmacology</i> , 2017 , 69, 967-977	4.8	15
81	Sensitive and rapid LC-ESI-MS method for the determination of trimetazidine in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 526-31	3.5	15

80	Simultaneous determination of acetaminophen and oxycodone in human plasma by LC-MS/MS and its application to a pharmacokinetic study. <i>Journal of Pharmaceutical Analysis</i> , 2018 , 8, 160-167	14	14
79	Cytotoxicity of luteolin in primary rat hepatocytes: the role of CYP3A-mediated ortho-benzoquinone metabolite formation and glutathione depletion. <i>Journal of Applied Toxicology</i> , 2015 , 35, 1372-80	4.1	14
78	Highly sensitive method for simultaneous determination of nine alkaloids of Shuanghua Baihe tablets in human plasma by LC-MS/MS and its application. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 1007, 81-92	3.2	13
77	Fluorescence resonance energy transfer between ZnSe ZnS quantum dots and bovine serum albumin in bioaffinity assays of anticancer drugs. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014 , 131, 195-202	4.4	13
76	Sensitive HPLC-ESI-MS method for the determination of tiotropium in human plasma. <i>Journal of Chromatographic Science</i> , 2008 , 46, 445-9	1.4	13
75	Determination of palonosetron in human plasma by liquid chromatography-electrospray ionization-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 575-80	3.5	13
74	Determination of gambogic acid in human plasma by liquid chromatography-atmospheric pressure chemical ionization-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 846, 112-8	3.2	13
73	LC-MS/MS determination and urinary excretion study of seven alkaloids in healthy Chinese volunteers after oral administration of Shuanghua Baihe tablets. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 118, 89-95	3.5	12
72	Pharmacokinetics, safety and tolerability of Bencycloquidium bromide, a novel selective muscarinic M1/M3 receptor antagonist, after single and multiple intranasal doses in healthy chinese subjects: an open-label, single-center, first-in-human study. <i>Drugs in R and D</i> , 2012 , 12, 17-28	3.4	12
71	Camptothecin-induced cell proliferation inhibition and apoptosis enhanced by DNA methyltransferase inhibitor, 5-aza-2Sdeoxycytidine. <i>Biological and Pharmaceutical Bulletin</i> , 2009 , 32, 1105-8	2.3	12
70	Identification and quantitative determination of a major circulating metabolite of gambogic acid in human. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 659-66	3.2	12
69	Determination of bencycloquidium bromide in rat plasma by liquid chromatography-electrospray ionization-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 846, 209-14	3.2	12
68	An HPLC-MS/MS method for the simultaneous determination of luteolin and its major metabolites in rat plasma and its application to a pharmacokinetic study. <i>Journal of Separation Science</i> , 2018 , 41, 3830-3839 ¹¹	3.4	11
67	Determination of asperosaponin VI and its active metabolite hederagenin in rat tissues by LC-MS/MS: application to a tissue distribution study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 959, 22-6	3.2	11
66	The use of HPLC/MS, GC/MS, NMR, UV and IR to identify a degradation product of eperisone hydrochloride in the tablets. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 46, 282-7	3.5	11
65	Influence of genetic polymorphisms on the pharmacokinetics of celecoxib and its two main metabolites in healthy Chinese subjects. <i>European Journal of Pharmaceutical Sciences</i> , 2015 , 79, 13-9	5.1	10
64	New generation of Eyclodextrin-chitosan nanoparticles encapsulated quantum dots loaded with anticancer drug for tumor-target drug delivery and imaging of cancer cells. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3	10
63	Determination of azelnidipine in human plasma by liquid chromatography-electrospray ionization-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 575-9	3.5	10

62	A novel liquid chromatography-tandem mass spectrometry method for determination of menadione in human plasma after derivatization with 3-mercaptopropionic acid. <i>Talanta</i> , 2014 , 128, 51-7	6.2	8
61	Determination of bencycloquidium bromide in human urine using weak cation-exchange solid-phase extraction and LC-ESI-MS: Method validation and application to kinetic study of urinary excretion. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 35-40	3.5	8
60	Simultaneous Determination of a Fixed-Dose Combination of Lercanidipine and Valsartan in Human Plasma by LC-MS-MS: Application to a Pharmacokinetic Study. <i>Journal of Chromatographic Science</i> , 2016 , 54, 1553-1559	1.4	7
59	Stability-indicating HPLC method development and structural elucidation of novel degradation products in posaconazole injection by LC-TOF/MS, LC-MS/MS and NMR. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 125, 165-77	3.5	7
58	Simultaneous determination of corynoline and acetylcorynoline in human urine by LC-MS/MS and its application to a urinary excretion study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1014, 83-9	3.2	7
57	Pharmacokinetics of levosulpiride after single and multiple intramuscular administrations in healthy Chinese volunteers. <i>Acta Pharmaceutica Sinica B</i> , 2014 , 4, 402-7	15.5	7
56	Sensitive HPLC-APCI-MS method for the determination of cyclovirobuxine D in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 843, 78-83 ³⁻²		7
55	Ocular and systemic pharmacokinetics of lidocaine hydrochloride ophthalmic gel in rabbits after topical ocular administration. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2015 , 40, 409-13 ²⁻⁷		6
54	Application of a liquid chromatographic/tandem mass spectrometric method to a urinary excretion study of rabeprazole and two of its metabolites in healthy human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 988, 75-80	3.2	6
53	Determination of igratimod in rat plasma by high performance liquid chromatography: method and application. <i>Biomedical Chromatography</i> , 2008 , 22, 260-4	1.7	6
52	A Quality by Design Framework for Capsule-Based Dry Powder Inhalers. <i>Pharmaceutics</i> , 2021 , 13,	6.4	6
51	Pharmacokinetics and tissue distribution study of clevidipine and its primary metabolite H152/81 in rats. <i>Biomedical Chromatography</i> , 2018 , 32, e4048	1.7	5
50	A highly sensitive LC-MS/MS method for determination of ketoconazole in human plasma: Application to a clinical study of the exposure to ketoconazole in patients after topical administration. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 128, 504-509	3.5	5
49	Effects of paclitaxel (PTX) prodrug-based self-assembly peptide hydrogels combined with suberoylanilide hydroxamic acid (SAHA) for PTX-resistant cancer and synergistic antitumor therapy. <i>RSC Advances</i> , 2016 , 6, 100765-100771	3.7	5
48	Study of the metabolites of bencycloquidium bromide racemate, a novel anticholinergic compound, in rat bile by liquid chromatography-tandem mass spectrometry. <i>European Journal of Mass Spectrometry</i> , 2008 , 14, 99-105	1.1	5
47	Determination of bencycloquidium bromide, a novel anticholinergic compound, in rat tissues by liquid chromatography-electrospray ionization mass spectrometry. <i>European Journal of Mass Spectrometry</i> , 2008 , 14, 319-27	1.1	5
46	Liquid chromatography/electrospray ionization mass spectrometry method for the determination of the active metabolite M-1 of suplatast tosilate in human plasma. <i>Biomedical Chromatography</i> , 2007 , 21, 1297-302	1.7	5
45	Suan-Zao-Ren Decoction ameliorates synaptic plasticity through inhibition of the A β deposition and JAK2/STAT3 signaling pathway in AD model of APP/PS1 transgenic mice. <i>Chinese Medicine</i> , 2021 , 16, 14	4.7	5

44	Determination of benzonatate and its metabolite in human plasma by HPLC-MS/MS: A preliminary pharmacokinetic study in healthy Chinese volunteers after oral administration of benzonatate soft capsule. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 173, 134-143	3.5	4
43	Study of pharmacokinetic interaction of paroxetine and roxithromycin on bencycloquidium bromide in healthy subjects. <i>European Journal of Pharmaceutical Sciences</i> , 2015 , 69, 37-43	5.1	4
42	In vitro metabolism of bencycloquidium bromide and its inhibitory effects on human P450 isoenzymes: implication of CYP2D6, CYP2C19 and CYP3A4/5. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2016 , 41, 69-77	2.7	4
41	Simultaneous determination of rabeprazole and its two active metabolites in human urine by liquid chromatography with tandem mass spectrometry and its application in a urinary excretion study. <i>Journal of Separation Science</i> , 2014 , 37, 1951-6	3.4	4
40	Determination of fenticonazole in human plasma by HPLC-MS/MS and its application to pharmacokinetic studies. <i>Journal of Pharmaceutical Analysis</i> , 2017 , 7, 63-70	14	4
39	Pharmacokinetics and safety of the multiple constituents of Shuanghua Baihe tablets in healthy subjects. <i>RSC Advances</i> , 2015 , 5, 101989-101998	3.7	4
38	Pharmacokinetics of propafenone hydrochloride sustained-release capsules in male beagle dogs. <i>Acta Pharmaceutica Sinica B</i> , 2015 , 5, 74-8	15.5	4
37	SPE and LC for Analysis of the Tissue Distribution of Wogonin and Its Metabolite in Tumor-Bearing Nude Mice. <i>Chromatographia</i> , 2010 , 72, 753-757	2.1	4
36	HPLC-APCI-MS for the determination of teprenone in human plasma: method and clinical application. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 779-85	3.5	4
35	Development and validation of samples stabilization strategy and LC-MS/MS method for simultaneous determination of clevidipine and its primary metabolite in human plasma: Application to clinical pharmacokinetic study in Chinese healthy volunteers. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical Sciences</i> , 2009 , 877, 1161-1221	3.2	4
34	Simultaneous quantification of chlorogenic acid and taurocholic acid in human plasma by LC-MS/MS and its application to a pharmacokinetic study after oral administration of Shuanghua Baihe tablets. <i>Chinese Journal of Natural Medicines</i> , 2016 , 14, 313-320	2.8	4
33	Stereoselective pharmacokinetics of (R)-(+)- and (S)-(-)-rabeprazole in human using chiral LC-MS/MS after administration of rabeprazole sodium enteric-coated tablet. <i>Chirality</i> , 2018 , 30, 1277-1286	2.1	4
32	A sensitive, simple and rapid HPLC-MS/MS method for simultaneous quantification of buprenorphine and its N-dealkylated metabolite norbuprenorphine in human plasma. <i>Journal of Pharmaceutical Analysis</i> , 2013 , 3, 221-228	14	3
31	NQO1 and CYP450 reductase decrease the systemic exposure of rifampicin-quinone and mediate its redox cycle in rats. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 132, 17-23	3.5	3
30	Simultaneous Analysis of Zofenopril and Its Active Metabolite Zofenoprilat in Human Plasma by LCESI-MS Using Pre-Column Derivatization with p-Bromophenacyl Bromide. <i>Chromatographia</i> , 2010 , 71, 1007-1014	2.1	3
29	Pulmonary biofilm-based chronic infections and inhaled treatment strategies. <i>International Journal of Pharmaceutics</i> , 2021 , 604, 120768	6.5	3
28	Assessing Fungal Population in Soil Planted with Cry1Ac and CPTI Transgenic Cotton and Its Conventional Parental Line Using 18S and ITS rDNA Sequences over Four Seasons. <i>Frontiers in Plant Science</i> , 2016 , 7, 1023	6.2	3
27	Pharmacokinetics of Roflumilast and Its Active Metabolite Roflumilast N-Oxide in Healthy Chinese Subjects After Single and Multiple Oral Doses. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2017 , 42, 371-381	2.7	2

26	LC-MS/MS method for simultaneous determination of ramelteon and its metabolite M-II in human plasma: Application to a clinical pharmacokinetic study in healthy Chinese volunteers. <i>Biomedical Chromatography</i> , 2019 , 33, e4510	1.7	2
25	Comparison of the Hydrolysis and Esterification Methods for the Determination of Genotoxic 5-Chlorothiophene-2-Carbonyl Chloride in Rivaroxaban Using HPLC. <i>Chromatographia</i> , 2016 , 79, 413-419 ^{2.1}		2
24	Sensitive and rapid analytical method for the quantification of glucosamine in human plasma by ultra high performance liquid chromatography with tandem mass spectrometry. <i>Journal of Separation Science</i> , 2015 , 38, 1866-71	3.4	2
23	A Sensitive LCESI-MS/MS Method for the Determination of Huperzine A in Human Plasma: Method and Clinical Applications. <i>Chromatographia</i> , 2009 , 69, 453-458	2.1	2
22	A randomized Phase I pharmacokinetic trial comparing the potential biosimilar trastuzumab (SIBP-01) with the reference product (Herceptin®) in healthy Chinese male volunteers. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2020 , 16, 997-1003	5.5	2
21	Sensitive and accurate detection of ALP activity using a fluorescence on-off-on switch and mass barcode signal amplification.. <i>RSC Advances</i> , 2018 , 8, 36527-36533	3.7	2
20	Identification of Stability Constraints in the Particle Engineering of an Inhaled Monoclonal Antibody Dried Powder. <i>Journal of Pharmaceutical Sciences</i> , 2021 ,	3.9	2
19	Establishment of HPLC-ESI-MS method for the determination of eplerenone in human plasma and its pharmacokinetics. <i>Yaoxue Xuebao</i> , 2009 , 44, 771-7		2
18	A rapid and sensitive LC-MS/MS method for analysis of igratimod in human plasma: Application to a pharmacokinetic study in Chinese healthy volunteers. <i>Biomedical Chromatography</i> , 2018 , 32, e4277	1.7	1
17	Non-enzymolytic adenosine barcode-mediated dual signal amplification strategy for ultrasensitive protein detection using LC-MS/MS. <i>Mikrochimica Acta</i> , 2018 , 185, 293	5.8	1
16	Photoconductive antenna as local oscillator in terahertz frequency measurement: heterodyne efficiency and bias effect. <i>Optical and Quantum Electronics</i> , 2018 , 50, 1	2.4	1
15	Determination of cefcapene acid by LC-MS and their application to a pharmacokinetic study in healthy Chinese volunteers. <i>Journal of Pharmaceutical Analysis</i> , 2013 , 3, 84-92	14	1
14	LC-ESI-MS Method for the Determination of Mizolastine in Human Plasma. <i>Chromatographia</i> , 2007 , 66, 179-184	2.1	1
13	Tolerability, Safety, Pharmacokinetics and Drug Interaction of Cefotaxime Sodium-Tazobactam Sodium Injection (6:1) Following Single and Multiple Intravenous Doses in Chinese Healthy Subjects. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1033	5.6	1
12	Pharmacokinetic profile of cefbuperazone in healthy Chinese volunteers after single and multiple drip intravenous infusion by HPLC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 129, 28-33	3.5	1
11	Safety, Tolerability and Pharmacokinetics of Bencycloquidium Bromide, a Novel Inhaled Anticholinergic Bronchodilator, in Healthy Subjects: Results from Phase I Studies. <i>European Journal of Pharmaceutical Sciences</i> , 2021 , 157, 105646	5.1	1
10	Metabolism and Bioactivation of Corynoline With Characterization of the Glutathione/Cysteine Conjugate and Evaluation of Its Hepatotoxicity in Mice. <i>Frontiers in Pharmacology</i> , 2018 , 9, 1264	5.6	1
9	Ultrafast liquid chromatography-tandem mass spectrometry determination of donepezil in human plasma: application to a bioequivalence study.. <i>Translational and Clinical Pharmacology</i> , 2022 , 30, 37-48 ²		1

8	LC-APCI-MS/MS assay for quantitation of ethyl esters of eicosapentaenoic acid and docosahexaenoic acid in human plasma and its application in a pharmacokinetic study. <i>Biomedical Chromatography</i> , 2020 , 34, e4905	1.7	○
7	Determination and characterization of two degradant impurities in bendamustine hydrochloride drug product. <i>Journal of Chromatographic Science</i> , 2015 , 53, 1673-9	1.4	○
6	Estimation of Perospirone in Human Plasma by LCMSMS and Its Application to Pharmacokinetics Study. <i>Chromatographia</i> , 2008 , 68, 239-243	2.1	○
5	A simplified and reliable LC-tandem mass spectrometry method for determination of ulipristal acetate in human plasma and its application to a pharmacokinetic study in healthy Chinese volunteers. <i>Biomedical Chromatography</i> , 2020 , 34, e4908	1.7	
4	Two high-performance liquid chromatography-tandem mass spectrometry methods for determination of edaravone and taurine in human plasma: Application to drug-drug interaction and pharmacokinetic studies. <i>Journal of Separation Science</i> , 2020 , 43, 2279-2289	3.4	
3	2- μ m fused-core column ultra-high-performance liquid chromatography/tandem mass spectrometric determination of donepezil in human plasma: Application to a bioequivalence study.. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022 , 211, 114596	3.5	
2	Comparison of HPMC Inhalation-Grade Capsules and Their Effect on Aerosol Performance Using Budesonide and Rifampicin DPI Formulations.. <i>AAPS PharmSciTech</i> , 2022 , 23, 52	3.9	
1	Method development and validation for simultaneous determination of ebastine and its active metabolite carebastine in human plasma by liquid chromatography-tandem mass spectrometry and its application to a clinical pharmacokinetic study in healthy Chinese volunteers. <i>Biomedical Chromatography</i> , 2020 , 34, e4904	1.7	