Young Ho Yun

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3707797/publications.pdf

Version: 2024-02-01

115 papers 4,810 citations

35 h-index

109321

102487 66 g-index

124 all docs

124 docs citations

times ranked

124

5964 citing authors

#	Article	IF	CITATIONS
1	Improved Quality of Life Outcomes After Laparoscopy-Assisted Distal Gastrectomy for Early Gastric Cancer. Annals of Surgery, 2008, 248, 721-727.	4.2	566
2	Impact of Prediagnosis Smoking, Alcohol, Obesity, and Insulin Resistance on Survival in Male Cancer Patients: National Health Insurance Corporation Study. Journal of Clinical Oncology, 2006, 24, 5017-5024.	1.6	247
3	Depression in Family Caregivers of Cancer Patients: The Feeling of Burden As a Predictor of Depression. Journal of Clinical Oncology, 2008, 26, 5890-5895.	1.6	228
4	Fatigue and Depression in Disease-Free Breast Cancer Survivors: Prevalence, Correlates, and Association with Quality of Life. Journal of Pain and Symptom Management, 2008, 35, 644-655.	1.2	212
5	The Attitudes of Cancer Patients and Their Families Toward the Disclosure of Terminal Illness. Journal of Clinical Oncology, 2004, 22, 307-314.	1.6	163
6	Web-Based Tailored Education Program for Disease-Free Cancer Survivors With Cancer-Related Fatigue: A Randomized Controlled Trial. Journal of Clinical Oncology, 2012, 30, 1296-1303.	1.6	157
7	Experiences and Attitudes of Patients With Terminal Cancer and Their Family Caregivers Toward the Disclosure of Terminal Illness. Journal of Clinical Oncology, 2010, 28, 1950-1957.	1.6	134
8	A Web-based self-management exercise and diet intervention for breast cancer survivors: Pilot randomized controlled trial. International Journal of Nursing Studies, 2014, 51, 1557-1567.	5.6	128
9	Development of a Cancer Pain Assessment Tool in Korea: A Validation Study of a Korean Version of the Brief Pain Inventory. Oncology, 2004, 66, 439-444.	1.9	124
10	Long-term outcomes of laparoscopy-assisted distal gastrectomy for early gastric cancer: result of a randomized controlled trial (COACT 0301). Surgical Endoscopy and Other Interventional Techniques, 2013, 27, 4267-4276.	2.4	117
11	Changes of Quality of Life in Gastric Cancer Patients After Curative Resection. Annals of Surgery, 2012, 256, 1008-1013.	4.2	114
12	Economic Burdens and Quality of Life of Family Caregivers of Cancer Patients. Oncology, 2005, 68, 107-114.	1.9	105
13	Validation Study of the Korean Version of the Brief Fatigue Inventory. Journal of Pain and Symptom Management, 2005, 29, 165-172.	1.2	103
14	Prediagnosis Smoking, Obesity, Insulin Resistance, and Second Primary Cancer Risk in Male Cancer Survivors: National Health Insurance Corporation Study. Journal of Clinical Oncology, 2007, 25, 4835-4843.	1.6	92
15	Cross-cultural application of the Korean version of the European Organization for Research and Treatment of Cancer (EORTC) Breast-Cancer-Specific Quality of Life Questionnaire (EORTC QLQ-BR23). Supportive Care in Cancer, 2004, 12, 441-445.	2.2	79
16	Age, sex, and comorbidities were considered in comparing reference data for health-related quality of life in the general and cancer populations. Journal of Clinical Epidemiology, 2007, 60, 1164-1175.	5.0	76
17	Suicide Rates and Risk Factors among Korean Cancer Patients, 1993-2005. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2097-2105.	2.5	72
18	Impact of Awareness of Terminal Illness and Use of Palliative Care or Intensive Care Unit on the Survival of Terminally Ill Patients With Cancer: Prospective Cohort Study. Journal of Clinical Oncology, 2011, 29, 2474-2480.	1.6	71

#	Article	IF	CITATIONS
19	Randomized Pilot Test of a Simultaneous Stage-Matched Exercise and Diet Intervention for Breast Cancer Survivors. Oncology Nursing Forum, 2011, 38, E97-E106.	1.2	69
20	Attitudes of cancer patients, family caregivers, oncologists and members of the general public toward critical interventions at the end of life of terminally ill patients. Cmaj, 2011, 183, E673-E679.	2.0	67
21	Impact of caregivers' unmet needs for supportive care on quality of terminal cancer care delivered and caregiver's workforce performance. Supportive Care in Cancer, 2010, 18, 699-706.	2.2	65
22	Validation Study of the Korean Version of the M. D. Anderson Symptom Inventory. Journal of Pain and Symptom Management, 2006, 31, 345-352.	1.2	64
23	Health-related quality of life among disease-free stomach cancer survivors in Korea. Quality of Life Research, 2006, 15, 1587-1596.	3.1	62
24	Chemotherapy Use and Associated Factors among Cancer Patients near the End of Life. Oncology, 2007, 72, 164-171.	1.9	60
25	EORTC QLQ-INFO26: a questionnaire to assess information given to cancer patients a preliminary analysis in eight countries. Psycho-Oncology, 2007, 16, 249-254.	2.3	60
26	Cigarette smoking and cancer incidence risk in adult men: National Health Insurance Corporation Study. Cancer Detection and Prevention, 2005, 29, 15-24.	2.1	58
27	Prevalence and Predictors of Anxiety and Depression Among Cervical Cancer Survivors in Korea. International Journal of Gynecological Cancer, 2010, 20, 1017-1024.	2.5	54
28	Awareness of incurable cancer status and health-related quality of life among advanced cancer patients: A prospective cohort study. Palliative Medicine, 2013, 27, 144-154.	3.1	52
29	Comparison of fatigue, depression, and anxiety as factors affecting posttreatment healthâ€related quality of life in lung cancer survivors. Psycho-Oncology, 2018, 27, 465-470.	2.3	50
30	The attitudes of Korean cancer patients, family caregivers, oncologists, and members of the general public toward advance directives. Supportive Care in Cancer, 2013, 21, 1437-1444.	2.2	48
31	Relative and Absolute Risks of Cigarette Smoking on Major Histologic Types of Lung Cancer in Korean Men. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2125-2130.	2.5	46
32	Priorities of a "good death―according to cancer patients, their family caregivers, physicians, and the general population: a nationwide survey. Supportive Care in Cancer, 2018, 26, 3479-3488.	2.2	46
33	Use of a Decision Aid to Help Caregivers Discuss Terminal Disease Status With a Family Member With Cancer: A Randomized Controlled Trial. Journal of Clinical Oncology, 2011, 29, 4811-4819.	1.6	42
34	Prediagnosis Body Mass Index and Risk of Secondary Primary Cancer in Male Cancer Survivors: A Large Cohort Study. Journal of Clinical Oncology, 2016, 34, 4116-4124.	1.6	39
35	A randomized controlled trial of physical activity, dietary habit, and distress management with the Leadership and Coaching for Health (LEACH) program for disease-free cancer survivors. BMC Cancer, 2017, 17, 298.	2.6	38
36	The popularity of eating broadcast: Content analysis of "mukbang―YouTube videos, media coverage, and the health impact of "mukbang―on public. Health Informatics Journal, 2020, 26, 2237-2248.	2.1	34

#	Article	IF	CITATIONS
37	Prognostic value of quality of life score in disease-free survivors of surgically-treated lung cancer. BMC Cancer, 2016, 16, 505.	2.6	33
38	Serial intermediate-term quality of life comparison after endoscopic submucosal dissection versus surgery in early gastric cancer patients. Surgical Endoscopy and Other Interventional Techniques, 2018, 32, 2114-2122.	2.4	33
39	Patient-reported assessment of quality care at end of life: Development and validation of Quality Care Questionnaire–End of Life (QCQ–EOL). European Journal of Cancer, 2006, 42, 2310-2317.	2.8	32
40	Effect of advanced cancer patients' awareness of disease status on treatment decisional conflicts and satisfaction during palliative chemotherapy: a Korean prospective cohort study. Supportive Care in Cancer, 2012, 20, 1309-1316.	2.2	32
41	The life-sustaining treatments among cancer patients at end of life and the caregiver's experience and perspectives. Supportive Care in Cancer, 2010, 18, 189-196.	2.2	31
42	Health-Related Quality of Life in Disease-Free Survivors of Surgically Treated Lung Cancer Compared With the General Population. Annals of Surgery, 2012, 255, 1000-1007.	4.2	31
43	The association of self-leadership, health behaviors, and posttraumatic growth with health-related quality of life in patients with cancer. Psycho-Oncology, 2014, 23, 1423-1430.	2.3	31
44	Suicide ideation in stomach cancer survivors and possible risk factors. Supportive Care in Cancer, 2014, 22, 331-337.	2.2	29
45	Validation study of the Korean version of the McGill Quality of Life Questionnaire. Palliative Medicine, 2007, 21, 441-447.	3.1	28
46	The Satisfaction with Life Scale and the Subjective Well-Being Inventory in the General Korean Population: Psychometric Properties and Normative Data. International Journal of Environmental Research and Public Health, 2019, 16, 1538.	2.6	28
47	Efficacy of health coaching and a webâ€based program on physical activity, weight, and distress management among cancer survivors: A multiâ€centered randomised controlled trial. Psycho-Oncology, 2020, 29, 1105-1114.	2.3	28
48	Development and Formative Evaluation of a Web-Based Self-Management Exercise and Diet Intervention Program With Tailored Motivation and Action Planning for Cancer Survivors. JMIR Research Protocols, 2013, 2, e11.	1.0	28
49	Charactersitics and issues of guideline to withdrawal of a life-sustaining therapy. Journal of the Korean Medical Association, 2011, 54, 747.	0.3	26
50	The major effects of health-related quality of life on 5-year survival prediction among lung cancer survivors: applications of machine learning. Scientific Reports, 2020, 10, 10693.	3.3	26
51	Attitudes of the General Public, Cancer Patients, Family Caregivers, and Physicians Toward Advance Care Planning: A Nationwide Survey Before the Enforcement of the Life-Sustaining Treatment Decision-Making Act. Journal of Pain and Symptom Management, 2019, 57, 774-782.	1.2	25
52	Association of illness understanding with advance care planning and end-of-life care preferences for advanced cancer patients and their family members. Supportive Care in Cancer, 2020, 28, 2959-2967.	2.2	25
53	Patientâ€reported assessment of selfâ€management strategies of health in cancer patients: development and validation of the Smart Management Strategy for Health Assessment Tool (SAT). Psycho-Oncology, 2015, 24, 1723-1730.	2.3	24
54	Health-Related Quality of Life and Sociodemographic Characteristics as Prognostic Indicators of Long-term Survival in Disease-Free Cervical Cancer Survivors. International Journal of Gynecological Cancer, 2016, 26, 743-749.	2.5	23

#	Article	IF	CITATIONS
55	Factors Associated With Depression inÂDisease-Free Stomach Cancer Survivors. Journal of Pain and Symptom Management, 2013, 46, 511-522.	1.2	22
56	Attitudes toward early palliative care in cancer patients and caregivers: a Korean nationwide survey. Cancer Medicine, 2018, 7, 1784-1793.	2.8	22
57	Prevalence and associated factors of depression among Korean adolescents. PLoS ONE, 2019, 14, e0223176.	2.5	22
58	Correlates of existential well-being and their association with health-related quality of life in breast cancer survivors compared with the general population. Breast Cancer Research and Treatment, 2009, 118, 139-150.	2.5	21
59	Terminal cancer patients' and their primary caregivers' attitudes toward hospice/palliative care and their effects on actual utilization: A prospective cohort study. Palliative Medicine, 2014, 28, 976-985.	3.1	21
60	Factors related to clinically relevant fatigue in disease-free stomach cancer survivors and expectation–outcome consistency. Supportive Care in Cancer, 2014, 22, 1453-1460.	2.2	21
61	Self-management strategies and comorbidities in chronic disease patients: associations with quality of life and depression. Psychology, Health and Medicine, 2021, 26, 1031-1043.	2.4	21
62	Cervical cancer patient information-seeking behaviors, information needs, and information sources in South Korea. Supportive Care in Cancer, 2009, 17, 1277-1283.	2.2	20
63	Comparison of attitudes towards five end-of-life care interventions (active pain control, withdrawal) Tj ETQq1 1 caregivers, physicians and the general Korean population, BMI Open, 2018, 8, e020519.	0.784314 1.9	rgBT /Overloo 20
64	Trends in the Aggressiveness of End-of-Life Care for Korean Pediatric Cancer Patients Who Died in 2007–2010. PLoS ONE, 2014, 9, e99888.	2.5	18
65	The Impacts of Prognostic Awareness on Mood and Quality of Life Among Patients With Advanced Cancer. American Journal of Hospice and Palliative Medicine, 2020, 37, 904-912.	1.4	18
66	Current Status and Activation Plan of Hospice Palliative Care in Korea - Based on Hospice Palliative Care Facilities Survey. The Korean Journal of Hospice and Palliative Care, 2010, 13, 143-152.	0.7	18
67	A network analysis of suicidal ideation, depressive symptoms, and subjective well-being in a community population. Journal of Psychiatric Research, 2021, 142, 263-271.	3.1	15
68	Trends in breast cancer treatment in Korea and impact of compliance with consensus recommendations on survival. Breast Cancer Research and Treatment, 2007, 106, 245-253.	2.5	14
69	Factors related to second cancer screening practice in disease-free cervical cancer survivors. Cancer Causes and Control, 2009, 20, 1697-1703.	1.8	14
70	Employee Health Behaviors, Self-Reported Health Status, and Association With Absenteeism. Journal of Occupational and Environmental Medicine, 2016, 58, 932-939.	1.7	14
71	Association of clinical experiences with patient-reported outcomes among breast cancer surgery patients: breast cancer quality care study. Quality of Life Research, 2008, 17, 215-225.	3.1	13
72	Quality of life changes and intensive care preferences in terminal cancer patients. Palliative and Supportive Care, 2015, 13, 1309-1316.	1.0	13

#	Article	IF	CITATIONS
73	Development and validation of the quality care questionnaire –palliative care (QCQ-PC): patient-reported assessment of quality of palliative care. BMC Palliative Care, 2018, 17, 40.	1.8	13
74	Randomized Controlled Trial of Advance Care Planning Video Decision Aid for the General Population. Journal of Pain and Symptom Management, 2020, 59, 1239-1247.	1.2	13
75	Efficacy of a Training Program for Long-Term Disease-Free Cancer Survivors as Health Partners: A Randomized Controlled Trial in Korea. Asian Pacific Journal of Cancer Prevention, 2013, 14, 7229-7235.	1.2	13
76	Factors Related to the Differential Preference for Cardiopulmonary Resuscitation Between Patients With Terminal Cancer and That of Their Respective Family Caregivers. American Journal of Hospice and Palliative Medicine, 2016, 33, 20-26.	1.4	12
77	Efficacy of a Decision Aid Consisting of a Video and Booklet on Advance Care Planning for Advanced Cancer Patients: Randomized Controlled Trial. Journal of Pain and Symptom Management, 2019, 58, 940-948.e2.	1.2	12
78	Public support for health taxes and media regulation of harmful products in South Korea. BMC Public Health, 2019, 19, 665.	2.9	11
79	Depression and suicidal ideation: association of physical, mental, social, and spiritual health status. Quality of Life Research, 2020, 29, 2807-2814.	3.1	11
80	Changes in health-related quality of life and quality of care among terminally ill cancer patients and survival prediction: Multicenter prospective cohort study. Palliative and Supportive Care, 2015, 13, 1103-1111.	1.0	10
81	Working situation of cancer survivors versus the general population. Journal of Cancer Survivorship, 2015, 9, 349-360.	2.9	10
82	Impact of family caregivers' awareness of the prognosis on their quality of life/depression and those of patients with advanced cancer: a prospective cohort study. Supportive Care in Cancer, 2021, 29, 397-407.	2.2	10
83	Efficacy of an Electronic Health Management Program for Patients With Cardiovascular Risk: Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e15057.	4.3	10
84	Perceived needs for the information communication technology (ICT)â€based personalized health management program, and its association with information provision, healthâ€related quality of life (HRQOL), and decisional conflict in cancer patients. Psycho-Oncology, 2017, 26, 1810-1817.	2.3	9
85	Development and validation of the smart management strategy for health assessment tool-short form (SAT-SF) in cancer survivors. Quality of Life Research, 2018, 27, 347-354.	3.1	8
86	Discordance between Physician and the General Public Perceptions of Prognostic Disclosure to Children with Serious Illness: a Korean Nationwide Study. Journal of Korean Medical Science, 2018, 33, e327.	2.5	7
87	What is the most cost-effective strategy to screen for second primary colorectal cancers in male cancer survivors in Korea?. World Journal of Gastroenterology, 2009, 15, 3153.	3.3	7
88	Attitudes toward the Legalization of Euthanasia or Physician-Assisted Suicide in South Korea: A Cross-Sectional Survey. International Journal of Environmental Research and Public Health, 2022, 19, 5183.	2.6	7
89	Development and Validity Testing of the Worksite Health Index. Journal of Occupational and Environmental Medicine, 2016, 58, 623-630.	1.7	6
90	The impact of caregiver's role preference on decisional conflicts and psychiatric distresses in decision making to help caregiver's disclosure of terminal disease status. Quality of Life Research, 2018, 27, 1571-1581.	3.1	6

#	Article	IF	Citations
91	Factors related with colorectal and stomach cancer screening practice among disease-free lung cancer survivors in Korea. BMC Cancer, 2017, 17, 600.	2.6	5
92	Importance of worthwhile life and social health as predictors of suicide ideation among cancer patients. Journal of Psychosocial Oncology, 2022, 40, 303-314.	1.2	5
93	Factors associated with place of death in koprean patients with terminal cancer. Asian Pacific Journal of Cancer Prevention, 2013, 14, 7309-14.	1.2	5
94	Effect of Changes in Patient's Self-management Strategies on Clinical Outcomes: Evidence from a Cohort Study of Patients with Diabetes, Hypertension, and Hyperlipidemia. International Journal of Behavioral Medicine, 2021, 28, 479-487.	1.7	4
95	Efficacy of Health Coaching and an Electronic Health Management Program: Randomized Controlled Trial. Journal of General Internal Medicine, 2021, 36, 2692-2699.	2.6	4
96	Attitudes of the General Population, Cancer Patients, their Family Caregivers, and Physicians toward Dying and Death: A Nationwide Survey. Global Journal of Health Science, 2017, 9, 201-11.	0.2	4
97	Development and Validity Testing of the School Health Score Card. Journal of School Health, 2018, 88, 569-575.	1.6	3
98	Comparison of quality of life and health behaviors in survivors of acute leukemia and the general population. Annals of Hematology, 2019, 98, 2357-2366.	1.8	3
99	Quality of Life and Depression in the General Korean Population: Normative Data and Associations of the 12-Item Short Form Health Survey (SF-12) and the McGill Quality of Life Questionnaire (MQOL) with Depression (Patient Health Questionnaire-9) and Socioeconomic Status. Applied Research in Quality of Life. 2020. 16. 1673.	2.4	3
100	Consumers' consciousness of health-friendly products and services and its association with sociodemographic characteristics and health status: a cross-sectional survey of the South Korean population. BMJ Open, 2020, 10, e035591.	1.9	3
101	Validation of the Energy Conservation Strategies Inventory (ECSI). Journal of Pain and Symptom Management, 2012, 43, 606-613.	1.2	1
102	Establishment of Normative Self-Rated Health Status Data and Association between Ideal Life Expectancy and Social Wellness of General Population in Korea. Asian Nursing Research, 2019, 13, 99-106.	1.4	1
103	Influence of participation in multiple school-based health promotion programmes on students' health. Health Education Journal, 2020, 79, 484-497.	1.2	1
104	Development and validation of the Highly Effective Health Behavior Pattern Inventory – Short Form. Chronic Illness, 2021, 17, 81-94.	1.5	1
105	Association of Maintaining Healthy Habits with Clinical Outcomes in Patients with Diabetes, Dyslipidemia or Hypertension. Korean Journal of Family Practice, 2021, 11, 74-80.	0.3	1
106	The attitudes of Korean cancer patients, family caregivers, oncologists, and members of the general public toward advance directives., 2013, 21, 1437.		1
107	The Association of the Health Management Strategy with Subjective Health and Well-being Outcomes in General Population. Journal of Korean Medical Science, 2021, 36, e340.	2.5	1
108	Regional Differences in Colorectal Cancer Mortality Between 2000 and 2013 in Republic of Korea. Journal of Epidemiology, 2019, 29, 399-405.	2.4	0

Young Ho Yun

#	ARTICLE	IF	CITATIONS
109	Development and validation of the Health-Friendly Activity Index: an assessment tool to comprehensively measure health-friendly activities of corporations or organisations. BMJ Open, 2021, 11, e048768.	1.9	0
110	Korean Version of the Patient Dignity Inventory: Translation and Validation in Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2021, 62, 416-424.e2.	1.2	0
111	Comparison of eating habits and inappropriate weight control efforts of secondary school students enrolled in a weight control program. Nutrition Research and Practice, 2021, 15, 628.	1.9	0
112	Reality of Death with Dignity and Related Efforts. Journal of the Korean Medical Association, 2009, 52, 1128.	0.3	0
113	Current Status and Activation Plan of Hospice Palliative Care in Korea - Based on Hospice Palliative Care Facilities Survey. The Korean Journal of Hospice and Palliative Care, 2010, 13, 143-152.	0.7	0
114	The association among information provision, experience with medical team, HRQOL, and unmet needs for personalized health management program in cancer survivors Journal of Clinical Oncology, 2014, 32, e17521-e17521.	1.6	0
115	The Attitudes of Physicians and the General Public toward Prognostic Disclosure of Different Serious Illnesses: a Korean Nationwide Study. Journal of Korean Medical Science, 2020, 35, e401.	2.5	0