

Young Ho Yun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3707797/publications.pdf>

Version: 2024-02-01

115
papers

4,810
citations

109321

35
h-index

102487

66
g-index

124
all docs

124
docs citations

124
times ranked

5964
citing authors

#	ARTICLE	IF	CITATIONS
1	Importance of worthwhile life and social health as predictors of suicide ideation among cancer patients. <i>Journal of Psychosocial Oncology</i> , 2022, 40, 303-314.	1.2	5
2	Attitudes toward the Legalization of Euthanasia or Physician-Assisted Suicide in South Korea: A Cross-Sectional Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5183.	2.6	7
3	Self-management strategies and comorbidities in chronic disease patients: associations with quality of life and depression. <i>Psychology, Health and Medicine</i> , 2021, 26, 1031-1043.	2.4	21
4	Effect of Changes in Patient's Self-management Strategies on Clinical Outcomes: Evidence from a Cohort Study of Patients with Diabetes, Hypertension, and Hyperlipidemia. <i>International Journal of Behavioral Medicine</i> , 2021, 28, 479-487.	1.7	4
5	Impact of family caregivers' awareness of the prognosis on their quality of life/depression and those of patients with advanced cancer: a prospective cohort study. <i>Supportive Care in Cancer</i> , 2021, 29, 397-407.	2.2	10
6	Development and validation of the Highly Effective Health Behavior Pattern Inventory – Short Form. <i>Chronic Illness</i> , 2021, 17, 81-94.	1.5	1
7	Association of Maintaining Healthy Habits with Clinical Outcomes in Patients with Diabetes, Dyslipidemia or Hypertension. <i>Korean Journal of Family Practice</i> , 2021, 11, 74-80.	0.3	1
8	Efficacy of Health Coaching and an Electronic Health Management Program: Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2021, 36, 2692-2699.	2.6	4
9	Development and validation of the Health-Friendly Activity Index: an assessment tool to comprehensively measure health-friendly activities of corporations or organisations. <i>BMJ Open</i> , 2021, 11, e048768.	1.9	0
10	Korean Version of the Patient Dignity Inventory: Translation and Validation in Patients With Advanced Cancer. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 416-424.e2.	1.2	0
11	A network analysis of suicidal ideation, depressive symptoms, and subjective well-being in a community population. <i>Journal of Psychiatric Research</i> , 2021, 142, 263-271.	3.1	15
12	Comparison of eating habits and inappropriate weight control efforts of secondary school students enrolled in a weight control program. <i>Nutrition Research and Practice</i> , 2021, 15, 628.	1.9	0
13	The Association of the Health Management Strategy with Subjective Health and Well-being Outcomes in General Population. <i>Journal of Korean Medical Science</i> , 2021, 36, e340.	2.5	1
14	Randomized Controlled Trial of Advance Care Planning Video Decision Aid for the General Population. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 1239-1247.	1.2	13
15	Influence of participation in multiple school-based health promotion programmes on students' health. <i>Health Education Journal</i> , 2020, 79, 484-497.	1.2	1
16	Association of illness understanding with advance care planning and end-of-life care preferences for advanced cancer patients and their family members. <i>Supportive Care in Cancer</i> , 2020, 28, 2959-2967.	2.2	25
17	Depression and suicidal ideation: association of physical, mental, social, and spiritual health status. <i>Quality of Life Research</i> , 2020, 29, 2807-2814.	3.1	11
18	Quality of Life and Depression in the General Korean Population: Normative Data and Associations of the 12-Item Short Form Health Survey (SF-12) and the McGill Quality of Life Questionnaire (MQOL) with Depression (Patient Health Questionnaire-9) and Socioeconomic Status. <i>Applied Research in Quality of Life</i> , 2020, 16, 1673.	2.4	3

#	ARTICLE	IF	CITATIONS
19	Consumers'™ consciousness of health-friendly products and services and its association with sociodemographic characteristics and health status: a cross-sectional survey of the South Korean population. <i>BMJ Open</i> , 2020, 10, e035591.	1.9	3
20	The major effects of health-related quality of life on 5-year survival prediction among lung cancer survivors: applications of machine learning. <i>Scientific Reports</i> , 2020, 10, 10693.	3.3	26
21	The Impacts of Prognostic Awareness on Mood and Quality of Life Among Patients With Advanced Cancer. <i>American Journal of Hospice and Palliative Medicine</i> , 2020, 37, 904-912.	1.4	18
22	Efficacy of health coaching and a web-based program on physical activity, weight, and distress management among cancer survivors: A multi-centered randomised controlled trial. <i>Psycho-Oncology</i> , 2020, 29, 1105-1114.	2.3	28
23	The popularity of eating broadcast: Content analysis of 'œmukbang'•YouTube videos, media coverage, and the health impact of 'œmukbang'•on public. <i>Health Informatics Journal</i> , 2020, 26, 2237-2248.	2.1	34
24	Efficacy of an Electronic Health Management Program for Patients With Cardiovascular Risk: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e15057.	4.3	10
25	The Attitudes of Physicians and the General Public toward Prognostic Disclosure of Different Serious Illnesses: a Korean Nationwide Study. <i>Journal of Korean Medical Science</i> , 2020, 35, e401.	2.5	0
26	Comparison of quality of life and health behaviors in survivors of acute leukemia and the general population. <i>Annals of Hematology</i> , 2019, 98, 2357-2366.	1.8	3
27	Prevalence and associated factors of depression among Korean adolescents. <i>PLoS ONE</i> , 2019, 14, e0223176.	2.5	22
28	Efficacy of a Decision Aid Consisting of a Video and Booklet on Advance Care Planning for Advanced Cancer Patients: Randomized Controlled Trial. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 940-948.e2.	1.2	12
29	Public support for health taxes and media regulation of harmful products in South Korea. <i>BMC Public Health</i> , 2019, 19, 665.	2.9	11
30	The Satisfaction with Life Scale and the Subjective Well-Being Inventory in the General Korean Population: Psychometric Properties and Normative Data. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1538.	2.6	28
31	Establishment of Normative Self-Rated Health Status Data and Association between Ideal Life Expectancy and Social Wellness of General Population in Korea. <i>Asian Nursing Research</i> , 2019, 13, 99-106.	1.4	1
32	Attitudes of the General Public, Cancer Patients, Family Caregivers, and Physicians Toward Advance Care Planning: A Nationwide Survey Before the Enforcement of the Life-Sustaining Treatment Decision-Making Act. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 774-782.	1.2	25
33	Regional Differences in Colorectal Cancer Mortality Between 2000 and 2013 in Republic of Korea. <i>Journal of Epidemiology</i> , 2019, 29, 399-405.	2.4	0
34	Priorities of a 'œgood death'•according to cancer patients, their family caregivers, physicians, and the general population: a nationwide survey. <i>Supportive Care in Cancer</i> , 2018, 26, 3479-3488.	2.2	46
35	Attitudes toward early palliative care in cancer patients and caregivers: a Korean nationwide survey. <i>Cancer Medicine</i> , 2018, 7, 1784-1793.	2.8	22
36	Development and validation of the quality care questionnaire 'œpalliative care (QCQ-PC): patient-reported assessment of quality of palliative care. <i>BMC Palliative Care</i> , 2018, 17, 40.	1.8	13

#	ARTICLE	IF	CITATIONS
37	The impact of caregiver's role preference on decisional conflicts and psychiatric distresses in decision making to help caregiver's disclosure of terminal disease status. <i>Quality of Life Research</i> , 2018, 27, 1571-1581.	3.1	6
38	Comparison of fatigue, depression, and anxiety as factors affecting posttreatment health-related quality of life in lung cancer survivors. <i>Psycho-Oncology</i> , 2018, 27, 465-470.	2.3	50
39	Serial intermediate-term quality of life comparison after endoscopic submucosal dissection versus surgery in early gastric cancer patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 2114-2122.	2.4	33
40	Development and validation of the smart management strategy for health assessment tool-short form (SAT-SF) in cancer survivors. <i>Quality of Life Research</i> , 2018, 27, 347-354.	3.1	8
41	Discordance between Physician and the General Public Perceptions of Prognostic Disclosure to Children with Serious Illness: a Korean Nationwide Study. <i>Journal of Korean Medical Science</i> , 2018, 33, e327.	2.5	7
42	Comparison of attitudes towards five end-of-life care interventions (active pain control, withdrawal) by caregivers, physicians and the general Korean population. <i>BMI Open</i> , 2018, 8, e020519.	1.9	20
43	Development and Validity Testing of the School Health Score Card. <i>Journal of School Health</i> , 2018, 88, 569-575.	1.6	3
44	Perceived needs for the information communication technology (ICT)-based personalized health management program, and its association with information provision, health-related quality of life (HRQOL), and decisional conflict in cancer patients. <i>Psycho-Oncology</i> , 2017, 26, 1810-1817.	2.3	9
45	A randomized controlled trial of physical activity, dietary habit, and distress management with the Leadership and Coaching for Health (LEACH) program for disease-free cancer survivors. <i>BMC Cancer</i> , 2017, 17, 298.	2.6	38
46	Factors related with colorectal and stomach cancer screening practice among disease-free lung cancer survivors in Korea. <i>BMC Cancer</i> , 2017, 17, 600.	2.6	5
47	Attitudes of the General Population, Cancer Patients, their Family Caregivers, and Physicians toward Dying and Death: A Nationwide Survey. <i>Global Journal of Health Science</i> , 2017, 9, 201-11.	0.2	4
48	Development and Validity Testing of the Worksite Health Index. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 623-630.	1.7	6
49	Prognostic value of quality of life score in disease-free survivors of surgically-treated lung cancer. <i>BMC Cancer</i> , 2016, 16, 505.	2.6	33
50	Prediagnosis Body Mass Index and Risk of Secondary Primary Cancer in Male Cancer Survivors: A Large Cohort Study. <i>Journal of Clinical Oncology</i> , 2016, 34, 4116-4124.	1.6	39
51	Employee Health Behaviors, Self-Reported Health Status, and Association With Absenteeism. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 932-939.	1.7	14
52	Factors Related to the Differential Preference for Cardiopulmonary Resuscitation Between Patients With Terminal Cancer and That of Their Respective Family Caregivers. <i>American Journal of Hospice and Palliative Medicine</i> , 2016, 33, 20-26.	1.4	12
53	Health-Related Quality of Life and Sociodemographic Characteristics as Prognostic Indicators of Long-term Survival in Disease-Free Cervical Cancer Survivors. <i>International Journal of Gynecological Cancer</i> , 2016, 26, 743-749.	2.5	23
54	Quality of life changes and intensive care preferences in terminal cancer patients. <i>Palliative and Supportive Care</i> , 2015, 13, 1309-1316.	1.0	13

#	ARTICLE	IF	CITATIONS
55	Changes in health-related quality of life and quality of care among terminally ill cancer patients and survival prediction: Multicenter prospective cohort study. <i>Palliative and Supportive Care</i> , 2015, 13, 1103-1111.	1.0	10
56	Patient-reported assessment of self-management strategies of health in cancer patients: development and validation of the Smart Management Strategy for Health Assessment Tool (SAT). <i>Psycho-Oncology</i> , 2015, 24, 1723-1730.	2.3	24
57	Working situation of cancer survivors versus the general population. <i>Journal of Cancer Survivorship</i> , 2015, 9, 349-360.	2.9	10
58	Trends in the Aggressiveness of End-of-Life Care for Korean Pediatric Cancer Patients Who Died in 2007-2010. <i>PLoS ONE</i> , 2014, 9, e99888.	2.5	18
59	Terminal cancer patients' and their primary caregivers' attitudes toward hospice/palliative care and their effects on actual utilization: A prospective cohort study. <i>Palliative Medicine</i> , 2014, 28, 976-985.	3.1	21
60	The association of self-leadership, health behaviors, and posttraumatic growth with health-related quality of life in patients with cancer. <i>Psycho-Oncology</i> , 2014, 23, 1423-1430.	2.3	31
61	Factors related to clinically relevant fatigue in disease-free stomach cancer survivors and expectation-outcome consistency. <i>Supportive Care in Cancer</i> , 2014, 22, 1453-1460.	2.2	21
62	Suicide ideation in stomach cancer survivors and possible risk factors. <i>Supportive Care in Cancer</i> , 2014, 22, 331-337.	2.2	29
63	A Web-based self-management exercise and diet intervention for breast cancer survivors: Pilot randomized controlled trial. <i>International Journal of Nursing Studies</i> , 2014, 51, 1557-1567.	5.6	128
64	The association among information provision, experience with medical team, HRQOL, and unmet needs for personalized health management program in cancer survivors.. <i>Journal of Clinical Oncology</i> , 2014, 32, e17521-e17521.	1.6	0
65	Long-term outcomes of laparoscopy-assisted distal gastrectomy for early gastric cancer: result of a randomized controlled trial (COACT 0301). <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 4267-4276.	2.4	117
66	The attitudes of Korean cancer patients, family caregivers, oncologists, and members of the general public toward advance directives. <i>Supportive Care in Cancer</i> , 2013, 21, 1437-1444.	2.2	48
67	Factors Associated With Depression in Disease-Free Stomach Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2013, 46, 511-522.	1.2	22
68	Awareness of incurable cancer status and health-related quality of life among advanced cancer patients: A prospective cohort study. <i>Palliative Medicine</i> , 2013, 27, 144-154.	3.1	52
69	The attitudes of Korean cancer patients, family caregivers, oncologists, and members of the general public toward advance directives. , 2013, 21, 1437.		1
70	Development and Formative Evaluation of a Web-Based Self-Management Exercise and Diet Intervention Program With Tailored Motivation and Action Planning for Cancer Survivors. <i>JMIR Research Protocols</i> , 2013, 2, e11.	1.0	28
71	Efficacy of a Training Program for Long-Term Disease-Free Cancer Survivors as Health Partners: A Randomized Controlled Trial in Korea. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 7229-7235.	1.2	13
72	Factors associated with place of death in korean patients with terminal cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 7309-14.	1.2	5

#	ARTICLE	IF	CITATIONS
73	Web-Based Tailored Education Program for Disease-Free Cancer Survivors With Cancer-Related Fatigue: A Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2012, 30, 1296-1303.	1.6	157
74	Changes of Quality of Life in Gastric Cancer Patients After Curative Resection. <i>Annals of Surgery</i> , 2012, 256, 1008-1013.	4.2	114
75	Health-Related Quality of Life in Disease-Free Survivors of Surgically Treated Lung Cancer Compared With the General Population. <i>Annals of Surgery</i> , 2012, 255, 1000-1007.	4.2	31
76	Effect of advanced cancer patients' awareness of disease status on treatment decisional conflicts and satisfaction during palliative chemotherapy: a Korean prospective cohort study. <i>Supportive Care in Cancer</i> , 2012, 20, 1309-1316.	2.2	32
77	Validation of the Energy Conservation Strategies Inventory (ECSI). <i>Journal of Pain and Symptom Management</i> , 2012, 43, 606-613.	1.2	1
78	Characteristics and issues of guideline to withdrawal of a life-sustaining therapy. <i>Journal of the Korean Medical Association</i> , 2011, 54, 747.	0.3	26
79	Impact of Awareness of Terminal Illness and Use of Palliative Care or Intensive Care Unit on the Survival of Terminally Ill Patients With Cancer: Prospective Cohort Study. <i>Journal of Clinical Oncology</i> , 2011, 29, 2474-2480.	1.6	71
80	Randomized Pilot Test of a Simultaneous Stage-Matched Exercise and Diet Intervention for Breast Cancer Survivors. <i>Oncology Nursing Forum</i> , 2011, 38, E97-E106.	1.2	69
81	Attitudes of cancer patients, family caregivers, oncologists and members of the general public toward critical interventions at the end of life of terminally ill patients. <i>Cmaj</i> , 2011, 183, E673-E679.	2.0	67
82	Use of a Decision Aid to Help Caregivers Discuss Terminal Disease Status With a Family Member With Cancer: A Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2011, 29, 4811-4819.	1.6	42
83	Prevalence and Predictors of Anxiety and Depression Among Cervical Cancer Survivors in Korea. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 1017-1024.	2.5	54
84	The life-sustaining treatments among cancer patients at end of life and the caregiver's experience and perspectives. <i>Supportive Care in Cancer</i> , 2010, 18, 189-196.	2.2	31
85	Impact of caregivers' unmet needs for supportive care on quality of terminal cancer care delivered and caregivers' workforce performance. <i>Supportive Care in Cancer</i> , 2010, 18, 699-706.	2.2	65
86	Suicide Rates and Risk Factors among Korean Cancer Patients, 1993-2005. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2097-2105.	2.5	72
87	Experiences and Attitudes of Patients With Terminal Cancer and Their Family Caregivers Toward the Disclosure of Terminal Illness. <i>Journal of Clinical Oncology</i> , 2010, 28, 1950-1957.	1.6	134
88	Current Status and Activation Plan of Hospice Palliative Care in Korea - Based on Hospice Palliative Care Facilities Survey. <i>The Korean Journal of Hospice and Palliative Care</i> , 2010, 13, 143-152.	0.7	18
89	Current Status and Activation Plan of Hospice Palliative Care in Korea - Based on Hospice Palliative Care Facilities Survey. <i>The Korean Journal of Hospice and Palliative Care</i> , 2010, 13, 143-152.	0.7	0
90	Cervical cancer patient information-seeking behaviors, information needs, and information sources in South Korea. <i>Supportive Care in Cancer</i> , 2009, 17, 1277-1283.	2.2	20

#	ARTICLE	IF	CITATIONS
91	Correlates of existential well-being and their association with health-related quality of life in breast cancer survivors compared with the general population. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 139-150.	2.5	21
92	Factors related to second cancer screening practice in disease-free cervical cancer survivors. <i>Cancer Causes and Control</i> , 2009, 20, 1697-1703.	1.8	14
93	What is the most cost-effective strategy to screen for second primary colorectal cancers in male cancer survivors in Korea?. <i>World Journal of Gastroenterology</i> , 2009, 15, 3153.	3.3	7
94	Reality of Death with Dignity and Related Efforts. <i>Journal of the Korean Medical Association</i> , 2009, 52, 1128.	0.3	0
95	Association of clinical experiences with patient-reported outcomes among breast cancer surgery patients: breast cancer quality care study. <i>Quality of Life Research</i> , 2008, 17, 215-225.	3.1	13
96	Fatigue and Depression in Disease-Free Breast Cancer Survivors: Prevalence, Correlates, and Association with Quality of Life. <i>Journal of Pain and Symptom Management</i> , 2008, 35, 644-655.	1.2	212
97	Depression in Family Caregivers of Cancer Patients: The Feeling of Burden As a Predictor of Depression. <i>Journal of Clinical Oncology</i> , 2008, 26, 5890-5895.	1.6	228
98	Improved Quality of Life Outcomes After Laparoscopy-Assisted Distal Gastrectomy for Early Gastric Cancer. <i>Annals of Surgery</i> , 2008, 248, 721-727.	4.2	566
99	Chemotherapy Use and Associated Factors among Cancer Patients near the End of Life. <i>Oncology</i> , 2007, 72, 164-171.	1.9	60
100	Prediagnosis Smoking, Obesity, Insulin Resistance, and Second Primary Cancer Risk in Male Cancer Survivors: National Health Insurance Corporation Study. <i>Journal of Clinical Oncology</i> , 2007, 25, 4835-4843.	1.6	92
101	Validation study of the Korean version of the McGill Quality of Life Questionnaire. <i>Palliative Medicine</i> , 2007, 21, 441-447.	3.1	28
102	Age, sex, and comorbidities were considered in comparing reference data for health-related quality of life in the general and cancer populations. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 1164-1175.	5.0	76
103	EORTC QLQ-INFO26: a questionnaire to assess information given to cancer patients a preliminary analysis in eight countries. <i>Psycho-Oncology</i> , 2007, 16, 249-254.	2.3	60
104	Trends in breast cancer treatment in Korea and impact of compliance with consensus recommendations on survival. <i>Breast Cancer Research and Treatment</i> , 2007, 106, 245-253.	2.5	14
105	Patient-reported assessment of quality care at end of life: Development and validation of Quality Care Questionnaire-End of Life (QCQ-End of Life (QCQ-EOL)). <i>European Journal of Cancer</i> , 2006, 42, 2310-2317.	2.8	32
106	Health-related quality of life among disease-free stomach cancer survivors in Korea. <i>Quality of Life Research</i> , 2006, 15, 1587-1596.	3.1	62
107	Validation Study of the Korean Version of the M. D. Anderson Symptom Inventory. <i>Journal of Pain and Symptom Management</i> , 2006, 31, 345-352.	1.2	64
108	Impact of Prediagnosis Smoking, Alcohol, Obesity, and Insulin Resistance on Survival in Male Cancer Patients: National Health Insurance Corporation Study. <i>Journal of Clinical Oncology</i> , 2006, 24, 5017-5024.	1.6	247

#	ARTICLE	IF	CITATIONS
109	Cigarette smoking and cancer incidence risk in adult men: National Health Insurance Corporation Study. <i>Cancer Detection and Prevention</i> , 2005, 29, 15-24.	2.1	58
110	Validation Study of the Korean Version of the Brief Fatigue Inventory. <i>Journal of Pain and Symptom Management</i> , 2005, 29, 165-172.	1.2	103
111	Economic Burdens and Quality of Life of Family Caregivers of Cancer Patients. <i>Oncology</i> , 2005, 68, 107-114.	1.9	105
112	Relative and Absolute Risks of Cigarette Smoking on Major Histologic Types of Lung Cancer in Korean Men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2125-2130.	2.5	46
113	The Attitudes of Cancer Patients and Their Families Toward the Disclosure of Terminal Illness. <i>Journal of Clinical Oncology</i> , 2004, 22, 307-314.	1.6	163
114	Development of a Cancer Pain Assessment Tool in Korea: A Validation Study of a Korean Version of the Brief Pain Inventory. <i>Oncology</i> , 2004, 66, 439-444.	1.9	124
115	Cross-cultural application of the Korean version of the European Organization for Research and Treatment of Cancer (EORTC) Breast-Cancer-Specific Quality of Life Questionnaire (EORTC QLQ-BR23). <i>Supportive Care in Cancer</i> , 2004, 12, 441-445.	2.2	79