

# Siegfried Gauggel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3708638/publications.pdf>

Version: 2024-02-01

97  
papers

2,888  
citations

172457

29  
h-index

197818

49  
g-index

121  
all docs

121  
docs citations

121  
times ranked

3659  
citing authors

#	ARTICLE	IF	CITATIONS
1	Testing the Four Main Predictions of the Interpersonal Psychological Theory of Suicidal Behavior in an Inpatient Sample Admitted Due to Severe Suicidality. <i>Behavior Therapy</i> , 2021, 52, 626-638.	2.4	10
2	Self-referential processing and perspective taking in patients with a borderline personality disorder. <i>Journal of Psychiatric Research</i> , 2021, 140, 87-94.	3.1	2
3	Dissociation of structural and functional connectomic coherence in glioma patients. <i>Scientific Reports</i> , 2021, 11, 16790.	3.3	15
4	Elated or sad mood induction affects the attention of patients with a bipolar disorder less than that of patients with a depressive disorder. <i>Cognitive Neuropsychiatry</i> , 2020, 25, 85-98.	1.3	1
5	Asymmetric tumor-related alterations of network-specific intrinsic functional connectivity in glioma patients. <i>Human Brain Mapping</i> , 2020, 41, 4549-4561.	3.6	24
6	Ecological Momentary Assessment in Patients With an Acquired Brain Injury: A Pilot Study on Compliance and Fluctuations. <i>Frontiers in Neurology</i> , 2020, 11, 115.	2.4	14
7	Transcranial Direct Current Stimulation of the Medial Prefrontal Cortex Has No Specific Effect on Self-referential Processes. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 56.	2.0	6
8	Neuropsychologische Grundlagen. , 2020, , 283-316.		0
9	Diffusion Tensor Imaging Reveals Microstructural Heterogeneity of Normal-Appearing White Matter and Related Cognitive Dysfunction in Glioma Patients. <i>Frontiers in Oncology</i> , 2019, 9, 536.	2.8	32
10	Strategies of selective changing: Preparatory neural processes seem to be responsible for differences in complex inhibition. <i>PLoS ONE</i> , 2019, 14, e0214652.	2.5	3
11	How females think about themselves and how they assume that significant others think about them: The influence of perspective taking on self-referential processing. <i>PLoS ONE</i> , 2019, 14, e0217870.	2.5	6
12	The Aachen List of Trait Words. <i>Journal of Psycholinguistic Research</i> , 2019, 48, 1111-1132.	1.3	7
13	Stopping Speed in the Stop-Change Task: Experimental Design Matters!. <i>Frontiers in Psychology</i> , 2019, 10, 279.	2.1	2
14	Sense it and use it: interoceptive accuracy and sensibility in suicide ideators. <i>BMC Psychiatry</i> , 2019, 19, 334.	2.6	18
15	Development and initial psychometric properties of the "ICIQ-Cog": a new assessment tool to measure the disease-related impact and care effort associated with incontinence in cognitively impaired adults. <i>BJU International</i> , 2018, 122, 309-316.	2.5	6
16	A reaction-time adjusted PSI method for estimating performance in the stop-signal task. <i>PLoS ONE</i> , 2018, 13, e0210065.	2.5	2
17	Learning by heart—the relationship between resting vagal tone and metacognitive judgments: a pilot study. <i>Cognitive Processing</i> , 2018, 19, 557-561.	1.4	8
18	Emotion suppression, not reappraisal, predicts psychotherapy outcome. <i>Psychotherapy Research</i> , 2017, 27, 143-153.	1.8	10

#	ARTICLE	IF	CITATIONS
19	Development of a short scale for assessing economic environmental aspects in patients with spinal diseases using Rasch analysis. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 196.	2.4	6
20	The Positive Illusory Bias in Children and Adolescents With ADHD. <i>Journal of Attention Disorders</i> , 2016, 20, 178-186.	2.6	37
21	Exploring the relationship of decentering to health related concepts and cognitive and metacognitive processes in a student sample. <i>BMC Psychology</i> , 2016, 4, 11.	2.1	16
22	Resting vagal tone is negatively associated with suicide ideation. <i>Journal of Affective Disorders</i> , 2016, 194, 30-32.	4.1	31
23	The Relationship Between Interoception and Metacognition. <i>Journal of Psychophysiology</i> , 2016, 30, 76-86.	0.7	28
24	Neural correlates of positive and negative performance feedback in younger and older adults. <i>Behavioral and Brain Functions</i> , 2015, 11, 17.	3.3	15
25	Does cognitive behavior therapy alter emotion regulation in inpatients with a depressive disorder?. <i>Psychology Research and Behavior Management</i> , 2014, 7, 147.	2.8	29
26	The influence of positive and negative emotional associations on semantic processing in depression: An fMRI study. <i>Human Brain Mapping</i> , 2014, 35, 471-482.	3.6	19
27	A mediation model of mindfulness and decentering: sequential psychological constructs or one and the same?. <i>BMC Psychology</i> , 2014, 2, 18.	2.1	37
28	Neural Correlates of Procedural Variants in Cognitive-Behavioral Therapy: A Randomized, Controlled Multicenter fMRI Study. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 222-233.	8.8	31
29	The Relation of Cognitive Reappraisal and Expressive Suppression to Suicidal Ideation and Suicidal Desire. <i>Suicide and Life-Threatening Behavior</i> , 2014, 44, 524-536.	1.9	44
30	An fMRI-study on semantic priming of panic-related information in depression without comorbid anxiety. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 37-42.	1.8	3
31	Measuring decentering in self-reports: Psychometric properties of the Experiences Questionnaire in a German sample. <i>Psychotherapy Research</i> , 2014, 24, 67-79.	1.8	19
32	Metacognitive monitoring of attention performance and its influencing factors. <i>Psychological Research</i> , 2014, 78, 597-607.	1.7	11
33	Timing matters: Change depends on the stage of treatment in cognitive behavioral therapy for panic disorder with agoraphobia.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 141-153.	2.0	41
34	The negative affect repair questionnaire: factor analysis and psychometric evaluation in three samples. <i>BMC Psychiatry</i> , 2013, 13, 16.	2.6	14
35	Cross-sectional validation of the Rasch-based Depression Screening (DESC) in a mixed sample of patients with mental and somatic diseases. <i>Comprehensive Psychiatry</i> , 2013, 54, 1082-1089.	3.1	8
36	The role of 5-HT in response inhibition and re-engagement. <i>European Neuropsychopharmacology</i> , 2013, 23, 830-841.	0.7	16

#	ARTICLE	IF	CITATIONS
37	Dimensional assessment of depressive severity in the elderly general population: Psychometric evaluation of the PHQ-9 using Rasch Analysis. <i>Journal of Affective Disorders</i> , 2013, 148, 323-330.	4.1	53
38	Adaptive screening for depression – Recalibration of an item bank for the assessment of depression in persons with mental and somatic diseases and evaluation in a simulated computer-adaptive test environment. <i>Journal of Psychosomatic Research</i> , 2013, 75, 437-443.	2.6	23
39	Stop or stop-change – Does it make any difference for the inhibition process?. <i>International Journal of Psychophysiology</i> , 2013, 87, 234-243.	1.0	40
40	Do subjective measures of attention and memory predict actual performance? Metacognition in older couples.. <i>Psychology and Aging</i> , 2012, 27, 440-450.	1.6	16
41	Prevalence of Suicidal Ideation and Related Risk Factors in the German General Population. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 401-405.	1.0	55
42	Poor Sleep Quality is Associated with Depressive Symptoms in Patients with Heart Disease. <i>International Journal of Behavioral Medicine</i> , 2012, 19, 526-534.	1.7	17
43	Monitoring the Mind: The Neurocognitive Correlates of Metamemory. <i>PLoS ONE</i> , 2012, 7, e30009.	2.5	41
44	Can executive control be influenced by performance feedback? Two experimental studies with younger and older adults. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 90.	2.0	11
45	Influence of cue exposure on inhibitory control and brain activation in patients with alcohol dependence. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 92.	2.0	26
46	The influence of emotional associations on the neural correlates of semantic priming. <i>Human Brain Mapping</i> , 2012, 33, 676-694.	3.6	32
47	The clinical global impression scale and the influence of patient or staff perspective on outcome. <i>BMC Psychiatry</i> , 2011, 11, 83.	2.6	104
48	Prevalence and psychopathological characteristics of depression in consecutive otorhinolaryngologic inpatients. <i>BMC Ear, Nose and Throat Disorders</i> , 2011, 11, 7.	2.6	7
49	When response inhibition is followed by response reengagement: An event-related fMRI study. <i>Human Brain Mapping</i> , 2011, 32, 94-106.	3.6	30
50	Does Clinical Experience or Professional Training Have an Impact On What Symptoms Are Thought To Be Important Features of Depression?. <i>International Journal of Social Psychiatry</i> , 2011, 57, 312-321.	3.1	0
51	Validation of the Rasch-based Depression Screening in a large scale German general population sample. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 105.	2.4	41
52	Serotonergic modulation of response inhibition and reengagement? Results of a study in healthy human volunteers. <i>Human Psychopharmacology</i> , 2010, 25, 472-480.	1.5	20
53	Effects of Alcohol Cue Exposure on Response Inhibition in Detoxified Alcohol-Dependent Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 1584-1589.	2.4	41
54	Neuropsychiatric Complications of Efavirenz Therapy: Suggestions for a New Research Paradigm. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2010, 22, 361-369.	1.8	16

#	ARTICLE	IF	CITATIONS
55	Psychometric Evaluation of the Rasch-Based Depression Screening in Patients With Neurologic Disorders. Archives of Physical Medicine and Rehabilitation, 2010, 91, 1188-1193.	0.9	10
56	Emotional vulnerability and cognitive control in patients with bipolar disorder and their healthy siblings: a pilot study. Acta Neuropsychiatrica, 2010, 22, 54-62.	2.1	7
57	Störungen der Aufmerksamkeit. , 2010, , 145-170.		3
58	Neuropsychologie der Motivation. , 2010, , 67-88.		0
59	Factor Analysis of the Expanded Prostate Cancer Index Composite in a Patient Group after Primary (External Beam Radiotherapy and Permanent Iodine-125 Brachytherapy) and Postoperative Radiotherapy for Prostate Cancer. Current Urology, 2009, 2, 122-129.	0.6	23
60	Beratung von pflegenden Angehörigen demenzkranker Patienten. Zeitschrift für Neuropsychologie = Journal of Neuropsychology, 2009, 20, 31-38.	0.6	5
61	Differential effects of escitalopram on attention: a placebo-controlled, double-blind cross-over study. Psychopharmacology, 2009, 207, 213-223.	3.1	21
62	Sensitivity and specificity of the Beck Depression Inventory in cardiologic inpatients: How useful is the conventional cut-off score?. Journal of Psychosomatic Research, 2009, 67, 347-352.	2.6	18
63	Development and validation of the Rasch-based depression screening (DESC) using Rasch analysis and structural equation modelling. Journal of Behavior Therapy and Experimental Psychiatry, 2009, 40, 468-478.	1.2	62
64	Development of an item bank for the assessment of depression in persons with mental illnesses and physical diseases using Rasch analysis.. Rehabilitation Psychology, 2009, 54, 186-197.	1.3	57
65	Aufmerksamkeitsdiagnostik: Quo vadis?. Zeitschrift für Neuropsychologie = Journal of Neuropsychology, 2008, 19, 87-90.	0.6	1
66	Convergent and predictive validity of two computerized attention tests in brain-damaged patients. Zeitschrift für Neuropsychologie = Journal of Neuropsychology, 2008, 19, 213-222.	0.6	5
67	Prefrontal brain activation during stop-signal response inhibition: An event-related functional near-infrared spectroscopy study. Behavioural Brain Research, 2007, 176, 259-266.	2.2	60
68	Stability and course of neuropsychological deficits in manic and depressed bipolar patients compared to patients with Major Depression. Journal of Affective Disorders, 2007, 104, 61-71.	4.1	78
69	The neural basis of risk ratings: Evidence from a functional magnetic resonance imaging (fMRI) study. Neuropsychologia, 2007, 45, 3242-3250.	1.6	38
70	Neuropsychotherapie: Anmerkungen eines Neuropsychologen. Verhaltenstherapie, 2006, 16, 133-138.	0.4	4
71	Awareness of activity limitations, goal setting and rehabilitation outcome in patients with brain injuries. Brain Injury, 2004, 18, 547-562.	1.2	85
72	Awareness of activity limitations and prediction of performance in patients with brain injuries and orthopedic disorders. Journal of the International Neuropsychological Society, 2004, 10, 190-199.	1.8	64

#	ARTICLE	IF	CITATIONS
73	Patient-Staff Agreement on Barthel Index Scores at Admission and Discharge in a Sample of Elderly Stroke Patients.. Rehabilitation Psychology, 2004, 49, 21-27.	1.3	19
74	Bildgebende Verfahren und deren Bedeutung für die Psychotherapie. , 2004, , 411-428.		2
75	Ausblick: Die Neurowissenschaften als integrative Kraft für die klinische Psychologie und Psychiatrie. , 2004, , 489-504.		2
76	Neuropsychologie der Motivation. , 2004, , 67-89.		4
77	Catecholamine functioning in children with traumatic brain injuries and children with attention-deficit/hyperactivity disorder. Cognitive Brain Research, 2003, 16, 425-433.	3.0	42
78	Inhibition of ongoing responses following frontal, nonfrontal, and basal ganglia lesions.. Neuropsychology, 2003, 17, 272-282.	1.3	155
79	Grundlagen und Empirie der Neuropsychologischen Therapie: Neuropsychotherapie oder Hirnjogging?. Zeitschrift für Neuropsychologie = Journal of Neuropsychology, 2003, 14, 217-246.	0.6	46
80	Kommentare zum Artikel von Siegfried Gauggel: Grundlagen und Empirie der Neuropsychologischen Therapie. Zeitschrift für Neuropsychologie = Journal of Neuropsychology, 2003, 14, 267-270.	0.6	2
81	Attention deficits in patients with narcolepsy. Sleep, 2003, 26, 36-43.	1.1	102
82	Assigned VS Self-Set Goals and Their Impact of the Performance of Brain-Damaged Patients. Journal of Clinical and Experimental Neuropsychology, 2002, 24, 1070-1080.	1.3	28
83	Inhibition of ongoing responses in patients with traumatic brain injury. Neuropsychologia, 2002, 40, 76-85.	1.6	38
84	The effects of goal setting on the arithmetic performance of brain-damaged patients. Archives of Clinical Neuropsychology, 2002, 17, 283-94.	0.5	2
85	The effect of goal setting on motor performance and motor learning in brain-damaged patients. Neuropsychological Rehabilitation, 2001, 11, 33-44.	1.6	32
86	Goal Setting and Reaction Time Performance in Brain-Damaged Patients. Journal of Clinical and Experimental Neuropsychology, 2001, 23, 351-361.	1.3	25
87	Editorial: Affektive Störungen bei hirngeschädigten Patienten. Zeitschrift für Neuropsychologie = Journal of Neuropsychology, 2001, 12, 245-245.	0.6	0
88	The impact of positive and negative feedback on reaction time in brain-damaged patients.. Neuropsychology, 2000, 14, 125-133.	1.3	17
89	Relationship Between Cognitive Impairments and Rated Activity Restrictions in Stroke Patients. Journal of Head Trauma Rehabilitation, 2000, 15, 710-723.	1.7	29
90	Lack of Inhibition: A Motivational Deficit in Children With Attention Deficit/Hyperactivity Disorder and Children With Traumatic Brain Injury*. Child Neuropsychology, 2000, 6, 286-296.	1.3	105

#	ARTICLE	IF	CITATIONS
91	Editorial: Von der Dekade des Gehirns zur Dekade des Verhaltens. Zeitschrift für Neuropsychologie = Journal of Neuropsychology, 2000, 11, 125-127.	0.6	0
92	The impact of positive and negative feedback on reaction time in brain-damaged patients.. Neuropsychology, 2000, 14, 125-133.	1.3	5
93	Inhibitory after-effects in the stop signal paradigm. British Journal of Psychology, 1999, 90, 509-518.	2.3	103
94	Hindsight bias: An interaction of automatic and motivational factors?. Memory and Cognition, 1988, 16, 533-538.	1.6	159
95	Goal-Setting as a Motivational Technique for Neurorehabilitation. , 0, , 439-455.		8
96	Reverse-correlation reveals internal error-corrections during information-seeking. Metacognition and Learning, 0, , 1.	2.7	0
97	Metacognitive judgements and abilities in patients with affective disorders. Current Psychology, 0, , 1.	2.8	2