

Sulan Luo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3708857/publications.pdf>

Version: 2024-02-01

72
papers

1,258
citations

394421

19
h-index

414414

32
g-index

73
all docs

73
docs citations

73
times ranked

899
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Cloning, synthesis, and characterization of α -conotoxin GeXIVA, a potent α 9 β 10 nicotinic acetylcholine receptor antagonist. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E4026-35. | 7.1 | 91 |
| 2 | A novel α 4 β 6-conotoxin LvIA from <i>Conus lividus</i> that selectively blocks α 3 β 2 vs. α 6/ α 3 β 2 β 3 nicotinic acetylcholine receptors. FASEB Journal, 2014, 28, 1842-1853. | 0.5 | 64 |
| 3 | Characterization of a Novel α -Conotoxin TxID from <i>Conus textile</i> That Potently Blocks Rat α 3 β 4 Nicotinic Acetylcholine Receptors. Journal of Medicinal Chemistry, 2013, 56, 9655-9663. | 6.4 | 63 |
| 4 | Synthesis of stable aqueous dispersion of graphene/polyaniline composite mediated by polystyrene sulfonic acid. Journal of Polymer Science Part A, 2012, 50, 4888-4894. | 2.3 | 62 |
| 5 | Improved Agrobacterium-mediated genetic transformation of GNA transgenic sugarcane. Biologia (Poland), 2007, 62, 386-393. | 1.5 | 53 |
| 6 | Characterization of a Novel α -Conotoxin from <i>Conus textile</i> That Selectively Targets α 6/ α 3 β 2 β 3 Nicotinic Acetylcholine Receptors. Journal of Biological Chemistry, 2013, 288, 894-902. | 3.4 | 53 |
| 7 | Atypical α -Conotoxin LtIA from <i>Conus litteratus</i> Targets a Novel Microsite of the α 3 β 2 Nicotinic Receptor. Journal of Biological Chemistry, 2010, 285, 12355-12366. | 3.4 | 49 |
| 8 | A Novel Inhibitor of α 9 β 10 Nicotinic Acetylcholine Receptors from <i>Conus vexillum</i> Delineates a New Conotoxin Superfamily. PLoS ONE, 2013, 8, e54648. | 2.5 | 47 |
| 9 | From crystal structure of α -conotoxin GIC in complex with Ac-AChBP to molecular determinants of its high selectivity for α 3 β 2 nAChR. Scientific Reports, 2016, 6, 22349. | 3.3 | 41 |
| 10 | The α 9 β 10 Nicotinic Acetylcholine Receptor Antagonist α -Conotoxin GeXIVA[1,2] Alleviates and Reverses Chemotherapy-Induced Neuropathic Pain. Marine Drugs, 2019, 17, 265. | 4.6 | 39 |
| 11 | Anti-hypersensitive effect of intramuscular administration of α -conotoxin GeXIVA[1,2] and GeXIVA[1,4] in rats of neuropathic pain. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 66, 112-119. | 4.8 | 33 |
| 12 | α -Conotoxin [S9A]TxID Potently Discriminates between α 3 β 4 and α 6/ α 3 β 4 Nicotinic Acetylcholine Receptors. Journal of Medicinal Chemistry, 2017, 60, 5826-5833. | 6.4 | 30 |
| 13 | α -Conotoxin GeXIVA disulfide bond isomers exhibit differential sensitivity for various nicotinic acetylcholine receptors but retain potency and selectivity for the human α 9 β 10 subtype. Neuropharmacology, 2017, 127, 243-252. | 4.1 | 29 |
| 14 | Discovery Methodology of Novel Conotoxins from <i>Conus</i> Species. Marine Drugs, 2018, 16, 417. | 4.6 | 27 |
| 15 | Novel O-superfamily Conotoxins Identified by cDNA Cloning From Three Vermivorous <i>Conus</i> Species. Chemical Biology and Drug Design, 2006, 68, 256-265. | 3.2 | 26 |
| 16 | The crystal structure of Ac-AChBP in complex with α -conotoxin LvIA reveals the mechanism of its selectivity towards different nAChR subtypes. Protein and Cell, 2017, 8, 675-685. | 11.0 | 25 |
| 17 | Influence of Disulfide Connectivity on Structure and Bioactivity of α -Conotoxin TxIA. Molecules, 2014, 19, 966-979. | 3.8 | 23 |
| 18 | Recombinant Expression and Characterization of α -Conotoxin LvIA in <i>Escherichia coli</i> . Marine Drugs, 2016, 14, 11. | 4.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | d-Amino Acid Substitution of Î±-Conotoxin Rg1A Identifies its Critical Residues and Improves the Enzymatic Stability. <i>Marine Drugs</i> , 2019, 17, 142. | 4.6 | 20 |
| 20 | Î±-O-Conotoxin GeXIVA Inhibits the Growth of Breast Cancer Cells via Interaction with Î±9 Nicotine Acetylcholine Receptors. <i>Marine Drugs</i> , 2020, 18, 195. | 4.6 | 20 |
| 21 | Optimal Cleavage and Oxidative Folding of Î±-Conotoxin Tx1B as a Therapeutic Candidate Peptide. <i>Marine Drugs</i> , 2013, 11, 3537-3553. | 4.6 | 19 |
| 22 | Alanine-Scanning Mutagenesis of Î±-Conotoxin GI Reveals the Residues Crucial for Activity at the Muscle Acetylcholine Receptor. <i>Marine Drugs</i> , 2018, 16, 507. | 4.6 | 19 |
| 23 | Single Amino Acid Substitution in Î±-Conotoxin Tx1D Reveals a Specific Î±3Î±4 Nicotinic Acetylcholine Receptor Antagonist. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 9256-9265. | 6.4 | 19 |
| 24 | A yolkâ€shell Fe₃O₄@void@carbon nanochain as shuttle effect suppressive and volume-change accommodating sulfur host for long-life lithiumâ€sulfur batteries. <i>Nanoscale</i> , 2021, 13, 7744-7750. | 5.6 | 19 |
| 25 | Key Residues in the Nicotinic Acetylcholine Receptor Î±2 Subunit Contribute to Î±-Conotoxin Lv1A Binding. <i>Journal of Biological Chemistry</i> , 2015, 290, 9855-9862. | 3.4 | 18 |
| 26 | High Selectivity of an Î±-Conotoxin Lv1A Analogue for Î±3Î±2 Nicotinic Acetylcholine Receptors Is Mediated by Î±2 Functionally Important Residues. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 13656-13668. | 6.4 | 18 |
| 27 | Differential Expression of Nicotine Acetylcholine Receptors Associates with Human Breast Cancer and Mediates Antitumor Activity of Î±-O-Conotoxin GeXIVA. <i>Marine Drugs</i> , 2020, 18, 61. | 4.6 | 18 |
| 28 | Soft template-mediated coupling construction of sandwiched mesoporous PPy/Ag nanoplates for rapid and selective NH₃ sensing. <i>Journal of Materials Chemistry A</i> , 2021, 9, 8308-8316. | 10.3 | 18 |
| 29 | Species specificity of rat and human Î±7 nicotinic acetylcholine receptors towards different classes of peptide and protein antagonists. <i>Neuropharmacology</i> , 2018, 139, 226-237. | 4.1 | 15 |
| 30 | Identification and Molecular Diversity of T-superfamily Conotoxins from <i>Conus lividus</i> and <i>Conus litteratus</i> . <i>Chemical Biology and Drug Design</i> , 2006, 68, 97-106. | 3.2 | 14 |
| 31 | Diversity of the O-superfamily conotoxins from <i>Conus miles</i> . <i>Journal of Peptide Science</i> , 2007, 13, 44-53. | 1.4 | 14 |
| 32 | Î±-Conotoxin Tx1B: A Uniquely Selective Ligand for Î±6/Î±3Î±2Î±3 Nicotinic Acetylcholine Receptor Attenuates Nicotine-Induced Conditioned Place Preference in Mice. <i>Marine Drugs</i> , 2019, 17, 490. | 4.6 | 14 |
| 33 | Cervical Cancer Correlates with the Differential Expression of Nicotinic Acetylcholine Receptors and Reveals Therapeutic Targets. <i>Marine Drugs</i> , 2019, 17, 256. | 4.6 | 14 |
| 34 | Effects of Cyclization on Activity and Stability of Î±-Conotoxin Tx1B. <i>Marine Drugs</i> , 2020, 18, 180. | 4.6 | 14 |
| 35 | Functional GNA expressed in <i>Escherichia coli</i> with high efficiency and its effect on <i>Ceratovacuna lanigera</i> Zehntner. <i>Applied Microbiology and Biotechnology</i> , 2005, 69, 184-191. | 3.6 | 13 |
| 36 | Expression in <i>Escherichia coli</i> of fusion protein comprising Î±â€conotoxin Tx<sc>IB</sc> and preservation of selectivity to nicotinic acetylcholine receptors in the purified product. <i>Chemical Biology and Drug Design</i> , 2018, 91, 349-358. | 3.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Structure and Activity Studies of Disulfide-Deficient Analogues of Î±O-Conotoxin GeXIVA. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 1564-1575. | 6.4 | 13 |
| 38 | Direct cDNA cloning of novel conotoxins of the T-superfamily from <i>Conus textile</i> . <i>Peptides</i> , 2006, 27, 2640-2646. | 2.4 | 11 |
| 39 | Diversity of Conopeptides and Their Precursor Genes of <i>Conus litteratus</i> . <i>Marine Drugs</i> , 2020, 18, 464. | 4.6 | 11 |
| 40 | Optimal fertigation for high yield and fruit quality of greenhouse strawberry. <i>PLoS ONE</i> , 2020, 15, e0224588. | 2.5 | 10 |
| 41 | Sequence diversity of O-superfamily conopeptides from <i>Conus marmoreus</i> native to Hainan. <i>Peptides</i> , 2006, 27, 3058-3068. | 2.4 | 9 |
| 42 | Application of per-Residue Energy Decomposition to Design Peptide Inhibitors of PSD95 GK Domain. <i>Frontiers in Molecular Biosciences</i> , 2022, 9, 848353. | 3.5 | 9 |
| 43 | Effects of serum, enzyme, thiol, and forced degradation on the stabilities of Î±O-Conotoxin GeXIVA [1,2] and GeXIVA [1,4]. <i>Chemical Biology and Drug Design</i> , 2018, 91, 1030-1041. | 3.2 | 8 |
| 44 | DSPE-PEG Modification of Î±-Conotoxin TxID. <i>Marine Drugs</i> , 2019, 17, 342. | 4.6 | 8 |
| 45 | Polypyrrole Cubosomes with Ordered Ultralarge Mesopore for Controllable Encapsulation and Release of Albumin. <i>Nano Letters</i> , 2022, 22, 3685-3690. | 9.1 | 8 |
| 46 | Novel Î±-conotoxins identified by gene sequencing from cone snails native to Hainan, and their sequence diversity. <i>Journal of Peptide Science</i> , 2006, 12, 693-704. | 1.4 | 7 |
| 47 | Effect of Methionine Oxidation and Substitution of Î±-Conotoxin TxID on Î±3Î²4 Nicotinic Acetylcholine Receptor. <i>Marine Drugs</i> , 2018, 16, 215. | 4.6 | 7 |
| 48 | Identification of Crucial Residues in Î±-Conotoxin EI Inhibiting Muscle Nicotinic Acetylcholine Receptor. <i>Toxins</i> , 2019, 11, 603. | 3.4 | 7 |
| 49 | Synthesis of sheet-like polypyrrole nanowires for the microextraction of trace residues of pyrethroid pesticides in human plasma and molecular dynamics-aided study of adsorption mechanism. <i>Journal of Chromatography A</i> , 2020, 1632, 461609. | 3.7 | 7 |
| 50 | Engineered Conotoxin Differentially Blocks and Discriminates Rat and Human Î±7 Nicotinic Acetylcholine Receptors. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 5620-5631. | 6.4 | 7 |
| 51 | Efficient Expression of Acetylcholine-Binding Protein from <i>Aplysia californica</i> in Bac-to-Bac System. <i>BioMed Research International</i> , 2014, 2014, 1-9. | 1.9 | 6 |
| 52 | Inflammation Regulation via an Agonist and Antagonists of Î±7 Nicotinic Acetylcholine Receptors in RAW264.7 Macrophages. <i>Marine Drugs</i> , 2022, 20, 200. | 4.6 | 6 |
| 53 | Design, Synthesis, and Activity of an Î±-Conotoxin LtIA Fluorescent Analogue. <i>ACS Chemical Neuroscience</i> , 2021, 12, 3662-3671. | 3.5 | 5 |
| 54 | Î±-Conotoxin TxID and [S9K]TxID, Î±3Î²4 nAChR Antagonists, Attenuate Expression and Reinstatement of Nicotine-Induced Conditioned Place Preference in Mice. <i>Marine Drugs</i> , 2020, 18, 646. | 4.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Characterization of an α 4/7-Conotoxin LvIF from <i>Conus lividus</i> That Selectively Blocks α 3 β 2 Nicotinic Acetylcholine Receptor. <i>Marine Drugs</i> , 2021, 19, 398. | 4.6 | 4 |
| 56 | Controlled Synthesis of Mesoporous α -Conjugated Polymer Nanoarchitectures as Anodes for Lithium-Ion Batteries. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2100897. | 3.9 | 4 |
| 57 | Degradation kinetics of α -conotoxin TxID. <i>FEBS Open Bio</i> , 2019, 9, 1561-1572. | 2.3 | 3 |
| 58 | Cysteine [2,4] Disulfide Bond as a New Modifiable Site of α -Conotoxin TxIB. <i>Marine Drugs</i> , 2021, 19, 119. | 4.6 | 3 |
| 59 | Riociguat therapy for pulmonary hypertension: a systematic review and meta-analysis. <i>Annals of Palliative Medicine</i> , 2021, 10, 11117-11128. | 1.2 | 3 |
| 60 | α -Conotoxin TxIB Improved Behavioral Abnormality and Changed Gene Expression in Zebrafish (<i>Danio rerio</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T | 3.5 | 3 |
| 61 | Oligo-basic amino acids, potential nicotinic acetylcholine receptor inhibitors. <i>Biomedicine and Pharmacotherapy</i> , 2022, 152, 113215. | 5.6 | 3 |
| 62 | Designed on the Low Cost System Framework of Road Condition Recognition Based on Roadside Multi-sensors. , 2009, , . | | 2 |
| 63 | Potassium tert-Butanolate promoted reaction of benzaldehydes and indoles: a new strategy for synthesis of bis(indolyl)arylmethanes. <i>Chemical Research in Chinese Universities</i> , 2017, 33, 200-205. | 2.6 | 2 |
| 64 | Synthesis and evaluation of disulfide-rich cyclic α -conotoxin [S9A]TxID analogues as novel α 3 β 4 nAChR antagonists. <i>Bioorganic Chemistry</i> , 2021, 112, 104875. | 4.1 | 2 |
| 65 | α -Conotoxin TxIB Inhibits Development of Morphine-Induced Conditioned Place Preference in Mice via Blocking α 6 β 2* Nicotinic Acetylcholine Receptors. <i>Frontiers in Pharmacology</i> , 2021, 12, 772990. | 3.5 | 2 |
| 66 | A Novel α 4/7-Conotoxin QuIA Selectively Inhibits α 3 β 2 and α 6/ α 3 β 4 Nicotinic Acetylcholine Receptor Subtypes with High Efficacy. <i>Marine Drugs</i> , 2022, 20, 146. | 4.6 | 2 |
| 67 | Interaction of rat α 9 β 10 nicotinic acetylcholine receptor with α -conotoxin RgIA and Vc1.1: Insights from docking, molecular dynamics and binding free energy contributions. <i>Journal of Molecular Graphics and Modelling</i> , 2019, 92, 55-64. | 2.4 | 1 |
| 68 | Student Break Behavior Recognition Dataset. , 2021, , . | | 1 |
| 69 | Cross-language multimodal scene semantic guidance and leap sampling for video captioning. <i>Visual Computer</i> , 2023, 39, 9-25. | 3.5 | 1 |
| 70 | From Crystal Structures of RgIA4 in Complex with Ac-AChBP to Molecular Determinants of Its High Potency of α 9 β 10 nAChR. <i>Marine Drugs</i> , 2021, 19, 709. | 4.6 | 1 |
| 71 | Synthesis of Uniform Alkane-Filled Capsules with a High Under-Cooling Performance and Their Real-Time Optical Properties. <i>Polymers</i> , 2019, 11, 199. | 4.5 | 0 |
| 72 | Wheezing caused by a patent ductus arteriosus (PDA) device occluder: Case report and review of the literature. <i>Pediatric Pulmonology</i> , 2022, , . | 2.0 | 0 |