

Patrizio Mazzone

List of Publications by Citations

Source: <https://exaly.com/author-pdf/370891/patrizio-mazzone-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28

papers

481

citations

9

h-index

21

g-index

33

ext. papers

741

ext. citations

3

avg. IF

3.05

L-index

#	Paper	IF	Citations
28	Efficacy and safety of left atrial appendage closure with WATCHMAN in patients with or without contraindication to oral anticoagulation: 1-Year follow-up outcome data of the EWOLUTION trial. <i>Heart Rhythm</i> , 2017 , 14, 1302-1308	6.7	210
27	Evaluating Real-World Clinical Outcomes in Atrial Fibrillation Patients Receiving the WATCHMAN Left Atrial Appendage Closure Technology: Final 2-Year Outcome Data of the EWOLUTION Trial Focusing on History of Stroke and Hemorrhage. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019 , 12, e006841	6.4	96
26	Advanced techniques for chronic lead extraction: heading from the laser towards the evolution system. <i>Europace</i> , 2013 , 15, 1771-6	3.9	30
25	Safety and efficacy of the new bidirectional rotational Evolution [®] mechanical lead extraction sheath: results from a multicentre Italian registry. <i>Europace</i> , 2018 , 20, 829-834	3.9	20
24	Left atrial appendage closure: A single center experience and comparison of two contemporary devices. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 763-772	2.7	20
23	Predictors of advanced lead extraction based on a systematic stepwise approach: results from a high volume center. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013 , 36, 837-44	1.6	18
22	Use of the new rotating dilator sheath TightRail [®] for lead extraction: A bicentric experience. <i>Journal of Arrhythmia</i> , 2020 , 36, 343-350	1.5	13
21	Procedural and Short-Term Results With [®] the New Watchman FLX Left [®] Atrial [®] Appendage Occlusion Device. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 2732-2741	5	12
20	Multicenter experience with the Evolution RL mechanical sheath for lead extraction using a stepwise approach: Safety, effectiveness, and outcome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 989-997	1.6	11
19	The MB score: a new risk stratification index to predict the need for advanced tools in lead extraction procedures. <i>Europace</i> , 2020 , 22, 613-621	3.9	8
18	Epicardial management of myocarditis-related ventricular tachycardia. <i>European Heart Journal</i> , 2013 , 34, 244	9.5	7
17	Percutaneous Left Atrial Appendage Closure with WATCHMAN [®] device: peri-procedural and mid-term outcomes from the TRAPS Registry. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018 , 52, 47-52	2.4	6
16	The COVID-19 challenge to cardiac electrophysiologists: optimizing resources at a referral center. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020 , 59, 1-7	2.4	5
15	High-Density Characterization of the Ventricular Electrical Substrate During Sinus Rhythm in Post-Myocardial Infarction Patients. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 799-811	4.6	5
14	Clinical outcomes of patients undergoing percutaneous left atrial appendage occlusion in general anaesthesia or conscious sedation: data from the prospective global Amplatzer Amulet Occluder Observational Study. <i>BMJ Open</i> , 2021 , 11, e040455	3	3
13	Left atrial appendage occlusion in atrial fibrillation patients with previous intracranial bleeding: A national multicenter study. <i>International Journal of Cardiology</i> , 2021 , 328, 75-80	3.2	3
12	Predictors of Intensive Care Unit Admission in Patients Undergoing Lead Extraction: A 10-Year Observational Study in a High-Volume Center. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2019 , 33, 1845-1851	2.1	2

11	Septal Late Gadolinium Enhancement and Arrhythmic Risk in Genetic and Acquired Non-Ischaemic Cardiomyopathies. <i>Heart Lung and Circulation</i> , 2020 , 29, 1356-1365	1.8	2
10	Comparative data on left atrial appendage occlusion efficacy and clinical outcomes by age group in the Amplatzer Amulet Occluder Observational Study. <i>Europace</i> , 2021 , 23, 238-246	3.9	2
9	Direct oral anticoagulants in patients with nonvalvular atrial fibrillation and extreme body weight. <i>European Journal of Clinical Investigation</i> , 2021 , e13658	4.6	2
8	Check the Need-Prevalence and Outcome after Transvenous Cardiac Implantable Electric Device Extraction without Reimplantation. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
7	Safety and efficacy of Direct Oral Anticoagulants (DOACs) in very elderly patients (≥85 years old) with non-valvular atrial fibrillation. The Experience of an Italian tertiary care center. <i>Minerva Medica</i> , 2021 ,	2.2	1
6	Long-term outcome of left atrial appendage occlusion with multiple devices. <i>International Journal of Cardiology</i> , 2021 , 344, 66-72	3.2	0
5	Working on the dirty side-the ipsilateral subclavian access for temporary pacing after lead extraction.. <i>Journal of Arrhythmia</i> , 2022 , 38, 192-198	1.5	
4	Effective Antitachycardia Therapy by Temporary External Defibrillator Utilized as Bridge to Reimplantation.. <i>Journal of Cardiovascular Imaging</i> , 2022 , 30, 149-150	1.3	
3	Characterization of cardiac electrogram signals in atrial arrhythmias. <i>Minerva Cardiology and Angiology</i> , 2021 , 69, 70-80	2.4	
2	16-27: Percutaneous Left Atrial Appendage Closure with WATCHMAN device: results from the TRAPS Registry. <i>Europace</i> , 2016 , 18, i7-i7	3.9	
1	Percutaneous Left Atrial Appendage Occlusion. <i>Cardiology</i> , 2021 , 146, 116-118	1.6	