

Conor J Walsh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3709813/publications.pdf>

Version: 2024-02-01

133
papers

12,244
citations

50276

46
h-index

43889

91
g-index

135
all docs

135
docs citations

135
times ranked

8552
citing authors

#	ARTICLE	IF	CITATIONS
1	Soft robotic glove for combined assistance and at-home rehabilitation. <i>Robotics and Autonomous Systems</i> , 2015, 73, 135-143.	5.1	1,168
2	Pneumatic Networks for Soft Robotics that Actuate Rapidly. <i>Advanced Functional Materials</i> , 2014, 24, 2163-2170.	14.9	1,125
3	A soft robotic exosuit improves walking in patients after stroke. <i>Science Translational Medicine</i> , 2017, 9, .	12.4	439
4	Human-in-the-loop optimization of hip assistance with a soft exosuit during walking. <i>Science Robotics</i> , 2018, 3, .	17.6	387
5	Mechanical Programming of Soft Actuators by Varying Fiber Angle. <i>Soft Robotics</i> , 2015, 2, 26-32.	8.0	382
6	Automatic design of fiber-reinforced soft actuators for trajectory matching. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 51-56.	7.1	367
7	Wearable soft sensing suit for human gait measurement. <i>International Journal of Robotics Research</i> , 2014, 33, 1748-1764.	8.5	325
8	A biologically inspired soft exosuit for walking assistance. <i>International Journal of Robotics Research</i> , 2015, 34, 744-762.	8.5	318
9	Batch Fabrication of Customizable Silicone-Textile Composite Capacitive Strain Sensors for Human Motion Tracking. <i>Advanced Materials Technologies</i> , 2017, 2, 1700136.	5.8	301
10	Reducing the metabolic rate of walking and running with a versatile, portable exosuit. <i>Science</i> , 2019, 365, 668-672.	12.6	287
11	Stronger, Smarter, Softer: Next-Generation Wearable Robots. <i>IEEE Robotics and Automation Magazine</i> , 2014, 21, 22-33.	2.0	286
12	Assistance magnitude versus metabolic cost reductions for a tethered multiarticular soft exosuit. <i>Science Robotics</i> , 2017, 2, .	17.6	285
13	Soft robotic sleeve supports heart function. <i>Science Translational Medicine</i> , 2017, 9, .	12.4	280
14	Ultra-sensitive and resilient compliant strain gauges for soft machines. <i>Nature</i> , 2020, 587, 219-224.	27.8	279
15	A biologically-inspired multi-joint soft exosuit that can reduce the energy cost of loaded walking. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2016, 13, 43.	4.6	239
16	A Highly Sensitive Capacitive-Based Soft Pressure Sensor Based on a Conductive Fabric and a Microporous Dielectric Layer. <i>Advanced Materials Technologies</i> , 2018, 3, 1700237.	5.8	233
17	Robotic Artificial Muscles: Current Progress and Future Perspectives. <i>IEEE Transactions on Robotics</i> , 2019, 35, 761-781.	10.3	225
18	A Bioinspired Soft Actuated Material. <i>Advanced Materials</i> , 2014, 26, 1200-1206.	21.0	210

#	ARTICLE	IF	CITATIONS
19	Biologically-inspired soft exosuit. , 2013, 2013, 6650455.		173
20	Drug and cell delivery for cardiac regeneration. Advanced Drug Delivery Reviews, 2015, 84, 85-106.	13.7	170
21	Biomechanical and Physiological Evaluation of Multi-Joint Assistance With Soft Exosuits. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 119-130.	4.9	164
22	Soft robotic glove for hand rehabilitation and task specific training. , 2015, , .		161
23	Assisting hand function after spinal cord injury with a fabric-based soft robotic glove. Journal of NeuroEngineering and Rehabilitation, 2018, 15, 59.	4.6	155
24	Biologic-free mechanically induced muscle regeneration. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 1534-1539.	7.1	142
25	Comparison of biomaterial delivery vehicles for improving acute retention of stem cells in the infarcted heart. Biomaterials, 2014, 35, 6850-6858.	11.4	140
26	Exploiting Textile Mechanical Anisotropy for Fabric-Based Pneumatic Actuators. Soft Robotics, 2018, 5, 662-674.	8.0	139
27	Effect of timing of hip extension assistance during loaded walking with a soft exosuit. Journal of NeuroEngineering and Rehabilitation, 2016, 13, 87.	4.6	134
28	Wearable Movement Sensors for Rehabilitation: A Focused Review of Technological and Clinical Advances. PM and R, 2018, 10, S220-S232.	1.6	129
29	A soft ring oscillator. Science Robotics, 2019, 4, .	17.6	128
30	Textile Technology for Soft Robotic and Autonomous Garments. Advanced Functional Materials, 2021, 31, 2008278.	14.9	127
31	Human-in-the-loop development of soft wearable robots. Nature Reviews Materials, 2018, 3, 78-80.	48.7	125
32	A soft wearable robot for the shoulder: Design, characterization, and preliminary testing. , 2017, 2017, 1672-1678.		117
33	EMG controlled soft robotic glove for assistance during activities of daily living. , 2015, , .		111
34	Autonomous multi-joint soft exosuit with augmentation-power-based control parameter tuning reduces energy cost of loaded walking. Journal of NeuroEngineering and Rehabilitation, 2018, 15, 66.	4.6	110
35	The Soft Robotics Toolkit: Shared Resources for Research and Design. Soft Robotics, 2014, 1, 224-230.	8.0	109
36	Physical interface dynamics alter how robotic exosuits augment human movement: implications for optimizing wearable assistive devices. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 40.	4.6	102

#	ARTICLE	IF	CITATIONS
37	Reducing the metabolic cost of running with a tethered soft exosuit. <i>Science Robotics</i> , 2017, 2, .	17.6	94
38	A Highly Stretchable Capacitiveâ€Based Strain Sensor Based on Metal Deposition and Laser Rastering. <i>Advanced Materials Technologies</i> , 2017, 2, 1700081.	5.8	90
39	Human-in-the-loop Bayesian optimization of wearable device parameters. <i>PLoS ONE</i> , 2017, 12, e0184054.	2.5	88
40	Soft wearable motion sensing suit for lower limb biomechanics measurements. , 2013, , .		87
41	A Lightweight and Efficient Portable Soft Exosuit for Paretic Ankle Assistance in Walking After Stroke. , 2018, , .		87
42	Multi-joint actuation platform for lower extremity soft exosuits. , 2014, , .		77
43	Biologically Inspired Soft Robot for Thumb Rehabilitation1. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2014, 8, .	0.7	75
44	Multi-joint soft exosuit for gait assistance. , 2015, , .		70
45	Controlling negative and positive power at the ankle with a soft exosuit. , 2016, , .		70
46	Sustained release of targeted cardiac therapy with a replenishable implanted epicardial reservoir. <i>Nature Biomedical Engineering</i> , 2018, 2, 416-428.	22.5	70
47	IMU-based iterative control for hip extension assistance with a soft exosuit. , 2016, , .		69
48	Walking Faster and Farther With a Soft Robotic Exosuit: Implications for Post-Stroke Gait Assistance and Rehabilitation. <i>IEEE Open Journal of Engineering in Medicine and Biology</i> , 2020, 1, 108-115.	2.3	64
49	Individualization of exosuit assistance based on measured muscle dynamics during versatile walking. <i>Science Robotics</i> , 2021, 6, eabj1362.	17.6	59
50	Improved assistive profile tracking of soft exosuits for walking and jogging with off-board actuation. , 2017, , .		58
51	An Implantable Extracardiac Soft Robotic Device for the Failing Heart: Mechanical Coupling and Synchronization. <i>Soft Robotics</i> , 2017, 4, 241-250.	8.0	57
52	A Hinge-Free, Non-Restrictive, Lightweight Tethered Exosuit for Knee Extension Assistance During Walking. <i>IEEE Transactions on Medical Robotics and Bionics</i> , 2020, 2, 165-175.	3.2	56
53	A soft exosuit for patients with stroke: Feasibility study with a mobile off-board actuation unit. , 2015, , .		55
54	An Additive Millimeterâ€Scale Fabrication Method for Soft Biocompatible Actuators and Sensors. <i>Advanced Materials Technologies</i> , 2017, 2, 1700135.	5.8	54

#	ARTICLE	IF	CITATIONS
55	Inflatable Soft Wearable Robot for Reducing Therapist Fatigue During Upper Extremity Rehabilitation in Severe Stroke. IEEE Robotics and Automation Letters, 2020, 5, 3899-3906.	5.1	53
56	A Soft Robotic Orthosis for Wrist Rehabilitation. Journal of Medical Devices, Transactions of the ASME, 2015, 9, .	0.7	51
57	Reducing Circumduction and Hip Hiking During Hemiparetic Walking Through Targeted Assistance of the Paretic Limb Using a Soft Robotic Exosuit. American Journal of Physical Medicine and Rehabilitation, 2017, 96, S157-S164.	1.4	51
58	Metabolic cost adaptations during training with a soft exosuit assisting the hip joint. Scientific Reports, 2019, 9, 9779.	3.3	50
59	Offline Assistance Optimization of a Soft Exosuit for Augmenting Ankle Power of Stroke Survivors During Walking. IEEE Robotics and Automation Letters, 2020, 5, 828-835.	5.1	49
60	Varying negative work assistance at the ankle with a soft exosuit during loaded walking. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 62.	4.6	46
61	Soft robotic ventricular assist device with septal bracing for therapy of heart failure. Science Robotics, 2017, 2, .	17.6	46
62	Skeletal muscle regeneration with robotic actuation-mediated clearance of neutrophils. Science Translational Medicine, 2021, 13, eabe8868.	12.4	42
63	Comparison of the human-exosuit interaction using ankle moment and ankle positive power inspired walking assistance. Journal of Biomechanics, 2019, 83, 76-84.	2.1	40
64	Improving Grasp Function After Spinal Cord Injury With a Soft Robotic Glove. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 1407-1415.	4.9	40
65	Autonomous and Portable Soft Exosuit for Hip Extension Assistance with Online Walking and Running Detection Algorithm. , 2018, , .		39
66	Unfolding Textile-Based Pneumatic Actuators for Wearable Applications. Soft Robotics, 2022, 9, 163-172.	8.0	38
67	Autonomous Multi-Joint Soft Exosuit for Assistance with Walking Overground. , 2018, , .		35
68	Smart Thermally Actuating Textiles. Advanced Materials Technologies, 2020, 5, 2000383.	5.8	35
69	A light-reflecting balloon catheter for atraumatic tissue defect repair. Science Translational Medicine, 2015, 7, 306ra149.	12.4	34
70	Soft Robotic Glove with Integrated Sensing for Intuitive Grasping Assistance Post Spinal Cord Injury. , 2019, , .		34
71	Biomechanical mechanisms underlying exosuit-induced improvements in walking economy after stroke. Journal of Experimental Biology, 2018, 221, .	1.7	33
72	Towards Alternative Approaches for Coupling of a Soft Robotic Sleeve to the Heart. Annals of Biomedical Engineering, 2018, 46, 1534-1547.	2.5	31

#	ARTICLE	IF	CITATIONS
73	Sensing and Control of a Multi-Joint Soft Wearable Robot for Upper-Limb Assistance and Rehabilitation. <i>IEEE Robotics and Automation Letters</i> , 2021, 6, 2381-2388.	5.1	31
74	ExoBoot, a Soft Inflatable Robotic Boot to Assist Ankle During Walking: Design, Characterization and Preliminary Tests. , 2018, , .		30
75	Biologically inspired electrostatic artificial muscles for insect-sized robots. <i>International Journal of Robotics Research</i> , 2021, 40, 895-922.	8.5	30
76	An Intracardiac Soft Robotic Device for Augmentation of Blood Ejection from the Failing Right Ventricle. <i>Annals of Biomedical Engineering</i> , 2017, 45, 2222-2233.	2.5	28
77	Soft Sensing Shirt for Shoulder Kinematics Estimation. , 2020, , .		24
78	Self-Assembling, Low-Cost, and Modular mm-Scale Force Sensor. <i>IEEE Sensors Journal</i> , 2016, 16, 69-76.	4.7	22
79	Force Control of Textile-Based Soft Wearable Robots for Mechanotherapy. , 2018, , .		21
80	Bayesian Optimization of Soft Exosuits Using a Metabolic Estimator Stopping Process. , 2019, , .		21
81	Reducing the energy cost of walking with low assistance levels through optimized hip flexion assistance from a soft exosuit. <i>Scientific Reports</i> , 2022, 12, .	3.3	21
82	Force-sensing surgical grasper enabled by pop-up book MEMS. , 2013, , .		20
83	Kinematics-Based Control of an Inflatable Soft Wearable Robot for Assisting the Shoulder of Industrial Workers. <i>IEEE Robotics and Automation Letters</i> , 2021, 6, 2155-2162.	5.1	20
84	A monolithic approach to fabricating low-cost, millimeter-scale multi-axis force sensors for minimally-invasive surgery. , 2014, , .		19
85	Lower limb biomechanical analysis during an unanticipated step on a bump reveals specific adaptations of walking on uneven terrains. <i>Journal of Experimental Biology</i> , 2017, 220, 4169-4176.	1.7	18
86	Smart and Connected Actuated Mobile and Sensing Suit to Encourage Motion in Developmentally Delayed Infants ¹ . <i>Journal of Medical Devices, Transactions of the ASME</i> , 2015, 9, .	0.7	16
87	Real-time gait metric estimation for everyday gait training with wearable devices in people poststroke. <i>Wearable Technologies</i> , 2021, 2, .	3.1	16
88	Design and control of a parallel linkage wrist for robotic microsurgery. , 2015, , .		15
89	Hybrid carbon fiber-textile compliant force sensors for high-load sensing in soft exosuits. , 2017, , .		14
90	Dynamic Augmentation of Left Ventricle and Mitral Valve Function With an Implantable Soft Robotic Device. <i>JACC Basic To Translational Science</i> , 2020, 5, 229-242.	4.1	14

#	ARTICLE	IF	CITATIONS
91	Toward Medical Devices With Integrated Mechanisms, Sensors, and Actuators Via Printed-Circuit MEMS. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2017, 11, .	0.7	13
92	Growing the Soft Robotics Community Through Knowledge-Sharing Initiatives. <i>Soft Robotics</i> , 2018, 5, 119-121.	8.0	13
93	Targeting Paretic Propulsion and Walking Speed With a Soft Robotic Exosuit: A Consideration-of-Concept Trial. <i>Frontiers in Neurobotics</i> , 2021, 15, 689577.	2.8	13
94	A Soft Exosuit Assisting Hip Abduction for Knee Adduction Moment Reduction During Walking. <i>IEEE Robotics and Automation Letters</i> , 2022, 7, 7439-7446.	5.1	13
95	Optimal spatial design of non-invasive magnetic field-based localization systems. , 2014, , .		12
96	Soft robotic exosuit augmented high intensity gait training on stroke survivors: a pilot study. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2022, 19, .	4.6	12
97	Soft Wearable Orthotic Device for Assisting Kicking Motion in Developmentally Delayed Infants ¹ . <i>Journal of Medical Devices, Transactions of the ASME</i> , 2015, 9, .	0.7	11
98	Continuous sweep versus discrete step protocols for studying effects of wearable robot assistance magnitude. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2017, 14, 72.	4.6	11
99	Towards a compact robotically steerable thermal ablation probe. , 2012, , .		10
100	Indirect measurement of anterior-posterior ground reaction forces using a minimal set of wearable inertial sensors: from healthy to hemiparetic walking. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2020, 17, 82.	4.6	10
101	A Soft Inflatable Wearable Robot for Hip Abductor Assistance: Design and Preliminary Assessment. , 2020, , .		8
102	An Intraventricular Soft Robotic Pulsatile Assist Device for Right Ventricular Heart Failure ¹ . <i>Journal of Medical Devices, Transactions of the ASME</i> , 2014, 8, .	0.7	8
103	Estimation of Walking Speed and Its Spatiotemporal Determinants Using a Single Inertial Sensor Worn on the Thigh: From Healthy to Hemiparetic Walking. <i>Sensors</i> , 2021, 21, 6976.	3.8	8
104	Automated detection of soleus concentric contraction in variable gait conditions for improved exosuit control. , 2020, , .		7
105	Social Technology: An Interdisciplinary Approach to Improving Care for Older Adults. <i>Frontiers in Public Health</i> , 2021, 9, 729149.	2.7	7
106	A Soft Pneumatic Fabric-Polymer Actuator for Wearable Biomedical Devices: Proof of Concept for Lymphedema Treatment. , 2018, , .		6
107	Effects of a Soft Robotic Glove using a High Repetition Protocol in Chronic Stroke: A Pilot Study. , 2020, , .		6
108	Synchronization of a Soft Robotic Ventricular Assist Device to the Native Cardiac Rhythm Using an Epicardial Electrogram. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2020, 14, .	0.7	6

#	ARTICLE	IF	CITATIONS
109	Ankle resistance with a unilateral soft exosuit increases plantarflexor effort during pushoff in unimpaired individuals. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 182.	4.6	6
110	A high-force, high-stroke distal robotic add-on for endoscopy. , 2017, , .		5
111	Soft Robotics: Textile Technology for Soft Robotic and Autonomous Garments (<i>Adv. Funct. Mater.</i>) Tj ETQq1 1 0.784314 rgBT /Overlob	14.9	5
112	Fabrication of stretchable composites with anisotropic electrical conductivity for compliant pressure transducers. , 2016, , .		3
113	Recent Results from Evaluation of Soft Wearable Robots in Clinical Populations. <i>Biosystems and Biorobotics</i> , 2019, , 58-62.	0.3	3
114	Compliant Low Profile Multi-Axis Force Sensors. , 2018, , .		2
115	Opposite Treatment on Null Space: A Unified Control Framework for a Class of Underactuated Robotic Systems With Null Space Avoidance. <i>IEEE Transactions on Control Systems Technology</i> , 2023, 31, 193-207.	5.2	2
116	Differential Spring Stiffness Design for Finger Therapy Exercise Device: Bio-inspired from Stiff Pathological Finger Joints. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2012, 6, .	0.7	1
117	Multifunctional Laparoscopic Trocar With Built-in Fascial Closure and Stabilization. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2013, 7, .	0.7	1
118	An intraventricular soft robotic pulsatile assist device for right ventricular heart failure. , 2014, , .		1
119	Monolithic Fabrication of Millimeter-Scale Surgical Devices With Integrated Sensing ¹ . <i>Journal of Medical Devices, Transactions of the ASME</i> , 2014, 8, .	0.7	1
120	Assisting Limb Advancement During Walking After Stroke Using a Wearable Soft Hip Exosuit: A Proof-of-Concept. <i>Biosystems and Biorobotics</i> , 2019, , 312-316.	0.3	1
121	Targeting post-stroke walking automaticity with a propulsion-augmenting soft robotic exosuit: toward a biomechanical and neurophysiological approach to assistance prescription. , 2021, , .		1
122	Importance of Preserved Tricuspid Valve Function for Effective Soft Robotic Augmentation of the Right Ventricle in Cases of Elevated Pulmonary Artery Pressure. <i>Cardiovascular Engineering and Technology</i> , 2021, , 1.	1.6	1
123	Human-in-the-Loop Bayesian Optimization of a Tethered Soft Exosuit for Assisting Hip Extension. <i>Biosystems and Biorobotics</i> , 2019, , 142-146.	0.3	1
124	SOFT ROBOTIC GLOVE FOR COMBINED ASSISTANCE AND REHABILITATION DURING ACTIVITIES OF DAILY LIVING. , 2018, , 135-157.		1
125	An Expanding Foam Fabric Orthopedic Cast. <i>Advanced Materials Technologies</i> , 0, , 2101563.	5.8	1
126	Hemodialysis Graft Resistance Adjustment Device. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2012, 6, .	0.7	0

#	ARTICLE	IF	CITATIONS
127	Minimally Invasive Device for Rapid Urethrovesical Anastomosis. Journal of Medical Devices, Transactions of the ASME, 2013, 7, .	0.7	0
128	Laparoscopic Device for Direct and Indirect Suction. Journal of Medical Devices, Transactions of the ASME, 2013, 7, .	0.7	0
129	Isometric Quadriceps Strength Test Device to Improve the Reliability of Handheld Dynamometry in Patient With Anterior Cruciate Ligament Injury. , 2018, , .		0
130	Biomechanics Underlying Subject-Dependent Variability in Motor Adaptation to Soft Exosuit Assistance. Biosystems and Biorobotics, 2019, , 175-179.	0.3	0
131	A qualitative investigation of design knowledge reuse in project-based mechanical design courses. European Journal of Engineering Education, 2019, 44, 137-152.	2.3	0
132	Robotic Textiles: Smart Thermally Actuating Textiles (Adv. Mater. Technol. 8/2020). Advanced Materials Technologies, 2020, 5, 2070050.	5.8	0
133	Mobile Unilateral Hip Flexion Exosuit Assistance for Overground Walking in Individuals Post-Stroke: A Case Series. Biosystems and Biorobotics, 2022, , 357-361.	0.3	0