

Helio G Bonacorso

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3709955/helio-g-bonacorso-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

332
papers

5,676
citations

35
h-index

56
g-index

459
ext. papers

6,231
ext. citations

3.1
avg, IF

5.28
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 332 | Ionic liquids in heterocyclic synthesis. <i>Chemical Reviews</i> , 2008 , 108, 2015-50 | 68.1 | 575 |
| 331 | 4-Alkoxy-1,1,1-Trichloro-3-Alken-2-ones: Preparation and Applications in Heterocyclic Synthesis. <i>Current Organic Synthesis</i> , 2004 , 1, 391-403 | 1.9 | 120 |
| 330 | Hypothermic and antipyretic effects of 3-methyl- and 3-phenyl-5-hydroxy-5-trichloromethyl-4,5-dihydro-1H-pyrazole-1-carboxyamides in mice. <i>European Journal of Pharmacology</i> , 2002 , 451, 141-7 | 5.3 | 105 |
| 329 | Antimalarial activity of 4-(5-trifluoromethyl-1H-pyrazol-1-yl)-chloroquine analogues. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006 , 16, 649-53 | 2.9 | 99 |
| 328 | Update 1 of: Ionic liquids in heterocyclic synthesis. <i>Chemical Reviews</i> , 2014 , 114, PR1-70 | 68.1 | 95 |
| 327 | New benzodiazepines alter acetylcholinesterase and ATPDase activities. <i>Neurochemical Research</i> , 2000 , 25, 949-55 | 4.6 | 88 |
| 326 | Antinociceptive effect of novel trihalomethyl-substituted pyrazoline methyl esters in formalin and hot-plate tests in mice. <i>European Journal of Pharmacology</i> , 2008 , 581, 86-96 | 5.3 | 75 |
| 325 | Design and microwave-assisted synthesis of 5-trifluoromethyl-4,5-dihydro-1H-pyrazoles: novel agents with analgesic and anti-inflammatory properties. <i>European Journal of Medicinal Chemistry</i> , 2008 , 43, 1237-47 | 6.8 | 73 |
| 324 | Trifluoroacetylation of unsymmetrical ketone acetals. A convenient route to obtain alkyl side chain trifluoromethylated heterocycles. <i>Journal of Fluorine Chemistry</i> , 1999 , 99, 177-182 | 2.1 | 66 |
| 323 | Regiospecific synthesis of 4-alkoxy and 4-amino substituted 2-trifluoromethyl pyrroles. <i>Journal of Organic Chemistry</i> , 2006 , 71, 6996-8 | 4.2 | 61 |
| 322 | Synthesis, antimicrobial activity, and QSAR studies of furan-3-carboxamides. <i>Bioorganic and Medicinal Chemistry</i> , 2007 , 15, 1947-58 | 3.4 | 55 |
| 321 | Alpha 2-adrenoceptors and 5-HT receptors mediate the antinociceptive effect of new pyrazolines, but not of dipyrone. <i>European Journal of Pharmacology</i> , 2004 , 496, 93-7 | 5.3 | 53 |
| 320 | An efficient solvent-free synthesis of NH-pyrazoles from α -dimethylaminovinylketones and hydrazine on grinding. <i>Tetrahedron Letters</i> , 2010 , 51, 3193-3196 | 2 | 51 |
| 319 | Antinociceptive effect of novel pyrazolines in mice. <i>Brazilian Journal of Medical and Biological Research</i> , 2004 , 37, 1531-40 | 2.8 | 51 |
| 318 | Baker yeast-induced fever in young rats: characterization and validation of an animal model for antipyretics screening. <i>Journal of Neuroscience Methods</i> , 2005 , 147, 29-35 | 3 | 50 |
| 317 | Haloacetylated enol ethers. 8 [12]. Reaction of α -alkoxyvinyl trihalomethyl ketones with guanidine hydrochloride. Synthesis of 4-trihalomethyl-2-aminopyrimidines. <i>Journal of Heterocyclic Chemistry</i> , 1997 , 34, 509-513 | 1.9 | 49 |
| 316 | Haloacetylated enol ethers: 12 [18]. Regiospecific synthesis and structural determination of stable 5-hydroxy-1H-pyrazolines. <i>Tetrahedron</i> , 1999 , 55, 345-352 | 2.4 | 47 |

| | | | |
|-----|--|------|----|
| 315 | Haloacetylated enol ethers 10. Condensation of α -alkoxyvinyl trifluoromethyl ketones with thiosemicarbazide. Synthesis of new trifluoromethyl 4,5-dihydro-1H-1-pyrazolethiocarboxyamides. <i>Journal of Fluorine Chemistry</i> , 1998 , 92, 23-26 | 2.1 | 46 |
| 314 | Haloacetylated enol ethers. 9. Synthesis of 4-trifluoromethyl-2-methyl[phenyl]pyrimidines and tetrahydro derivatives. <i>Journal of Heterocyclic Chemistry</i> , 1998 , 35, 451-455 | 1.9 | 45 |
| 313 | Regiospecific acylation of acetals. A convenient method to obtain α -methoxyvinyl trichloromethyl ketones. <i>Tetrahedron Letters</i> , 1999 , 40, 4309-4312 | 2 | 45 |
| 312 | Effect of 5-trifluoromethyl-4,5-dihydro-1H-pyrazoles on chronic inflammatory pain model in rats. <i>European Journal of Pharmacology</i> , 2009 , 616, 91-100 | 5.3 | 44 |
| 311 | Ultrasound promoted synthesis of 5-hydroxy-5-trihalomethyl-4,5-dihydroisoxazoles and beta-enamino trihalomethyl ketones in water. <i>Ultrasonics Sonochemistry</i> , 2006 , 13, 364-70 | 8.9 | 44 |
| 310 | Haloacetylated enol ethers. 7. Synthesis of 3-aryl-5-trihalomethylisoxazoles and 3-aryl-5-hydroxy-5-trihalomethyl-4,5-dihydroisoxazoles. <i>Journal of Heterocyclic Chemistry</i> , 1996 , 33, 1619-1622 | 1.9 | 43 |
| 309 | Antinociceptive effect of 3-(4-Fluorophenyl)-5-trifluoromethyl-1H-1-tosylpyrazole. A Celecoxib structural analog in models of pathological pain. <i>Pharmacology Biochemistry and Behavior</i> , 2014 , 124, 396-404 | 3.9 | 42 |
| 308 | Ultrasound promoted synthesis of 2-imidazolines in water: a greener approach toward monoamine oxidase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 546-9 | 2.9 | 42 |
| 307 | A convenient one-pot synthesis of 5-carboxyisoxazoles: trichloromethyl group as a carboxyl group precursor. <i>Tetrahedron Letters</i> , 2000 , 41, 293-297 | 2 | 42 |
| 306 | Synthesis and in vitro antimycobacterial activity of 3-substituted 5-hydroxy-5-trifluoro[chloro]methyl-4,5-dihydro-1H-1-(isonicotinoyl) pyrazoles. <i>International Journal of Antimicrobial Agents</i> , 2008 , 32, 139-44 | 14.3 | 41 |
| 305 | Trifluoromethyl-containing pyrazolinyl (p-tolyl) sulfones: The synthesis and structure of promising antimicrobial agents. <i>Journal of Fluorine Chemistry</i> , 2006 , 127, 1066-1072 | 2.1 | 38 |
| 304 | Intramolecular cyclization of N-propargylic β -enaminones catalyzed by silver. <i>Tetrahedron Letters</i> , 2013 , 54, 847-849 | 2 | 37 |
| 303 | Haloacetylated enol ethers. 5 [5]. Heterocyclic ring closure reactions of α -alkoxyvinyl dichloromethyl ketones with hydroxylamine. <i>Journal of Heterocyclic Chemistry</i> , 1995 , 32, 739-741 | 1.9 | 37 |
| 302 | A convenient method for the synthesis of 2-trichloromethyl-4-p-substituted-phenyl-3h-1,5-benzodiazepines. <i>Tetrahedron Letters</i> , 1996 , 37, 9155-9156 | 1.9 | 37 |
| 301 | Synthesis and Characterization of Some Novel 2-(Trifluoromethyl)pyrimido[1,2-a]benzimidazoles and Pyrimido[1,2-a]benzimidazol-2H)-ones of Biological Interest. <i>Synthesis</i> , 2006 , 2006, 2305-2312 | 2.9 | 36 |
| 300 | A Convenient Synthetic Method for Fully Conjugated 3-Alkyl- and 3-Aryl-5-trifluoromethyl-1-methyl-1,2-thiazine 1-Oxide from α -Alkoxyvinyl Trifluoromethyl Ketones. <i>Synthesis</i> , 2000 , 2000, 1431-1434 | 2.9 | 36 |
| 299 | Convergent synthesis and cruzain inhibitory activity of novel 2-(NPbenzylidenehydrazino)-4-trifluoromethyl-pyrimidines. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 10236-43 | 3.4 | 35 |
| 298 | Reactions of 1,1,1-Trifluoro[chloro]-4-ethoxybut-3-en-2-ones with 1,3-Dicarbonyl Compounds: Synthesis of 5-Acetyl[carboxyethyl]-1,1,1-trifluoro[chloro]hept-3-ene-2,6-diones and their Cyclic Derivatives Phenol, Pyridines, and Azetone. <i>Synthesis</i> , 1999 , 1999, 765-768 | 2.9 | 35 |

| | | | |
|-----|---|-----|----|
| 297 | Haloacetylated enol ethers. 11. Synthesis of 1-methyl- and 1-phenyl pyrazole-3(5)-ethyl esters. A one-pot procedure. <i>Journal of Heterocyclic Chemistry</i> , 1999 , 36, 217-220 | 1.9 | 34 |
| 296 | A pyrazolyl-thiazole derivative causes antinociception in mice. <i>Brazilian Journal of Medical and Biological Research</i> , 2006 , 39, 795-9 | 2.8 | 33 |
| 295 | Cyclocondensation reaction of 4-aryl-4-methoxy-1,1,1-trifluoro-3-buten-2-ones with urea: Synthesis of novel 6-aryl(5-methyl)-4-trifluoromethyl-2(1H)-pyrimidinones. <i>Journal of Fluorine Chemistry</i> , 2003 , 120, 29-32 | 2.1 | 33 |
| 294 | Effects per se of organic solvents in the cerebral acetylcholinesterase of rats. <i>Neurochemical Research</i> , 2005 , 30, 379-84 | 4.6 | 33 |
| 293 | Antinociceptive action of 4-methyl-5-trifluoromethyl-5-hydroxy-4, 5-dihydro-1H-pyrazole methyl ester in models of inflammatory pain in mice. <i>Life Sciences</i> , 2008 , 83, 739-46 | 6.8 | 31 |
| 292 | Reaction of α -dimethylaminovinyl ketones with hydroxylamine: A simple and useful method for synthesis of 3- and 5-substituted isoxazoles. <i>Journal of Heterocyclic Chemistry</i> , 2008 , 45, 879-885 | 1.9 | 31 |
| 291 | 3-Methyl-5-hydroxy-5-trichloromethyl-1H-1-pyrazolcarboxamide induces antinociception. <i>Pharmacology Biochemistry and Behavior</i> , 2001 , 68, 525-30 | 3.9 | 30 |
| 290 | Energetic and topological approach for characterization of supramolecular clusters in organic crystals. <i>RSC Advances</i> , 2014 , 4, 44337-44349 | 3.7 | 29 |
| 289 | Haloacetylated enol ethers. 13. Synthesis of N-[1-aryl(alkyl)-3-oxo-4,4,4-trichloro-1-buten-1-yl]-o-phenylenediamines and 2-trichloromethyl-4-aryl-3H-1,5-benzodiazepines. <i>Journal of Heterocyclic Chemistry</i> , 1999 , 36, 45-48 | 1.9 | 29 |
| 288 | Resourceful synthesis of pyrazolo[1,5-a]pyrimidines under ultrasound irradiation. <i>Ultrasonics Sonochemistry</i> , 2013 , 20, 1139-43 | 8.9 | 28 |
| 287 | Synthesis of N-substituted 6-trifluoromethyl-1,3-oxazinanes. <i>Journal of the Brazilian Chemical Society</i> , 2005 , 16, 1255-1261 | 1.5 | 28 |
| 286 | A Convenient Synthesis of 5-Trichloromethyl-5-hydroxy-3-heteroalkyl-4,5-dihydroisoxazoles. <i>Synthesis</i> , 2001 , 2001, 1959-1964 | 2.9 | 28 |
| 285 | Regiospecific Synthesis of 3-Alkyl-2-aryl-4-trifluoromethylbenzo[h]quinolines by Intramolecular Cyclization of N-(2-Alkyl-1-aryl-3-oxo-4,4,4-trifluorobut-1-en-1-yl)-1-naphthylamines. <i>Synthesis</i> , 2002 , 2002, 1037-1042 | 2.9 | 28 |
| 284 | Haloacetylated enol ethers: 15. Study of the regiochemistry of the cyclo-condensation of α -alkoxyvinyl trihalomethyl ketones with N-methyl thiourea. <i>Journal of Heterocyclic Chemistry</i> , 2000 , 37, 1213-1218 | 1.9 | 28 |
| 283 | Efficient and highly regioselective synthesis of ethyl 1-(2,4-dichlorophenyl)-1H-pyrazole-3-carboxylates under ultrasound irradiation. <i>Ultrasonics Sonochemistry</i> , 2011 , 18, 293-9 | 8.9 | 27 |
| 282 | Indium(III) bromide catalyzed one-pot synthesis of trichloromethylated tetrahydropyrimidinones. <i>Tetrahedron Letters</i> , 2004 , 45, 8991-8994 | 2 | 27 |
| 281 | How Mechanical and Chemical Features Affect the Green Synthesis of 1H-Pyrazoles in a Ball Mill. <i>ACS Sustainable Chemistry and Engineering</i> , 2014 , 2, 1895-1901 | 8.3 | 26 |
| 280 | A novel, potent, oral active and safe antinociceptive pyrazole targeting kappa opioid receptors. <i>Neuropharmacology</i> , 2013 , 73, 261-73 | 5.5 | 26 |

| | | | |
|-----|--|-----|----|
| 279 | The antinociceptive effect of reversible monoamine oxidase-A inhibitors in a mouse neuropathic pain model. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 44, 136-42 | 5.5 | 25 |
| 278 | Alkoxyvinyl trichloromethyl ketones as N-heterocyclic acylating agent. A new access to 5H-thiazolo[3,2-a]pyrimidin-5-ones. <i>Tetrahedron Letters</i> , 2002 , 43, 9315-9318 | 2 | 25 |
| 277 | Antinociceptive effect of a novel tosylpyrazole compound in mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2009 , 104, 122-9 | 3.1 | 24 |
| 276 | Synthesis of enamines by ionic liquid catalysis: A one-pot condensation under solvent-free conditions. <i>Catalysis Communications</i> , 2008 , 9, 1375-1378 | 3.2 | 24 |
| 275 | Synthesis and antimicrobial activity of new (4,4,4-trihalo-3-oxo-but-1-enyl)-carbamic acid ethyl esters, (4,4,4-trihalo-3-hydroxy-butyl)-carbamic acid ethyl esters, and 2-oxo-6-trihalomethyl-[1,3]oxazinane-3-carboxylic acid ethyl esters. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 3174-84 | 3.4 | 24 |
| 274 | Microwave-assisted synthesis of 5-trichloromethyl substituted 1-phenyl-1H-pyrazoles and 1,2-dimethylpyrazolium chlorides. <i>Tetrahedron Letters</i> , 2003 , 44, 6669-6672 | 2 | 24 |
| 273 | An efficient and regiospecific preparation of trifluoromethyl substituted 4-(1H-pyrazol-1-yl)-7-chloroquinolines. <i>Journal of Heterocyclic Chemistry</i> , 2005 , 42, 1055-1061 | 1.9 | 24 |
| 272 | Haloacetylated enol ethers. 14 [6]. Reaction of alkoxyvinyl trifluoromethyl ketones with N-methylhydroxylamine. <i>Journal of Heterocyclic Chemistry</i> , 1999 , 36, 837-840 | 1.9 | 24 |
| 271 | Proposal for crystallization of 3-amino-4-halo-5-methylisoxazoles: an energetic and topological approach. <i>CrystEngComm</i> , 2015 , 17, 7381-7391 | 3.3 | 23 |
| 270 | Synergic Effects of Ionic Liquid and Microwave Irradiation in Promoting Trifluoromethylpyrazole Synthesis. <i>Catalysis Letters</i> , 2011 , 141, 1130-1135 | 2.8 | 23 |
| 269 | 2-methyl-7-substituted pyrazolo[1,5-a]pyrimidines: highly regioselective synthesis and bromination. <i>Journal of the Brazilian Chemical Society</i> , 2009 , 20, 205-213 | 1.5 | 23 |
| 268 | Synthesis of 1,1,1-trichloro[fluoro]-3-alken-2-ones using ionic liquids. <i>Journal of Molecular Catalysis A</i> , 2007 , 266, 100-103 | | 23 |
| 267 | Synthesis of new halo-containing acetylenes and their application to the synthesis of azoles. <i>Tetrahedron Letters</i> , 2004 , 45, 4935-4938 | 2 | 23 |
| 266 | Regiospecific synthesis of polyfluorinated heterocycles. <i>Journal of Fluorine Chemistry</i> , 2003 , 123, 261-265.1 | | 23 |
| 265 | Regiospecific Allylic Mono- and Dibromination of 4-Methoxy-1,1,1-trihalo-3-alken-2-ones and 5-Methoxy-1,1,1,2,2-pentafluoro-4-hexen-2-one, and their Applications to the Synthesis of Heterocycles. <i>Synthesis</i> , 2002 , 2002, 2353-2358 | 2.9 | 23 |
| 264 | Promotion of 1,3-dipolar cycloaddition between azides and enamines by deep eutectic solvents. <i>New Journal of Chemistry</i> , 2016 , 40, 5989-5992 | 3.6 | 23 |
| 263 | Synthesis, ¹¹ B- and ¹⁹ F NMR spectroscopy, and optical and electrochemical properties of novel 9-aryl-3-(aryl/heteroaryl)-1,1-difluoro-7-(trifluoromethyl)-1H-[1,3,5,2]oxadiazaborinino[3,4-a][1,8]naphthyridin-11-ium-1-ol complexes. <i>Tetrahedron Letters</i> , 2016 , 57, 5017-5021 | | 23 |
| 262 | Synthesis of 1H-1,2,3-triazoles/Refinamide analogs by 1,3-dipolar cycloaddition and electrocyclization reactions of trifluoroacetyl enoethers under thermal solventless conditions. <i>Journal of Fluorine Chemistry</i> , 2013 , 156, 112-119 | 2.1 | 22 |

- 261 Comparative Study of the Regioselectivity and Reaction Media for the Synthesis of 1-tert-Butyl-3(5)-trifluoromethyl-1H-pyrazoles. *European Journal of Organic Chemistry*, **2012**, 2012, 7112-7119 2.2 22
- 260 Microwave assisted regiospecific synthesis of 5-trifluoromethyl-4,5-dihydropyrazoles and pyrazoles. *Journal of Heterocyclic Chemistry*, **2007**, 44, 1195-1199 1.9 22
- 259 HALOACETYLATED ENOL ETHERS. XVII.1* A CONVENIENT SYNTHESIS OF 5-TRICHLOROMETHYL-1,2-DIMETHYL-1H-PYRAZOLIUM CHLORIDES. *Synthetic Communications*, **2002**, 32, 419-423 1.7 22
- 258 A Convenient Method to Obtain 4,5-Dihydro-1H-Methylpyrazoles by A Ring Transformation Reaction. *Synthetic Communications*, **2000**, 30, 1457-1465 1.7 21
- 257 Regioselectively controlled synthesis of 3(5)-(trifluoromethyl)pyrazolylbenzenesulfonamides and their effects on a pathological pain model in mice. *European Journal of Medicinal Chemistry*, **2015**, 102, 143-52 6.8 20
- 256 Antidepressant-like effect of the novel MAO inhibitor 2-(3,4-dimethoxy-phenyl)-4,5-dihydro-1H-imidazole (2-DMPI) in mice. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, **2012**, 39, 31-9 5.5 20
- 255 Antipyretic and antioxidant activities of 5-trifluoromethyl-4,5-dihydro-1H-pyrazoles in rats. *Brazilian Journal of Medical and Biological Research*, **2010**, 43, 1193-202 2.8 20
- 254 Experimental and calculated structural parameters of 5-trihalomethyl-4,5-dihydro-1H-pyrazole derivatives, novel analgesic agents. *Journal of Molecular Structure*, **2009**, 917, 176-182 3.4 20
- 253 Ionic liquid effects on the reaction of phenaminones and tert-butylhydrazine and applications for the synthesis of pyrazoles. *Catalysis Communications*, **2009**, 10, 1967-1970 3.2 20
- 252 The first synthesis of dihydro-3H-pyrido[2,3-b][1,4]diazepinols and a new alternative approach for diazepinone analogues. *Tetrahedron Letters*, **2007**, 48, 4835-4838 2 20
- 251 Comparative Study of the Chemoselectivity and Yields of the Synthesis of N-Alkyl-4-(trihalomethyl)-1H-pyrimidin-2-ones. *European Journal of Organic Chemistry*, **2008**, 2008, 5832-5838 2.2 20
- 250 Haloacetylated Enol Ethers, 19: Synthesis of 3-(2-Thienyl)- and 3-(2-Furyl)-5-trihalomethyl Substituted Azoles. *Synthesis*, **2005**, 2005, 2744-2750 2.9 20
- 249 New trifluoromethyl-containing (E)-N[?]-arylidene-[3-alkyl(aryl/heteroaryl)-4,5-dihydro-1H-pyrazol-1-yl]carbohydrazides: Synthesis, crystal structure and antimicrobial/antioxidant activity. *Journal of Fluorine Chemistry*, **2012**, 135, 303-314 2.1 19
- 248 Pyrazole synthesis under microwave irradiation and solvent-free conditions. *Journal of the Brazilian Chemical Society*, **2010**, 21, 1037-1044 1.5 19
- 247 Convenient synthesis of furan-3-carboxylic acid and derivatives. *Tetrahedron Letters*, **2004**, 45, 5689-5691 1 19
- 246 Chelating effect of novel pyrimidines in a model of aluminum intoxication. *Journal of Inorganic Biochemistry*, **2005**, 99, 1853-7 4.2 19
- 245 Regiospecific one-pot synthesis of new trifluoromethyl substituted heteroaryl pyrazolyl ketones. *Journal of Heterocyclic Chemistry*, **2005**, 42, 631-637 1.9 19
- 244 Synthesis of new fluorine-containing dihydrobenzo[c]acridines from trifluoroacetyl dihydronaphthalene and substituted anilines. *Journal of Fluorine Chemistry*, **2005**, 126, 1384-1389 2.1 19

| | | | |
|-----|---|------|----|
| 243 | SYNTHESIS OF SOME N-[1-ALKYL(ARYL)- 3-OXO-4,4,4-TRICHLORO(TRIFLUORO)-1-BUTEN-1-YL]-o-AMINOPHENOLS AND o-PHENYLENEDIAMINES AS POTENTIAL ANTICANCER AGENTS. <i>Synthetic Communications</i> , 2002 , 32, 335-341 | 1.7 | 19 |
| 242 | Anxiolytic-like effects of 4-phenyl-2-trichloromethyl-3H-1, 5-benzodiazepine hydrogen sulfate in mice. <i>Brazilian Journal of Medical and Biological Research</i> , 2000 , 33, 1069-73 | 2.8 | 19 |
| 241 | Synthesis of tetra-substituted 5-trifluoromethylpyrazoles via sequential halogenation/palladium-catalyzed C-C and C-N cross-coupling. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 2352-9 | 3.9 | 18 |
| 240 | Ultrasound irradiation promotes the synthesis of new 1,2,4-triazolo[1,5-a]pyrimidine. <i>Ultrasonics Sonochemistry</i> , 2014 , 21, 958-62 | 8.9 | 18 |
| 239 | Ionic liquid promoted cyclocondensation reactions to the formation of isoxazoles, pyrazoles and pyrimidines. <i>Catalysis Communications</i> , 2010 , 11, 476-479 | 3.2 | 18 |
| 238 | Ionic liquid as catalyst in the synthesis of N-alkyl trifluoromethyl pyrazoles. <i>Catalysis Communications</i> , 2009 , 10, 1153-1156 | 3.2 | 18 |
| 237 | An efficient synthesis of 1-cyanoacetyl-5-halomethyl-4,5-dihydro-1H-pyrazoles in ionic liquid. <i>Monatshefte Für Chemie</i> , 2008 , 139, 1049-1054 | 1.4 | 18 |
| 236 | Synthesis of Novel 3-Amino-5-trifluoromethylazoles: A Convenient Method of Obtaining N-(Azol-3-yl)amines. <i>Synthesis</i> , 2006 , 2006, 1485-1493 | 2.9 | 18 |
| 235 | TiO ₂ nanoparticles coated with deep eutectic solvents: characterization and effect on photodegradation of organic dyes. <i>New Journal of Chemistry</i> , 2019 , 43, 1415-1423 | 3.6 | 17 |
| 234 | Ionic Liquids Promoted the C-Acylation of Acetals in Solvent-free Conditions. <i>Catalysis Letters</i> , 2009 , 130, 93-99 | 2.8 | 17 |
| 233 | Microwave-assisted synthesis of novel 5-trichloromethyl-4,5-dihydro-1H-1-pyrazole methyl esters under solvent free conditions. <i>Journal of the Brazilian Chemical Society</i> , 2006 , 17, 408-411 | 1.5 | 17 |
| 232 | Polymorphism in an 18-membered macrocycle: an energetic and topological approach to understand the supramolecular structure. <i>CrystEngComm</i> , 2016 , 18, 3866-3876 | 3.3 | 17 |
| 231 | In vitro and in silico analysis of the efficiency of tetrahydropyridines as drug efflux inhibitors in Escherichia coli. <i>International Journal of Antimicrobial Agents</i> , 2017 , 49, 308-314 | 14.3 | 16 |
| 230 | Dicationic imidazolium-based dicarboxylate ionic liquids: Thermophysical properties and solubility. <i>Journal of Molecular Liquids</i> , 2020 , 308, 112983 | 6 | 16 |
| 229 | Highly Chemoselective Synthesis of 6-Alkoxy-1-alkyl(aryl)-3-trifluoroacetyl-1,4,5,6-tetrahydropyridines and 1-Alkyl(aryl)-6-amino-3-trifluoroacetyl-1,4,5,6-tetrahydropyridines. <i>European Journal of Organic Chemistry</i> , 2009 , 2009, 1435-1444 | 3.2 | 16 |
| 228 | DAST promotes the synthesis of new 5-(trifluoromethyl)-3-(1,1-difluoroethan-2-yl)-1H-pyrazoles. <i>Tetrahedron Letters</i> , 2009 , 50, 1392-1394 | 2 | 16 |
| 227 | General method for dehydration, intramolecular cyclization, and fluorination of trifluoromethyl-1H-pyrazoles using DAST. <i>Tetrahedron Letters</i> , 2010 , 51, 3759-3761 | 2 | 16 |
| 226 | Reaction of α -alkoxyvinyl halomethyl ketones with cyanoacetohydrazide. <i>Journal of the Brazilian Chemical Society</i> , 2008 , 19, 1361-1368 | 1.5 | 16 |

| | | | |
|-----|--|-----|----|
| 225 | New efficient approach for the synthesis of 2-alkyl(aryl) substituted 4H-pyrido[1,2-a]pyrimidin-4-ones. <i>Journal of Heterocyclic Chemistry</i> , 2006 , 43, 229-233 | 1.9 | 16 |
| 224 | Synthesis of 4-(trihalomethyl)dipyrimidin-2-ylamines from α -alkoxy- α -unsaturated trihalomethyl ketones. <i>Journal of Heterocyclic Chemistry</i> , 2002 , 39, 943-947 | 1.9 | 16 |
| 223 | 5-Trifluoromethyl-1,2-dimethyl-1H-pyrazolium chlorides: synthesis and , , and NMR chemical shifts. <i>Journal of Fluorine Chemistry</i> , 2002 , 118, 69-72 | 2.1 | 16 |
| 222 | Microwave assisted synthesis of 5-hydroxy-5-trichloromethyl-4,5-dihydroisoxazoles. <i>Tetrahedron Letters</i> , 2002 , 43, 7005-7008 | 2 | 16 |
| 221 | Synthesis of novel trifluoromethylated β -acetal-diols and their application to the synthesis of 3-ethoxy-5-hydroxy-5-trifluoromethyl-pyrrolidin-2-one. <i>Journal of Fluorine Chemistry</i> , 2001 , 107, 149-154 | 2.1 | 16 |
| 220 | Non-Condensed Trifluoromethylated 5,5-Bicycles: Synthesis of 2-[3-Alkyl(phenyl)-1H-pyrazol-1-yl]-4-phenyl-5-alkylthiazole and -4,5,6,7-tetrahydrobenzothiazole Systems. <i>Synthesis</i> , 2002 , 2002, 1079-1083 | 2.9 | 16 |
| 219 | REACTIONS OF α -ALKOXYVINYL TRIFLUOROMETHYL KETONES. THE SYNTHESIS OF N-[1-ARYL-3-OXO-4,4-TRIFLUORO-1-BUTEN-1-YL]-o-PHENYLENEDIAMINES AND 4-ARYL-2-TRIFLUOROMETHYL-3H-1,5-BENZODIAZEPINES. <i>Synthetic Communications</i> , 2002 , 32, 3225-3232 | 1.7 | 16 |
| 218 | Ni and Cu-catalyzed one pot synthesis of unsymmetrical 1,3-di(hetero)aryl-1H-indazoles from hydrazine, o-chloro (hetero)benzophenones, and (hetero)aryl bromides. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 5062-5069 | 3.9 | 15 |
| 217 | Density Functional Theory and Quantum Theory of Atoms in Molecules Analysis: Influence of Intramolecular Interactions on Pirouetting Movement in Tetraalkylsuccinamide[2]rotaxanes. <i>Crystal Growth and Design</i> , 2017 , 17, 5845-5857 | 3.5 | 15 |
| 216 | New solventless and metal-free synthesis of the antiepileptic drug 1-(2,6-difluorobenzyl)-1H-1,2,3-triazole-4-carboxamide (Rufinamide) and analogues. <i>Tetrahedron Letters</i> , 2015 , 56, 441-444 | 2 | 15 |
| 215 | Insights on the Similarity of Supramolecular Structures in Organic Crystals Using Quantitative Indexes. <i>ACS Omega</i> , 2018 , 3, 2569-2578 | 3.9 | 15 |
| 214 | A convenient two-step synthesis of 6-methylenesubstituted-4-trichloromethyl-2-methylsulfanyl pyrimidines. <i>Tetrahedron Letters</i> , 2006 , 47, 573-576 | 2 | 15 |
| 213 | Regiospecific Cyclization of α -Alkoxyvinyl Trifluoro[chloro]methyl Ketones with 6-Trifluoro[chloro]methyl-2-hydrazine Pyrimidines. A Convenient Method to Obtain Trifluoro[chloro]methylated 2-(5-Hydroxy-5-trifluoro[chloro]methyl-4,5-dihydro-1H-Pyrazol-1-yl)-pyrimidines. <i>Synthesis</i> , 2003 , 2003, 0894-0898 | 2.9 | 15 |
| 212 | Reactions of α -methoxyvinyl trifluoromethyl ketones with 2-pyridinecarboxamidrazone: A convenient route to trifluoromethylated 4,5-dihydro-1H-1-picolinoylpyrazole hydrochlorides. <i>Journal of Fluorine Chemistry</i> , 2003 , 122, 159-163 | 2.1 | 15 |
| 211 | A CONVENIENT SYNTHESIS OF 4-TRICHLOROMETHYL-PYRIMIDIN-2-YLAMINE DERIVATIVES. <i>Synthetic Communications</i> , 2001 , 31, 2855-2863 | 1.7 | 15 |
| 210 | Enolethers. XX . Synthesis of azepino[4,5-b]quinoxalines and pyridopyrazino[2,3-d]azepines. <i>Journal of Heterocyclic Chemistry</i> , 1995 , 32, 57-64 | 1.9 | 15 |
| 209 | Sonochemical heating profile for solvents and ionic liquid doped solvents, and their application in the N-alkylation of pyrazoles. <i>Ultrasonics Sonochemistry</i> , 2016 , 32, 432-439 | 8.9 | 15 |
| 208 | Chemoselective Synthesis of 1-Substituted 4-Amino-2-(trifluoromethyl)-1H-pyrroles through the Heterocyclization Reaction of 4-Methoxy-5-bromo-1,1,1-trifluoropent-3-en-2-ones with Amines. <i>Journal of Organic Chemistry</i> , 2015 , 80, 12453-9 | 4.2 | 14 |

| | | | |
|-----|---|-----|----|
| 207 | 1,1-Difluoro-3-aryl(heteroaryl)-1H-pyrido[1,2-c][1,3,5,2]oxadiazaborinin-9-ium-1-uides: synthesis; structure; and photophysical, electrochemical, and BSA-binding studies. <i>New Journal of Chemistry</i> , 2018 , 42, 1913-1920 | 3.6 | 14 |
| 206 | New 2-(aryl/heteroaryl)-6-(morpholin-4-yl/pyrrolidin-1-yl)-(4-trifluoromethyl)quinolines: synthesis via Buchwald-Bartwig amination, photophysics, and biomolecular binding properties. <i>New Journal of Chemistry</i> , 2018 , 42, 10024-10035 | 3.6 | 14 |
| 205 | Antioxidant potential of new pyrazoline derivatives to prevent oxidative damage. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2009 , 104, 107-12 | 3.1 | 14 |
| 204 | Application of 4-Alkoxy-1,1,1-trifluoro[chloro]alk-3-en-2-ones as Selective Protecting Groups of Amino Acids. <i>Synthesis</i> , 2002 , 2002, 2409-2415 | 2.9 | 14 |
| 203 | A Convenient Preparation of 4-Methyl- and 4-Phenylseleno-1,1,1-trihalo-3-alken-2-ones and their Usefulness in the Synthesis of 3-Trihalomethyl- α -selenazoles. <i>Synthesis</i> , 2002 , 2002, 2220-2224 | 2.9 | 14 |
| 202 | SYNTHESIS OF 3-METHYLISOXAZOLE- 5-CARBOXAMIDES AND 5-[(1H-PYRAZOL-1-YL)CARBONYL]-3-METHYLISOXAZOLES. <i>Synthetic Communications</i> , 2002 , 32, 425-433 | 1.7 | 14 |
| 201 | Synthesis of α -Pyrrolyl(furanyl)-Substituted Piperazines, 1,4-Dizepanes, and 1,4-Diazocanes. <i>Journal of Organic Chemistry</i> , 2019 , 84, 8976-8983 | 4.2 | 13 |
| 200 | Ultrasound promoted the synthesis of N-propargylic β -enaminoes. <i>Ultrasonics Sonochemistry</i> , 2012 , 19, 227-31 | 8.9 | 13 |
| 199 | New strategy for the regioselective synthesis of 1-phenyl-3-trifluoromethyl-1H-pyrazoles. <i>Tetrahedron Letters</i> , 2013 , 54, 4076-4079 | 2 | 13 |
| 198 | A solvent-free synthesis of beta-enamino trihalomethyl ketones. <i>Journal of the Brazilian Chemical Society</i> , 2007 , 18, 1486-1491 | 1.5 | 13 |
| 197 | Inhibitory effect of novel pyrimidines on ATP and ADP hydrolysis in synaptosomes from rat cerebral cortex. <i>Chemical Research in Toxicology</i> , 2003 , 16, 1433-9 | 4 | 13 |
| 196 | ^{17}O NMR chemical shifts: a simple and useful rule for substituent additivity on oxygen atoms with a coordination number of two. <i>Magnetic Resonance in Chemistry</i> , 1999 , 37, 852-855 | 2.1 | 13 |
| 195 | Novel aryl(heteroaryl)-substituted (pyrimidyl)benzamide-based BF ₂ complexes: Synthesis, photophysical properties, BSA-binding, and molecular docking analysis. <i>Dyes and Pigments</i> , 2019 , 161, 396-402 | 4.6 | 13 |
| 194 | Ullmann-type copper-catalyzed coupling amination, photophysical and DNA/HSA-binding properties of new 4-(trifluoromethyl)quinoline derivatives. <i>Journal of Fluorine Chemistry</i> , 2019 , 221, 84-90 | 2.1 | 12 |
| 193 | A comparative study using conventional methods, ionic liquids, microwave irradiation and combinations thereof for the synthesis of 5-trifluoroacetyl-1,2,3,4-tetrahydropyridines. <i>Tetrahedron Letters</i> , 2018 , 59, 891-894 | 2 | 12 |
| 192 | Synthetic Versatility of β -Alkoxyvinyl Trichloromethyl Ketones for Obtaining [1,2,4]Triazolo[1,5-a]pyrimidines. <i>Synthesis</i> , 2018 , 50, 3686-3695 | 2.9 | 12 |
| 191 | Regioselective synthesis and through-space ^{13}C - ^{19}F spin-spin coupling NMR of new tetracyclic 3-(trifluoromethyl)-spiro(chromen[4,3-c]pyrazole-4,1'-cycloalkanes). <i>Journal of Fluorine Chemistry</i> , 2014 , 166, 44-51 | 2.1 | 12 |
| 190 | ANRORC rearrangement in tetrahydro-2H-chromenones. Synthesis and structural assignment by NMR, MS, X-ray and DFT calculations of 2-[3(5)-trifluoromethyl-1H-pyrazol-4-yl]arylmethyl]cyclohexenones and derivatives. <i>Journal of Fluorine Chemistry</i> , 2013 , 151, 38-44 | 2.1 | 12 |

- 189 Convenient One-Pot Synthesis of N-Substituted 3-Trifluoroacetyl Pyrroles. *Synlett*, **2009**, 2009, 755-758 2.2 12
- 188 Microwave-assisted synthesis and antimicrobial activity of 5-trihalomethyl-3-arylisoxazoles. *Monatshefte Für Chemie*, **2008**, 139, 985-990 1.4 12
- 187 Microwave-Assisted Regiospecific Synthesis of 2-Trifluoromethyl-7- Trihalomethylated Pyrazolo[1,5-a]Pyrimidines. *Letters in Organic Chemistry*, **2006**, 3, 358-362 0.6 12
- 186 Synthesis, 17O NMR spectroscopy and structure of 2-trifluoroacetyl-1-methoxycycloalkenes. *Journal of Fluorine Chemistry*, **2005**, 126, 1396-1402 2.1 12
- 185 Regiospecific synthesis of new non-condensed heteropolycyclic systems from beta-heteroaryl-beta-methoxyvinyl trihalomethyl ketones. *Journal of the Brazilian Chemical Society*, **2005**, 16, 868-873 1.5 12
- 184 Multinuclear NMR spectroscopy, photophysical, electrochemical and DNA-binding properties of fluorinated 1,8-naphthyridine-based boron heterocycles. *Journal of Fluorine Chemistry*, **2018**, 205, 8-14 2.1 12
- 183 Efficient approach for regioselective synthesis of new trifluoromethyl-substituted spiro-tetracyclic isoxazolines and isoxazoles. *Journal of Fluorine Chemistry*, **2017**, 197, 6-14 2.1 11
- 182 Synthesis and cytotoxic activity evaluation of some novel 1-(3-(aryl-4,5-dihydroisoxazol-5-yl)methyl)-4-trihalomethyl-1H-pyrimidin-2-ones in human cancer cells. *European Journal of Medicinal Chemistry*, **2015**, 101, 836-42 6.8 11
- 181 A telescoped protocol for the synthesis of new pyrrolo [3,4-d]pyridazinones by cascade reactions. *Tetrahedron Letters*, **2015**, 56, 5190-5195 2 11
- 180 Synthesis, biological evaluation and molecular docking study of 7-amine-spiro[chromeno[4,3-b]quinoline-6,1'-cycloalkanes] as new tacrine hybrids. *Tetrahedron Letters*, **2015**, 56, 7024-7027 2 11
- 179 An Efficient Synthesis of Oxa- and Aza-Condensed Tetrahydropyridines from Cyclic Enones. *Synthesis*, **2010**, 2010, 2348-2354 2.9 11
- 178 Convergent procedure for the synthesis of trifluoromethyl-containing N-(pyridinyl-triazolyl)pyrimidin-2-amines. *Journal of Fluorine Chemistry*, **2010**, 131, 1297-1301 2.1 11
- 177 The unexpected cyclization routes of N,N'-bis(oxotrifluoroalkenyl)-1,3-phenylenediamines in polyphosphoric acid medium. *Tetrahedron Letters*, **2010**, 51, 3752-3755 2 11
- 176 5-Halomethyl-5-Hydroxy-4,5-Dihydroisoxazoles: Synthesis and 13C, 17O, 15N, 19F NMR Spectroscopy. *Mini-Reviews in Organic Chemistry*, **2008**, 5, 53-76 1.7 11
- 175 An ionic liquid as reaction medium for the synthesis of halo-containing phenaminones at room temperature. *Monatshefte Für Chemie*, **2008**, 139, 1321-1327 1.4 11
- 174 One-Pot Synthesis of a New Series of 3-Alkoxy-5-hydroxy-5-trifluoromethylpyrrolidin-2-ones from 1,1,1-Trifluoro-4-alkoxyalk-3-en-2-ones. *Synthesis*, **2002**, 2002, 2404-2408 2.9 11
- 173 Biological assays of BF-naphthyridine compounds: Tyrosinase and acetylcholinesterase activity, CT-DNA and HSA binding property evaluations. *International Journal of Biological Macromolecules*, **2020**, 160, 1114-1129 7.9 11
- 172 Synthesis, antimicrobial activity and cytotoxic investigation of novel trifluoromethylated tetrazolo[1,5-a]pyrimidines. *Medicinal Chemistry Research*, **2017**, 26, 640-649 2.2 10

| | | | |
|-----|---|-----|----|
| 171 | Synthesis of pyrazolo[1,5-a]quinoxalin-4(5H)-ones via one-pot amidation/N-arylation reactions under transition metal-free conditions. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 8721-8727 | 3.9 | 10 |
| 170 | Deep eutectic solvent mediated synthesis of thiomethyltriazolo[1,5-a]pyrimidines. <i>Journal of Molecular Liquids</i> , 2016 , 223, 934-938 | 6 | 10 |
| 169 | Sequential one-pot three-step synthesis of polysubstituted 4-(5-(trifluoromethyl)-1H-pyrazol-4-yl)-1H-1,2,3-triazole systems. <i>RSC Advances</i> , 2017 , 7, 43957-43964 | 3.7 | 10 |
| 168 | New one-pot, efficient, and regioselective method for the synthesis of 3-Trifluoromethyl-1H-1-phenylpyrazoles and alkyl 3-carboxylate analogs. <i>Tetrahedron Letters</i> , 2012 , 53, 5488-5491 | 2 | 10 |
| 167 | 2-Trifluoroacetyl-1-methoxycycloalkenes: A convenient precursor for the synthesis of geminated polymethylene trifluoromethyl substituted heterocycles. <i>Journal of Heterocyclic Chemistry</i> , 2009 , 46, 158-163 | 1.9 | 10 |
| 166 | Chemoselective fluorination of 2-hydroxy-3,4,7,8-tetrahydro-2H-chromen-5(6H)-ones using DAST. <i>Tetrahedron Letters</i> , 2011 , 52, 3333-3335 | 2 | 10 |
| 165 | Straightforward and Regiospecific Synthesis of Pyrazole-5-carboxylates from Unsymmetrical Enaminodiketones. <i>Synlett</i> , 2008 , 2008, 1673-1678 | 2.2 | 10 |
| 164 | Efficient synthesis of new 1-[Alkyl(aryl)]-5-(3,3,3-trihalo-2-oxopropylidene)pyrrolidin-2-ones. <i>Journal of the Brazilian Chemical Society</i> , 2008 , 19, 184-193 | 1.5 | 10 |
| 163 | Preparation of new 2-amino- and 2,3-diamino-pyridine trifluoroacetyl enamine derivatives and their application to the synthesis of trifluoromethyl-containing 3H-pyrido[2,3-b][1,4] diazepinols. <i>Journal of Heterocyclic Chemistry</i> , 2008 , 45, 1679-1686 | 1.9 | 10 |
| 162 | 1,1,1-Trichloro-4,4-diethoxy-3-buten-2-one and its Trichloroacetylacetate Derivatives: Synthesis and Applications in Regiospecific Preparation of Azoles. <i>Synthesis</i> , 2003 , 2003, 2353-2357 | 2.9 | 10 |
| 161 | Haloacetylated enol ethers: 18. <i>Journal of Fluorine Chemistry</i> , 2003 , 123, 249-253 | 2.1 | 10 |
| 160 | The structure in the solid state and in solution of 3(5)-trifluoromethyl-4,5(3)-polymethylenepyrazoles. <i>Arkivoc</i> , 2006 , 2006, 29-37 | 0.9 | 10 |
| 159 | Synthesis of new trifluoromethyl-containing cycloalka[b]quinolines derivated from alkoxy-cycloalkenes. <i>Arkivoc</i> , 2009 , 2008, 75-83 | 0.9 | 10 |
| 158 | Two-photon absorption properties of BODIPY-like compounds based on BF-naphthyridine complexes. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 6662-6671 | 3.6 | 10 |
| 157 | Polymorphism in a Rotaxane Molecule: Intra- and Intermolecular Understanding. <i>Crystal Growth and Design</i> , 2019 , 19, 1021-1030 | 3.5 | 10 |
| 156 | Synthesis and antimicrobial screening of 2-alkyl(aryl)-7-chloro-6-fluoro-4-(trifluoromethyl)-quinolines and their phenylacetylene derivatives, promoted by Sonogashira cross-coupling reaction. <i>Journal of Fluorine Chemistry</i> , 2018 , 205, 49-57 | 2.1 | 10 |
| 155 | Supramolecular Similarity in Polymorphs: Use of Similarity Indices (I). <i>ACS Omega</i> , 2019 , 4, 9697-9709 | 3.9 | 9 |
| 154 | Regioselective Synthesis of 5-(Trifluoromethyl)[1,2,4]triazolo[1,5-a]pyrimidines from β -Enamino Diketones. <i>Synthesis</i> , 2019 , 51, 2311-2317 | 2.9 | 9 |

- 153 Crystallization Mechanisms Applied to Understand the Crystal Formation of Rotaxanes. *European Journal of Organic Chemistry*, **2019**, 2019, 3451-3463 3.2 9
- 152 Models for understanding the structural effects on the cation-anion interaction strength of dicationic ionic liquids. *Journal of Molecular Liquids*, **2018**, 252, 184-193 6 9
- 151 Convergent synthesis and cytotoxicity of novel trifluoromethyl-substituted (1H-pyrazol-1-yl)(quinolin-4-yl) methanones. *Journal of Fluorine Chemistry*, **2016**, 190, 31-40 2.1 9
- 150 Insights on conformation in the solid state: a case study *E*-cis and/or *s*-trans crystallization of 5(3-aryl-3(5)-carboxyethyl-1-tert-butylpyrazoles. *CrystEngComm*, **2018**, 20, 5154-5168 3.3 9
- 149 Cycloaromatization Reaction of 4-Alkoxy-1,1,1-trifluoroalk-3-en-2-ones with 2,6-Diaminotoluene: The Unexpected Regioselective Synthesis of 2,4,7,8-Tetrasubstituted Quinolines. *Journal of Heterocyclic Chemistry*, **2013**, 50, E193-E199 1.9 9
- 148 The first application of 4-alkoxy-1,1,1-trifluoroalk-3-en-2-ones in a three-component condensation protocol for the synthesis of 3-acyl-4-aryl-2-(trifluoromethyl)-2-hydroxy-3,4,7,8-tetrahydro-2H-chromen-5(6H)-ones. *Journal of Fluorine Chemistry*, **2011**, 182, 140-147 2.1 9
- 147 Synthesis of novel quinolines using TsOH/ionic liquid under microwave. *Journal of the Brazilian Chemical Society*, **2012**, 23, 1663-1668 1.5 9
- 146 X-ray structure, semi-empirical MO calculations and π -electron delocalization of 1-cyanoacetyl-5-trifluoromethyl-5-hydroxy-4,5-dihydro-1H-pyrazoles. *Journal of Molecular Structure*, **2010**, 969, 111-119 3.4 9
- 145 One-pot synthesis of N²-aminoprotected 6-substituted and cycloalka[d] 4-trifluoromethyl-2-acetylaminopyrimidines. *Journal of Heterocyclic Chemistry*, **2008**, 45, 483-487 1.9 9
- 144 Synthesis of Tetrahydro-2(1H)quinazolinones, Cyclopenta[d]-2(1H)pyrimidinones, and Their Thioxo Analogs from 2-Trifluoroacetyl-1-methoxycycloalkenes. *Synthetic Communications*, **2005**, 35, 3055-3064 1.7 9
- 143 Convenient synthesis of 3-aminomethylenedihydrofuran-2-ones. *Tetrahedron Letters*, **2003**, 44, 961-964 2 9
- 142 Regiospecific synthesis of 1,2-bis(azolyl)ethanes. *Journal of the Brazilian Chemical Society*, **2005**, 16, 275-279 9
- 141 β -Alkoxyvinyl trifluoromethyl ketones as efficient precursors for the one-pot synthesis of bis-(4,5-dihydro-1H-pyrazol-1-yl)methanones and 1H-pyrazolyl-1-carbohydrazides. *Arkivoc*, **2009**, 2009, 174-182 0.9 9
- 140 Synthesis and antinociceptive activity of new 2-substituted 4-(trifluoromethyl)-5,6-dihydrobenzo[h]quinazolines. *Bioorganic and Medicinal Chemistry Letters*, **2016**, 26, 4808-4814 2.9 9
- 139 New 1-(Spiro[chroman-2,1'-cycloalkan]-4-yl)-1H-1,2,3-Triazoles: Synthesis, QTAIM/MEP analyses, and DNA/HSA-binding assays. *Journal of Molecular Liquids*, **2021**, 324, 114729 6 9
- 138 Supramolecular Packing of a Series of *N*-Phenylamides and the Role of NH \cdots O=C Interactions. *ACS Omega*, **2018**, 3, 13850-13861 3.9 9
- 137 Conformer Distribution in Rotaxanes Containing Nonsymmetric Threads: A Systematic Approach. *European Journal of Organic Chemistry*, **2018**, 2018, 4978-4990 3.2 9
- 136 Synthesis of novel trifluoromethyl-substituted spiro-[chromeno[4,3-d]pyrimidine-5,1Pcycloalkanes], and evaluation of their analgesic effects in a mouse pain model. *Bioorganic and Medicinal Chemistry Letters*, **2017**, 27, 1551-1556 2.9 8

| | | | |
|-----|--|-----|---|
| 135 | Competition between the donor and acceptor hydrogen bonds of the threads in the formation of [2]rotaxanes by clipping reaction. <i>New Journal of Chemistry</i> , 2017 , 41, 13303-13318 | 3.6 | 8 |
| 134 | Cyanoacetylazoles and salicylic aldehydes promoting the synthesis of new trifluoromethyl-substituted azolecarbonyl-2H-chromen-2-ones through the Knoevenagel condensation reaction. <i>Journal of Fluorine Chemistry</i> , 2015 , 178, 296-305 | 2.1 | 8 |
| 133 | New regioselective synthesis of polyfunctionalized 3-ferrocenyl-1 H -pyrroles under microwave irradiation. <i>Tetrahedron Letters</i> , 2016 , 57, 4568-4573 | 2 | 8 |
| 132 | Synthesis and photophysical, thermal and antimycobacterial properties of novel 6-amino-2-alkyl(aryl/heteroaryl)-4-(trifluoromethyl) quinolines. <i>New Journal of Chemistry</i> , 2019 , 43, 12373-12384 | 3.6 | 8 |
| 131 | Antitumoral activity of a trichloromethyl pyrimidine analogue: molecular cross-talk between intrinsic and extrinsic apoptosis. <i>Chemical Research in Toxicology</i> , 2014 , 27, 1040-9 | 4 | 8 |
| 130 | Synthesis, effect of substituents on the regiochemistry and equilibrium studies of tetrazolo[1,5-]pyrimidine/2-azidopyrimidines. <i>Beilstein Journal of Organic Chemistry</i> , 2017 , 13, 2396-2407 | 2.5 | 8 |
| 129 | General pathway for a convenient one-pot synthesis of trifluoromethyl-containing 2-amino-7-alkyl(aryl/heteroaryl)-1,8-naphthyridines and fused cycloalkane analogues. <i>Molecules</i> , 2011 , 16, 2817-32 | 4.8 | 8 |
| 128 | Solvent-free route to α -enamino dichloromethyl ketones and application in the synthesis of novel 5-dichloromethyl-1H-pyrazoles. <i>Journal of Heterocyclic Chemistry</i> , 2009 , 46, 1247-1251 | 1.9 | 8 |
| 127 | Synthesis of New Fluorine-Containing 1,2,3,4-Tetrahydroacridines. <i>Synthetic Communications</i> , 2009 , 39, 3677-3686 | 1.7 | 8 |
| 126 | Preparation and crystal structure determination of adducts of copper(II) chloride with 3-aryl-1-(imino-pyridin-2-yl-methyl)-5-hydroxy-5-trifluoromethyl-4,5-dihydro-1H-pyrazoles. <i>Inorganic Chemistry Communication</i> , 2003 , 6, 646-649 | 3.1 | 8 |
| 125 | Regioselective synthesis and antimicrobial evaluation of new 1-aryloxyacetyl-, 1-thiophenoyacetyl- and 1-phenylaminoacetyl-substituted 3-alkyl(aryl/heteroaryl)-5-trifluoromethyl-5-hydroxy-4,5-dihydro-1H-pyrazoles. <i>Arkivoc</i> , 2013 , 2012, 62-75 | 0.9 | 8 |
| 124 | The Wonderful World of α -Enamino Diketones Chemistry. <i>European Journal of Organic Chemistry</i> , 2020 , 2020, 6405-6417 | 3.2 | 8 |
| 123 | Regioselectively Controlled Synthesis of N-Substituted (Trifluoromethyl)pyrimidin-2(1H)-ones. <i>Journal of Organic Chemistry</i> , 2016 , 81, 3727-34 | 4.2 | 8 |
| 122 | Chemo- and regioselective reactions of 5-bromo enones/enaminones with pyrazoles. <i>Organic and Biomolecular Chemistry</i> , 2019 , 17, 2384-2392 | 3.9 | 7 |
| 121 | Useful approach for O-functionalization of trifluoromethyl-substituted spiro-tetracyclic isoxazolines, and their application in the synthesis of 1,2,3-triazole derivatives. <i>Journal of Fluorine Chemistry</i> , 2018 , 210, 142-148 | 2.1 | 7 |
| 120 | Efficient microwave-assisted synthesis of 1-aryl-4-dimethylamino methyleno-pyrrolidine-2,3,5-triones. <i>Tetrahedron Letters</i> , 2012 , 53, 3131-3134 | 2 | 7 |
| 119 | Evaluation of the synthesis of 1-(pentafluorophenyl)-4,5-dihydro-1H-pyrazoles using green metrics. <i>Monatshefte für Chemie</i> , 2013 , 144, 1043-1050 | 1.4 | 7 |
| 118 | Brominated Trihalomethylenones as Versatile Precursors to 3-Ethoxy-, -Formyl-, -Azidomethyl-, -Triazolyl-, and 3-Aminomethyl Pyrazoles. <i>Journal of Heterocyclic Chemistry</i> , 2013 , 50, 71-77 | 1.9 | 7 |

| | | | |
|-----|--|-----|---|
| 117 | Efficient Synthesis of (1,2,3-Triazol-1-yl)methylpyrimidines from 5-Bromo-1,1,1-trifluoro-4-methoxypent-3-en-2-one. <i>European Journal of Organic Chemistry</i> , 2017 , 2017, 306-312 | 3.2 | 7 |
| 116 | Simultaneous regioselective synthesis of trifluoromethyl-containing 1,7-phenanthrolines and quinolines from cyclocondensation reaction of N,NPbis(oxotrifluoroalkenyl)-1,3-phenylenediamines. <i>Journal of the Brazilian Chemical Society</i> , 2011 | 1.5 | 7 |
| 115 | Synthesis of new trihalomethylated and non-symmetrical substituted 2-(1H-pyrazolyl)-5-(1H-pyrazolylcarbonyl)pyridines. <i>Journal of the Brazilian Chemical Society</i> , 2009 , 20, 509-517 | 1.5 | 7 |
| 114 | A Convenient Synthesis of 5- and 6-Substituted 2-Phenyl-3H-pyrimidin-4-ones. <i>Synthesis</i> , 2008 , 2008, 358-362 | 2.9 | 7 |
| 113 | A simple one-pot synthesis of 3-alkoxy-3-cyanocarboxylic acids: a rapid entry to new GABA derivatives. <i>Tetrahedron Letters</i> , 2007 , 48, 6531-6534 | 2 | 7 |
| 112 | Synthesis and structural study of a new series of 2-methylsulfanyl-tetrahydropyrimidines from alkoxyvinyl trihalomethyl ketones. <i>Journal of Heterocyclic Chemistry</i> , 2008 , 45, 221-227 | 1.9 | 7 |
| 111 | Synthesis of the omega-brominated alpha-trifluoroacetylcycloalkanones and their isoxazole derivatives. <i>Journal of the Brazilian Chemical Society</i> , 2006 , 17, 79-84 | 1.5 | 7 |
| 110 | Efficient synthesis and dehydration reaction of trichloromethylated 2-(3-phenyl-5-hydroxy-4,5-dihydro-1H-pyrazol-1-yl)-4-aryl-5-alkylthiazoles. <i>Heteroatom Chemistry</i> , 2003 , 14, 132-137 | 1.2 | 7 |
| 109 | Design and Synthesis of Novel Trichloromethylated N-Azolylmethyl-1H-pyrimidin-2-ones and Related N-Methylenaminones. <i>Synlett</i> , 2005 , 2005, 3079-3082 | 2.2 | 7 |
| 108 | Regiochemistry of the Reaction of 2-Acylcyclohexanones with Trimethyl Orthoformate: A Convenient One-Pot Method to Obtain 7,7-Dimethoxy Alkanoate Methyl Esters. <i>Synlett</i> , 1999 , 1999, 789-791 | 2.2 | 7 |
| 107 | Ultrasound-assisted synthesis of pyrimidines and their fused derivatives: A review. <i>Ultrasonics Sonochemistry</i> , 2021 , 79, 105683 | 8.9 | 7 |
| 106 | [2]Rotaxanes Bearing a Tetralactam Macrocycle: The Role of a Trifurcated Hydrogen Bond in the Crystalline State. <i>European Journal of Organic Chemistry</i> , 2019 , 2019, 3464-3471 | 3.2 | 6 |
| 105 | Unexpected Metal-Free Fluorination and Oxidation at the C-4 Position of Pyrazoles Promoted by Selectfluor. <i>Synlett</i> , 2015 , 26, 2009-2013 | 2.2 | 6 |
| 104 | Tacrine derivatives stimulate human glioma SF295 cell death and alter important proteins related to disease development: An old drug for new targets. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2018 , 1862, 1527-1536 | 4 | 6 |
| 103 | Effect of slight structural changes on the gelation properties of N-phenylstearamide supramolecular gels. <i>Soft Matter</i> , 2018 , 14, 6716-6727 | 3.6 | 6 |
| 102 | Efficient entry to trifluoromethyl substituted chromanes from oxidative aromatization of tetrahydro-2H-chromen-5(6H)-ones using iodine/alcohol with conventional and microwave methods. <i>Journal of Fluorine Chemistry</i> , 2012 , 142, 90-95 | 2.1 | 6 |
| 101 | Determinação de bifenilos policlorados em milho através de extração em fase sólida seguida de cromatografia a gás acoplada à espectrometria de massas. <i>Quimica Nova</i> , 2012 , 35, 553-558 | 1.6 | 6 |
| 100 | Ionic liquid and Lewis acid combination in the synthesis of novel (E)-1-(benzylideneamino)-3-cyano-6-(trifluoromethyl)-1H-2-pyridones. <i>Monatshefte Für Chemie</i> , 2011 , 142, 1265-1270 | 1.4 | 6 |

- 99 Improved One-Pot Synthesis of 1-Aryl-3-trifluoroacetyl-1H-pyrroles under Swern Oxidation. *Synthesis*, **2012**, 44, 3477-3482 2.9 6
- 98 Synthesis and structural study of N-methyl-2-methylthiopyrimidine derivatives from trihalomethylated enones. *Journal of Heterocyclic Chemistry*, **2010**, 47, 1234-1239 1.9 6
- 97 Preparation of novel trifluoroacetylketene O,N-acetals and trifluoromethyl-containing S,S-sulfoximido N-substituted heterocycles. *Journal of the Brazilian Chemical Society*, **2009**, 20, 1370-1378 1.5 6
- 96 One-Pot Synthesis of Pyrazole-5(3)-carboxyamides. *Synthetic Communications*, **2004**, 34, 1915-1923 1.7 6
- 95 Molecular Structure of Heterocycles: 6. Solvent Effects on the ¹⁷O Nmr Chemical Shifts of 5-Trichloromethylisoxazoles. *Journal of the Brazilian Chemical Society*, **2001**, 12, 804-808 1.5 6
- 94 Haloacetylated Compounds: Solvent Effects on the ¹⁷O Nmr Chemical Shifts of 1,1,1-Trichloro-4-Methoxy-3-Alken-2-Ones. *Spectroscopy Letters*, **1999**, 32, 973-981 1.1 6
- 93 Synthesis of novel conjugated enynes: a reaction of lithium acetylenides with β -dimethylaminovinyl ketones. *Arkivoc*, **2007**, 2007, 205-212 0.9 6
- 92 6-Hydrazinonicotinic acid hydrazide: an useful precursor for chemo- and regioselective synthesis of new heteroaryl-linked pyridinohydrazones. *Arkivoc*, **2013**, 2012, 214-225 0.9 6
- 91 Solvent and Catalyst-Free Synthesis of Silicon-Protected Alcohols. *ChemistrySelect*, **2018**, 3, 10717-10720 0.8 6
- 90 Efficient synthesis of 6-aryl-4-trifluoromethyl/ethoxycarbonyl-2H-pyran-2-ones through self-condensation of penta-2,4-dienenitriles. *Tetrahedron Letters*, **2018**, 59, 121-124 2 5
- 89 Enol ethers and acetals: acylation with dichloroacetyl, acetyl and benzoyl chloride in ionic liquid medium. *Tetrahedron Letters*, **2012**, 53, 170-172 2 5
- 88 Supramolecular structure of enamines in solid-state. *Journal of Molecular Structure*, **2010**, 981, 71-79 3.4 5
- 87 Synthesis of new 1,1?-carbonyl-bis[3-aryl(heteroaryl)-5-(trihalomethyl)-1H-pyrazoles] and trifluoromethyl derivatives through ring-opening reactions. *Journal of Heterocyclic Chemistry*, **2010**, 47, 1073-1078 1.9 5
- 86 ¹⁵N NMR spectroscopy of 3-substituted 5-trichloromethyl-1,2-dimethyl-1H-pyrazolium chlorides. *Magnetic Resonance in Chemistry*, **2002**, 40, 182-186 2.1 5
- 85 Solvent effects on the ¹⁷O NMR chemical shifts of 4-dimethylsulfoximide-1,1,1-trifluoro-3-alken-2-ones. *Journal of Fluorine Chemistry*, **2003**, 121, 135-139 2.1 5
- 84 Synthesis of Alkyl-, Aryl- and Heteroaryl-Substituted 2-[3-Oxo-2,3-dihydro-1H-pyrazol-2-yl]-6(4)-trifluoromethylpyrimidines from β -Alkoxyvinyl Trifluoromethyl Ketones. *Synthesis*, **2005**, 2005, 809-813 2.9 5
- 83 Molecular Structure of Heterocycles: 2 # NMR Spectroscopy, X- ray Diffraction, and Semiempirical MO Calculations of 5-Bromo-4, 6-dimethoxy-4-trichloromethyl-hexahydropyrimidin-2-one.. *Spectroscopy Letters*, **1998**, 31, 1125-1139 1.1 5
- 82 Effect of carbonyl substituents on the barrier to rotation in N-ethyl-N-methylamides. *Magnetic Resonance in Chemistry*, **1993**, 31, 451-454 2.1 5

| | | | |
|----|---|-----|---|
| 81 | Synthesis and photophysical properties of trichloro(fluoro)-Substituted 6-(3-oxo-1-(alk-1-en-1-yl)amino)coumarins and their 2,2-Difluoro-2H-1,3,2-oxazaborinin-3-ium-2-uide heterocycles. <i>Journal of Fluorine Chemistry</i> , 2020 , 238, 109614 | 2.1 | 5 |
| 80 | Substituent effects on the crystallization mechanisms of 7-chloro-4-substituted-quinolines. <i>CrystEngComm</i> , 2020 , 22, 4094-4107 | 3.3 | 5 |
| 79 | Regioselective synthesis, biological evaluation, and molecular docking of dihydropyrimidin-4-ols as acetylcholinesterase inhibitors. <i>Chemical Biology and Drug Design</i> , 2017 , 90, 1161-1172 | 2.9 | 4 |
| 78 | Novel 2-phenyl-6-phenylethynyl-4-(trifluoromethyl)quinolines: Synthesis by Sonogashira cross-coupling reaction and their evaluation as liquid crystals. <i>Journal of Molecular Liquids</i> , 2019 , 287, 110896 | 6 | 4 |
| 77 | Pyrazole-Enaminones as Promising Prototypes for the Development of Analgesic Drugs. <i>ChemistrySelect</i> , 2020 , 5, 14620-14625 | 1.8 | 4 |
| 76 | Divergent and Regioselective Synthesis of (Trifluoromethyl/carboxyethyl)benzo[4,5]imidazo[1,2-a]pyrimidines from β -Enamino Diketones. <i>European Journal of Organic Chemistry</i> , 2020 , 2020, 6478-6484 | 3.2 | 4 |
| 75 | Regiochemistry of cyclocondensation reactions in the synthesis of polyazaheterocycles. <i>Beilstein Journal of Organic Chemistry</i> , 2017 , 13, 257-266 | 2.5 | 4 |
| 74 | Structural Investigation, UV-Vis Analysis and Crystal Packing of Spiro[chromeno[4,3-b]quinoline-6,1'-cycloalkan]-7-amine: Novel Tacrine Hybrids by Single Crystal X-Ray Diffraction. <i>Journal of Chemical Crystallography</i> , 2018 , 48, 19-31 | 0.5 | 4 |
| 73 | Convenient enzymatic resolution of (R,S)-2-methylbutyric acid catalyzed by immobilized lipases. <i>Chirality</i> , 2018 , 30, 106-111 | 2.1 | 4 |
| 72 | Eco-friendly synthesis and antioxidant activity of new trifluoromethyl-substituted N-(pyrimidin-2-yl)benzo[d]thiazol-2-amines and some N-derivatives. <i>Monatshefte Für Chemie</i> , 2016 , 147, 2185-2194 | 1.4 | 4 |
| 71 | Influence of bulky and halogen substituents on crystal packing of pyrazolo[1,5-a]pyrimidines. <i>Journal of Molecular Structure</i> , 2011 , 1004, 45-50 | 3.4 | 4 |
| 70 | Structural investigations of 5-hydroxy-4,5-dihydroisoxazoles. <i>Journal of Molecular Structure</i> , 2011 , 1006, 462-468 | 3.4 | 4 |
| 69 | An efficient and regioselective synthesis of 1,1'-oxalylbis[3-(alkyl/aryl/heteroaryl)-5-(trihalomethyl)-1H-pyrazoles] from 4-alkoxy-1,1,1-trihaloalk-3-en-2-ones. <i>Monatshefte Für Chemie</i> , 2011 , 142, 277-285 | 1.4 | 4 |
| 68 | An E-factor minimized solvent-free protocol for the preparation of 4,5-dihydro-5-(trifluoromethyl)-1H-pyrazoles. <i>Monatshefte Für Chemie</i> , 2011 , 142, 515-520 | 1.4 | 4 |
| 67 | Regioselective synthesis and characterization of new 3-aryl-7-trifluoromethyl-[1,2,4]triazolo[4,3-b]pyrimidines. <i>Journal of Heterocyclic Chemistry</i> , 2011 , 48, 1085-1090 | 1.9 | 4 |
| 66 | Highly regioselective synthesis of novel 1,4-bispyrazoles. <i>Journal of the Brazilian Chemical Society</i> , 2010 , 21, 240-247 | 1.5 | 4 |
| 65 | Regiospecific synthesis of 3H-pyrido[2,3-b][1,4]diazepin-4(5H)-ones via haloform reaction with the isolation of N3-[3-oxo-4,4,4-trichloroalk-1-en-1-yl]-2,3-diaminopyridine intermediates. <i>Journal of Heterocyclic Chemistry</i> , 2009 , 46, 603-609 | 1.9 | 4 |
| 64 | Synthesis of Ethyl Pyrimidine-4-carboxylates from Unsymmetrical Enamino Diketones and Their Application in the First Synthesis of Pyrimido[4,5-d]pyridazin-8(7H)-ones. <i>Synthesis</i> , 2008 , 2008, 3639-3648 | 2.9 | 4 |

| | | | |
|----|--|-----|---|
| 63 | Synthesis, screening for antiacetylcholinesterase activity and binding mode prediction of a new series of [3-(disubstituted-phosphate)-4,4,4-trifluoro-butyl]-carbamic acid ethyl esters. <i>Journal of the Brazilian Chemical Society</i> , 2008 , 19, 1118-1124 | 1.5 | 4 |
| 62 | Regiospecific synthesis of trichloromethyl substituted 4,5-dihydro-1h-1-tosylpyrazoles. <i>Journal of Heterocyclic Chemistry</i> , 2007 , 44, 233-236 | 1.9 | 4 |
| 61 | Synthesis and characterization of new trifluoromethyl substituted 3-ethoxycarbonyl- and 3-pyrimidin-2-yl)-(1,2,3)-oxathiazinane-S-oxides. <i>Journal of Heterocyclic Chemistry</i> , 2008 , 45, 335-341 | 1.9 | 4 |
| 60 | One-pot synthesis of aryl and heteroaryl-substituted hydroxypyrazolines from the reactions of alkoxymethyl trichloromethyl ketones with heteroarylhydrazides. <i>Heteroatom Chemistry</i> , 2006 , 17, 685-691 ^{1,2} | | 4 |
| 59 | N- and C-Acylation in α -Enamino Ketones: Structural Effects on Regiocontrol. <i>Synlett</i> , 2007 , 2007, 3165-3171 | | 4 |
| 58 | Novel 4,5-bis(trifluoromethyl)-1H-pyrazoles through a concise sequential iodination-trifluoromethylation reaction. <i>Tetrahedron Letters</i> , 2019 , 60, 1385-1388 | 2 | 3 |
| 57 | Efficient Syntheses of Ethyl 2-Methylthio- and Ethyl 2-Benzylthio-6-methyl(aryl)pyrimidine-4-carboxylates and Their Carboxylic Acid Derivatives. <i>Synthesis</i> , 2015 , 47, 827-835 | 2.9 | 3 |
| 56 | Synthesis of 1-Arylethyl-2-arylethylamino-5-trifluoroacetyl-1,2,3,4-tetrahydropyridines and Related Compounds with Potential Cell Efflux Pump Inhibition. <i>Journal of Heterocyclic Chemistry</i> , 2015 , 52, 1776-1781 | 1.9 | 3 |
| 55 | Synthesis of a Novel 1,4-Dicarbonyl Scaffold [Ethyl 3-Formyl-4,5-dihydrofuran-2-carboxylate] and Its Application to the Synthesis of Pyridazines. <i>Synthesis</i> , 2020 , 52, 2528-2534 | 2.9 | 3 |
| 54 | Chemoselective synthesis of 6-amino(alkoxy)-1,4,5,6-tetrahydropyridines from cyclic alkoxymethyl ketoester. <i>Tetrahedron Letters</i> , 2019 , 60, 1513-1516 | 2 | 3 |
| 53 | Straightforward method for regioselective reduction of 3-acyl-substituted 2-(trifluoromethyl)-2H-chromen-5-one and chromane scaffolds in NaBH ₄ /ethanol medium. <i>Journal of Fluorine Chemistry</i> , 2013 , 146, 53-58 | 2.1 | 3 |
| 52 | Structural and Physical Aspects of Ionic Liquid Aggregates in Solution 2015 , | | 3 |
| 51 | New 4-fluoroalkyl substituted N-phenylpyrazoles: Synthesis promoted by DAST and multinuclear NMR analysis. <i>Journal of Fluorine Chemistry</i> , 2015 , 176, 44-50 | 2.1 | 3 |
| 50 | Highly Regioselective Synthesis of 3,6-Disubstituted 2-(Methylsulfanyl)pyrimidin-4(3H)-ones. <i>Synthesis</i> , 2015 , 47, 3947-3955 | 2.9 | 3 |
| 49 | Simplified Approach to the Regiospecific Synthesis of Trichloromethylpyrazolines Using Microwave Irradiation. <i>Synthetic Communications</i> , 2008 , 38, 3465-3476 | 1.7 | 3 |
| 48 | Regiospecific Bromination of 2-Phenyl-3H-pyrimidin-4-ones. <i>Synthesis</i> , 2008 , 2008, 3492-3496 | 2.9 | 3 |
| 47 | MOLECULAR STRUCTURE OF HETEROCYCLES: 17O NMR CHEMICAL SHIFTS: TORSION ANGLE RELATIONSHIPS IN 3-ALKYL SUBSTITUTED 4,5-DIHYDROISOXAZOLES AND ISOXAZOLES \square <i>Spectroscopy Letters</i> , 2001 , 34, 729-736 | 1.1 | 3 |
| 46 | Molecular Structure of Heterocycles: 4# NMR Spectroscopy, X-Ray Diffraction, and Semiempirical Mo Calculations of 3-Phenyl-5-Hydroxy-5-Trichloromethyl-4,5-Dihydro-FH-Pyrazole-1-Carboxamide. <i>Spectroscopy Letters</i> , 1999 , 32, 851-865 | 1.1 | 3 |

| | | | |
|----|---|------|---|
| 45 | Efficient preparation of novel N-propargylic enamines from the reaction of alkoxymethyltrialkylmethyl[carboxy]ketones and propargylamines. <i>Arkivoc</i> , 2010 , 2010, 12-18 | 0.9 | 3 |
| 44 | An efficient synthesis of 3-ethoxypyrrolidine-2,5-diones and cis-2,3,3a,6a-tetrahydrofuro[2,3-c]pyrrole-4,6(5H)-diones from cyanocarboxylic acids. <i>Arkivoc</i> , 2013 , 2012, 1-12 | 0.9 | 3 |
| 43 | Trifluoromethyl Enamino Diketones as Dual Substrates for the Synthesis of 5-Benzoyl-6-(trifluoromethyl)pyrimidines and their Pyrimidin-4(3H)-one Analogues. <i>European Journal of Organic Chemistry</i> , 2020 , 2020, 5527-5536 | 3.2 | 3 |
| 42 | 4-(Trifluoromethyl) coumarin-fused pyridines: Regioselective synthesis and photophysics, electrochemical, and antioxidative activity. <i>Journal of Fluorine Chemistry</i> , 2021 , 248, 109822 | 2.1 | 3 |
| 41 | Novel 7-(1H-pyrrol-1-yl)spiro[chromeno[4,3-b]quinoline-6,1'-cycloalkanes]: synthesis, cross-coupling reactions, and photophysical properties. <i>New Journal of Chemistry</i> , 2021 , 45, 4061-4070 | 3.6 | 3 |
| 40 | Supramolecular self-assembly and thermodynamic properties of 5-aryl-1-(1,1-dimethylethyl)-1H-pyrazoles in the crystalline state. <i>Journal of Molecular Structure</i> , 2019 , 1195, 570-581 | 3.4 | 2 |
| 39 | Efficient synthetic access to novel N-(Pyrimidinyl)-N-(1H-benzo[d]imidazolyl)amines in an aqueous medium. <i>Monatshefte für Chemie</i> , 2015 , 146, 1851-1857 | 1.4 | 2 |
| 38 | Ionic liquid/HCl catalyzed synthesis of 4-(trifluoromethyl)-2(1H)-pyrimidinones. <i>Monatshefte für Chemie</i> , 2014 , 145, 797-801 | 1.4 | 2 |
| 37 | Facile Synthesis and Structural Characterization by NMR, ESIMS/MS and DFT Calculations of New (E)-6-[2-Ferrocenylalkylidenehydrazino]nicotinic Hydrazides and Their (E)-Ferrocenyl-pyrazolyl-pyridine Heterocyclic System. <i>Journal of Heterocyclic Chemistry</i> , 2014 , 51, 1333-1339 | 1.9 | 2 |
| 36 | Activity of 4,5-dihydro-1H-pyrazoles against Mycobacterium tuberculosis and nontuberculous mycobacteria. <i>International Journal of Antimicrobial Agents</i> , 2014 , 43, 481-3 | 14.3 | 2 |
| 35 | Synthesis of Penta-2,4-dienenitriles by the Horner-Wadsworth-Emmons Olefination of Enones. <i>Synthesis</i> , 2017 , 49, 5131-5142 | 2.9 | 2 |
| 34 | 4-Trichloroacetyl-1,2,3-triazoles: A versatile building block for rapid assessment of carbohydrazides and rufinamide derivatives. <i>Tetrahedron Letters</i> , 2017 , 58, 3827-3830 | 2 | 2 |
| 33 | New Pyrazolyl-Nicotinic Acids, Methyl Esters, and 1,3,4-Oxadiazolyl-pyrazolyl-pyridine Tricyclic Scaffold Derivatives from 6-Hydrazinylnicotinic Acid Hydrazide Hydrate. <i>Journal of Heterocyclic Chemistry</i> , 2014 , 51, 1171-1178 | 1.9 | 2 |
| 32 | Organoallylaluminum reagents promote easy access to trihalomethyl triazolyl homoallylic alcohols analogous to rufinamide. <i>Tetrahedron Letters</i> , 2014 , 55, 2283-2285 | 2 | 2 |
| 31 | Succinic acid dihydrazide: a convenient N,N-double block for the synthesis of symmetrical and non-symmetrical succinyl-bis[5-trifluoro(chloro)methyl-1H-pyrazoles]. <i>Journal of the Brazilian Chemical Society</i> , 2010 , 21, 1656-1663 | 1.5 | 2 |
| 30 | An Easy Approach to the Synthesis of New Fused 3-Aryl-5-trifluoromethyl-7,8-dihydro-6H-thieno[2,1-f][1,2]thiazine 1-Oxide System. <i>Letters in Organic Chemistry</i> , 2009 , 6, 145-150 | 0.6 | 2 |
| 29 | Straightforward microwave-assisted synthesis of 1-carboxymethyl-5-trifluoromethyl-5-hydroxy-4,5-dihydro-1H-pyrazoles under solvent-free conditions. <i>Journal of Heterocyclic Chemistry</i> , 2010 , 47, NA-NA | 1.9 | 2 |
| 28 | The regiospecific bromination of 2-trichloroacetylcycloalkanones. <i>Tetrahedron Letters</i> , 2008 , 49, 529-533 | | 2 |

| | | | |
|----|--|-----|---|
| 27 | MOLECULAR STRUCTURE OF HETEROCYCLES. V. SOLVENT EFFECTS ON THE 170 NMR CHEMICAL SHIFTS OF 5-TRICHLOROMETHYL-5-HYDROXY-4, 5-DIHYDROISOXAZOLES] <i>Spectroscopy Letters</i> , 2001 , 34, 375-385 | 1.1 | 2 |
| 26 | Synthesis and structure of novel 4,5-dihydro-1H-pyrazoles: salicylic acid based analgesic agents. <i>Arkivoc</i> , 2008 , 2007, 281-297 | 0.9 | 2 |
| 25 | Easy and regioselective access to dimethyl acetal-protected heterocycles and their efficient allylation reactions mediated by allylaluminum reagent. <i>Arkivoc</i> , 2013 , 2013, 291-305 | 0.9 | 2 |
| 24 | Synthesis, Structure Elucidation, Antioxidant and Antimicrobial Activity of Novel 2-(5-Trifluoromethyl-1H-pyrazol-1-yl)-5-(5-trihalomethyl-1H-pyrazol-1-yl-1-carbonyl)pyridines. <i>Journal of the Brazilian Chemical Society</i> , 2015 , | 1.5 | 2 |
| 23 | Regio- and stereoselective synthesis of polysubstituted 5-hydroxypyrrolidin-2-ones from 3-alkoxysuccinimides. <i>Tetrahedron Letters</i> , 2020 , 61, 151358 | 2 | 2 |
| 22 | 7-Amine-spiro[chromeno[4,3-b]quinoline-6,1Pcycloalkanes]: Synthesis and cholinesterase inhibitory activity of structurally modified tacrines. <i>Bioorganic Chemistry</i> , 2021 , 108, 104649 | 5.1 | 2 |
| 21 | Haloacetylated Enol Ethers: a Way Out for the Regioselective Synthesis of Biologically Active Heterocycles. <i>European Journal of Organic Chemistry</i> , 2021 , 2021, 3886-3911 | 3.2 | 2 |
| 20 | Design, Synthesis, and Cholinesterase Inhibitory Activity of 4-Substituted-6-(trihalomethyl)-2-methylsulfanyl Pyrimidines. <i>ChemistrySelect</i> , 2021 , 6, 1204-1209 | 1.8 | 2 |
| 19 | Persistence of N-H...O=C Interactions in the Crystallization Mechanisms of Trisubstituted Bis-Ureas with Bulky Substituents. <i>Crystal Growth and Design</i> , | 3.5 | 2 |
| 18 | Synthesis, Crystal Structure, and Supramolecular Understanding of 1,3,5-Tris(1-phenyl-1H-pyrazol-5-yl)benzenes. <i>Molecules</i> , 2017 , 23, | 4.8 | 1 |
| 17 | New succinyl-spaced pyrazoles: Regioselective synthesis of 1,4-bis[5-(trichloromethyl)-1H-pyrazol-1-yl]butane-1,4-diones. <i>Journal of Heterocyclic Chemistry</i> , 2011 , 48, 113-117 | 1.9 | 1 |
| 16 | 1H and 13C NMR Chemical Shifts and N-Substituent Effects of Some Unsymmetrically N,N-Disubstituted Acetamides. <i>Spectroscopy Letters</i> , 1993 , 26, 1381-1393 | 1.1 | 1 |
| 15 | 13C NMR Chemical Shift Substituent Effects: Empirical Substituent Effects in α -Alkoxyvinyl Halomethylketones. <i>Spectroscopy Letters</i> , 1994 , 27, 573-585 | 1.1 | 1 |
| 14 | Photophysical, photostability, and ROS generation properties of new trifluoromethylated quinoline-phenol Schiff bases.. <i>Beilstein Journal of Organic Chemistry</i> , 2021 , 17, 2799-2811 | 2.5 | 1 |
| 13 | Investigating ESIPT and donor-acceptor substituent effects on the photophysical and electrochemical properties of fluorescent 3,5-diaryl-substituted 1-phenyl-2-pyrazolines.. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021 , 269, 120768 | 4.4 | 1 |
| 12 | Novel Alkyl(aryl)-Substituted 2,2-Difluoro-6-(trichloromethyl)-2-1,3,2-oxazaborinin-3-ium-2-uides: Synthesis, Antimicrobial Activity, and CT-DNA Binding Evaluations. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1328 | 5.6 | 1 |
| 11 | Formation of a penta- or hexacoordinated Cu(II) semicarbazone complex: Revisiting semicarbazone metal complexes. <i>Journal of Molecular Structure</i> , 2021 , 1231, 129942 | 3.4 | 1 |
| 10 | Synthesis of Highly Functionalized 4-Amino-2-(trifluoromethyl)-1H-pyrroles. <i>Synthesis</i> , 2021 , 53, 2841-2849 | 3.9 | 1 |

| | | | |
|---|--|-----|---|
| 9 | Trifluoromethyl-substituted aryldiazenyl-pyrazolo[1,5-a]pyrimidin-2-amines: Regioselective synthesis, structure, and optical properties. <i>Journal of Fluorine Chemistry</i> , 2022 , 255-256, 109967 | 2.1 | 1 |
| 8 | Hybridized 4-Trifluoromethyl-(1,2,3-Triazol-1-yl)quinoline System: Synthesis, Photophysics, Selective DNA/HSA Bio-Interactions and Molecular Docking. <i>ChemBioChem</i> , 2021 , | 3.8 | 1 |
| 7 | An Efficient Two-Step Synthesis of New 5-Substituted-1H-tetrazoles of Biological Interest. <i>Journal of Heterocyclic Chemistry</i> , 2013 , 50, 868-873 | 1.9 | 0 |
| 6 | Fluorinated N-quinoxaline-based boron complexes: Synthesis, photophysical properties, and selective DNA/BSA biointeraction. <i>Journal of Molecular Structure</i> , 2022 , 1255, 132444 | 3.4 | 0 |
| 5 | Packing and Conformational Polymorphism in 1,2-Bis(aminocarbonyl(1-tert-butyl-1H-pyrazol-(3)5-yl))ethanes: Illuminating Examples of Highly Flexible Molecules. <i>Crystal Growth and Design</i> , 2021 , 21, 4690-4706 | 3.5 | 0 |
| 4 | Solution and Solid-State Optical Properties of Trifluoromethylated 5-(Alkyl/aryl/heteroaryl)-2-methyl-pyrazolo[1,5-a]pyrimidine System. <i>Photochem</i> , 2022 , 2, 345-357 | | 0 |
| 3 | ¹³ C NMR Chemical Shifts of α -Alkoxyvinyl Ketones: III?-Empirical Substituent Effects in 1-Alkylamino-6-Ethoxy-1,5-Hexadien-3,4-Diones and 1,6-bis(Alkylamino)-1,5-Hexadien-3,4-diones. <i>Spectroscopy Letters</i> , 1995 , 28, 1021-1031 | 1.1 | |
| 2 | ¹³ C NMR Chemical Shifts Substituent Effects of (E)- and (Z)-N-ethyl-N-Methylamides. <i>Spectroscopy Letters</i> , 1992 , 25, 1207-1220 | 1.1 | |
| 1 | Reactivity of trifluoromethyl-tetrazolo[1,5-a]pyrimidines in click chemistry and hydrogenation. <i>Journal of Fluorine Chemistry</i> , 2022 , 257-258, 109973 | 2.1 | |