Carina Ferreira Pinheiro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3709968/publications.pdf

Version: 2024-02-01

933447 888059 33 354 10 17 citations g-index h-index papers 33 33 33 335 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Static body postural misalignment in individuals with temporomandibular disorders: a systematic review. Brazilian Journal of Physical Therapy, 2014, 18, 481-501.	2.5	44
2	Is the presence of neck pain associated with more severe clinical presentation in patients with migraine? A cross-sectional study. Cephalalgia, 2019, 39, 1500-1508.	3.9	40
3	Presence of vestibular symptoms and related disability in migraine with and without aura and chronic migraine. Cephalalgia, 2019, 39, 29-37.	3.9	32
4	Kinesiophobia Is Associated with Migraine. Pain Medicine, 2019, 20, 846-851.	1.9	30
5	Influence of Migraine and of Migraine Aura on Balance and Mobility – A Controlled Study. Headache, 2013, 53, 1116-1122.	3.9	28
6	Balance Impairments in Different Subgroups of Patients With Migraine. Headache, 2017, 57, 363-374.	3.9	22
7	The Brazilian Portuguese version of the revised Maastricht Upper Extremity Questionnaire (MUEQ-Br) Tj ETQq1 1 Musculoskeletal Disorders, 2015, 16, 41.	l 0.784314 1.9	4 rgBT /Ove <mark>rlo</mark> 21
8	Do patients with migraine experience an increased prevalence of falls and fear of falling? A cross-sectional study. Physiotherapy, 2018, 104, 424-429.	0.4	13
9	Functional Balance Deterioration on Daily Activities in Patients With Migraine. American Journal of Physical Medicine and Rehabilitation, 2018, 97, 90-95.	1.4	13
10	Subdiagnosis, but not presence of vestibular symptoms, predicts balance impairment in migraine patients – a cross sectional study. Journal of Headache and Pain, 2020, 21, 56.	6.0	13
11	Cervico-occipital Posture in Women With Migraine: A Case-Control Study. Journal of Orthopaedic and Sports Physical Therapy, 2016, 46, 251-257.	3.5	12
12	Flexion–relaxation ratio in computer workers with and without chronic neck pain. Journal of Electromyography and Kinesiology, 2016, 26, 8-17.	1.7	10
13	Comparison of cervical muscle isometric force between migraine subgroups or migraine-associated neck pain: a controlled study. Scientific Reports, 2021, 11, 15434.	3.3	10
14	The Influence of Photophobia on Postural Control in Patients With Migraine. Headache, 2020, 60, 1644-1652.	3.9	9
15	Is kinesiophobia related to fear of falling, dizziness disability, and migraine disability in patients with migraine?. Physiotherapy Theory and Practice, 2022, 38, 2727-2735.	1.3	8
16	Migraine and balance impairment: Influence of subdiagnosis, otoneurological function, falls, and psychosocial factors. Headache, 2022, 62, 548-557.	3.9	8
17	Postural Control Complexity and Fatigue in Minimally Affected Individuals with Multiple Sclerosis. Journal of Motor Behavior, 2019, 51, 551-560.	0.9	7
18	Muscle endurance and cervical electromyographic activity during submaximal efforts in women with and without migraine. Clinical Biomechanics, 2021, 82, 105276.	1.2	7

#	Article	IF	CITATIONS
19	Neck Active Movements Assessment in Women with Episodic and Chronic Migraine. Journal of Clinical Medicine, 2021, 10, 3805.	2.4	7
20	Interictal Photophobia and Phonophobia Are Related to the Presence of Aura and High Frequency of Attacks in Patients with Migraine. Applied Sciences (Switzerland), 2021, 11, 2474.	2.5	6
21	Migraine With Aura Is Related to Delayed Motor Control Reaction and Imbalance Following External Perturbations. Frontiers in Neurology, 2021, 12, 755990.	2.4	5
22	Gait control of migraine patients with increasing light and sound levels. Gait and Posture, 2021, , .	1.4	3
23	Effects of combining manual therapy, neck muscle exercises, and therapeutic pain neuroscience education in patients with migraine: a study protocol for a randomized clinical trial. BMC Neurology, 2021, 21, 249.	1.8	3
24	The presence of aura is not related to changes in the cervical performance and mobility of patients with migraine. Musculoskeletal Science and Practice, 2021, 51, 102306.	1.3	2
25	Is There a Correlation of Cervical Mobility with Clinical Variables and Psychosocial Factors in Women with Migraine?. Applied Sciences (Switzerland), 2021, 11, 6077.	2.5	1
26	Relationship between the Somatosensory Cortex Morphology, Cutaneous Allodynia, and Clinical Features of Patients with Migraine. Applied Sciences (Switzerland), 2021, 11, 11358.	2.5	0
27	A cinesiofobia e a preocupação com quedas estão associadas à redução da mobilidade funcional em pacientes com migrânea. Headache Medicine, 0, , 40.	0.2	O
28	Análise da progressão do equilÃbrio em diferentes subtipos de migrânea. Headache Medicine, 0, , 16.	0.2	0
29	Cinesiofobia em mulheres com migr $ ilde{A}$ enea epis $ ilde{A}^3$ dica e cr $ ilde{A}$ 'nica. Headache Medicine, 0, , 45.	0.2	O
30	Existe relaçã0 entre as estruturas cerebrais e a performance funcional de pacientes com migrânea?. Headache Medicine, 0, , 4.	0.2	0
31	A espessura e o volume do córtex somatossensorial se associam com a presença e severidade da alodinia cutânea em pacientes com migrânea?. Headache Medicine, 0, , 5.	0.2	O
32	Comprometimento da organização sensorial em pacientes com migrânea com e sem aura e migrânea crônica - estudo controlado. Headache Medicine, 0, , 26.	0.2	0
33	Incapacidade cervical estÃ; relacionada à presença de aura e frequência de crises de migrânea. Headache Medicine, 0, , 23.	0.2	O