

Scott M Reid

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3710296/publications.pdf>

Version: 2024-02-01

25
papers

238
citations

1040056

9
h-index

1058476

14
g-index

25
all docs

25
docs citations

25
times ranked

322
citing authors

#	ARTICLE	IF	CITATIONS
1	Imperfect detection biases extinction debt assessments. <i>Conservation Science and Practice</i> , 2021, 3, e427.	2.0	0
2	Boat-electrofishing transect location and flow levels: influence on riverine fish monitoring in non-wadeable habitats. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 680.	2.7	2
3	Fifteen years of Canada's Species at Risk Act: Evaluating research progress for aquatic species in the Great Lakes' St. Lawrence River basin. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2021, 78, 1205-1218.	1.4	5
4	Use of environmental DNA to detect Eastern Sand Darter (<i>Ammocrypta pellucida</i> Putnam, 1863) in large Laurentian Great Lakes embayments. <i>Journal of Applied Ichthyology</i> , 2020, 36, 414-421.	0.7	1
5	Reintroduction of fishes in Canada: a review of research progress for SARA-listed species. <i>Environmental Reviews</i> , 2019, 27, 575-599.	4.5	16
6	Summer microhabitat use and overlap by the invasive Round Goby (<i>Neogobius melanostomus</i>) and native darters in the Trent River (Ontario, Canada). <i>Knowledge and Management of Aquatic Ecosystems</i> , 2019, , 23.	1.1	3
7	Conservation genetics of reidside dace (<i>Clinostomus elongatus</i>): phylogeography and contemporary spatial structure. <i>Conservation Genetics</i> , 2018, 19, 409-424.	1.5	7
8	Establishing detection thresholds for environmental DNA using receiver operator characteristic (ROC) curves. <i>Conservation Genetics Resources</i> , 2018, 10, 555-562.	0.8	19
9	Optimal sampling effort required to characterize wetland fish communities. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2017, 74, 1251-1259.	1.4	2
10	Backpack electrofishing effort and imperfect detection: Influence on riverine fish inventories and monitoring. <i>Journal of Applied Ichthyology</i> , 2017, 33, 1083-1091.	0.7	15
11	Collapse of Lake Whitefish (<i>Coregonus clupeaformis</i>) (Mitchill, 1818) species pair in Como Lake, Ontario. <i>Journal of Applied Ichthyology</i> , 2017, 33, 933-939.	0.7	3
12	Tracking the Recovery of Freshwater Mussel Diversity in Ontario Rivers: Evaluation of a Quadrat-Based Monitoring Protocol. <i>Diversity</i> , 2017, 9, 5.	1.7	10
13	Monitoring lake populations of Eastern Sand Darter (<i>Ammocrypta pellucida</i>): a comparison of two seines. <i>Journal of Freshwater Ecology</i> , 2017, 32, 499-511.	1.2	5
14	Search effort and imperfect detection: Influence on timed-search mussel (<i>Bivalvia: Unionidae</i>) surveys in Canadian rivers. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2016, , 17.	1.1	10
15	Limited influence of a wind power project submarine cable on a Laurentian Great Lakes fish community. <i>Journal of Applied Ichthyology</i> , 2016, 32, 18-31.	0.7	7
16	Morphological and genetic variation in Cisco (<i>Coregonus artedii</i>) and Shortjaw Cisco (<i>C. zenithicus</i>): multiple origins of Shortjaw Cisco in inland lakes require a lake-specific conservation approach. <i>Conservation Genetics</i> , 2016, 17, 45-56.	1.5	21
17	Nearshore habitat associations of stocked American eel, <i>Anguilla rostrata</i> , in Lake Ontario and the upper St. Lawrence River. <i>Journal of Great Lakes Research</i> , 2015, 41, 881-889.	1.9	3
18	An evaluation of multiple-pass seining to monitor blackstripe topminnow <i>Fundulus notatus</i> (Rafinesque, 1820) in the Sydenham River (Ontario, Canada). <i>Journal of Applied Ichthyology</i> , 2014, 30, 962-969.	0.7	4

#	ARTICLE	IF	CITATIONS
19	First record of <i>Ammocrypta pellucida</i> (Agassiz, 1863) (Actinopterygii: Perciformes) from the Lake Ontario drainage basin. <i>Check List</i> , 2014, 10, 1201-1203.	0.4	4
20	Validation of buccal swabs for noninvasive DNA sampling of small-bodied imperiled fishes. <i>Journal of Applied Ichthyology</i> , 2012, 28, 290-292.	0.7	8
21	Comparison of point and transect-based electrofishing to sample American eel (<i>Anguilla rostrata</i>) in wadeable riverine habitats. <i>Aquatic Living Resources</i> , 2011, 24, 79-83.	1.2	10
22	Evaluation of single-pass backpack electric fishing for stream fish community monitoring. <i>Fisheries Management and Ecology</i> , 2009, 16, 1-9.	2.0	46
23	Historical Changes in the Distribution of Threatened Channel Darter (<i>Percina copelandi</i>) in Lake Erie with General Observations on the Beach Fish Assemblage. <i>Journal of Great Lakes Research</i> , 2008, 34, 324-333.	1.9	17
24	Influence of riffle characteristics, surficial geology, and natural barriers on the distribution of the channel darter, <i>Percina copelandi</i> , in the Lake Ontario basin. <i>Environmental Biology of Fishes</i> , 2005, 72, 241-249.	1.0	12
25	Age Estimates and Length Distributions of Ontario Channel Darter (<i>Percina copelandi</i>) Populations. <i>Journal of Freshwater Ecology</i> , 2004, 19, 441-444.	1.2	8