

Pirus Ghadjar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3710900/pirus-ghadjar-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

3,003
citations

30
h-index

47
g-index

163
ext. papers

3,656
ext. citations

4.4
avg, IF

4.89
L-index

#	Paper	IF	Citations
156	Implementation of PSMA-PET in focal dose-escalated radiotherapy of primary prostate cancer patients: Results of a planned safety analysis of a phase II trial.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 260-260	2.2	0
155	Experimental and computational evaluation of capacitive hyperthermia.. <i>International Journal of Hyperthermia</i> , 2022 , 39, 504-516	3.7	0
154	Randomized Pilot Trial Using External Yarrow Liver Compress Applications With Metastatic Cancer Patients Suffering From Fatigue: Evaluation of Sympathetic Modulation by Heart Rate Variability Analysis.. <i>Integrative Cancer Therapies</i> , 2022 , 21, 15347354221081253	3	0
153	Quantitative volumetric assessment of baseline enhancing tumor volume as an imaging biomarker predicts overall survival in patients with glioblastoma. <i>Acta Radiologica</i> , 2021 , 62, 1200-1207	2	1
152	Salvage-Radiation Therapy and Regional Hyperthermia for Biochemically Recurrent Prostate Cancer after Radical Prostatectomy (Results of the Planned Interim Analysis). <i>Cancers</i> , 2021 , 13,	6.6	2
151	Meta-analysis of chemotherapy in head and neck cancer (MACH-NC): An update on 107 randomized trials and 19,805 patients, on behalf of MACH-NC Group. <i>Radiotherapy and Oncology</i> , 2021 , 156, 281-293	5.3	34
150	Patient-Specific Planning for Thermal Magnetic Resonance of Glioblastoma Multiforme. <i>Cancers</i> , 2021 , 13,	6.6	5
149	External application of liver compresses to reduce fatigue in patients with metastatic cancer undergoing radiation therapy, a randomized clinical trial. <i>Radiation Oncology</i> , 2021 , 16, 76	4.2	2
148	Radiotherapy in nodal oligorecurrent prostate cancer. <i>Strahlentherapie Und Onkologie</i> , 2021 , 197, 575-580	4.3	4
147	Fever range whole body hyperthermia for re-irradiation of head and neck squamous cell carcinomas: Final results of a prospective study. <i>Oral Oncology</i> , 2021 , 116, 105240	4.4	4
146	Postoperative radiotherapy in prostate cancer. <i>Lancet, The</i> , 2021 , 397, 1623	4.0	0
145	Re: Timing of Radiotherapy After Radical Prostatectomy (Radicals-RT): A Randomised, Controlled Phase 3 Trial. <i>European Urology</i> , 2021 , 80, 117	10.2	0
144	Recommendations for postoperative radiotherapy in head & neck squamous cell carcinoma in the presence of flaps: A GORTEC internationally-reviewed HNCIG-endorsed consensus. <i>Radiotherapy and Oncology</i> , 2021 , 160, 140-147	5.3	2
143	Ultrahypofractionation of localized prostate cancer : Statement from the DEGRO working group prostate cancer. <i>Strahlentherapie Und Onkologie</i> , 2021 , 197, 89-96	4.3	10
142	Mode of Action and Experimental and Clinical Data of Regional Hyperthermia 2021 , 141-149		
141	Hyperthermie in Kombination mit Radiotherapie in der Tumorbehandlung. <i>Springer Reference Medizin</i> , 2021 , 1-10	0	
140	Improved patient-specific hyperthermia planning based on parametrized electromagnetic and thermal models for the SIGMA-30 applicator. <i>International Journal of Hyperthermia</i> , 2021 , 38, 663-678	3.7	1

139	Non-thermal membrane effects of electromagnetic fields and therapeutic applications in oncology. <i>International Journal of Hyperthermia</i> , 2021 , 38, 715-731	3.7	8
138	Radiotherapeutic treatment options for oligotopic malignant liver lesions. <i>Radiation Oncology</i> , 2021 , 16, 51	4.2	3
137	Moderately hypofractionated radiotherapy as definitive treatment for localized prostate cancer: Pattern of practice in German-speaking countries : A survey of the Prostate Cancer Expert Panel of the German Society of Radiation Oncology (DEGRO) and the Working Party on Radiation Oncology of the German Cancer Society (DKG-ARO). <i>Strahlentherapie Und Onkologie</i> , 2021 , 197, 993-1000	4.3	0
136	Dose-intensified Versus Conventional-dose Salvage Radiotherapy for Biochemically Recurrent Prostate Cancer After Prostatectomy: The SAKK 09/10 Randomized Phase 3 Trial. <i>European Urology</i> , 2021 , 80, 306-315	10.2	11
135	The Relevance of Complementary and Integrative Medicine in the COVID-19 Pandemic: A Qualitative Review of the Literature. <i>Frontiers in Medicine</i> , 2020 , 7, 587749	4.9	9
134	Radiofrequency applicator concepts for thermal magnetic resonance of brain tumors at 297 MHz (7.0 Tesla). <i>International Journal of Hyperthermia</i> , 2020 , 37, 549-563	3.7	10
133	Need for Androgen Deprivation Therapy in Addition to Definitive Radiation Therapy in Patients With Intermediate-Risk Localized Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2020 , 38, 1746	2.2	1
132	Locoregional peritoneal hyperthermia to enhance the effectiveness of chemotherapy in patients with peritoneal carcinomatosis: a simulation study comparing different locoregional heating systems. <i>International Journal of Hyperthermia</i> , 2020 , 37, 76-88	3.7	10
131	Combined tumor plus nontumor interim FDG-PET parameters are prognostic for response to chemoradiation in squamous cell esophageal cancer. <i>International Journal of Cancer</i> , 2020 , 147, 1427-1436	7.5	6
130	Treatment strategies to prevent and reduce gynecomastia and/or breast pain caused by antiandrogen therapy for prostate cancer : Statement from the DEGRO working group prostate cancer. <i>Strahlentherapie Und Onkologie</i> , 2020 , 196, 589-597	4.3	5
129	Image-guided dose-escalated radiation therapy for localized prostate cancer with helical tomotherapy. <i>Strahlentherapie Und Onkologie</i> , 2020 , 196, 229-242	4.3	2
128	Re: Elise De Bleser, Barbara Alicja Jereczek-Fossa, David Pasquier, et al. Metastasis-directed Therapy in Treating Nodal Oligorecurrent Prostate Cancer: A Multi-institutional Analysis Comparing the Outcome and Toxicity of Stereotactic Body Radiotherapy and Elective Nodal Radiotherapy. <i>Eur Urol</i> 2019; 76:588-9. <i>European Urology</i> , 2020 , 77, 60-61	10.2	0
127	Androgen deprivation therapy plus salvage radiotherapy after prostatectomy. <i>Lancet Oncology, The</i> , 2020 , 21, e11	21.7	1
126	Role of combined radiation and androgen deprivation therapy in intermediate-risk prostate cancer : Statement from the DEGRO working group on prostate cancer. <i>Strahlentherapie Und Onkologie</i> , 2020 , 196, 109-116	4.3	8
125	Non-thermal effects of radiofrequency electromagnetic fields. <i>Scientific Reports</i> , 2020 , 10, 13488	4.9	30
124	In Regard to Qi et'al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 224-225	4	
123	In Regard to Wang et'al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 855	4	1
122	PET measured hypoxia and MRI parameters in re-irradiated head and neck squamous cell carcinomas: findings of a prospective pilot study. <i>F1000Research</i> , 2020 , 9, 1350	3.6	2

121	Adjuvant radiotherapy improves progression-free survival in intracranial atypical meningioma. <i>Radiation Oncology</i> , 2019 , 14, 160	4.2	17
120	Addition of chemotherapy to hyperfractionated radiotherapy in advanced head and neck cancer-a meta-analysis. <i>Strahlentherapie Und Onkologie</i> , 2019 , 195, 1041-1049	4.3	11
119	Re: Abdenour Nabid, Nathalie Carrier, Andr�Guy Martin, et al. Duration of Androgen Deprivation Therapy in High-risk Prostate Cancer: A Randomized Phase III Trial. <i>Eur Urol</i> 2018;74:432-31. <i>European Urology</i> , 2019 , 75, e61-e62	10.2	1
118	Intermedi�res Risikoprofil beim Prostatakarzinom. <i>Onkologe</i> , 2019 , 25, 322-329	0.1	1
117	ESTRO ACROP consensus guideline on the use of image guided radiation therapy for localized prostate cancer. <i>Radiotherapy and Oncology</i> , 2019 , 141, 5-13	5.3	36
116	The Role of Local Treatment in Oligometastatic and Oligoprogressive Cancer. <i>Deutsches A&#x0308;rzteblatt International</i> , 2019 , 116, 849-856	2.5	3
115	Physical analysis of temperature-dependent effects of amplitude-modulated electromagnetic hyperthermia. <i>International Journal of Hyperthermia</i> , 2019 , 36, 1246-1254	3.7	17
114	Effect of Neoadjuvant Chemotherapy Plus Regional Hyperthermia on Long-term Outcomes Among Patients With Localized High-Risk Soft Tissue Sarcoma: The EORTC 62961-ESHO 95 Randomized Clinical Trial. <i>JAMA Oncology</i> , 2018 , 4, 483-492	13.4	142
113	Increased evidence for the prognostic value of FDG uptake on late-treatment PET in non-tumour-affected oesophagus in irradiated patients with oesophageal carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 1752-1761	8.8	6
112	Use of androgen deprivation and salvage radiation therapy for patients with prostate cancer and biochemical recurrence after prostatectomy. <i>Strahlentherapie Und Onkologie</i> , 2018 , 194, 619-626	4.3	18
111	A novel voxel based homogeneity index: Rationale and clinical implications for whole-brain radiation therapy. <i>Radiotherapy and Oncology</i> , 2018 , 128, 229-235	5.3	1
110	Image-guided radiotherapy reduces the risk of under-dosing high-risk prostate cancer extra-capsular disease and improves biochemical control. <i>Radiation Oncology</i> , 2018 , 13, 64	4.2	3
109	Re: Daniel E. Spratt, Robert T. Dess, Zachary S. Zumsteg, et al. A Systematic Review and Framework for the Use of Hormone Therapy with Salvage Radiation Therapy for Recurrent Prostate Cancer. <i>Eur Urol</i> 2018;73:156-65. <i>European Urology</i> , 2018 , 73, e63	10.2	
108	Re: Giorgio Gandaglia, Stephen A. Boorjian, William P. Parker, et al. Impact of Postoperative Radiotherapy in Men with Persistently Elevated Prostate-specific Antigen After Radical Prostatectomy for Prostate Cancer: A Long-term Survival Analysis. <i>Eur Urol</i> 2017;72:910-7. <i>European Urology</i> , 2018 , 73, e34-e35	10.2	1
107	PSMA-PET based radiotherapy: a review of initial experiences, survey on current practice and future perspectives. <i>Radiation Oncology</i> , 2018 , 13, 90	4.2	27
106	Clinical trials involving positron emission tomography and prostate cancer: an analysis of the ClinicalTrials.gov database. <i>Radiation Oncology</i> , 2018 , 13, 113	4.2	6
105	Are prognostic indices for brain metastases of melanoma still valid in the stereotactic era?. <i>Radiation Oncology</i> , 2018 , 13, 3	4.2	5
104	Impact of dose intensified salvage radiation therapy on urinary continence recovery after radical prostatectomy: Results of the randomized trial SAKK 09/10. <i>Radiotherapy and Oncology</i> , 2018 , 126, 257-262	5.3	13

103	Locally dose-escalated radiotherapy may improve intracranial local control and overall survival among patients with glioblastoma. <i>Radiation Oncology</i> , 2018 , 13, 251	4.2	9
102	Neoadjuvant chemotherapy plus radiation versus chemotherapy plus regional hyperthermia in high-grade soft tissue sarcomas: a retrospective comparison. <i>International Journal of Hyperthermia</i> , 2018 , 35, 1-9	3.7	4
101	Optimizing radiotherapy for intermediate-risk localized disease. <i>Nature Reviews Urology</i> , 2018 , 15, 470-475	4.5	1
100	Fertility Preservation for Patients with Malignant Disease. Guideline of the DGGG, DGU and DGRM (S2k-Level, AWMF Registry No. 015/082, November 2017) - Recommendations and Statements for Girls and Women. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018 , 78, 567-584	2	36
99	Quality assurance guidelines for superficial hyperthermia clinical trials: I. Clinical requirements. <i>International Journal of Hyperthermia</i> , 2017 , 33, 471-482	3.7	59
98	Planning study for Merkel cell carcinoma based on the relapse pattern. <i>Radiotherapy and Oncology</i> , 2017 , 123, 154-157	5.3	2
97	In Regard to Pisansky et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 97, 438-439	4	1
96	Spinal cord constraints in the era of high-precision radiotherapy : Retrospective analysis of 62 spinal/paraspinal lesions with possible infringements of spinal cord constraints within a minimal volume. <i>Strahlentherapie Und Onkologie</i> , 2017 , 193, 561-569	4.3	5
95	Re: Radiation With or Without Antiandrogen Therapy in Recurrent Prostate Cancer. <i>European Urology</i> , 2017 , 72, 319	10.2	
94	Importance and outcome relevance of central pathology review in prostatectomy specimens: data from the SAKK 09/10 randomized trial on prostate cancer. <i>BJU International</i> , 2017 , 120, E45-E51	5.6	6
93	Dose-escalated radiotherapy for unresectable or locally recurrent pancreatic cancer: Dose volume analysis, toxicity and outcome of 28 consecutive patients. <i>PLoS ONE</i> , 2017 , 12, e0186341	3.7	12
92	Intermediate-term outcome after PSMA-PET guided high-dose radiotherapy of recurrent high-risk prostate cancer patients. <i>Radiation Oncology</i> , 2017 , 12, 140	4.2	30
91	Is Dose-Intensified Salvage Radiation Therapy After Prostatectomy Beneficial?. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1490-1491	2.2	1
90	Dosimetric implications of inter- and intrafractional prostate positioning errors during tomotherapy : Comparison of gold marker-based registrations with native MVCT. <i>Strahlentherapie Und Onkologie</i> , 2017 , 193, 700-706	4.3	14
89	Current status and perspectives of interventional clinical trials for glioblastoma - analysis of ClinicalTrials.gov. <i>Radiation Oncology</i> , 2017 , 12, 1	4.2	64
88	Risk adapted dose-intensified postoperative radiation therapy in prostate cancer patients using a simultaneous integrated boost technique applied with helical Tomotherapy. <i>Radiation Oncology</i> , 2017 , 12, 125	4.2	4
87	Radiofrequency applicator concepts for simultaneous MR imaging and hyperthermia treatment of glioblastoma multiforme. <i>Current Directions in Biomedical Engineering</i> , 2017 , 3, 473-477	0.5	13
86	Primary Hepatic Lymphoma: A Retrospective, Multicenter Rare Cancer Network Study. <i>Rare Tumors</i> , 2016 , 8, 6502	1.1	23

85	Biological modelling of the radiation dose escalation effect of regional hyperthermia in cervical cancer. <i>Radiation Oncology</i> , 2016 , 11, 14	4.2	29
84	Haemoglobin and creatinine values as prognostic factors for outcome of concurrent radiochemotherapy in locally advanced head and neck cancers : Secondary results of two European randomized phase III trials (ARO 95-06, SAKK 10/94). <i>Strahlentherapie Und Onkologie</i> , 2016 , 192, 552-60	4.3	13
83	Practice Patterns Compared with Evidence-based Strategies for the Management of Androgen Deprivation Therapy-Induced Side Effects in Prostate Cancer Patients: Results of a European Web-based Survey. <i>European Urology Focus</i> , 2016 , 2, 514-521	5.1	8
82	Portfolio of prospective clinical trials including brachytherapy: an analysis of the ClinicalTrials.gov database. <i>Radiation Oncology</i> , 2016 , 11, 48	4.2	9
81	Regional hyperthermia combined with chemotherapy in paediatric, adolescent and young adult patients: current and future perspectives. <i>Radiation Oncology</i> , 2016 , 11, 65	4.2	19
80	Role of multiparametric magnetic resonance imaging in early detection of prostate cancer. <i>Insights Into Imaging</i> , 2016 , 7, 205-14	5.6	36
79	Unilateral and bilateral neck SIB for head and neck cancer patients : Intensity-modulated proton therapy, tomotherapy, and RapidArc. <i>Strahlentherapie Und Onkologie</i> , 2016 , 192, 232-9	4.3	16
78	Magnetic resonance thermometry: Methodology, pitfalls and practical solutions. <i>International Journal of Hyperthermia</i> , 2016 , 32, 63-75	3.7	115
77	Comparative treatment planning study on sequential vs. simultaneous integrated boost in head and neck cancer patients: Differences in dose distributions and potential implications for clinical practice. <i>Strahlentherapie Und Onkologie</i> , 2016 , 192, 17-24	4.3	12
76	Chemokine/chemokine receptor pair CCL20/CCR6 in human colorectal malignancy: An overview. <i>World Journal of Gastroenterology</i> , 2016 , 22, 833-41	5.6	47
75	Role of Dose Intensification for Salvage Radiation Therapy after Radical Prostatectomy. <i>Frontiers in Oncology</i> , 2016 , 6, 48	5.3	3
74	Reply to C. Cozzarini et al. <i>Journal of Clinical Oncology</i> , 2016 , 34, 1705-6	2.2	
73	Accelerated hyperfractionation plus temozolomide in glioblastoma. <i>Radiation Oncology</i> , 2016 , 11, 70	4.2	7
72	Re: Christopher J.D. Wallis, Refik Saskin, Richard Choo, et al. Surgery Versus Radiotherapy for Clinically-localized Prostate Cancer: A Systematic Review and Meta-analysis. <i>Eur Urol</i> 2016;70:21-30. <i>European Urology</i> , 2016 , 70, e11-e12	10.2	3
71	Radiotherapy for Non-Hodgkin's lymphoma: still standard practice and not an outdated treatment option. <i>Radiation Oncology</i> , 2016 , 11, 110	4.2	17
70	The oncologic role of local treatment in primary metastatic prostate cancer. <i>World Journal of Urology</i> , 2015 , 33, 755-61	4	9
69	Hyperfractionated accelerated radiation therapy (HART) of 70.6 Gy with concurrent 5-FU/Mitomycin C is superior to HART of 77.6 Gy alone in locally advanced head and neck cancer: long-term results of the ARO 95-06 randomized phase III trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 91, 916-24	4	27
68	Modern radiation therapy and potential fertility preservation strategies in patients with cervical cancer undergoing chemoradiation. <i>Radiation Oncology</i> , 2015 , 10, 50	4.2	26

67	Small Cell Carcinoma of the Urinary Bladder: A Retrospective, Multicenter Rare Cancer Network Study of 107 Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 904-10	4	40
66	What is the optimal definition of misclassification in patients with very low-risk prostate cancer eligible for active surveillance? Results from a multi-institutional series. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 164.e1-9	2.8	26
65	Regional nodal relapse in surgically staged Merkel cell carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2015 , 191, 51-8	4.3	14
64	Guidance on patient consultation. Current evidence for prostate-specific antigen screening in healthy men and treatment options for men with proven localised prostate cancer. <i>Current Urology Reports</i> , 2015 , 16, 28	2.9	1
63	Impact of weight loss on survival after chemoradiation for locally advanced head and neck cancer: secondary results of a randomized phase III trial (SAKK 10/94). <i>Radiation Oncology</i> , 2015 , 10, 21	4.2	38
62	Definitive intensity modulated radiotherapy in locally advanced hypopharyngeal and laryngeal squamous cell carcinoma: mature treatment results and patterns of locoregional failure. <i>Radiation Oncology</i> , 2015 , 10, 20	4.2	5
61	Hyperthermia-related clinical trials on cancer treatment within the ClinicalTrials.gov registry. <i>International Journal of Hyperthermia</i> , 2015 , 31, 609-14	3.7	138
60	Acute Toxicity and Quality of Life After Dose-Intensified Salvage Radiation Therapy for Biochemically Recurrent Prostate Cancer After Prostatectomy: First Results of the Randomized Trial SAKK 09/10. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4158-66	2.2	86
59	Clinical Perspectives from Randomized Phase 3 Trials on Prostate Cancer: An Analysis of the ClinicalTrials.gov Database. <i>European Urology Focus</i> , 2015 , 1, 173-184	5.1	10
58	Prognostic effect of neuroendocrine differentiation in prostate cancer: A critical review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 265.e1-7	2.8	11
57	Preferences in the management of high-risk prostate cancer among urologists in Europe: results of a web-based survey. <i>BJU International</i> , 2015 , 115, 571-9	5.6	25
56	Regional hyperthermia and moderately dose-escalated salvage radiotherapy for recurrent prostate cancer. Protocol of a phase II trial. <i>Radiation Oncology</i> , 2015 , 10, 138	4.2	8
55	Regional hyperthermia of the abdomen, a pilot study towards the treatment of peritoneal carcinomatosis. <i>Radiation Oncology</i> , 2015 , 10, 157	4.2	11
54	Thermal magnetic resonance: physics considerations and electromagnetic field simulations up to 23.5 Tesla (1GHz). <i>Radiation Oncology</i> , 2015 , 10, 201	4.2	31
53	Prognostic indices in stereotactic radiotherapy of brain metastases of non-small cell lung cancer. <i>Radiation Oncology</i> , 2015 , 10, 244	4.2	13
52	Acute toxicity and early quality of life after dose intensified salvage radiotherapy for biochemically recurrent prostate cancer after prostatectomy: First results of the randomized trial SAKK 09/10.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 5038-5038	2.2	2
51	Systematic ultrasound-guided saturation and template biopsy of the prostate: indications and advantages of extended sampling. <i>Archivos Espanoles De Urologia</i> , 2015 , 68, 296-306	0.4	5
50	Multimodal treatment for high-risk prostate cancer with high-dose intensity-modulated radiation therapy preceded or not by radical prostatectomy, concurrent intensified-dose docetaxel and long-term androgen deprivation therapy: results of a prospective phase II trial. <i>Radiation Oncology</i> , 2015 , 10, 21	4.2	16

49	Reducing radiation dose in the diagnosis of pulmonary embolism using adaptive statistical iterative reconstruction and lower tube potential in computed tomography. <i>European Radiology</i> , 2014 , 24, 2685-91	8	23
48	Comparison of high-dose (86.4 Gy) IMRT vs combined brachytherapy plus IMRT for intermediate-risk prostate cancer. <i>BJU International</i> , 2014 , 114, 360-7	5.6	97
47	Late toxicity and five year outcomes after high-dose-rate brachytherapy as a monotherapy for localized prostate cancer. <i>Radiation Oncology</i> , 2014 , 9, 122	4.2	25
46	Impact of dose to the bladder trigone on long-term urinary function after high-dose intensity modulated radiation therapy for localized prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 88, 339-44	4	98
45	RE: Mortality after radical prostatectomy or external beam radiotherapy for localized prostate cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106, djt464	9.7	
44	Chemokine receptor CCR6 expression is regulated by miR-518a-5p in colorectal cancer cells. <i>Journal of Translational Medicine</i> , 2014 , 12, 48	8.5	19
43	Physical examination during chemoradiation predicts outcome of locally advanced head and neck cancer. Secondary results of a randomized phase III trial (SAKK 10/94). <i>Oral Oncology</i> , 2013 , 49, 1006-9	4.4	1
42	Prognostic importance of Gleason 7 disease among patients treated with external beam radiation therapy for prostate cancer: results of a detailed biopsy core analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 85, 1254-61	4	19
41	Use of EORTC target definition guidelines for dose-intensified salvage radiation therapy for recurrent prostate cancer: results of the quality assurance program of the randomized trial SAKK 09/10. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 87, 534-41	4	15
40	Diagnosis and treatment outcomes for patients with lymphoma of the parotid gland. <i>Laryngoscope</i> , 2013 , 123, 662-9	3.6	11
39	Adenosquamous carcinoma of the head and neck: report of 20 cases and review of the literature. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013 , 116, 313-20	2	31
38	Patterns and predictors of amelioration of genitourinary toxicity after high-dose intensity-modulated radiation therapy for localized prostate cancer: implications for defining postradiotherapy urinary toxicity. <i>European Urology</i> , 2013 , 64, 931-8	10.2	32
37	miR-21 and its target gene CCL20 are both highly overexpressed in the microenvironment of colorectal tumors: significance of their regulation. <i>Oncology Reports</i> , 2013 , 30, 1285-92	3.5	28
36	Chemotherapy with irradiation in salivary gland carcinomas (SGC): A Rare Cancer Network study (RCN).. <i>Journal of Clinical Oncology</i> , 2013 , 31, e17019-e17019	2.2	
35	Re: Andrew J. Stephenson, Michel Bolla, Alberto Briganti, et al. Postoperative radiation therapy for pathologically advanced prostate cancer after radical prostatectomy. <i>Eur Urol</i> 2012;61:443-51. <i>European Urology</i> , 2012 , 61, e39	10.2	
34	Concomitant cisplatin and hyperfractionated radiotherapy in locally advanced head and neck cancer: 10-year follow-up of a randomized phase III trial (SAKK 10/94). <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, 524-31	4	30
33	Early-stage primary bone lymphoma: a retrospective, multicenter Rare Cancer Network (RCN) Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, 284-91	4	37
32	High dose-rate versus low dose-rate brachytherapy for lip cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, 1205-12	4	34

31	Predictors of severe late radiotherapy-related toxicity after hyperfractionated radiotherapy with or without concomitant cisplatin in locally advanced head and neck cancer. Secondary retrospective analysis of a randomized phase III trial (SAKK 10/94). <i>Radiotherapy and Oncology</i> , 2012 , 104, 213-8	5.3	22
30	miR-21 functionally interacts with the 3'UTR of chemokine CCL20 and down-regulates CCL20 expression in miR-21 transfected colorectal cancer cells. <i>Cancer Letters</i> , 2012 , 316, 105-12	9.9	32
29	Comparative analysis of prostate-specific antigen free survival outcomes for patients with low, intermediate and high risk prostate cancer treatment by radical therapy. Results from the Prostate Cancer Results Study Group. <i>BJU International</i> , 2012 , 110, E431-2; author reply E432	5.6	8
28	Outcome and patterns of failure after postoperative intensity modulated radiotherapy for locally advanced or high-risk oral cavity squamous cell carcinoma. <i>Radiation Oncology</i> , 2012 , 7, 175	4.2	20
27	Clinically significant bleeding in incurable cancer patients: effectiveness of hemostatic radiotherapy. <i>Radiation Oncology</i> , 2012 , 7, 132	4.2	33
26	Postoperative radiotherapy after radical prostatectomy: indications and open questions. <i>Prostate Cancer</i> , 2012 , 2012, 963417	1.9	3
25	The essential role of radiotherapy in the treatment of Merkel cell carcinoma: a study from the Rare Cancer Network. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, e583-91	4	51
24	Induction chemotherapy for unresectable urothelial carcinoma of the bladder. <i>BJU International</i> , 2011 , 107, 894-7	5.6	17
23	Letter to the Editor on: A. Siegmann et al. Dose escalation for patients with decreasing PSA during radiotherapy for elevated PSA after radical prostatectomy improves biochemical progression-free survival. Results of a retrospective study. In: <i>Strahlenther Onkol</i> 2011;187:467-72 (No. 8) (DOI 10.1007/s00066-011-2229-3). P. Ghadiar, D. Zwahlen, D.M. Aebbersold. Selection bias is not a good reason for dose intensification in patients with PSA recurrence after radical prostatectomy. <i>Strahlentherapie Und Onkologie</i> , 2011 , 187, 763; author reply 764	4.3	1
22	Urethral toxicity vs. cancer control—lessons to be learned from high-dose rate brachytherapy combined with intensity-modulated radiation therapy in intermediate- and high-risk prostate cancer. <i>Brachytherapy</i> , 2011 , 10, 286-94	2.4	12
21	Changes in CXCL12/CXCR4-chemokine expression during onset of colorectal malignancies. <i>Tumor Biology</i> , 2011 , 32, 189-96	2.9	15
20	CXC receptor-4 mRNA silencing abrogates CXCL12-induced migration of colorectal cancer cells. <i>Journal of Translational Medicine</i> , 2011 , 9, 22	8.5	26
19	Comparative risk-adjusted mortality outcomes after primary surgery, radiotherapy, or androgen-deprivation therapy for localized prostate cancer. <i>Cancer</i> , 2011 , 117, 3532; author reply 3532-3	6.4	1
18	In Response to Dr. Lacout et al.. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 962	4	
17	Effect of preoperative FOLFOX chemotherapy on CCL20/CCR6 expression in colorectal liver metastases. <i>World Journal of Gastroenterology</i> , 2011 , 17, 3109-16	5.6	13
16	CCL20/CCR6 expression profile in pancreatic cancer. <i>Journal of Translational Medicine</i> , 2010 , 8, 45	8.5	45
15	High-dose (80 Gy) intensity-modulated radiation therapy with daily image-guidance as primary treatment for localized prostate cancer. <i>Strahlentherapie Und Onkologie</i> , 2010 , 186, 687-92	4.3	19
14	Quantitative analysis of extracapsular extension of metastatic lymph nodes and its significance in radiotherapy planning in head and neck squamous cell carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 76, 1127-32	4	39

13	Incidence of small lymph node metastases with evidence of extracapsular extension: clinical implications in patients with head and neck squamous cell carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 1366-72	4	19
12	Tailored total lymphoid irradiation in heart transplant patients: 10-years experience of one center. <i>Radiation Oncology</i> , 2010 , 5, 3	4.2	8
11	The chemokine CCL20 and its receptor CCR6 in human malignancy with focus on colorectal cancer. <i>International Journal of Cancer</i> , 2009 , 125, 741-5	7.5	114
10	Toxicity and early treatment outcomes in low- and intermediate-risk prostate cancer managed by high-dose-rate brachytherapy as a monotherapy. <i>Brachytherapy</i> , 2009 , 8, 45-51	2.4	67
9	MET Y1253D-activating point mutation and development of distant metastasis in advanced head and neck cancers. <i>Clinical and Experimental Metastasis</i> , 2009 , 26, 809-15	4.7	30
8	Use of gold markers for setup in image-guided fractionated high-dose-rate brachytherapy as a monotherapy for prostate cancer. <i>Strahlentherapie Und Onkologie</i> , 2009 , 185, 731-5	4.3	10
7	Association of urethral toxicity with dose exposure in combined high-dose-rate brachytherapy and intensity-modulated radiation therapy in intermediate- and high-risk prostate cancer. <i>Radiotherapy and Oncology</i> , 2009 , 91, 237-42	5.3	18
6	Nuclear expression of CXCR4 in tumor cells of non-small cell lung cancer is correlated with lymph node metastasis. <i>Human Pathology</i> , 2008 , 39, 1751-5	3.7	58
5	Chemokine receptor CCR6 expression level and aggressiveness of prostate cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 1181-9	4.9	38
4	Prevention of radiochemotherapy-induced toxicity with amifostine in patients with malignant orbital tumors involving the lacrimal gland: a pilot study. <i>Radiation Oncology</i> , 2008 , 3, 22	4.2	3
3	Acute and late toxicity in prostate cancer patients treated by dose escalated intensity modulated radiation therapy and organ tracking. <i>Radiation Oncology</i> , 2008 , 3, 35	4.2	22
2	Identification of truncated chemokine receptor 7 in human colorectal cancer unable to localize to the cell surface and unreactive to external ligands. <i>International Journal of Cancer</i> , 2008 , 123, 1565-72	7.5	7
1	Chemokine receptor CCR6 expression level and liver metastases in colorectal cancer. <i>Journal of Clinical Oncology</i> , 2006 , 24, 1910-6	2.2	112