

Felicity Waite

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3711877/felicity-waite-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

1,668

citations

21

h-index

40

g-index

72

ext. papers

2,479

ext. citations

6

avg, IF

5.21

L-index

#	Paper	IF	Citations
67	Automated Virtual Reality Cognitive Therapy (gameChange) in Inpatient Psychiatric Wards: Qualitative Study of Staff and Patient Views Using an Implementation Framework.. <i>JMIR Formative Research</i> , 2022 , 6, e34225	2.5	2
66	Sleep in the time of COVID-19: findings from 17000 school-aged children and adolescents in the UK during the first national lockdown.. <i>SLEEP Advances</i> , 2022 , 3, zpab021	2.8	6
65	The psychological journey of weight gain in psychosis.. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022 ,	3.5	1
64	Identifying effective characteristics of behavioral weight management interventions for people with serious mental illness: A systematic review with a qualitative comparative analysis. <i>Obesity Reviews</i> , 2022 , 23, e13355	10.6	2
63	"": a qualitative investigation of concerns about the speed of COVID-19 vaccine development and how these may be overcome.. <i>Human Vaccines and Immunotherapeutics</i> , 2022 , 1-8	4.4	0
62	Understanding agoraphobic avoidance: the development of the Oxford Cognitions and Defences Questionnaire (O-CDQ).. <i>Behavioural and Cognitive Psychotherapy</i> , 2022 , 1-12	2.1	2
61	Body image concerns in patients with persecutory delusions.. <i>Psychological Medicine</i> , 2022 , 1-9	6.9	1
60	Automated virtual reality therapy to treat agoraphobic avoidance and distress in patients with psychosis (gameChange): a multicentre, parallel-group, single-blind, randomised, controlled trial in England with mediation and moderation analyses.. <i>Lancet Psychiatry</i> , 2022 , 9, 375-388	23.3	4
59	Virtual reality (VR) therapy for patients with psychosis: satisfaction and side effects.. <i>Psychological Medicine</i> , 2022 , 1-12	6.9	0
58	Weight change, cardio-metabolic risk factors and cardiovascular incidence in people with serious mental illness: protocol of a population-based cohort study in the UK from 1998 to 2020. <i>BMJ Open</i> , 2021 , 11, e053427	3	
57	Anticipatory pleasure in current psychosis: Cognitive and emotional correlates. <i>Psychiatry Research</i> , 2021 , 297, 113697	9.9	3
56	Online Social Endorsement and Covid-19 Vaccine Hesitancy in the United Kingdom. <i>Social Media and Society</i> , 2021 , 7, 205630512110088	2.3	22
55	A compassionate imagery intervention for patients with persecutory delusions. <i>Behavioural and Cognitive Psychotherapy</i> , 2021 , 1-13	2.1	0
54	Injection fears and COVID-19 vaccine hesitancy. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	30
53	Effects of different types of written vaccination information on COVID-19 vaccine hesitancy in the UK (OCEANS-III): a single-blind, parallel-group, randomised controlled trial. <i>Lancet Public Health</i> , 2021 , 6, e416-e427	22.4	77
52	Automated Virtual Reality Cognitive Therapy for People With Psychosis: Protocol for a Qualitative Investigation Using Peer Research Methods. <i>JMIR Research Protocols</i> , 2021 , 10, e31742	2	2
51	Physical activity in a pandemic: A new treatment target for psychological therapy. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021 , 94, 357-364	3.5	7

50	Parenting behaviour and paranoia: a network analysis and results from the National Comorbidity Survey-Adolescents (NCS-A). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 593-604	4.5	1
49	The revised Green , Paranoid Thoughts Scale (R-GPTS): psychometric properties, severity ranges, and clinical cut-offs. <i>Psychological Medicine</i> , 2021 , 51, 244-253	6.9	45
48	Paranoia in patients attending child and adolescent mental health services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 1166-1177	2.6	2
47	Participatory design to create a VR therapy for psychosis. <i>Design for Health</i> , 2021 , 5, 98-119	0.8	5
46	Comparison of a theoretically driven cognitive therapy (the Feeling Safe Programme) with befriending for the treatment of persistent persecutory delusions: a parallel, single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , 2021 , 8, 696-707	23.3	8
45	Appraisal of patient-level health economic models of severe mental illness: systematic review.. <i>British Journal of Psychiatry</i> , 2021 , 1-12	5.4	0
44	Catastrophic cognitions about coronavirus: the Oxford psychological investigation of coronavirus questionnaire [TOPIC-Q]. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	5
43	COVID-19 vaccine hesitancy in the UK: the Oxford coronavirus explanations, attitudes, and narratives survey (Oceans) II. <i>Psychological Medicine</i> , 2020 , 1-15	6.9	249
42	Coronavirus conspiracy beliefs, mistrust, and compliance with government guidelines in England. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	188
41	Sleep disturbance and psychiatric disorders. <i>Lancet Psychiatry</i> , 2020 , 7, 628-637	23.3	103
40	We should beware of ignoring uncomfortable possible truths (a reply to McManus et al). <i>Psychological Medicine</i> , 2020 , 1	6.9	3
39	Developing an automated VR cognitive treatment for psychosis: gameChange VR therapy. <i>Journal of Behavioral and Cognitive Therapy</i> , 2020 , 30, 33-40	1.6	16
38	The assessment of paranoia in young people: Item and test properties of the Bird Checklist of Adolescent Paranoia. <i>Schizophrenia Research</i> , 2020 , 220, 116-122	3.6	4
37	Power posing for paranoia: A double-blind randomised controlled experimental test using virtual reality. <i>Behaviour Research and Therapy</i> , 2020 , 132, 103691	5.2	0
36	Treating sleep problems in young people at ultra-high-risk of psychosis: study protocol for a single-blind parallel group randomised controlled feasibility trial (SleepWell). <i>BMJ Open</i> , 2020 , 10, e045235	2.3	3
35	Virtual Reality Cognitive Therapy in Inpatient Psychiatric Wards: Protocol for a Qualitative Investigation of Staff and Patient Views Across Multiple National Health Service Sites. <i>JMIR Research Protocols</i> , 2020 , 9, e20300	2	3
34	Virtual reality clinical-experimental tests of compassion treatment techniques to reduce paranoia. <i>Scientific Reports</i> , 2020 , 10, 8547	4.9	10
33	Better Sleep: Evidence-Based Interventions 2020 , 465-492		

32	Sleep and schizophrenia: From epiphenomenon to treatable causal target. <i>Schizophrenia Research</i> , 2020 , 221, 44-56	3.6	25
31	Estimating EQ-5D utilities based on the Short-Form Long Term Conditions Questionnaire (LTCQ-8). <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 279	3	1
30	Do letters about conspiracy belief studies greatly exaggerate? A reply to Sutton and Douglas. <i>Psychological Medicine</i> , 2020 , 1-2	6.9	3
29	The experience of body image concerns in patients with persecutory delusions: People don't want to sit next to me. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020 , 93, 639-655	3.5	7
28	The comments of voices on the appearance of patients with psychosis: The voices tell me that I am ugly. <i>BJPsych Open</i> , 2019 , 5, e86	5	3
27	The weeks before 100 persecutory delusions: the presence of many potential contributory causal factors. <i>BJPsych Open</i> , 2019 , 5, e83	5	8
26	Automated psychological therapy using virtual reality (VR) for patients with persecutory delusions: study protocol for a single-blind parallel-group randomised controlled trial (THRIVE). <i>Trials</i> , 2019 , 20, 87	2.8	26
25	Cognitive Behavioural Therapy for Nightmares for Patients with Persecutory Delusions (Nites): An Assessor-Blind, Pilot Randomized Controlled Trial. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 686-696	4.8	19
24	Suicidal ideation and behaviour in patients with persecutory delusions: Prevalence, symptom associations, and psychological correlates. <i>Comprehensive Psychiatry</i> , 2019 , 93, 41-47	7.3	16
23	Treatable clinical intervention targets for patients with schizophrenia. <i>Schizophrenia Research</i> , 2019 , 211, 44-50	3.6	42
22	Automated virtual reality (VR) cognitive therapy for patients with psychosis: study protocol for a single-blind parallel group randomised controlled trial (gameChange). <i>BMJ Open</i> , 2019 , 9, e031606	3	22
21	Adolescent Paranoia: Prevalence, Structure, and Causal Mechanisms. <i>Schizophrenia Bulletin</i> , 2019 , 45, 1134-1142	1.3	14
20	Twisting the lion's tail: Manipulationist tests of causation for psychological mechanisms in the occurrence of delusions and hallucinations. <i>Clinical Psychology Review</i> , 2019 , 68, 25-37	10.8	8
19	Adapted CBT to Stabilize Sleep on Psychiatric Wards: a Transdiagnostic Treatment Approach. <i>Behavioural and Cognitive Psychotherapy</i> , 2018 , 46, 661-675	2.1	20
18	Authors' reply to a comment on "Body image and paranoia". <i>Psychiatry Research</i> , 2018 , 263, 281	9.9	
17	Treating Sleep Problems in Young People at Ultra-High Risk of Psychosis: A Feasibility Case Series. <i>Behavioural and Cognitive Psychotherapy</i> , 2018 , 46, 276-291	2.1	33
16	The Experience of Sleep Problems and Their Treatment in Young People at Ultra-High Risk of Psychosis: A Thematic Analysis. <i>Frontiers in Psychiatry</i> , 2018 , 9, 375	5	11
15	Cost-effectiveness of cognitive-behavioural therapy for sleep disorder added to usual care in patients with schizophrenia: the BEST study. <i>BJPsych Open</i> , 2018 , 4, 126-135	5	8

14	Persistent persecutory delusions: The spirit, style and content of targeted treatment. <i>World Psychiatry</i> , 2017 , 16, 208-209	14.4	7
13	Clinician perceptions of sleep problems, and their treatment, in patients with non-affective psychosis. <i>Psychosis</i> , 2017 , 9, 129-139	1.2	27
12	Body image and paranoia. <i>Psychiatry Research</i> , 2017 , 258, 136-140	9.9	13
11	Cognitive, affective, and social factors maintaining paranoia in adolescents with mental health problems: A longitudinal study. <i>Psychiatry Research</i> , 2017 , 257, 34-39	9.9	20
10	Virtual reality in the treatment of persecutory delusions: randomised controlled experimental study testing how to reduce delusional conviction. <i>British Journal of Psychiatry</i> , 2016 , 209, 62-7	5.4	130
9	The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). <i>Trials</i> , 2016 , 17, 134	2.8	19
8	Treating Sleep Problems in Patients with Schizophrenia. <i>Behavioural and Cognitive Psychotherapy</i> , 2016 , 44, 273-87	2.1	50
7	Targeting Recovery in Persistent Persecutory Delusions: A Proof of Principle Study of a New Translational Psychological Treatment (the Feeling Safe Programme). <i>Behavioural and Cognitive Psychotherapy</i> , 2016 , 44, 539-52	2.1	23
6	Negative cognitions about the self in patients with persecutory delusions: An empirical study of self-compassion, self-stigma, schematic beliefs, self-esteem, fear of madness, and suicidal ideation. <i>Psychiatry Research</i> , 2016 , 239, 79-84	9.9	46
5	The patient experience of sleep problems and their treatment in the context of current delusions and hallucinations. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2016 , 89, 181-93	3.5	41
4	Self-Compassion and Self-Criticism in Recovery in Psychosis: An Interpretative Phenomenological Analysis Study. <i>Journal of Clinical Psychology</i> , 2015 , 71, 1201-17	2.8	22
3	Efficacy of cognitive behavioural therapy for sleep improvement in patients with persistent delusions and hallucinations (BEST): a prospective, assessor-blind, randomised controlled pilot trial. <i>Lancet Psychiatry</i> , 2015 , 2, 975-83	23.3	117
2	An early Phase II randomised controlled trial testing the effect on persecutory delusions of using CBT to reduce negative cognitions about the self: the potential benefits of enhancing self confidence. <i>Schizophrenia Research</i> , 2014 , 160, 186-92	3.6	80
1	The Oxford Agoraphobic Avoidance Scale. <i>Psychological Medicine</i> , 1-11	6.9	3